BELLSOUTH® / CLEC Agreement

Customer Name: Big River Telephone Company, LLC

Big River	2
Table of Contents	3
General Terms and Conditions	5
Att 1 - Resale	25
Att 1 - Resale Discounts and Rates	52
Att 2 - UNEs	61
Att 2 - UNE Rates	137
Att 3 - Network Interconnection	557
Att 3 - Local Interconnection Rates	586
Att 4 - Collocation - Central Office	595
Att 4 - Collocation - Remote Site	636
Att 4 - Collocation Rates	671
Att 5 - Access to Numbers and Number Portability	719
Att 6 - Ordering	723
Att 7 - Billing	730
Att 7 - ODUF ADUF EODUF CMDS Rates	748
Att 8 - Rights of Way	757
Att 9 - Performance Measurements	759
Att 10 - Disaster Recovery Plan	912
Att 11 - BFR and NBR Process	921

INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND

Big River Telephone Company, LLC

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

Version 1Q03: 02/28/03

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

Version 1Q03: 02/28/03

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Big River Telephone Company, LLC ("Big River"), a Delaware Limited Liability Company, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Big River or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Big River is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Big River wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Big River agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 Prior to execution of this Agreement, Big River agrees to provide BellSouth in writing Big River's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Big River is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Big River will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Big River pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

3. Operational Support Systems

Big River shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement.

4. Parity

When Big River purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Big River shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Big River shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Big River.

5. White Pages Listings

5.1 BellSouth shall provide Big River and its customers access to white pages directory listings under the following terms:

- 5.1.1 <u>Listings</u>. Big River shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Big River residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Big River and BellSouth subscribers.
- 5.1.2 <u>Rates.</u> So long as Big River provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.2 below, BellSouth shall provide to Big River one (1) primary White Pages listing per Big River subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.2 Procedures for Submitting Big River SLI are found in The BellSouth Business Rules for Local Ordering.
- 5.2.1 Big River authorizes BellSouth to release all Big River SLI provided to BellSouth by Big River to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Big River SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Big River for BellSouth's receipt of Big River SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Big River's SLI, or costs on an ongoing basis to administer the release of Big River SLI, Big River shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Big River's SLI, Big River will be notified. If Big River does not wish to pay its proportionate share of these reasonable costs, Big River may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Big River shall amend this Agreement accordingly. Big River will be liable for all costs incurred until the effective date of the amendment.
- 5.2.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Big River under this Agreement. Big River shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Big River listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Big River any complaints received by BellSouth relating to the accuracy or quality of Big River listings.
- 5.2.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

- 5.3 <u>Unlisted/Non-Published Subscribers</u>. Big River will be required to provide to BellSouth the names, addresses and telephone numbers of all Big River customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff.
- 5.4 <u>Inclusion of Big River End Users in Directory Assistance Database</u>. BellSouth will include and maintain Big River subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Big River shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.5 <u>Listing Information Confidentiality</u>. BellSouth will afford Big River's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.6 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.7 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Big River subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Big River, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Big River End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Big River End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to Big River</u>. Where BellSouth is providing to Big River Telecommunications Services for resale or providing to Big River the local switching function, then Big River agrees that in those cases where Big River receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Big River End Users, and where Big River does not have the requested information, Big River will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

Version 1Q03: 02/28/03

- 7.1 <u>Big River Liability</u>. In the event that Big River consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Big River under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Big River for any act or omission of another Telecommunications company providing services to Big River.

7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Big River shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent

efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.
- 8.2 <u>Ownership of Intellectual Property</u>. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use

patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would

necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- Proprietary and Confidential Information. It may be necessary for BellSouth and Big River, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement

and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.

- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

- 11.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with

respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys'

fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Big River, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Big River any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If Big River changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Big River to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Big River or BellSouth to perform any material terms of this Agreement, Big River or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recouped against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Big River, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Big River shall not assign this Agreement to any Affiliate or non-affiliated entity unless either (1) Big River pays all bills, past due and current, under this Agreement, or (2) Big River's assignee expressly assumes liability for payment of such bills.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor

Birmingham, Alabama 35203

and

ICS Attorney **Suite 4300** 675 W. Peachtree St. Atlanta, GA 30375

Big River Telephone Company, LLC

Jerry Howe 24 So. Minnesota Ave. Cape Girardeau, MO 63703

Phone: 573-651-3373

e-mail: jhowe@bigrivertelephone.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- 20.2 Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the foregoing, BellSouth may provide Big River notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. **Rule of Construction**

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. **Headings of No Force or Effect**

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. **Multiple Counterparts**

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Big River shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Big River.

Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Big River is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Big River as a requesting carrier under the Act).

29. Rate True-Up

Version 1Q03: 02/28/03

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Big River specifically or upon all carriers generally, such as a generic cost proceeding.

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

31.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Big River acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and

executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Big River pursuant to the terms and conditions set forth in this Agreement. Big River may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Big River Telephone Company, LLC
By: Signature on File	By: Signature on File
Name: Elizabeth R. A. Shiroishi	Name: Gerard Howe
Title: Director	Title: CEO
Date: 6/30/2003	Date: 6/25/2003

Attachment 1

Page 1

Attachment 1

Resale

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	<u>3</u> 4
4.	BellSouth's Provision of Services to Big River	8
5.	Maintenance of Services	9
6.	Establishment of Service	10
7.	Discontinuance of Service	<u>10</u> 11
8.	Operator Services (Operator Call Processing and Directory Assistance)	11
9.	Line Information Database (LIDB)	<u>15</u> 16
10.	RAO Hosting	<u>15</u> 16
11.	Optional Daily Usage File (ODUF)	<u>15</u> 16
12.	Enhanced Optional Daily Usage File (EODUF)	<u>15</u> 16
Resale Restrictions Exhibit A		
Lin	ne Information Database (LIDB) Storage Agreemt	Exhibit B
Op	tional Daily Usage File (ODUF)	Exhibit C
Enl	hanced Option Daily Usage File (EODUF)	Exhibit D
Res	Resale Discounts and Rates Exhibit E	

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Big River purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit E. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Big River for the purposes of resale to Big River's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Big River, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other

services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Big River for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.

- 3.1.1 When Big River provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Big River does not resell Lifeline service to any end users, and if Big River agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event Big River resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Big River and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Big River must provide written notification to BellSouth within 30 days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Big River may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Big River must resell services to other End Users.
- 3.2.2 Big River cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 Big River will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Big River for said services.
- Big River will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Big River. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Big River. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of Big River or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Big River will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Big River to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to Big River, BellSouth will provide Big River with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Big River acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Big River acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Big River shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Big River to designate up to 100 intermediate telephone numbers per CLLIC, for Big River's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Big River acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan

(NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Big River's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Big River or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Big River has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Big River remain the property of BellSouth.
- 3.15 White page directory listings for Big River End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Big River must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Big River may submit a Local Service Request (LSR) electronically as set forth in Attachment 2 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Big River provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> Big River will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Big River per the Bona Fide Request/New Business Request process as set forth in Attachment 6 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Big River acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Big River that Special Assembly at the wholesale discount at Big River's option. Big River shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Big River customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Big River customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Big River customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and Big River shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.

3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to Big River, and Big River shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Big River

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Big River to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Big River shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Big River for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Big River may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Big River cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas</u>

- 4.5.1 BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.2 When Big River assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.3 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to Big River.
- 4.5.4 Big River must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Big River or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Big River accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Big River will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Big River shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Big River for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Big River's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, Big River will provide the appropriate BellSouth Advisory team manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). Big River is required to provide the following before a master account is established: blanket letter of authorization, misdirected number form, proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a deposit and tax exemption certificate, if applicable.
- 6.1.1 If Big River needs to change its OCN(s) under which it operates when Big River has already bee conducting business utilizing those OCN(s), Big River shall bear all costs incurred by BellSouth to convert Big River Big River to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Big River's end user customer records. Appropriate charges will appear in the OC&C section of Big River's bill.
- Big River shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Big River will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Big River's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Big River to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Big River to such other CLEC. Upon completion of the conversion BellSouth will notify Big River that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Big River's End User on behalf of, and at the request of, Big River. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Big River.
- 7.1.2 At the request of Big River, BellSouth will disconnect a Big River End User customer.
- 7.1.3 All requests by Big River for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Big River will be made solely responsible for notifying the End User of the proposed disconnection of the service.

7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Big River when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Big River and/or the End User against any claim, loss or damage arising from providing this information to Big River. It is the responsibility of Big River to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.1 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.1.1. Process 0+ and 0- dialed local calls
- 8.1.3.2 Process 0+ and 0- intraLATA toll calls.
- Process calls that are billed to Big River end user's calling card that can be validated by BellSouth.
- 8.1.5 Process person-to-person calls.
- 8.1.6 Process collect calls.
- 8.1.7 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.1.8 Process station-to-station calls.
- 8.1.9 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.1.10 Process emergency call trace originated by Public Safety Answering Points.
- 8.1.11 Process operator-assisted directory assistance calls.
- 8.1.12 Adhere to equal access requirements, providing Big River local end users the same IXC access that BellSouth provides its own operator service.
- 8.1.13 Exercise at least the same level of fraud control in providing Operator Service to Big River that BellSouth provides for its own operator service.

- 8.1.14 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
- 8.1.15 Direct customer account and other similar inquiries to the customer service center designated by Big River.
- 8.1.16 Provide call records to Big River in accordance with ODUF standards.
- 8.1.17 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 8.2 <u>Directory Assistance Service</u>
- 8.2.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 8.2.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Big River's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings.
- 8.3.1 <u>Directory Assistance Service Updates</u>
- 8.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.2 New end user connections
- 8.3.3 End user disconnections
- 8.3.4 End user address changes
- 8.3.5 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 <u>Branding for Operator Call Processing and Directory Assistance</u>
- 8.4.1 BellSouth's branding feature provides a definable announcement to Big River end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Big River's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit E of this Attachment.
- 8.4.2 BellSouth offers three branding offering options to Big River when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.

- 8.4.3 Upon receipt of the branding order from Big River, the order is considered firm after ten (10) business days. Should Big River decide to cancel the order, written notification to Big River's BellSouth Account Executive is required. If Big River decides to cancel after ten (10) business days from receipt of the branding order, Big River shall pay all charges per the order.
- 8.4.4 <u>Branding via Originating Line Number Screening (OLNS)</u>
- 8.4.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding Big River shall not be required to purchase dedicated trunking.
- 8.4.4.2 BellSouth Branding is the default branding offering.
- 8.4.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance Big River must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To Implement Unbranding and Custom Branding via OLNS software, Big River must submit a manual order form which requires, among other things, Big River's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Big River shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Big River's purchase of Unbranding and Custom Branding using OLNS software for any particular TOPS, all Big River end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.4.4 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit E of this Attachment. In addition to the charges for Unbranding and Custom Branding via OLNS software, Big River shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Call Processing platforms as set forth in Exhibit E of this Attachment.
- 8.4.5 <u>Selective Call Routing using Line Class Codes (SCR-LCC)</u>
- 8.4.5.1 Where Big River resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Big River's end user calls to that provider through Selective Call Routing.
- 8.4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Big River to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only

available if line class code capacity is available in the requested BellSouth end office switches.

- 8.4.5.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- Where available, Big River specific and unique line class codes are programmed in each BellSouth end office switch where Big River intends to service end users with customized OCP/DA branding. The line class codes specifically identify Big River's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Big River intends to provide Big River-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.5.5 BellSouth Branding is the default branding offering.
- 8.4.5.6 SCR-LCC supporting Custom Branding and Self Branding require Big River to order dedicated transport and trunking from each BellSouth end office identified by Big River, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Big River Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.
- 8.4.5.7 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.5.8 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Big River to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.6 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Big River requires service.
- 8.4.6.1 Directory Assistance customized branding uses:
- 8.4.6.2 the recording of Big River
- 8.4.6.3 the loading of the recording in each switch.
- 8.4.6.4 Operator Call Processing customized branding uses:

- 8.4.6.5 the recording of Big River
- 8.4.6.6 2 the loading of the recording in each switch.
- 8.4.6.7 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Big River's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

- The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)

T	pe of Service	1	AL]	FL	(GA]	KY]	LA	I	MS		NC		SC	,	ΓN
1 y	pe of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
	dfathered ces (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	otions - > 90 (Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	otions - \leq 90 (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeli Servi	ine/Link Up ces	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/I	E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11	Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 Mem	oryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobi	le Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	ral Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non-	RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	User Line Chg- ber Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	c Telephone ss Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	e Wire Maint ce Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No	tes:																	
1.	Grandfathere	d servic	es can be	resold o	nly to exis	ting sub	oscribers o	f the gra	andfathere	d servic	e.								
2.	Where availabl														d it been p	rovided	by BellSo	uth dire	ctly.
3.	Some of BellSo	outh's lo	cal exchar	ige and	toll telecon	mmunic	ations ser	vices are	e not avail	able in	certain cer	ntral off	ices and ar	reas.					

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Big River.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Big River.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by Big River for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Big River and pursuant to which BellSouth, its LIDB customers and Big River shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Big River's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Big River understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Big River, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Resale Agreement upon notice to Big River's account team and/or Local Contract Manager activate this LIDB Storage Agreement. The General Terms and Conditions of the Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
 - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Big River has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of Big River from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of Big River indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Big River of fraud alerts so that Big River may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Big River pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Big River for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Big River's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify Big River end user originated long distance charges and will return those charges to the interexchange carrer as not covered by the existing B&C agreement. Big River is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- (2) BellSouth shall have no obligation to become involved in any disputes between Big River and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Big River. It shall be the responsibility of Big River and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

A. Big River will not be charged a fee for storage services provided by BellSouth to Big River, as described in this LIDB Resale Storage Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Big River in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

- 1. Upon written request from Big River, BellSouth will provide the Optional Daily Usage File (ODUF) service to Big River pursuant to the terms and conditions set forth in this section.
- 2. Big River shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Big River customer.
- 4. Charges for ODUF will appear on Big River's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. Big River will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in Big River's billing system will be the responsibility of Big River. If, however, Big River should encounter significant volumes of errored messages that prevent processing by Big River within its systems, BellSouth will work with Big River to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Big River:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Big River.
- 6.1.4 In the event that Big River detects a duplicate on ODUF they receive from BellSouth, Big River will drop the duplicate message and will not return the duplicate to BellSouth).
- 6.2 ODUF Physical File Characteristics
- 6.2.1 The ODUF will be distributed to Big River via CONNECT:Direct or Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Big River for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Big River will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Big River will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Big River. Additionally, all message toll charges associated with the use of the dial circuit by Big River will be the responsibility of Big River. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and

software, that is required on Big River end for the purpose of data transmission will be the responsibility of Big River.

6.2.3 If Big River utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Big River.

6.3 ODUF Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Big River which BellSouth RAO is sending the message. BellSouth and Big River will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Big River and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.4 <u>ODUF Pack Rejection</u>

6.4.1 Big River will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Big River will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Big River by BellSouth.

6.5 ODUF Control Data

Big River will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Big River received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Big River for reasons stated in the above section.

6.6 ODUF Testing

Upon request from Big River, BellSouth shall send test files to Big River for the ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Big River set up a production (live) file. The live test may consist of Big River's employees making test calls for the types of services Big River requests on the ODUF. These test calls are logged by Big

Attachment 1 Page 24 Exhibit C

River, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Big River, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Big River pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Big River shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the EODUF will appear on Big River's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Big River will be the responsibility of Big River. If, however, Big River should encounter significant volumes of errored messages that prevent processing by Big River within its systems, BellSouth will work with Big River to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Big River:

Customer usage data for flat rated local call originating from Big River's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to Big River.
- 7.1.3 In the event that Big River detects a duplicate on EODUF they receive from BellSouth, Big River will drop the duplicate message (Big River will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Big River via Connect: Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The EODUF messages will be intermingled among Big River's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Big River for the purpose of data transmission as set forth in Section 6.2.2 above.
- 7.2.3 If Big River utilizes Secure File Transfer Protocol (FTP)for data file transmission, purchase of the Secure File Transfer Protocol (FTP)software will be the responsibility of Big River.
- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Big River which BellSouth RAO is sending the message. BellSouth and Big River will use the invoice sequencing to control data

Attachment 1 Page 27 Exhibit D

exchange. BellSouth will be notified of sequence failures identified by Big River and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

RESALE DI	ISCOUNTS AND RATES - Alabama												Attach	ment: 1	Exhi	ibit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE			<u> </u>			40.00										
	Residence %		<u> </u>			16.30										
	Business %		<u> </u>			16.30										
	CSAs %		<u> </u>			16.30										
OPERATIONA	AL SUPPORT SYSTEMS (OSS) RATES		ļ <u> </u>		201150		0.50		0.50							
	Electronic LSR		<u> </u>		SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR		<u> </u>		SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE C	CALL ROUTING USING LINE CLASS CODES (SCR-LCC)		<u> </u>													
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch		<u> </u>				84.70	84.70	14.11	14.11						
DIRECTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFI	WARE													
	Recording of DA Custom Branded Announcement		.				3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						4 470 00	4 470 00								
DIDECTORY	ASSISTANCE UNBRANDING via OLNS SOFTWARE		 		-		1,170.00	1,170.00								
DIRECTORY	Loading of DA per OCN (1 OCN per Order)		 		-		420.00	420.00								
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN		 		-		16.00	16.00								
00504500.4	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COETI	VADE		-		16.00	16.00								
OPERATOR A		SOFT	VARE		-		7 000 00	7 000 00								
	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV		 		+		7,000.00	7,000.00								
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
OPERATOR A	ASSISTANCE UNBRANDING via OLNS SOFTWARE							•								
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF	F SERVICES															
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.000011			j							
	ODUF: Message Processing, per message					0.004101			j							
	ODUF: Message Processing, per Magnetic Tape provisioned					42.67			j							
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094	İ									
ENHA	ANCED OPTIONAL DAILY USAGE FILE (EODUF)								j							
	EODUF: Message Processing, per message					0.22										

RESALE DIS	COUNTS AND RATES - Florida												Attach	ment: 1	Exhi	ibit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Auu i	Disc 1st	Disc Add I
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE D																
	Residence %					21.83										
	Business %					16.81										
	CSAs %					16.81										
	SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
	LL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						93.55	93.55	11.46	11.46						
	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per															
	OCN						1,170.00	1,170.00								
	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF S																
	IAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000071										
	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375										
	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message			·		0.080698		·		·						

RESALE DISC	COUNTS AND RATES - Georgia												Attach	ment: 1	Exhi	bit: E
	-										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec				Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-			Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													100	Auu	D130 131	DISC Add I
									l							
						D	Nonrec		Nonrecurring		001150	001111		Rates(\$)	0011411	001441
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS	COUNTS															
	Residence %	1	1			20.30										
	Business %		1		_	17.30										
	CSAs %		1		+	17.30					-	-		-		-
	SUPPORT SYSTEMS (OSS) RATES		1		+	17.30									1	
	Electronic LSR		1		SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR		1		SOMAN		19.99	19.99	19.99	19.99					1	
	L ROUTING USING LINE CLASS CODES (SCR-LCC)		1		JOINAIN	+	13.33	13.33	13.33	13.33						
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						199.56	199.56								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE		_		100.00	100.00								
	Recording of DA Custom Branded Announcement				+	1	3,000,00	3,000.00			1	1		-		
	oading of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	DCN						1.170.00	1,170.00								
DIRECTORY ASS	SISTANCE UNBRANDING via OLNS SOFTWARE						,	,								
L	oading of DA per OCN (1 OCN per Order)						420.00	420.00								
L	oading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASS	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
L	oading of Custom Branded OA Announcement per shelf/NAV															
	er OCN						500.00	500.00								
	oading of OA Custom Branded Announcement per Switch per															
	DCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	oading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SE																
	AL DAILY USAGE FILE (ODUF)															
	DDUF: Recording, per message				1	0.0001275									ļ	
	DDUF: Message Processing, per message				1	0.0082548								1		1
	DDUF: Message Processing, per Magnetic Tape provisioned				1	28.85									ļ	
	DDUF: Data Transmission (CONNECT:DIRECT), per message				1	0.0000434								1		1
	ED OPTIONAL DAILY USAGE FILE (EODUF)															
E	ODUF: Message Processing, per message					0.0034555										

RESALE DISCO	UNTS AND RATES - Kentucky												Attach	ment: 1	Exhi	bit: E
	•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1													
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISC	OLINTS															
	idence %					16.79										
						15.54										
CSA	iness %		 		+	15.54 15.54										
	PPORT SYSTEMS (OSS) RATES				_	15.54										
	etronic LSR		+		SOMEC		3.50	3.50	3.50	3.50						
	ual LSR				SOMAN		19.99	19.99	19.99	19.99						
	ROUTING USING LINE CLASS CODES (SCR-LCC)		-		SOMAN	+	19.99	13.33	15.55	15.55	-					
	ective Routing Per Unique Line Class Code Per Request Per															
Swit							93.53	93.53	15.58	15.58						
	TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARF				30.00	30.00	10.00	10.00						
	ording of DA Custom Branded Announcement		1				3.000.00	3,000.00								
	ding of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,								
OCN							1.170.00	1,170.00								
DIRECTORY ASSIS	TANCE UNBRANDING via OLNS SOFTWARE						,	,								
Load	ding of DA per OCN (1 OCN per Order)						420.00	420.00								
Load	ding of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSIST	TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	ording of Custom Branded OA Announcement						7,000.00	7,000.00								
	ding of Custom Branded OA Announcement per shelf/NAV															
	OCN						500.00	500.00								
	ding of OA Custom Branded Announcement per Switch per															
OCN							1,170.00	1,170.00								
	TANCE UNBRANDING via OLNS SOFTWARE															
	ding of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERV																
	DAILY USAGE FILE (ODUF)															
	JF: Recording, per message					0.0000136										
	JF: Message Processing, per message		1			0.002506										
	JF: Message Processing, per Magnetic Tape provisioned		1			35.90										
	JF: Data Transmission (CONNECT:DIRECT), per message		1			0.00010372										
	OPTIONAL DAILY USAGE FILE (EODUF)		1			0.0000										
EOD	OUF: Message Processing, per message					0.235889										

RESALE DISCOU	JNTS AND RATES - Louisiana												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									F	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ			1							
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCO	PLINTS															
	dence %		 		+	20.72	-		+						-	-
	ness %		 		_	20.72					1					
CSA			 		+	9.05	-		+						-	-
	PPORT SYSTEMS (OSS) RATES					9.03										
	tronic LSR		 		SOMEC		3.50	3.50	3.50	3.50	1					-
	ual LSR				SOMAN		19.99	19.99	19.99	19.99						
	OUTING USING LINE CLASS CODES (SCR-LCC)		 		SOWAIN	1	13.33	13.33	13.33	13.33	1					
	ctive Routing Per Unique Line Class Code Per Request Per															
Swite							82.25	82.25								
	TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
Reco	ording of DA Custom Branded Announcement						3,000.00	3,000.00								
Load	ing of DA Custom Branded Anouncement per Switch per						·	•								
OCN							1,170.00	1,170.00								
DIRECTORY ASSIST	TANCE UNBRANDING via OLNS SOFTWARE															
	ing of DA per OCN (1 OCN per Order)						420.00	420.00								
	ing of DA per Switch per OCN						16.00	16.00								
	ANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	ording of Custom Branded OA Announcement						7,000.00	7,000.00								
	ing of Custom Branded OA Announcement per shelf/NAV															
per C							500.00	500.00								
	ing of OA Custom Branded Announcement per Switch per															
OCN							1,170.00	1,170.00								
	ANCE UNBRANDING via OLNS SOFTWARE															
	ing of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERV																
	DAILY USAGE FILE (ODUF)		<u> </u>						ļ							
	F: Recording, per message		 			0.0000117										
	F: Message Processing, per message		 			0.004641										
	F: Message Processing, per Magnetic Tape provisioned		├			48.45										
	F: Data Transmission (CONNECT:DIRECT), per message		├		-	0.00010568									-	-
	OPTIONAL DAILY USAGE FILE (EODUF)				+	0.0500:5									1	1
EOD	UF: Message Processing, per message					0.250015					1					

RESALE DIS	COUNTS AND RATES - Mississippi												Attach	ment: 1	Exhi	bit: E
	•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec				Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	D130 131	DISC Add I
										. D'			000	D-4(A)		
						Rec	Nonrec	urring Add'l	Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	COMAN
					_	Rec	First	Add I	First	Add'l	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOMAN
APPLICABLE I	DISCOLINTS				-											
	Residence %				+	15.75									1	
	Business %					15.75			1							
	CSAs %					15.75			1							
	SUPPORT SYSTEMS (OSS) RATES				_	13.73										
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						85.19	85.19	14.19	14.19						
DIRECTORY AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per															
	OCN						1,170.00	1,170.00								
	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per				_		000.00	000.00								
	OCN						1.170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE				+		1,170.00	1,170.00								
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF							1,20000	1,200100								
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000063										
	ODUF: Message Processing, per message		i i			0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
	CED OPTIONAL DAILY USAGE FILE (EODUF)					İ										
	EODUF: Message Processing, per message					0.250424										

RESALE DISCOU	JNTS AND RATES - North Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									•				131	Auu i	Diac lat	Disc Add I
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCO																
	dence %					21.50										
	ness %					17.60										
CSAs						17.60										
	PORT SYSTEMS (OSS) RATES															
	ronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	ual LSR				SOMAN		19.99	19.99	19.99	19.99						
	OUTING USING LINE CLASS CODES (SCR-LCC)															
	ctive Routing Per Unique Line Class Code Per Request Per															
Switc							82.25	82.25	14.14	14.14						
	TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	rding of DA Custom Branded Announcement						3,000.00	3,000.00								
	ing of DA Custom Branded Anouncement per Switch per															
OCN							1,170.00	1,170.00								
	ANCE UNBRANDING via OLNS SOFTWARE															
	ing of DA per OCN (1 OCN per Order)						420.00	420.00								
	ing of DA per Switch per OCN						16.00	16.00								
	ANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	rding of Custom Branded OA Announcement						7,000.00	7,000.00								
Load per C	ing of Custom Branded OA Announcement per shelf/NAV						500.00	500.00								
	ing of OA Custom Branded Announcement per Switch per						300.00	300.00								
OCN							1.170.00	1,170.00								
	ANCE UNBRANDING via OLNS SOFTWARE						1,170.00	1,170.00								
	ing of OA per OCN (Regional)						1.200.00	1.200.00								
ODUF/EODUF SERV							1,200.00	1,200.00								
	DAILY USAGE FILE (ODUF)															
	F: Recording, per message		+		+	0.0003	+									
	F: Message Processing, per message	-	+		+	0.0003	+							-	 	-
	F: Message Processing, per Magnetic Tape provisioned	-	+		+	54.61	+							-	 	
	F: Data Transmission (CONNECT:DIRECT), per message	l	+ +		+	0.00004	ł							1	1	
	OPTIONAL DAILY USAGE FILE (EODUF)	l	+ +		+	0.00004	ł							1	1	1
	UF: Message Processing, per message	1	+		+	0.2285406	+				1			1	1	1
I EOD	on, wessage modessing, per message	l				0.2200400					1	ı		1	1	ı

RESALE DIS	COUNTS AND RATES - South Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
					1							Submitted		Charge -	Charge -	Charge -
		Into-			1						Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lor	per Lore	Electronic-			Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													130	Auu	Disc 1st	Disc Add I
						B	Nonrec		Nonrecurring		001150	001111		Rates(\$)	0011411	001441
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE I	DISCOUNTS				+											
	Residence %					14.80										
	Business %		1		_	14.80										
	CSAs %		1		+	8.98					-	-		-		-
	SUPPORT SYSTEMS (OSS) RATES		1		+	0.90										
	Electronic LSR		1		SOMEC	1	3.50	3.50	3.50	3.50						
	Manual LSR		1		SOMAN		19.99	19.99	19.99	19.99						
	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)		1		SOIVIAIN		19.99	19.99	15.55	19.99						
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						84.89	84.89	14.14	14.14						
	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE				04.03	04.03	17.17	17.17						
	Recording of DA Custom Branded Announcement	1					3.000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per				_		0,000.00	0,000.00								
	OCN						1.170.00	1,170.00								
	SSISTANCE UNBRANDING via OLNS SOFTWARE						1,110.00	1,170.00								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR AS	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV							·								
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
OPERATOR AS	SISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF S																
OPTION	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000216										
	ODUF: Message Processing, per message					0.004704		•								
	ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863		•								
	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.258301		-								

RESALE DISCOUN	TS AND RATES - Tennessee												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Indan:									Elec	Manually		Manual Svc	Manual Svc	Manual S
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Add
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOU	NTS															
Reside	nce %					16.00										
Busine	ss %					16.00										
CSAs 9						16.00										
	ORT SYSTEMS (OSS) RATES															
Electro					SOMEC		3.50	3.50	3.50	3.50						
Manua					SOMAN		19.99	19.99	19.99	19.99						
	JTING USING LINE CLASS CODES (SCR-LCC)															
	ve Routing Per Unique Line Class Code Per Request Per															
Switch							179.60	179.60								
	NCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE													
	ing of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03						
	of DA Custom Branded Anouncement per Switch per															
OCN							240.71	240.71								
	NCE UNBRANDING via OLNS SOFTWARE															
	g of DA per OCN (1 OCN per Order)						420.00	420.00								
	of DA per Switch per OCN						16.00	16.00								
	NCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	ing of Custom Branded OA Announcement						1,555.00	1,555.00								
	g of Custom Branded OA Announcement per shelf/NAV															
per OC							240.71	240.71								
	of OA Custom Branded Announcement per Switch per															
OCN			ļ <u> </u>				240.71	240.71								
	NCE UNBRANDING via OLNS SOFTWARE		<u> </u>		_											
	g of OA per OCN (Regional)		<u> </u>		_		1,200.00	1,200.00								
DUF/EODUF SERVIC			<u> </u>		_											
	ILY USAGE FILE (ODUF)		<u> </u>		_	0.0000044										
	Recording, per message	ļ	├			0.0000044										
	Message Processing, per message	!	├			0.0027366										
	Message Processing, per Magnetic Tape provisioned	!	├			52.75										
	Data Transmission (CONNECT:DIRECT), per message	ļ	 			0.0000339										
	PTIONAL DAILY USAGE FILE (EODUF)	ļ	 			0.001										
EODU	: Message Processing, per message					0.004										L

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION3
2	UNBUNDLED LOOPS4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT
4	LOCAL SWITCHING
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS
6	TRANSPORT, CHANNELIZATION AND DARK FIBER
7 SER	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING VICE
8	LINE INFORMATION DATABASE (LIDB)
9	SIGNALING
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE)6265
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) $\underline{6871}$
12	CALLING NAME (CNAM) DATABASE SERVICE
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ANCED INTELLIGENT NETWORK (AIN) ACCESS
14	BASIC 911 AND E911
15	OPERATIONAL SUPPORT SYSTEMS (OSS)
LID	B Storage Agreement Exhibit A
Rate	es Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Big River in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Big River. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Big River to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Big River used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Big River, and to the extent technically feasible, provide to Big River access to its Network Elements for the provision of Big River's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Big River may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Big River chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Big River to the demarcation point associated with Big River's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Big River may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 BellSouth shall not connect individual UNEs or combinations of UNEs to BellSouth tariffed services.
- 1.8 If Big River reports a trouble on a UNE and no trouble actually exists on the BellSouth portion, BellSouth will charge Big River for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the UNE's working status.

- 1.9 Rates
- 1.9.1 The prices that Big River shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Big River purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.9.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.9.3 If Big River modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Big River in accordance with FCC No. 1 Tariff, Section 5.
- 1.9.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User customer premises, including inside wire owned by BellSouth. The local Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Big River's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested Loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then Big River can use the Special Construction process to request that BellSouth place facilities in order to meet Big River's Loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at

http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to Big River in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Big River may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Big River has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Big River shall pay the recurring and nonrecurring charges for a UCL. For non-service specific Loops (e.g. UCL, Loops modified by Big River using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the end user's location. If Big River wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, UCL-ND, Big River may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit B of this Attachment.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Big River will be responsible for testing and isolating troubles on the Loops. Big River must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Big River will be required to provide the results of the Big River test which indicate a problem on the BellSouth provided Loop.
- 2.1.8.2 Once Big River has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions

necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.

2.1.8.3 If Big River reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Big River for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.9 Order Coordination and Order Coordination-Time Specific

- 2.1.9.1 "Order Coordination" (OC) allows BellSouth and Big River to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Big River's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Big River to order a specific time for OC to take place. BellSouth will make every effort to accommodate Big River's specific conversion time request. However, BellSouth reserves the right to negotiate with Big River a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Big River may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Big River specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Big River when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Big River's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the

same end user location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.10.3 The Loops converted to Big River pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2.1.10.4

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Big River must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)

- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Big River will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI Loops when reuse of existing facilities has been requested by Big River. Big River may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Big River may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Big River. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Big River to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs: 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 4-wire Unbundled Digital Loop/DS0 - 64 kbps, 56 kbps and below 2.3.2.7 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Big River will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable Loop to support IDSL service. 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable Loop. These specifications are listed in BellSouth's TR73600. 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR. 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop

length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.

- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not

intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Big River.
- 2.4.2.5 These Loops are not intended to support any particular services and may be utilized by Big River to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms

resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Big River can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Big River may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Big River to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Big River may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Big River, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Big River will require access to a copper twisted pair Loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Big River can use the Loop for a variety of services by attaching appropriate terminal equipment at the ends. Big River will determine the type of service that will be provided over the Loop. BellSouth's Unbundled Loop

Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the Loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

- 2.5.4 In those cases where Big River has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 ULM includes the following: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on Loops of any length.
- 2.5.6 Big River shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Big River desires BellSouth to condition.
- 2.5.7 When requesting ULM for a Loop that BellSouth has previously provisioned for Big River, Big River will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Big River is available at the location for which the ULM was requested, Big River will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Big River will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Big River has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Big River. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Big River (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the Loop facilities. Big River will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of End User customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Big River to connect Big River's Loop facilities to the End User's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Big River may access the end user's customer-premises wiring by any of the following means and Big River shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Big River to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Big River may request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Big River's responsibility to ensure there is no safety hazard, and Big River will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Big River shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Big River shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Big River to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the distribution media and/or cross connect to Big River's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Big River may request BellSouth to do additional work to the NID on a time and material basis. When Big River deploys its own local Loops in a multiple-line termination device, Big River shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.4 If Big River requests a UCSL and it is not available, Big River may request the Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Big River's use on this cross-connect panel. Big River will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 For access to Voice Grade USLD and UCSL, Big River shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process.

Big River's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Big River is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Big River's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Big River's request for Unbundled Sub-Loops, Big River may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Big River will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Big River can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Big River's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Big River will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Big River requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Big River for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual end user's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third

party owns the wiring to the End User's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Big River will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Big River for each pair activated commensurate to the price specified in Big River's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the

Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 The Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If the Requesting Party issued a LSR to disconnect an End User from the Provisioning Party in order to use a UNTW pair, the Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If the Requesting Party activated a UNTW pair on which the Provisioning Party was not previously providing service, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service using that pair. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves one or more end user locations.

- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level Loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Big River's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Big River will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Big River may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Big River. Big River will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder DS3 and above
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) collocation arrangement and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder shall be utilized for voice and digital traffic. It may be configured at DS3 or STS-1 transmission capacities and shall require a Service Inquiry.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.

- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Big River Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local Loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth Loops to be concentrated onto two or more DS1s. The high-speed
 connection from the concentrator will be at the electrical DS1 level and will
 connect to Big River at Big River's collocation site. System B will allow up to
 192 BellSouth Loops to be concentrated onto 4 or more DS1s. System A may be
 upgraded to a System B. A minimum of two DS1s is required for each system
 (i.e., System A requires two DS1s and System B would require an additional two
 DS1s or four in total). All DS1 interfaces will terminate to Big River's collocation
 space. ULC service is offered with concentration (2 DS1s for 96 channels) or
 without concentration (4 DS1s for 96 channels) and with or without protection. A
 Loop Interface element will be required for each Loop that is terminated onto the
 ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Big River may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Big River's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Big River's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Big River's demarcation point associated with Big River's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 Big River is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow Big River's sub-loops to be placed on the USLC and transported to Big River's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Big River's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Big River to utilize Dark Fiber Loops.

2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 Big River is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Big River information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry (SI) from Big River.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Big River within twenty (20) business days after Big River submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Big River to connect Big River provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to Big River LMU information so that Big River can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Big River intends to install and the services Big River wishes to provide. This section addresses LMU as a preordering transaction, distinct from Big River ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering Loop Make-Up are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Big River LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Big River as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 Big River may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Big River and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Big River's ability to provide advanced data services over the ordered Loop type. Further, if Big River orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Big River is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 Big River may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Big River needs further Loop information in order to determine Loop service capability, Big River may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 <u>Loop Reservations</u>

- 2.9.3.1 For a Mechanized LMUSI, Big River may reserve up to ten Loop facilities. For a Manual LMUSI, Big River may reserve up to three Loop facilities.
- 2.9.3.2 Big River may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Big River. During and prior to Big River placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Big River does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Big River will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Big River does not reserve facilities upon an initial LMUSI, Big River's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Big River has reserved multiple Loop facilities on a single reservation, Big River may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Big River, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Big River. If the ordered Loop type is not available, Big River may

utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Big River access to the high frequency spectrum of the local Loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Big River the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Big River shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Big River on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Big River requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Big River shall pay for the Loop to be restored to its original state.

- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Big River desires to continue providing xDSL service on such Loop, Big River shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Big River notice in a reasonable time prior to disconnect, which notice shall give Big River an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Big River purchases the full stand-alone Loop, Big River may elect the type of Loop it will purchase. Big River will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Big River purchases a voice grade Loop, Big River acknowledges that such Loop may not remain xDSL compatible.
- 3.1.6 Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide Big River with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Big River must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Big River may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Big River's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Big River in a central office in which Big River is located, Big River shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Big River shall pay the electronic or manual ordering charges as applicable when Big River orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Big River's data.

3.3 **BellSouth Provided Splitter**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Big River access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Big River's xDSL equipment in Big River's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Big River with a carrier notification letter, informing Big River of change. Big River shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Big River shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Big River's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Big River's DS0 termination point as possible. Big River shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Big River on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Big River DS0 at such time that a Big River end user's service is established.

3.4 **CLEC Provided Splitter**

- 3.4.1 Big River may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Big River may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Big River in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Big River may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering**

- 3.5.1 Big River shall use BellSouth's Line Splitter Ordering Document (LSOD) to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Big River the Local Service Request (LSR) format to be used when ordering the High Frequency Spectrum.

- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Big River access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Big River shall pay the rates for such services, as described in Exhibit B.

3.6 **Maintenance and Repair**

- 3.6.1 Big River shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Big River is using a BellSouth owned splitter, Big River may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Big River provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Big River will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Big River shall inform its end users to direct data problems to Big River, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Big River, BellSouth will notify Big River. Big River will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Big River will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Big River's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. Big River shall provide BellSouth with a signed Letter of Authorization (LOA) between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Big River will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Big River or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Big River for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Big River or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Big River or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Big River or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Big River or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering

- 3.9.1 Big River shall use BellSouth's Line Splitter Ordering Document (LSOD) to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Big River the Local Service Request (LSR) format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Big River access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Big River shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide Loop modification to Big River on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment.

3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Big River will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Big River shall inform its end users to direct data problems to Big River, unless both voice and data services are impaired, in which event the end users should call BellSouth.

- 3.10.3 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such Loop.
- 3.10.5 If Big River is not the data provider, Big River shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

3.11 Remote Site High Frequency Spectrum

- 3.11.1 General
- 3.11.2 BellSouth shall provide Big River access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Big River the ability to provide Digital Subscriber Line (xDSL) data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Big River shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

- 3.11.5 BellSouth will provide Loop Modification to Big River on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Big River requests modifications on a sub-loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the Loop, Big River shall pay for the Loop to be restored to its original state.
- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Big River desires to continue providing xDSL service on such sub-loop, Big River shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Big River notice in a reasonable time prior to disconnect, which notice shall give Big River an adequate opportunity to notify BellSouth of its intent to purchase such subloop. In those cases where BellSouth no longer provides voice service to the end user and Big River purchases the full stand-alone sub-loop, Big River may elect the type of sub-loop it will purchase. Big River will pay the appropriate recurring and nonrecurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Big River purchases a voice grade Loop, Big River acknowledges that such sub-loop may not remain xDSL compatible.
- 3.11.7 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.

3.12 **Provisioning of High Frequency Spectrum and Splitter Space**

- 3.12.1 BellSouth will provide Big River with access to the High Frequency Spectrum as follows:
- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Big River must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the End User of such sub-loop.
- 3.12.1.2 Big River may provide its own splitters or may order splitters in a remote site once the Big River has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Big River's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.

Once a splitter is installed on behalf of Big River in a remote site in which Big River is located, Big River shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Big River shall pay applicable for High Frequency Spectrum End User activation.

3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The Big River's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Big River will provide a cable facility to the BellSouth FDI. BellSouth will splice the Big River's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Big River's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Big River's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Big River's Remote Terminal (RT) collocation space and routed back to the Big River's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Big River with a carrier notification letter informing Big River of change. Big River shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to Big River's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Big River's DS0 termination point as possible. Big River shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Big River DS0 at such time that a Big River end user's service is established.

3.14 **CLEC Owned Splitter**

- 3.14.1 Big River may at its option purchase, install and maintain splitters in its collocation arrangements. Big River may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Big River will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by Big River in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Big River

may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.15 **Ordering**

- 3.15.1 Big River shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide Big River the Local Service Request (LSR) format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.15.4 BellSouth will provide Big River access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Big River shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Big River's data.

3.16 **Maintenance and Repair**

- 3.16.1 <Customer_short_name shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If Big River is using a BellSouth owned splitter, Big River may access the sub-loop at the point where the data signal exits. If Big River provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Big River will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Big River shall inform its end users to direct data problems to Big River, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation

arrangement belonging to Big River, BellSouth will notify Big River. Big River will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Big River will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Big River's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Big River for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Big River for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a Loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Big River when Big River serves an End User with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to

the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

- 4.2.3 In the event that Big River orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Big River the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Big River's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Big River purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its end users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Big River local end user, or originated by a BellSouth local end user and terminated to a Big River local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Big River the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Big River shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Big River purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Big River end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Big River the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Big River shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Big River the UNE elements for the BellSouth facilities utilized. Each Party may

bill the toll provider originating or terminating switched access charges as appropriate.

4.2.9 <u>Unbundled Port Features</u>

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Big River selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Big River will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.10 **Remote Call Forwarding**

- 4.2.10.1 As an option, BellSouth shall make available to Big River an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Big River will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Big River the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Big River all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Big River.

4.2.12 <u>Local Switching Interfaces.</u>

- 4.2.12.1 Big River shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Big River and BellSouth:
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Big River.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Big River's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Big River's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Big River's traffic overflowing from direct end office high usage trunk groups.

4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Big River. AIN Selective Carrier Routing will provide Big River with the capability of routing operator calls, 0+ and 0- and 0+ NPA (Local Numbering Plan Area) (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Big River shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Big River, the routing of Big River's end user calls shall be pursuant to information provided by Big River and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Big River shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit B of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said nonrecurring charge shall be as set forth in Exhibit B of this Attachment. For each Big River end user activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit B of this Attachment. Big River shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form

A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to Big River's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Big River, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Big River following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Big River following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Big River following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper Loops capable of supporting the xDSL services Big River seeks to offer;
- 4.5.2.3 BellSouth has not permitted Big River to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor

has Big River obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and

- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Big River are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Big River are not already combined by BellSouth in the location requested by Big River but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Big River are not elements that BellSouth combines for its use in its network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops as defined in Section 2 and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Big River with EELs where they are available.
- 5.2.2 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Big River's collocation space in a BellSouth central office. The circuit must be connected to Big River's switch for the purpose of provisioning circuit telephone exchange service to Big River's End User customers. Big River may connect EELs within Big River's collocation space to other transport terminating into Big River's switch. Big River may connect the local loops to an unbundled local channel to form an EEL provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Big River's request, terminate to a CLEC's Point of Presence (POP). Big River will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth's request, Big River shall indicate under what local usage option Big River seeks to qualify. Big River shall be deemed to be providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1.1 through 5.3.1.3 is met. BellSouth shall have the right to audit Big River's EELs as specified in Section 5.3.3 below.

5.3 Conversions from Special Access Service to EELs

- 5.3.1 Big River may convert existing (Currently Combined) special access services to combinations of Loop and transport network elements, whether or not Big River self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Big River does not use the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Big River requests to convert any special access services to combinations of Loop and transport network elements at UNE prices, Big River shall provide to BellSouth a certification that Big River is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Big River seeks to qualify for conversion of special access circuits. Big River shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 **Option 1:** Big River certifies that it is the exclusive provider of an end user's local exchange service. The Loop-transport combinations must terminate at Big River's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Big River is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Big River can then use the Loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** Big River certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the Loop portion of the Loop-transport combination have at least 5 percent local voice traffic individually, and the entire Loop facility has at least 10 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The Loop-transport combination must terminate at Big River's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.1.3 **Option 3:** Big River certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire Loop facility has at least 33 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the

individual DS1 circuits must meet this criterion. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Big River does not need to provide a defined portion of the end user's local service, but the active channels on any Loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

- In addition, there may be extraordinary circumstances where Big River is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, Big River may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon either Party's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit Big River's records in order to verify compliance with the local usage option provided by Big River pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Big River shall be given thirty days written notice of BellSouth's intent to audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Big River shall reimburse BellSouth for the cost of the audit. If, based on the audit, Big River is not providing a significant amount of local exchange traffic over the combinations of Loop and transport network elements, BellSouth will convert such combinations of Loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Big River for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Big River is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement. In the event Big River converts special access circuits to combinations of Loop and transport UNEs pursuant to the terms of this Section, Big River shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.4 Rates
- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment

and a nonrecurring switch-as-is charge as set forth in Exhibit B of this Attachment.

5.4.1.1	DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
5.4.1.2	DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
5.4.1.3	DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
5.4.1.4	DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
5.4.1.5	DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
5.4.1.6	DS1 Interoffice Channel + DS1 Local Loop
5.4.1.7	DS3 Interoffice Channel + DS3 Local Loop
5.4.1.8	STS-1 Interoffice Channel + STS-1 Local Loop
5.4.1.9	DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
5.4.1.10	STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
5.4.1.11	2-wire VG Interoffice Channel + 2-wire VG Local Loop
5.4.1.12	4wire VG Interoffice Channel + 4-wire VG Local Loop
5.4.1.13	4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
5.4.1.14	4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
5.4.2	Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14

shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.

5.4.3 To the extent that Big River requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and Loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ Loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations described in Section 5.5.5 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations not described in Section 5.5.5 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- BellSouth is not required to provide combinations of port and Loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Big River if Big River's customer has 4 or more DS0 equivalent lines.
- 5.5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and Loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/Loop combination, such rate shall be negotiated by the Parties.

- 5.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for Big River's UNE port/Loop combinations. BellSouth will not bill Big River for 911 surcharges. Big River is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.5 Combination Offerings
- 5.5.5.1 2-wire voice grade port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.2 2-wire voice grade Coin port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.3 2-wire voice grade DID port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.4 2-wire CENTREX port, voice grade Loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.5 2-wire ISDN Basic Rate Interface, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.6 4-wire ISDN Primary Rate Interface, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6 **Other UNE Combinations**

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Big River in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Big River

requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5.6.2 Rates

5.6.3 The rates for Ordinarily Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates and nonrecurring rates for the individual network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates for the individual network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Big River requests a Not Typically Combined Combination pursuant to this Section 5.6, or to the extent Big River requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Big River for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Big River.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

6.1.2 BellSouth shall:

6.1.2.1 Provide Big River exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and

capabilities of interoffice transmission facilities shared by more than one customer or carrier;

- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Big River to connect such interoffice facilities to equipment designated by Big River, including but not limited to, Big River's collocated facilities; and
- Permit, to the extent technically feasible, Big River to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Big River's Point of Presence (POP) and Big River's collocation space in the BellSouth Serving Wire Center for Big River's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Big River.

- 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.2 Technical Requirements
- 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Big River designated traffic.
- 6.2.2.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.2.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.2.3.1 DS0 Equivalent;
- 6.2.2.3.2 DS1;
- 6.2.2.3.3 DS3; and
- 6.2.2.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- <u>6.2.2.56.2.2.4</u> BellSouth shall design Dedicated Transport according to its network infrastructure. Big River shall specify the termination points for Dedicated Transport.
- <u>6.2.2.66.2.2.5</u> At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.76.2.2.6 BellSouth Technical References:
- <u>6.2.2.7.16.2.2.6.1</u>TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- <u>6.2.2.7.2</u>6.2.2.6.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- <u>6.2.2.7.36.2.2.6.3</u>TR 73525 MegaLink[®]Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 6.3 **Unbundled Channelization (Multiplexing)**

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Big River may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- DS1 Channelization System: channelizes a DS1 signal into a maximum of 24 DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of 28 DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of 28 DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Big River's channelization equipment must adhere strictly to form and protocol standards. Big River must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Big River's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Big River's POP to Big River's

collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Big River to utilize Dark Fiber Transport.

6.4.2 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.2.2 Big River is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Big River information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Big River. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Big River within twenty (20) business days after Big River submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Big River to connect Big River provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Big River's option, 8XX TFD Service is provided with

or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Big River.

7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Big River must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Big River any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Big River's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.

 BellSouth shall indicate to Big River what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Big River, BellSouth shall provide Big River with a list of the customer data items, which Big River would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.

- 8.2.7 All additions, updates and deletions of Big River data to the LIDB shall be solely at the direction of Big River. Such direction from Big River will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Big River data upon Big River's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Big River customer records will be missing from LIDB, as measured by Big River audits. BellSouth will audit Big River records in LIDB against DBAS to identify record mismatches and provide this data to a designated Big River contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Big River within one business day of audit. Once reconciled records are received back from Big River, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Big River to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Big River's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Big River with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Big River and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Big River data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Big River in writing.
- 8.2.13 BellSouth shall provide Big River performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Big River at least at parity with BellSouth Customer Data. BellSouth shall obtain from Big River the screening information associated with LIDB Data Screening of Big River data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available,

BellSouth shall offer it to Big River under the BFR/NBR process as set forth in Attachment 11.

- 8.2.14 BellSouth shall accept queries to LIDB associated with Big River customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Big River shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Big River shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Big River-designated Signaling Points of Interconnection that provide appropriate physical diversity.
 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Big River's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Big River local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Big River local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Big River or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Big River database, then Big River agrees to provide BellSouth with the Destination Point Code for Big River database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Big River or third party local or tandem switching

system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Big River, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Big River's SS7 network to exchange TCAP queries and responses with a Big River SCP.
- 9.4.2 SS7 AIN Access shall provide Big River SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Big River SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Big River SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Big River or Big River-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Big River local switching systems; and,
- 9.4.3.1.2 A B-link interface from Big River local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Big River local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Big River switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Big River local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Big River switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Big River from any signaling point or network interconnected through BellSouth's SS7 network where the Big River SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Big River local signaling transfer point switches or Big River local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Big River local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Big River or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Big River local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Big River local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Big

River local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Big River local STPs and shall not include SCCP Subsystem Management of the destination.

- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Big River or Big River-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Big River local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Big River STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Big River local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Big River switching system has a valid signaling relationship.
- 10 Operator Services (Operator Call Processing and Directory Assistance)

10.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance. 10.1.1 Upon request for BellSouth OCP, BellSouth shall: 10.1.2 Process 0+ and 0- dialed local calls. 10.1.3 Process 0+ and 0- intraLATA toll calls. 10.1.4 Process calls that are billed to Big River end user's calling card that can be validated by BellSouth. 10.1.5 Process person-to-person calls. 10.1.6 Process collect calls. 10.1.7 Provide the capability for callers to bill to a third party and shall also process such calls. 10.1.8 Process station-to-station calls. 10.1.9 Process Busy Line Verify and Emergency Line Interrupt requests. 10.1.10 Process emergency call trace originated by Public Safety Answering Points. 10.1.11 Process operator-assisted directory assistance calls. 10.1.12 Adhere to equal access requirements, providing Big River local end users the same IXC access as provided to BellSouth end users. 10.1.13 Exercise at least the same level of fraud control in providing Operator Service to Big River that BellSouth provides for its own operator service. 10.1.14 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.1.15 Direct customer account and other similar inquiries to the customer service center designated by Big River. 10.1.16 Provide call records to Big River in accordance with ODUF standards specified in Attachment 7.

10.1.17 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

10.2 **Directory Assistance Service**

- 10.2.1 Directory Assistance (DA) Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- DA Service shall provide up to two listing requests per call. If available and if requested by Big River's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
- 10.3 DA Service Updates
- 10.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.2 New end user connections;
- 10.3.3 End user disconnections;
- 10.3.4 End user address changes.
- 10.3.5 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 Branding for Operator Call Processing and Directory Assistance

- 10.4.1 BellSouth's branding feature provides a definable announcement to Big River end users using DA/OCP prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Big River to have its calls custom branded with Big River's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.
- BellSouth offers three branding offering options to Big River when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from Big River, the order is considered firm after ten business days. Should Big River decide to cancel the order, written notification to Big River's Local Contract Manager is required. If Big River decides to cancel after ten business days from receipt of the custom branding order, Big River shall pay all charges per the order.

10.4.4 <u>UNE Provider Branding via Originating Line Number Screening (OLNS)</u>

- 10.4.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Big River shall not be required to purchase dedicated trunking.
- 10.4.4.2 BellSouth Branding is the default branding offering.
- 10.4.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Big River must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Big River must submit a manual order form which requires, among other things, Big River's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Big River shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Big River's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Big River end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.4 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. In addition to the charges for Unbranding and Custom Branding via OLNS software, Big River shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where Big River is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 **Facilities Based Carrier Branding**

- 10.4.5.1 All Service Levels require Big River to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.6 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 10.4.6.1 Where Big River purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Big River's end user calls to that provider through Selective Call Routing.

- Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Big River to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.6.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Big River specific and unique line class codes are programmed in each BellSouth end office switch where Big River intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Big River's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Big River intends to provide Big River -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.6.5 BellSouth Branding is the default branding offering.
- 10.4.6.6 SCR-LCC supporting Custom Branding and Self Branding require Big River to order dedicated trunking from each BellSouth end office identified by Big River, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Big River Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.7 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Big River to the BellSouth TOPS. These calls are routed to "No Announcement."
- The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/Loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/Loop switch combinations.
- 10.4.7 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and

Network Applications Vehicle (NAV) equipment for which Big River requires service.

- 10.4.7.1 Directory Assistance customized branding uses:
- 10.4.7.2 the recording of Big River;
- the loading of the recording in each switch.
- 10.4.7.4 Operator Call Processing customized branding uses:
- 10.4.7.5 the recording of Big River;
- 10.4.7.6 the loading of the recording in each switch (North Carolina);
- 10.4.7.7 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

10.5 <u>Directory Assistance Database Service (DADS)</u>

- BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Big River end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Big River agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Big River agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- 10.5.2 BellSouth shall initially provide Big River with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from Big River to prepare the Base File.
- BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Big River's previous update. Delivery of updates will commence immediately after Big River receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Big River mutually develop CONNECT: Direct TM electronic connectivity. Big River will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.

Big River authorizes the inclusion of Big River Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

10.6 **Direct Access to Directory Assistance Service**

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Big River's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Big River with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Big River by BellSouth upon subscription to the service. Subscription to DADAS requires that Big River utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC Tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Big River the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Big River after Big River provides end user information for input into the ALI/DMS database.
- 11.2.2 Big River shall conform to the National Emergency Number Association (NENA) recommended standards for Local Number Portability and updating the ALI/DMS database.

12 Calling Name (CNAM) Database Service

12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Big River the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

- Big River shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to Big River's access to BellSouth's CNAM Database Services and shall be addressed to Big River's Local Contract Manager.
- BellSouth's provision of CNAM Database Services to Big River requires interconnection from Big River to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Big River shall provide its own CNAM SSP. Big River's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Big River elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Big River desires to query.
- 12.6 If Big River queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Big River for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Big River in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Big River to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

- Big River CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Big River the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Big River. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Big River service logic and data from unauthorized access.
- When Big River selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Big River to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Big River access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Big River to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Big River a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Big River will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Big River will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Big River will be required to begin using E911 procedures.

- 14.3 E911 Service Provisioning. Big River shall install a minimum of two dedicated trunks originating from the Big River serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Big River will be required to provide BellSouth daily updates to the E911 database. Big River will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Big River will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Big River shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Big River beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Big River shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Big River may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

- 15.3 Denial/Restoral OSS Charge
- In the event Big River provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Big River will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Big River creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Big River.
- C. Special billing number a ten-digit number that identifies a billing account established by Big River.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Big River that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Big River.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Big River.
- J. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- L. Originating Line Number Screening (OLNS) refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by Big River for originating line numbers.

II. General

Version 1003: 02/28/03

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Big River and pursuant to which BellSouth, its LIDB customers and Big River shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Big River's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Big River understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Big River, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Big River's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.
- B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Big River has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of Big River from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of Big River indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Big River of fraud alerts so that Big River may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Big River pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Big River for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Big River's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify Big River's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between Big River and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Big River. It shall be the responsibility of Big River and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. Big River will not be charged a fee for storage services provided by BellSouth to Big River as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by

Big River in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

	INIE: =	D NETWORK ELEMENTO												T			
UNBL	JNDLE	D NETWORK ELEMENTS - Alabama			1		1					1-			ment: 2		bit: B
			1									I .	1	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				L							l						
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograpi	nically Deaver	aged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet \	Website:	
ODED		vww.interconnection.bellsouth.com/become_a_clec/html/inter _ SUPPORT SYSTEMS	connec	tion.nt	m		1				1	1					
OPERA		_ SUPPORT SYSTEMS (1) Electronic Service Order: CLEC should contact its contract	rt negot	iator if	it profess the state s	nacific alact	ronic service o	rdering charge	e se ordered h	v the State Co	mmissions T	he electron	ic service o	rdering charg	e currently co	ntained in th	e rato
		is the BellSouth regional electronic service ordering charge.															is rate
		(2) Any element that can be ordered electronically will be bill															lv. For
	those e	elements that cannot be ordered electronically at present per t	he BBR	LO, th	ne listed SOMEC rate	in this cate	gory reflects the	e charge that v	vould be billed	to a CLEC on	ce electronic	ordering cap	pabilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderir	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits an	LSR t	o BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
<u> </u>	1	interactive interfaces (Regional)	ļ			SOMEC		3.50		4.00		1	1				
LINE C	EDVICE	Manual Service Order Charge, per LSR, Disconnect Only (AL) DATE ADVANCEMENT CHARGE	-			SOMAN				1.97		1	1				
UNE 3		The Expedite charge will be maintained commensurate with	l BellSou	th's FC	C No 1 Tariff Section	n 5 as annli	cable										
	NO.E.	The Expedite ondige will be maintained commencutate with	l	11.01	l lann, ocollo	по аз аррп	L Capic.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
LINBII	NDI ED E	EXCHANGE ACCESS LOOP			UTTUB, UTTUA	SDASP		200.00									
0.100		E ANALOG VOICE GRADE LOOP										1	 				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30		15.66				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIFANII	LIDETI		0.00	0.00				45.00				
<u> </u>		Premise Loop Testing - Basic 1st Half Hour		-	UEANL UEANL	URETL URET1		8.33 34.16	0.83			-	15.66 15.66				
-	1	Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85				 	15.66				
	t e	CLEC to CLEC Conversion Charge Without Outside Dispatch						10.00			i		10.00				
L		(UVL-SL1)			UEANL	UREWO		15.78	8.94		<u> </u>		15.66	<u> </u>			<u> </u>
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	L	providing make-up (Engineering Information - E.I.)	ļ		UEANL	UEANM		13.44									
<u> </u>	1	Manual Order Coordination for UVL-SL1s (per loop)	l	l	UEANL	UEAMC		8.15				<u> </u>	l				l

Version 1Q03: 02/28/03 Page 1 of 420

UNBL	NDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
-												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1						40.00									
-	0.14/10/5	(per LSR)	-	-	UEANL	OCOSL		18.09									
-	2-WIRE	Unbundled COPPER LOOP	.		LIEO	LIEGOV	44.00	0111	45.40	04.05	4.45		45.00				
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ UEQ	UEQ2X	11.20 13.27	34.14	15.10	21.25	4.15		15.66				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	+	3	UEQ	UEQ2X UEQ2X	15.07	34.14 34.14	15.10 15.10	21.25 21.25	4.15 4.15		15.66 15.66				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	- '	3	UEQ	UEQZX	15.07	34.14	15.10	21.25	4.15		13.00		1		
		Premise			UEQ	URETL		8.33	0.83				15.66				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-		1	OLQ	OILLIE		0.00	0.00				10.00				
		Designed (per loop)			UEQ	USBMC		8.15									
	 	Unbundled Copper Loop, Non-Design Copper Loop, billing for	1			555.410		0.10							<u> </u>		
	1	BST providing make-up (Engineering Information - E.I.)	1	1	UEQ	UEQMU		13.44				1	15.66		I		
	1	Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		34.16		1	l	İ	15.66	l	1		
	1	Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		19.85		1	l	İ	15.66	l	1		
	Ì	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	<u> </u>	(UCL-ND)	<u></u>	L	UEQ	UREWO		14.27	7.43	<u> </u>	<u></u>	<u> </u>	15.66	<u> </u>	<u> </u>		
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		15.66				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30		15.66				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30		15.66				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEADO	04.05	07.04	47.50	00.40	5.00		45.00				
-		Zone 2	-	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30		15.66		1		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30		15.66				
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	3	UEPSK UEPSB	UEALS	34.34	37.01	17.56	23.49	5.30		13.00				
		Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30		15.66				
UNRUN	IDI ED E	EXCHANGE ACCESS LOOP			OLI OK OLI OB	OLADO	34.34	37.01	17.50	23.43	3.30		13.00				
O.V.DO.		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													t		
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44	1	15.66		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	<u> </u>	Ground Start Signaling - Zone 3	<u></u>	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44	<u> </u>	15.66	<u> </u>	<u> </u>		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse]									I			
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44		15.66		L		
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l .	l	1					_				1		
	ļ	Battery Signaling - Zone 2	ļ	2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		15.66				
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.	l								4= 65		1		
<u> </u>	ļ	Battery Signaling - Zone 3	!	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44		15.66		-		
<u> </u>	 	Order Coordination for Specified Conversion Time (per LSR)	 	-	UEA	OCOSL		18.09	00.00	1	-	-	45.00	 	 		
-	-	CLEC to CLEC Conversion Charge without outside dispatch	-	-	UEA UEA	UREWO URETL		87.72	36.36 1.10	+			15.66 15.66		 		
-	4-WIDE	Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP	-	-	UEA	UKEIL		11.21	1.10	+			10.00		 		
-	→-VVIRE	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66	-			
	-	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	1	2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50	-	15.66		+		
-	<u> </u>	4-Wire Analog Voice Grade Loop - Zone 2	 	3	UEA	UEAL4	60.02	131.97	94.51		14.50		15.66		 		
\vdash	 	Order Coordination for Specified Conversion Time (per LSR)	 	-	UEA	OCOSL	00.02	18.09	34.31	35.14	14.30		13.00		t		
-	 	CLEC to CLEC Conversion Charge without outside dispatch	 		UEA	UREWO		87.72	36.36	 			15.66		t		
	2-WIRE	ISDN DIGITAL GRADE LOOP						J2	55.50						<u> </u>		
	1	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66	İ	1		
		2-Wire ISDN Digital Grade Loop - Zone 2	l		UDN	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
		2-Wire ISDN Digital Grade Loop - Zone 3	l	3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
			1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.50						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0.14/15	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16				15.66				
2-1/11	E Universal Digital Channel (UDC) COMPATIBLE LOOP		ļ													
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	١,	1	UDC	UDC2X	21.88	117.24	79.77	52.88	10.54		15.66				
—	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	ODC	UDCZX	21.00	117.24	19.11	52.00	10.54	-	15.66				
	2-Wile Offiversal Digital Charmer (ODC) Compatible Loop - Zone	l ,	2	UDC	UDC2X	32.85	117.24	79.77	52.88	10.54		15.66				
—	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	<u> </u>		ODO	ODOZX	32.03	117.24	13.11	32.00	10.54		13.00				
	3	l ,	3	UDC	UDC2X	48.55	117.24	79.77	52.88	10.54		15.66				
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	Ť	UDC	UREWO	10.00	91.63	44.16	02.00	10.01	1	15.66				
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44		15.66		<u> </u>		<u></u>
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop including manual service inquiry															·
	& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop without manual service inquiry &					40 =0		== 00								
	facility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44		15.66				
	facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	14.30	18.09	57.00	47.24	7.44	-	15.00				
 	CLEC to CLEC Conversion Charge without outside dispatch		1	UAL	UREWO		86.20	40.40			1	15.66				
2-WIE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	LOOP	OAL	OKLVVO		00.20	40.40			-	13.00				
2 ****	2 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>													
	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44		15.66				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44		15.66				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	2	.		40.1-	00.00	F7 00	47.01	_		45.00				
\vdash	and facility reservation - Zone 2	 	2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44		15.66		 		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44		15.66				
\vdash	Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL	OCOSL	11.44	18.09	57.00	41.24	7.44	-	10.00		1		
 	CLEC to CLEC Conversion Charge without outside dispatch	 	 	UHL	UREWO		86.14	40.40	1	 	H	15.66		l		
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	OTIL	JILLYVO		00.14	40.40	1			10.00				
- 4411	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop including manual service inquiry	i e	Ė					22.30	1					İ		
	and facility reservation - Zone 2	1	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3	<u></u>	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73	<u></u>	15.66		<u> </u>		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	4-Wire Unbundled HDSL Loop without manual service inquiry	l												I		
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop without manual service inquiry	l	l .	l	[
	and facility reservation - Zone 2	ļ	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	3	.		45.00	04.00	F7 00	F4 ===	0		45.00				
\vdash	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73	1	15.66		-		
\vdash	CLEC to CLEC Conversion Charge without outside dispatch	!	 	UHL UHL	OCOSL UREWO		18.09 86.14	40.40	1		-	15.66	-		-	
4-14/15	E DS1 DIGITAL LOOP	 	 	OI IL	UKEWU		80.14	40.40	1		 	10.00		 		
4-111	4-Wire DS1 Digital Loop - Zone 1	 	1	USL	USLXX	82.55	252.47	157.54	44.70	11.71	 	15.66		 		
	T-WITE DOT DIGITAL LOOP - ZOITE I	l	_ '	OOL	UGLAA	02.35	202.47	157.54	44.70	11./1	L	10.00		l		

CATEGORY RATE ELEMENTS Infinite Zone BCS USOC BCS USOC Section Congress Congr	UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
## RATE SLEMENTS Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part Note Part												Svc Order	Svc Order				Incremental
CATEGORY RAFE ELEMENTS Mark Series M												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
And Continued Continue			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
Becoming Becoming	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Note			""									l			Electronic-	Electronic-	Electronic-
Mode																	Disc Add'l
Mode Process April Source Communication Communicat							1										
6 Winter 151 Datas Large-Zene 2 2 USL USL USL USL 255.27 115.66 44.70 11.77 15.66							Rec										
A-Wiles (DR) (Digital Love, Total 3 S.S. SRX XX 314.85 282.77 19.56 44.70 11.71 15.66		A Mine DOA Divisial Loss - Zoos O	-	_	1101	11013/2	45440					SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
Octor Construinture in Specialist Conversaries (per 159) U.S.																	
CLES to CLES COMMISSION CARDING CORPORATION OSL DECRETO 1500 1	-		-	3			314.52		157.54	44.70	11.71		15.00				
### Write 19.2 St Off at MPS DOUTH CRARGE LOOP Mile Provided Data 19.2 Kipps	-		-	-					43.05				15.66				
A Vivo Unbounded Digital 102 X Right 1 UK UK UK UK 100 X 100 X 100 X 144 D 15.66	4-WIRE				002	ORLIVO		101.00	40.00				10.00				
A Will Debugshed Digital 192 Rigors 2 DE, DE, 19 SSS5 186.27 88.80 59.14 14.50 15.66	7 WIILE			1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50		15.66				
A We Debunded Digital 182 Rogs 3 Col. DCL9 37.86 19.27 88.80 59.14 14.59 15.66				2													
A West Unbounded Digital Loop 6 Repg. 2-Rep 2 2 UDL UDL 6 58.595 178.27 68.80 56.14 14.50 15.66				3	UDL	UDL19	37.88			59.14	14.50						
4 West Unbounded Digital Luxp 68 (Ross, Zone 3 3 URL USUS 37.88 126.27 88.60 59.14 14.50 15.66		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
Order Coordination To Specified Convenience Time (pet 45R)		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
A Wire Unburneded Eightet Loop 64 Rbps - Zone 1				3			37.88		88.80	59.14	14.50		15.66				
4 Wire Unbrounded Digital Loop file Kipser, Zone 3 2 UDL, UDL64 359.5 126.27 88.80 59.14 14.50 15.66																	
A Wire Unbundled Digital Long 64 Kbps - Zone 3 3 UPL UDL 43,788 126,271 88.80 59.14 14.50 15.66			ļ	1								ļ					
Grate Concrination for Spending Conversion Trive (per LSR) UDL URCEPU 15.66	\vdash		_														
CLEC to CLEC Convenion Change without outside dispatch UDL UREWO 102.13 49.75 15.66	\vdash			3			37.88		88.80	59.14	14.50		15.66				
2 Wilk Unbundled Copper Loop Short induding manual service inquiry & facility reservation - Zonn 1 U.C. U.C.LPB 11.01 112.46 65.30 47.24 7.44 15.66	\vdash								40.75	-			45.00				
2-Wire Unburied Copper Logo-Short including manual service 1 UCL UCLPB 11.01 112.46 66.30 47.24 7.44 15.66	2-WIDE		-	-	UDL	UREWU		102.13	49.75				15.00				
majury & facility reservation - Zone 1	Z-WINL																
2-Wire Unbursded Copper Loop (Short including manual service inquiry & facility resentation - Zone 2 UCL UCLPB 12.73 112.46 65.30 47.24 7.44 15.66				1	LICI	LICL PR	11 01	112 46	65.30	47 24	7 44		15.66				
Inquiry & facility reservation - Zone 2 2 UCL UCLPB 12.73 112.46 65.30 47.24 7.44 15.66				<u> </u>	002	OOL! D	11.01	112.40	00.00	77.27	7		10.00				
2 Wife Unburded Copper Loop(Short including manual service injury & facility reservation - Zone 3 3 UCL UCLPB 14.30 112.46 65.30 47.24 7.44 15.66 1.45				2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44		15.66				1
Ingury & Inguity reservation - Zone 3 UCL UCLPB 14.30 112.46 65.30 47.24 7.44 15.66					002	002. 5	12.70	112.10	00.00				10.00				
2-Wire Unbundled Copper Loop(Short without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 11.01 91.46 54.30 47.24 7.44 15.66				3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44		15.66				1
Inquiry and facility reservation - Zone 1		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
2-Wire Unbundled Copper Loop/Short without manual service 1 2 UCL UCLPW 12.73 91.46 54.30 47.24 7.44 15.66																	
Inquiry and facility reservation - Zone 2			- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44		15.66				
2-Wire Unbundled Copper Logo/Short without manual service Inquiry and facility reservation - Zone 3 3 UCL UCLZL 31.42 112.46 65.30 47.24 7.44 15.66																	1
Inquiry and facility reservation - Zone 3			ı	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44		15.66				
Order Coordination for Unbundled Copper Loops (per loop)			١.						=	4= 0.4							1
2-Wire Unbundled Copper Logo/Long - includes manual srvc. In judy and facility reservation - Zone 1			- 1	3			14.30			47.24	7.44		15.66				
Inquiry and facility reservation - Zone 1	-			-	UCL	UCLIVIC		8.15	8.15								
2-Wire Unbundled Copper Loop/Long - includes manual svc.				1	LICI	LICI 2I	31 //2	112.46	65.30	17 21	7.44		15.66				1
Inquiry and facility reservation - Zone 2					OCL	OOLZL	31.42	112.40	05.50	77.27	7.44		13.00				
2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 3 UCL UCL2L 80.00 112.46 65.30 47.24 7.44 15.66				2	UCI	UCL 2I	55.01	112 46	65.30	47 24	7 44		15 66				
Inquiry and facility reservation - Zone 3 3 UCL UCL2L 80.00 112.46 65.30 47.24 7.44 15.66				_	002	00222	00.01	112.10	00.00				10.00				
Order Coordination for Unbundled Copper Loops (per loop)				3	UCL	UCL2L	80.00	112.46	65.30	47.24	7.44		15.66				
Inquiry and facility reservation - Zone 1		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2-Wire Unbundled Copper Loop/Long - without manual service															
Inquiry and facility reservation - Zone 2			I	1	UCL	UCL2W	31.42	91.46	54.30	47.24	7.44		15.66				
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3			1 .	_	l <u>.</u> .	1				I I	_	1					
Inquiry and facility reservation - Zone 3				2	UCL	UCL2W	55.01	91.46	54.30	47.24	7.44		15.66				
Order Coordination for Unbundled Copper Loops (per loop)									=								1
CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)	—		- 1	3			80.00			47.24	7.44		15.66				
CUCL-Des	\vdash		+	-	UUL	UCLIVIC		გ.15	8.15	1		-		-	-	-	
A-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1			1		LICI	LIREWO		97 23	42 49			1	15.66				,
4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1	4-WIRE		t			OI (EVVO		31.23	72.40	 		-	10.00				
and facility reservation - Zone 1	1																
4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2			1	1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73	1	15.66				.
and facility reservation - Zone 2			1			1			22.30								
4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 28.21 135.21 88.05 51.70 9.73 15.66 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and				2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		15.66				, ,
and facility reservation - Zone 3 UCL UCL4S 28.21 135.21 88.05 51.70 9.73 15.66		4-Wire Copper Loop/Short - including manual service inquiry					İ	İ									
4-Wire Copper Loop/Short - without manual service inquiry and		and facility reservation - Zone 3		3			28.21			51.70	9.73		15.66				
4-Wire Copper Loop/Short - without manual service inquiry and		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
I I Itacility reservation - /one 1			Ι.	١.		1						1					,
		facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73		15.66				

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Elec Manually per LSR Per	JNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGORY RATE ELEMENTS Initiation Color Colo												Svc Order	Svc Order			Incremental	Incremental
CATEGORY RATE ELEMENTS Initiation Color Colo												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
A-Wile Copper Loop/Sinst - without manual service inquiry and large instance industry instance in inquiry and large instance			Intori									Elec			Manual Svc		Manual Svc
Electronic First Add F	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Second S			m									po. 2011	po. 20.1		Electronic-	Electronic-	Electronic-
None None															Add'l	Disc 1st	Disc Add'l
A-Wire Copper Loop/Sinort - without manual service inquiry and leading viceorable D-Zene 2. CLL CLLW 22 in 114 21 67.05 51.70 9.73 15.66														151	Addi	DISC 1St	DISC Add I
### Add SOME First Add SOME							D	Nonred	curring	Nonrecurring	Disconnect		•	OSS	Rates(\$)		
E-Vive Copper Long-Short - without manual service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without manual service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without service inquiry and Individend Capper Long-Short - without						İ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Subbook Subb		4-Wire Copper Loop/Short - without manual service inquiry and															
4-Virtic Cooper Loop Start - without manual service inquiry and facility reservation - Zone 1 3 UCL UCL4W 28.21 114.21 67.05 51.70 9.73 15.66			1	2	UCI	UCL4W	20.76	114 21	67.05	51 70	9 73		15.66				
Isabilty residention - Zone 3 1 3 UCL UCLAW 28.21 14.21 67.05 51.70 9.73 15.66			<u> </u>	<u> </u>	002	002	20.70		01.00	0	0.70	1	10.00				
Content Coordination for Unbandled Copper Loops (per loop)				3	LICI	LICLAW	28 21	11/1/21	67.05	51.70	0.73		15.66				
4-Wive Unbundled Copper Loops Industed manual sev. 1 UCL UCL4L			<u> </u>	-			20.21				0.70		10.00				
Inciputy and facility reservation - Zone 1					OOL	OCLIVIC		0.15	0.13	+							
4-Wire Unbundled Copper Loop/Long - Includes manual svc.				4	LICI	LICLAL	40.25	125 21	99.05	F1 70	0.72		15.66				
Imaguity and facility reservation - Zone 2	+		1	'	UCL	UCL4L	49.55	133.21	00.03	31.70	9.13	†	13.00		-		
4-Wire Unbundled Copper Loop Long - includes manual svc.				_	LICI	1101.41	00.45	405.04	00.05	54.70	0.70		45.00				
Inquiry and facility resenration - Zone 3 UCL UCLAL 127.39 135.21 88.06 51.70 9.73 15.66 UCLA Order Coordination for Urbundled Copper Loops (per loop) UCL UCLAL 127.39 135.21 88.06 51.70 9.73 15.66 UCLAL UCCAL					UCL	UCL4L	92.45	135.21	88.05	51.70	9.73		15.00				
Order Coordination for Unburndled Copper Loops (per loop)			1	_		11014	407.00	405.01	20.05	£4.=0	0 =0		45.00		1		
4-Wire Unbundled Copper LoopLong - without manual svc. inquiry and facility researction - Zone 1 1 1 UCL UCL40 49.35 114.21 67.05 51.70 9.73 15.66 14-Wire Unbundled Copper LoopLong - without manual svc. inquiry and facility researction - Zone 2 1 2 UCL UCL40 92.45 114.21 67.05 51.70 9.73 15.66 15.66 15.70 15.70 15.66 15.70 1			 	3			127.39				9.73	-	15.66		-		
Inquiry and facility reservation - Zone 1 1 UCL UCL4O 49,35 114,21 67,05 51,70 9,73 15,66			 	1	UCL	UCLMC		8.15	8.15			-					
A-Wire Inbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2			1 .		l							1		l	I	l	
Inquiry and facility reservation - Zone 2				1	UCL	UCL4O	49.35	114.21	67.05	51.70	9.73		15.66	ļ		ļ	
A-Wire Unbundled Copper Loopf.ong - without manual svc. 1 3 UCL UCL40 127.39 114.21 67.05 51.70 9.73 15.66																	
Inquiry and facility reservation - Zone 3				2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73		15.66				
Order Coordination for Unbundled Copper Loops (per loop)			1								I				_		
CLEC to CLEC conversion Charge without outside dispatch UCL UREWO 97.23 42.48 15.66		inquiry and facility reservation - Zone 3	- 1	3	UCL		127.39	114.21	67.05	51.70	9.73		15.66				
LOOP MODIFICATION		Order Coordination for Unbundled Copper Loops (per loop)			UCL			8.15	8.15								
UAL, UHL, UCL, UEO, ULS, UEA, UENAL, UEPSR, ULMZL UAD, UHL, UCL, UEPSB ULMZL UAD, UHL, UCL, UEPSB ULMZL UENAL, UEPSR, UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UEPSB ULMZL UENAL, UE		CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48	Î			15.66	Î		Î	
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft UEANL UEPSR, UEPSR ULMZL 0.00 0.00 15.66 15.66 ULMQL Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft UCL, ULS, UEQ ULMZG 170.51 170.51 170.51 15.66 15.66 ULMQL ULQQL ULQQ	OOP MODIF	ICATION								Î							
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft ULMZL ULMZG 170.51 170.51 170.51 15.66 Unbundled Loop Modification, Removal of Load Coils - 2 Wire greater than 18k ft ULMZG ULMZG 170.51 170.51 170.51 170.51 15.66 ULMZG ULM			i –		UAL, UHL, UCL,												
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft ULMZL ULMZG 170.51 170.51 170.51 15.66 Unbundled Loop Modification, Removal of Load Coils - 2 Wire greater than 18k ft ULMZG ULMZG 170.51 170.51 170.51 170.51 15.66 ULMZG ULM					UEQ. ULS. UEA.												
Distribution Dist		Unbundled Loop Modification, Removal of Load Coils - 2 Wire															
Unbundled Loop Modification, Removal of Load Coils - 2 wire 1			1 .			ULM2I		0.00	0.00				15.66				
Greater than 18k ft					OLI OB	OLIVIZE		0.00	0.00	1		†	10.00				
Unbundled Loop Modification Removal of Load Coils - 4 Wire I UHL, UCL, UEA ULM4L 0.00 0.00 15.66 15.66 ULM4L ULM4L ULM4L 0.00 0.00 15.66 ULM4L					LICI LIIS LIEO	LII M2G		170 51	170 51				15.66				
Less than or equal to 18K ft		Unbundled Loop Modification Removal of Load Coils - 4 Wire		1	COL, OLO, OLQ	OLIVIZO		170.01	170.01				10.00				
Unbundled Loop Modification Removal of Load Coils - 4 Wire			l ,		LILL LICI LIEA	LILMAL		0.00	0.00				15.66				
Pair greater than 18k ft				-	OFIL, OCL, OLA	OLIVIAL		0.00	0.00	+		-	13.00		-		
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop UEANL, UEPSR, per unbundled loop UEANL, UEPSR, ULMBT 32.41 32					LICI	LILMAC		170 51	170 51				15.66				
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop SUB-LOOPS SUB-LOOP Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up UEANL USBSA Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up UEANL USBSB 22.64 Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 20		pair greater triair rok it				ULIVI4G		170.51	170.51				13.00				
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop SUB-LOOPS SUB-LOOP Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up Up UEANL USBSA 244.42 Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Facility Set-Up UEANL USBSB 22.64 Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 UEANL USBSD Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN2 11.94 65.80 30.96 45.25 6.70 15.66 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN2 11.94 65.80 30.96 45.25 6.70 15.66																	
Description Sub-Loop Distribution Sub-Loop Per Cross Box Location - CLEC Feeder Facility Set-Up UEANL USBSA 244.42 USBSA 244.42 USBSA 244.42 USBSA 244.42 USBSA 244.42 USBSA ULANL USBSA ULANL USBSA		Halanda Markara Baranda (Bilanda Baranda															
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up UEANL USBSA 244.42 15.66 USBSA 244.42 USBSA			١.														
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		per unbundled loop			UEPSB	ULMBI		32.41	32.41				15.66				
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		Platelland an	 	<u> </u>	ļ	+				1		-	-		-		
Up	Sub-L		.	!	 	+				1	-	-	.	-	-	-	
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up I UEANL USBSB 22.64 15.66			l .			LIODG:		e							1		
Sub-Loop - Per Building Equipment Room - CLEC Feeder I		Up		!	UEANL	USBSA		244.42		ļ			15.66		-		
Sub-Loop - Per Building Equipment Room - CLEC Feeder I					l								1		I		
Facility Set-Up				L	UEANL	USBSB		22.64		ļ		1	15.66	ļ	ļ	ļ	
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel UEANL USBSD 55.15 15.66					l								1		I		
Set-Up				L	UEANL	USBSC		177.45		ļ			15.66				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 1 UEANL USBN2 11.21 65.80 30.96 45.25 6.70 15.66			1								I						
Zone 1					UEANL	USBSD		55.15					15.66				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN2 11.94 65.80 30.96 45.25 6.70 15.66			1								I				_		
Zone 2 Zone 2 UEANL USBN2 11.94 65.80 30.96 45.25 6.70 15.66 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			<u> </u>	1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70		15.66		<u> </u>		
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			1														
		Zone 2	<u></u>	2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70	<u></u>	15.66		<u> </u>		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
			1	3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70		15.66		1		
	İ																
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 8.15 8.15		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		8.15	8.15				1		I		
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			i –		İ					İ	İ	1	İ	İ	1	İ	
Zone 1 1 UEANL USBN4 8.46 79.03 44.19 49.71 9.07 15.66			1	1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07		15.66		1		
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1		†	T .	1		50	. 5.56	10	10.71	5.57			i	1	i	
Zone 2 UEANL USBN4 16.67 79.03 44.19 49.71 9.07 15.66			1	2	UEANL	USBN4	16 67	79.03	44 19	49 71	9.07		15.66		1		
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			l			303.14	10.07	, 0.00	13	40.71	5.57	t	10.00	 	†	 	
Zone 3 UEANL USBN4 32.57 79.03 44.19 49.71 9.07 15.66				2	LIEANI	LISBNA	32 57	70.02	44.10	/0.71	9.07		15.66				

UNBU	INDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70		15.66				i
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70		15.66				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70		15.66				
L	<u></u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15	<u> </u>		<u> </u>			<u> </u>		1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07		15.66				1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07		15.66				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								1
	Unbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01					15.66				
	Networ	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38				15.66				ı
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11				15.66				ı
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87				15.66				ı
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87				15.66				1
SUB-L																	
	Sub-Lo	op Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												1
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		244.42					15.66				-
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
		set-up			UDN,UCL,UDL,UDC	USBFX		22.64	22.64				15.66				
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519.95	11.32				15.66				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															1
		Grade - Zone 1		1	UEA	USBFA	8.03	93.00	56.48	54.51	13.67		15.66				
	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice							=0 :-				4= 6-				ı
<u> </u>	1	Grade - Zone 2		2	UEA	USBFA	12.00	93.00	56.48	54.51	13.67		15.66				
	1	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		_		LIODE:			== :-				4= 0-				ı
⊢—	<u> </u>	Voice Grade - Zone 3		3	UEA	USBFA	20.39	93.00	56.48	54.51	13.67	-	15.66		-		
	 	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.09				-			-		
	1	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	UEA	USBFB	8.03	00.00	FC 10	54.54	13.67		45.00				ı
<u> </u>	1	Grade - Zone 1		1	UEA	OORER	8.03	93.00	56.48	54.51	13.67		15.66				
	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		_	LIEA	LICDED	40.00	00.00	FC 40	F4.F4	40.07		45.00				
<u> </u>	}	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		2	UEA	USBFB	12.00	93.00	56.48	54.51	13.67	 	15.66		 		
	1	Grade - Zone 3		3	UEA	USBFB	20.39	93.00	56.48	54.51	13.67		15.66				ı
-	1	Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	∠0.39	18.09	56.48	54.51	13.67		10.00				
—	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	UUUSL		10.09				 					
	1	Voice Grade - Zone 1		1	UEA	USBFC	8.03	93.00	56.48	54.51	13.67		15.66				ı
-	-	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		-	OLA	CODIC	0.03	93.00	30.48	54.51	13.07	-	10.00		-		
		Voice Grade - Zone 2		2	UEA	USBFC	12.00	93.00	56.48	54.51	13.67		15.66				
—	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			OLA	CODEC	12.00	93.00	30.48	54.51	13.07	 	10.00		1		
	1	Battery, Voice Grade - Zone 3		3	UEA	USBFC	20.39	93.00	56.48	54.51	13.67		15.66				
-	 	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	20.39	18.09	30.40	J4.51	13.07		13.00		 		
—	1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLA	COOSL		10.09		1		 			1		
		Grade - Zone 1		1	UEA	USBFD	19.21	107.56	70.09	62.05	17.40		15.66				1
-	 	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		+	OLA	00010	13.21	107.50	70.09	02.05	17.40		13.00		 		
	1	Grade - Zone 2		2	UEA	USBFD	23.47	107.56	70.09	62.05	17.40		15.66				ı
-	 	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLA	ט וטטט	20.41	107.30	70.09	02.05	17.40	-	13.00		 		i
	1	Grade - Zone 3		3	UEA	USBFD	39.63	107.56	70.09	62.05	17.40		15.66				ı
		0.000 2010 0			U-/\	ט וטטו	55.05	107.50	10.03	02.00	17.40		10.00		·		

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
323,132		I				l					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-		N		T 81	D'		l	000	D - ((ft)		
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.09									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															1
	Grade - Zone 1		1	UEA	USBFE	19.21	107.56	70.09	62.05	17.40		15.66				L
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															1
	Grade - Zone 2		2	UEA	USBFE	23.47	107.56	70.09	62.05	17.40		15.66				L
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															[
	Grade - Zone 3		3	UEA	USBFE	39.63	107.56	70.09	62.05	17.40		15.66				1
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.09									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	14.87	106.16	68.69	55.64	13.29		15.66				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.69	106.16	68.69	55.64	13.29		15.66				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	32.51	106.16	68.69	55.64	13.29	ĺ	15.66				
	Order Coordination For Specified Conversion Time, Per LSR	1	Ť	UDN	OCOSL		18.09	22.30			İ	1				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.87	106.16	68.69	55.64	13.29	İ	15.66				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	t	2	UDC	USBFS	21.69	106.16	68.69	55.64	13.29	†	15.66				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	32.51	106.16	68.69	55.64	13.29		15.66				—
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	 	1	USL	USBFG	55.09	101.85	64.38	62.05	17.40	 	15.66				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	124.69	101.85	64.38	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1		USL	USBFG	294.62	101.85	64.38	62.05	17.40	-	15.66				
		-	3	USL	OCOSL	294.02	18.09	04.30	62.03	17.40		15.66				
<u> </u>	Order Coordination For Specified Conversion Time, Per LSR		4			5.75		40.00	50.00	40.07		45.00				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	-	1	UCL	USBFH	5.75	83.78	46.32	53.02	10.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_					40.00	== ==							1
	2		2	UCL	USBFH	4.93	83.78	46.32	53.02	10.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_													1
	3		3	UCL	USBFH	3.96	83.78	46.32	53.02	10.67		15.66				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.09									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	12.71	100.99	63.53	57.90	13.26		15.66				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2		USBFJ	9.69	100.99	63.53	57.90	13.26		15.66				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	14.37	100.99	63.53	57.90	13.26		15.66				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.09									l
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	19.20	101.85	64.38	62.05	17.40		15.66				1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.64	101.85	64.38	62.05	17.40		15.66				1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.75	101.85	64.38	62.05	17.40		15.66				1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	19.20	101.85	64.38	62.05	17.40		15.66				1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -								ĺ							
	Zone 2	1	2	UDL	USBFO	21.64	101.85	64.38	62.05	17.40	1	15.66				1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				1						İ					
	Zone 3		3	UDL	USBFO	23.75	101.85	64.38	62.05	17.40		15.66				1
	Order Coordination For Specified Time Conversion, per LSR	İ	İ	UDL	OCOSL		18.09				İ					
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1			1						1					
	Zone 1		1	UDL	USBFP	19.20	101.85	64.38	62.05	17.40		15.66				1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			-	1			200	52.00		İ	12.20				
	Zone 2	1	2	UDL	USBFP	21.64	101.85	64.38	62.05	17.40	l	15.66				1 '
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	t	<u> </u>			204		000	32.00	0	†	.0.50				
	Zone 3		3	UDL	USBFP	23.75	101.85	64.38	62.05	17.40		15.66				1
 	Order Coordination For Specified Conversion Time, per LSR	t		UDL	OCOSL	20.10	18.09	04.30	02.00	17.40	†	10.00				
SUB-LOOPS	Oraci Coordination For Openined Conversion Fille, per LOIX	 	-	ODL	J000L		10.09				 					
	Loop Feeder	 	 		1						 	 				
Jub-L	Sub Loop Feeder - DS3 - Per Mile Per Month	 	 	UE3	1L5SL	13.55					 	 				
\vdash	Sub Loop Feeder - DS3 - Fer Mile Fer Month Sub Loop Feeder - DS3 - Facility Termination Per Month	i i	 	UE3	USBF1	332.40	3,400.58	407.00	160.47	90.97	 	15.66				
\vdash	Sub Loop Feeder - DS3 - Facility Termination Per Month Sub Loop Feeder - STS-1 - Per Mile Per Month	+	-	UDLSX	1L5SL	13.55	3,400.58	407.00	160.47	90.97	-	15.00				
\vdash		++	 	UDLSX	USBF7		2 400 50	407.00	160.47	90.97	-	15.00				
LINDLINDI ED	Sub Loop Feeder - STS-1 - Facility Termination Per Month	-		ODF9Y	USBF/	357.36	3,400.58	407.00	160.47	90.97		15.66				
ONRONDLED	LOOP CONCENTRATION	-		111.0	LICTOA	001.17	005.41	005 41			-	45.00				
\vdash	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	364.17	325.41	325.41				15.66				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	43.70	135.59	135.59				15.66				
	Unbundled Loop Concentration - System A (TR303)	ļ		ULC	UCT3A	395.12	325.41	325.41			ļ					 '
\vdash	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	73.64	135.59	135.59				15.66				
1 1	Unbundled Loop Concentration - DS1 Loop Interface Card	<u> </u>	Щ_	ULC	UCTCO	4.16	63.29	46.07	16.79	4.70		15.66		L		'

ONRONDE	ED NETWORK ELEMENTS - Alabama			1							T -			ment: 2	1	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.	Charge - Manual Svo Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
	No. 11 II II II II II II II II II II II II		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	6.60	10.54	10.48	5.39	5.36		15.66				
\vdash	Unbundled Loop Concentration - UDC Loop Interface (Brite		 	ODIN	OLCCI	0.00	10.54	10.46	3.39	5.50		13.00				
	Card)			UDC	ULCCU	6.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
oxdot	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.65	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCCR	0.04	40.54	10.40	5.20	5.36		15.66				
\vdash	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface		<u> </u>	UEA	ULCCR	9.81	10.54	10.48	5.39	5.36		15.66				
	(Specials Card)			UEA	ULCC4	5.85	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	28.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	8.67	10.54	10.48	5.39	5.36		15.66				
1 1	Unbundled Loop Concentration - Digital 56 Kbps Data Loop		1	UDL	ULCC5	8.67	10.54	10.48	5.39	F 00		45.00				
\vdash	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop		<u> </u>	UDL	ULCC5	8.67	10.54	10.48	5.39	5.36		15.66				
	Interface			UDL	ULCC6	8.67	10.54	10.48	5.39	5.36		15.66				
UNE OTHER,	PROVISIONING ONLY - NO RATE			002	02000	0.01	10.01	10.10	0.00	0.00		10.00				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Halana Had One food Name Box Starting Only No Box			UEANL,UEF,UEQ,U	LINEON	0.00	0.00									
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00									
ONE OTHER,	PROVISIONING ONLY - NO RATE		-													
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				LIODED	0.00	0.00									
	rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
 	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP															
NOTE	: minimum billing period of three months for DS3/STS-1 Local	Loop														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
\vdash	month Book 5 199			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
 	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			ULS	OLSEX	300.90	431.32	203.94	113.43	03.30		13.00				
	month			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility					0.00										
	Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or															
				UMK	UMKLW		20.00	20.00								
	spare facility queried (Manual).							04.00								
	Loop Makeup - Preordering With Reservation, per spare facility			LIMIZ	LIMIZED	1										
HIGH EREOU	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00							-	
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). IENCY SPECTRUM			UMK	UMKLP		21.00	21.00								
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00								
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). ISHOCY SPECTRUM SHARING			UMK	UMKLP	155.97	21.00	0.00	177.98	0.00		15.66				
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). ISHOCY SPECTRUM SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	38.99	188.79 188.79	0.00	177.98	0.00		15.66				
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). IENCY SPECTRUM SHARING ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSDA		188.79	0.00								
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). ISENCY SPECTRUM SHARING ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	I		ULS ULS ULS	ULSDA ULSDB ULSD8	38.99	188.79 188.79 377.58	0.00 0.00 0.00	177.98 355.96	0.00 0.00		15.66 15.66				
LINE SPLIT	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). IENCY SPECTRUM SHARING ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS ULS ULS	ULSDA ULSDB	38.99	188.79 188.79	0.00	177.98	0.00		15.66				

JNBUNDLI	ED NETWORK ELEMENTS - Alabama				_									ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing - per Subsequent Activity per Line						40.00					4= 00				
	Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19			ļ	15.66				
	Line Sharing - per Subsequent Activity per Line						40.00	8.19				45.00				
-	Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter)		1	ULS ULS	ULSCS	0.61	16.39 47.44	19.31	20.02	9.83	-	15.66 15.66				
LINE	SPLITTING	'	1	ULS	ULSCC	0.61	47.44	19.51	20.02	9.03	1	15.00				
	USER ORDERING-CENTRAL OFFICE BASED				+	 	-				1					
- LIND	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					1					
	Line Splitting - per line activation BST owned - physical	i i		UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83	1	15.66				
	Line Splitting - per line activation BST owned - virtual	<u> </u>		UEPSR UEPSB	UREBV	0.61	37.01	21.19		9.83	+	15.66				
DEMC	OTE SITE HIGH FREQUENCY SPECTRUM			OLI OK OLI OD	OKLDV	0.01	37.01	21.13	20.02	3.03	+	13.00				
	TERS-REMOTE SITE		1		1		+				1			 	 	
- J. E.I.	Remote Site Line Share BellSouth Owned Splitter, 24 Port		l	ULS	ULSRB	40.01	114.83	0.00	85.03	0.00		15.66				i
$\overline{}$	Remote Site Line Share Cable Pair Activation CLEC Owned at	<u> </u>	t			.0.01		3.30	55.55	0.00		.0.00				<u> </u>
1	RS and Deactivation	1 .		ULS	ULSTG		95.66	0.00	68.25	0.00		15.66				1
FND I	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	M AKA	REMOT				30.00	0.00	00.20	0.00		10.00				
	Remote Site Line Share Line Activationfor End User Served at		1		1						İ					
	RS, BST Splitter	l i		ULS	ULSRC	0.61	37.01	21.19	20.02	9.83		15.66				
	RS Line Share Line Activation for End User served at RS, CLEC										İ					
	Splitter	1		ULS	ULSTC	0.61	37.01	21.19	20.02	9.83		15.66				
	Remote Site Line Share Subsequent Activity-RS BST Owned										i e					
	Splitter	l i		ULS	ULSRS		49.16	17.83				15.66				
	Remote Site Line Share Subsequent Activity-RS CLEC Owned															
	Splitter	- 1		ULS	ULSTS		49.16	17.83				15.66				
JNBUNDLED	DEDICATED TRANSPORT															
NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four moi	nths									
INTEF	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -					ĺ										
	Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination	<u> </u>	1	U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90	<u> </u>	15.66	-	 	 	.
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATOA	41.500	0.40										
	month		 	U1TD1	1L5XX	0.18	-		 		}		-	-	-	-
1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		LIATEA	LIATEA	00.40	00.07	04.04	40.05	44.44		45.00				1
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				-
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATES	41 EVV	4.00										
	month			U1TD3	1L5XX	4.09			 		ļ		-	-	-	
	month		1			1										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATES	702.50	270 75	160.70	60.00	EQ 40		15.00				
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per						278.75	162.76	60.20	58.46		15.66				
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	703.52 4.09	278.75	162.76	60.20	58.46		15.66				

UNBUNDEL	D NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					1	_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	CHANNEL - DEDICATED TRANSPORT															
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir	ng perio	d = be	low DS3=one month	n, DS3/STS-1	=four months										
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	13.97	193.10	33.17	36.64	3.20		15.66				
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	14.93	193.53	33.60	27.11	3.67		15.66				
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	416.54	451.52	263.94	119.49	83.58		15.66				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	408.49	451.52	263.94	119.49	83.58		15.66				
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	60.32										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		639.09	137.87	317.06	197.66		15.66				ļ
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	22.34										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		639.09	137.87	317.06	197.66		15.66				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1											
	Thereof per month - Local Loop			UDF	1L5DL	60.32										.
	NRC Dark Fiber - Local Loop			UDF	UDFL4		639.09	137.87	317.06	197.66		15.66				.
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.00056										.
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15								4= 00				
	Number Reserved		-	OHD	N8R1X		2.58	0.44				15.66				-
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OUD			5.04	0.04	4.57	0.54		45.00				
—	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With		-	OHD	1		5.94	0.81	4.57	0.54		15.66				
	POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54		45.00				
	8XX Access Ten Digit Screening, Customized Area of Service		-	OHD	INSFIX		5.94	0.81	4.57	0.54	-	15.66				
	Per 8XX Number			OHD	N8FCX		2.58	1.29				15.66				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OLID	INOI CX		2.30	1.23				13.00			1	
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73				15.66				
	8XX Access Ten Digit Screening, Change Charge Per Request		-	OHD	N8FAX		3.02	0.44			1	15.66				+
	8XX Access Ten Digit Screening, Change Charge Fer Request		-	OND	INOFAA		3.02	0.44			1	15.00				-
	Features			OHD	N8FDX		2.58					15.66				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD	NOI DX	0.000565	2.50					13.00				
 	8XX Access Ten Digit Screening, w/ Or E No. Delivery		-	OHD	+	0.000565										+
LINE INFORM	ATION DATA BASE ACCESS (LIDB)			OTID	1	0.000000										
LINE IN OKW	LIDB Common Transport Per Query			OQT	1	0.00002										
	LIDB Validation Per Query			OQU	1	0.012002					1					†
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.012002	34.32		42.08			15.66		İ	1	
SIGNALING (C																
	CCS7 Signaling Connection, Per 56Kbps Facility			1	1	15.46	35.53	35.53	16.44	16.44		15.66		Ì	Ì	
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										i e
	CCS7 Signaling Usage, Per Call Setup Message					0.0000142										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569										1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Connection, Per link (B link) (also known as D			İ	1			-	İ							
	link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				1
	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000142										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33			İ							
	CCS7 Signaling Point Code, per Originating Point Code													Ì		
	Establishment or Change, per STP affected	1		UDB	CCAPO		29.01	29.01	35.57	35.57		15.66				1
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20		15.66				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.008838			i i							

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
					+		Nonrec	urrina	Nonrecurring	Disconnect				Rates(\$)	2.00 .01	2.007.444.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		i e											
	Termination					21.13	40.54	27.41	16.74	6.90		15.66				
	Local Channel - Dedicated - DS1 - Zone 1				1	35.76	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS1 - Zone 2				1	49.98	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS1 - Zone 3					107.63	177.47	153.72	22.19	15.26	ĺ	15.66			ĺ	
	Interoffice Transport - Dedicated - DS1 Per Mile					0.18										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44		15.66				
CALLING NAM	IE (CNAM) SERVICE															
$oxed{oxed}$	CNAM For DB Owners - Service Establishment		1	OQV	1		22.95		21.11							ļ
\longmapsto	CNAM For Non DB Owners - Service Establishment	ļ		OQV	1		22.95		21.11		ļ			ļ	ļ	ļ
1 1	CNAM For DB Owners - Service Provisioning With Point Code	l														
\vdash	Establishment	ļ		OQV	1		990.88	732.84	268.93	197.74	ļ			ļ	ļ	<u> </u>
	CNAM For Non DB Owners - Service Provisioning With Point	l	1													
\vdash	Code Establishment	.	1	OQV	-	0.0000	342.33	245.14	275.25	197.74	<u> </u>					
\vdash	CNAM for DB Owners, Per Query	 	1	OQV	1	0.000902							 	.	 	├
LNDO	CNAM for Non DB Owners, Per Query		-	OQV		0.000902										-
LNP Query Se			-			0.000757										-
<u> </u>	LNP Charge Per query	-	 		-	0.000757	10.50		44.54		1	45.00				
	LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment		1		-		12.52 593.49	303.20	11.51 268.93	197.74	-	15.66		-		
OBERATOR C	ALL PROCESSING		-		+		593.49	303.20	268.93	197.74	-	15.66				
OPERATOR CA	Oper. Call Processing - Oper. Provided, Per Min Using BST		 		1						1	1				+
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using					0.00										
INIWADD ODE	Foreign LIDB RATOR SERVICES		1		-	0.20					-			-		
INWARD OPER	Inward Operator Services - Verification, Per Minute		-		+	1.15					-	-				+
-	Inward Operator Services - Verification, Fer Minute Inward Operator Services - Verification and Emergency Interrupt		 		1	1.15					1	1				1
	- Per Minute					1.15										
BRANDING - C	PERATOR CALL PROCESSING		1		1	1.13					1	1				1
	y based CLEC		1		+									 	 	
i aciiit	Recording of Custom Branded OA Announcement	l	 		CBAOS		7,000.00	7,000.00			 	15.66				
	Loading of Custom Branded OA Announcement per shelf/NAV	l -	1		22/100		7,000.00	7,000.00				10.00				†
	per OCN	l			CBAOL		500.00	500.00				15.66				
UNEP			1											İ	İ	
	Recording of Custom Branded OA Announcement		1		1		7,000.00	7,000.00				15.66	İ			
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.66				
Unbrai	nding via OLNS for UNEP CLEC	1	1		1		300.00	300.00						1	1	
	Loading of OA per OCN (Regional)	l	t		1		1,200,00	1,200,00				15.66		i	i	
	SSISTANCE SERVICES		1		1		.,	.,						İ	İ	
	TORY ASSISTANCE ACCESS SERVICE	l	1		1								l	İ	İ	
	Directory Assistance Access Service Calls, Charge Per Call		1			0.275								1	1	
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)	1											1	1	
	Directory Assistance Call Completion Access Service (DACC),	l .														
	Per Call Attempt	L	<u></u>			0.10					<u> </u>					
NUMB	ER SERVICES INTERCEPT ACCESS SERVICE															
DIRECTORY A	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE		1								ļ					L
Facility	y Based CLEC	L	<u></u>		<u> </u>				<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
						Rec	Nonrec		Nonrecurring			T =		Rates(\$)		
	Pagarding and Provisioning of DA Cyatam Proposed						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				15.66				ĺ
	Loading of Custom Branded Announcement per Switch per			74011	OBNER		0,000.00	0,000.00				10.00				
	OCN			AMT	CBADC		1,170.00	1,170.00				15.66				
UNEP	CLEC															
	Recording of DA Custom Branded Announcement				1		3,000.00	3,000.00				15.66				├
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.66				ĺ
Unbra	anding via OLNS for UNEP CLEC						1,170.00	1,170.00				13.00				—
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.66				
	Loading of DA per Switch per OCN						16.00	16.00				15.66				
SELECTIVE F																-
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		84.70	84.70	14.11	14.11		15.66				
VIRTUAL COI					OONON		04.70	04.70	14.11	14.11		13.00				
I JAL SOI	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				1						<u> </u>					
	Splitting			UEPSR, UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
PHYSICAL CO																L
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			LIEDOD LIEDOD	PE1LS	0.00	40.00	44.00	0.00	- 11		45.00				ĺ
AIN SELECTI	VE CARRIER ROUTING			UEPSR, UEPSB	PEILS	0.03	12.30	11.80	6.03	5.44		15.66				
AIN OLLLOTT	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70			15.66				
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70		15.66				
İ	Query NRC, per query			SRC		0.002749										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69		15.66				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09		15.66				İ
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09		15.66				
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06		15.66				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71		15.66				İ
-	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.002188	41.88	41.88	11.71	11.71		15.00				
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.73										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE				-											
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69		15.66				1
	AIN Toolkit Service - Training Session, Per Customer			C, 11VI	BAPVX		4,202.17	4,202.17	40.09	70.03		15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						,									
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09	ļ	15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTO		7.00	7.00	0.00	0.00		45.00				1
\vdash	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.83	7.83	9.09	9.09	 	15.66				
	DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1		00		2.00	2.00		12.00				
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.47	34.47	14.36	14.36		15.66				<u> </u>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service - Query Charge, Per Query					0.05	07	3 n	50							
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.05										

CATEGORY RATE ELEMENTS Marie Rate	HINDHINDI	ED NETWORK ELEMENTS Alabama												Attack		Fulcil	Lit. D
ATT BLEEKENS ATT B	UNBUNDL	ED NETWORK ELEWENTS - Alabama				1						Cus Ouden	Cur Ouden				
RATE REMENTS March												1					
CATESION RATE ELEMENTS IN 2004 PAGE 1200 PAGE												1					
Second Company Compa	CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
	OATE CORT	TATE ELEMENTO	m	20110	500	0000			τιλίτο (ψ)			per LSR	per LSR				
Part Part																	
STATE STAT														1st	Addi	Disc 1st	Disc Add'l
AND TOWNS SERVICE ACROSS PARK AND TOWNS SERVICE BENEFIT OF MAIN TOWNS SERVICE BENEFIT OF MA							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
Subscription							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Subscription		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		i													
Subsection					CAM	BAPMS	10.17	7.83	7.83	5.50	5.50		15.66				
AND TOURIS SOUNCE CHIEF PROOF IP AND TOURIS SERVICE SURVINE CH		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
Subscription					CAM	BAPLS	2.87	8.66	8.66				15.66				
ANT Transit Sources Call Ferror Spoods Study. Per AN Toolat DAM BAPES 0.10 A.66 A																	
Sortice Subcorption CAM BAPES 0.10 8.66 8.66 1.166					CAM	BAPDS	7.39	7.83	7.83	5.50	5.50		15.66				
SEMANCED LINK (EELS)																	
NOTE: The monthly recurring and non-recurring charges below will apply and the Swint-As-Is Charge will not apply for EELs provisioned at "Ordinarily Combination" Security Provisional Security Prov	ENULANIOED				CAM	BAPES	0.10	8.66	8.66				15.66				
NOTE: The monthly recurring and the Switch-Aris Charge and not the non-recurring sharges below will apply for EEL provisioned as *Currently Combination** Personal	ENHANCED	EXTENDED LINK (EELS)			0				0 1 0	1.1	. =1						
NOTE: Minimum billing is orie month for DSS and below and three months above DSS services.	NOTE	:: The monthly recurring and non-recurring charges below will	apply a	na the	owitch-As-Is Charge	e will not app	ny for EELS pro	ovisioned as '	Orginarily Con	Notwork Elem	K ⊏lements.	1		-	 		
Part Part						viii apply for I	⊏∟s provision	ied as Curren	ny combined.	Network Eleme	ents.	-	-	-			-
First 2-Wire VS Cangle Logo(SL2) in a DST Interofficed Transport 1 NNCVX						+				 				-	 		
Combination - Zona 1	2-4411		LNOFF	I IK	ANDI ONI (EEL)	+			 	t		H		l	 		
First 2-View VG Grade Loop(SLZ) in a DST Interofficed 2 UNCVX				1	UNCVX	LIFAL 2	14 39	88 00	55.00	47 24	7 41		15.66				
Transport Combination - Zone 2 2 WNCVX UEAL 2 22.85 88.00 55.00 47.24 7.44 15.66			†	_	00 7/	JL/ 11LE	14.50	00.00	33.00	77.24	7.44	 	10.00		 		
First 2View VS Grade Loop(SLZ) in a DST Interofficed 3 UNCX				2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
Transport Combination - Zone 3 3 UNCVX UEAL2 38.14 88.00 55.00 47.24 7.44 15.66				-	0.10171	O E / KEE	22.00	00.00	00.00				10.00				
Interoffice Transport - Dedicated - DSI combination - Per Mile Per morth Interoffice Transport - Dedicated - DSI combination - Per Mile Per morth Interoffice Transport - Dedicated - DSI combination - Per Mile Per Mile				3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
See Front See																	
Termination per month					UNC1X	1L5XX	0.18										
DS1 Channelization System PM Month UNCYX M01 101.06 91.04 62.57 10.54 9.79 15.68		Interoffice Transport - Dedicated - DS1 combination - Facility															
Voice Grade COC1 - OS1 To DS0 Interface - Per Month UNCVX DIVG 0.53 6.58 4.72 15.66																	
Each Additional Z-Wire VG Loop(SL2) in the same DS1										10.54	9.79						
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	0.53	6.58	4.72				15.66				
Each Additional 2-Wire VG Loop(SL2) in the same DS1 2 UNCVX																	
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL2 22.85 88.00 55.00 47.24 7.44 15.66				1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
Each Additional Z-Wire VG Loop(SL2) in the same DS1 15.66				_													
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL2 36.14 88.00 55.00 47.24 7.44 15.66				2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
Voice Grade COCI - DSt to DS0 Channel System combination - per month UNCVX IDIVG 0.53 6.58 4.72 15.66					110000		00.44	00.00	55.00	47.04	7.44		45.00				
Demonth Demo				3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 5.59 5.59 6.98 6.98 15.66					LINICVA	1D1)/C	0.53	6.50	4.70				15.66				
Is Charge	-			-	UNCVA	IDIVG	0.55	0.36	4.72			-	15.66				
### Write Voice Grade EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 15.66					LINC1X	LINCCC		5.50	5.50	6 00	6.00		15.66				
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 15.66	4-WII		FROFF	ICF TR		514000		5.59	5.39	0.30	0.30	-	13.00		 		
Transport Combination - Zone 1	13-4411				(LLL)	†				†		<u> </u>		1	1		
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice 2 UNCVX				1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 15.66			1	1		1					,,,		T	l	İ		
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice 3 UNCVX				2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month																	
Per Month UNC1X 1L5XX 0.18				3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month																	
Month					UNC1X	1L5XX	0.18			L					ļ		
Channel System DS1 to DS0 combination Per Month						I				l							
Month	\vdash	mona:		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
Voice Grade COCI - DS1 to DS0 Channel System combination - per month					LINCAV	MO1	404.00	04.04	CO 57	40.54	0.70		45.00				
Per month			-	 	UNCIA	IVIQ I	101.06	91.04	62.57	10.54	9.79	1	15.66	-	 		
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 15.66 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 15.66 Voice Grade COCI - DS1 to DS0 Channel System combination -					LINICVY	1D1\/G	0.53	6 50	4.70	1			15.66				
Interoffice Transport Combination - Zone 1	 		H	t	OI VO VA	טיוטו	0.53	0.38	4.72	t		H	13.00	l	 		
Additional 4-Wire Analog Voice Grade Loop in same DS1				1	UNCVX	UFAL4	25 34	131 07	94.51	59 14	14 50		15.66				
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 15.66			-	+-'-	011017	JLAL	20.04	131.37	34.31	35.14	14.30	-	13.00		 		
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 15.66				2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				,
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 15.66				T -		1	55.50	.0	001	00	50		.0.00		1		
Voice Grade COCI - DS1 to DS0 Channel System combination -				3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
															1		
					UNCVX	1D1VG	0.53	6.58	4.72	I			15.66				

UNBUN	NDLEI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—			-	-			1	Nonred	curring	Nonrecurring	Disconnect	-	l	088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-						11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
		Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				1
4	1-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				-
		First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		_													1
\vdash		Transport Combination - Zone 2	-	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				1
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	ODLSO	37.00	120.27	88.80	35.14	14.50		13.00				
		Per Month	1		UNC1X	1L5XX	0.18						1				ı
		Interoffice Transport - Dedicated - DS1 - combination Facility			-									1			
		Termination Per Month	<u> </u>		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66	<u> </u>			ı
		Channelization - Channel System DS1 to DS0 combination Per															
		Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per							. =0								1
\vdash		month (2.4-64kbs)	-	-	UNCDX	1D1DD	1.12	6.58	4.72				15.66				
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				1
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		-	UNCDX	ODLSO	20.09	120.27	00.00	35.14	14.50		13.00				
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				1
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1					22.00										
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				1
		OCU-DP COCI (data) - DS1 to DS0 Channel System -															
		combination per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72				15.66				
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	UNCCC		5.50	5.50	6.98	6.98		45.00				1
	1_W/IDE	Is Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTED	EEICE	UNC1X			5.59	5.59	6.98	6.98		15.66				
H	+-4411/	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	I	TRANSFORT (EEL)							1					
		Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				1
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				1
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															1
		Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	41 EVV	0.40										1
H		Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	1		UNC1X	1L5XX	0.18			+		1			-		
		Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				ı
		Channelization - Channel System DS1 to DS0 combination Per	†				55.10	55.E1	001				.0.50		1		
		Month	<u> </u>		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				1
		OCU-DP COCI (data) - DS1 to DS0 Channel System															
\sqcup		combination - per month (2.4-64kbs)	<u> </u>		UNCDX	1D1DD	1.12	6.58	4.72				15.66				
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	1		UNCDX	UDL64	26.09	400.07	00.00	59.14	14.50		15.66				ı
\vdash		Interoffice Transport Combination - Zone 1	-	7	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				ı
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	t		5.10DA	JDL07	30.33	120.27	00.00	55.14	17.50	<u> </u>	10.00	1	1		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				i
		OCU-DP COCI (data) - DS1 to DS0 Channel System										1					
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72				15.66				I
1 T		Nonrecurring Currently Combined Network Elements Switch -As-	1														
	4 14/105	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	I	OF TO	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66	 	.		
	+-WIKE	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	EKUFFI	CE IRA	MOPUKI (EEL)					-							
		Transport - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				i
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	†		OI4OIA	JOLAA	02.33	202.47	107.04	77.70	11.71		10.00				
		Transport - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				ı
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
		Transport - Zone 3	<u> </u>	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				1

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	curring	Nonrecurring	Disconnect		l	OSS	Rates(\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 W/ID	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EBOEEL	CE TR	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-111	First DS1Loop in DS3 Interoffice Transport Combination - Zone	LKOFFI	I IKA	ANSPORT (EEL)												
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	<u> </u>	15.66	<u> </u>			
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				41 => 0 :											
<u> </u>	Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
h	DS3 to DS1 Channel System combination per month		1	UNC3X	MQ3	166.10	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03		13.00				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			0.10.71	00.5.	.20	0.00	2								
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR		011000		3.33	5.55	0.30	0.30		13.00				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		1													
	Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
1 1	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.008838						1				
 	Interoffice Transport - Dedicated - 2- Wire Voice Grade		 	OINCVA	ILOAA	0.000038										
	combination - Facility Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-		t		1	20	.0.04	2		0.30		.0.00		1		
	Is Charge		L	UNCVX	UNCCC		5.59	5.59	6.98	6.98	<u> </u>	15.66	<u> </u>		<u> </u>	
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TR	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
\vdash	Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66		ļ		
1 1	4-WireVG Loop used with 4-wire VG Interoffice Transport		_	LINGVA	LIEAL	20.52	404.0=	0.4.5.	50.4.	44.50		45.00				
\vdash	Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
1 1	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
 	Interoffice Transport - Dedicated - 4-wire VG combination - Per	1	- 3	0110 V A	JEALH	00.02	131.37	34.31	39.14	14.30		13.00	 	 	1	
1 1	Mile Per Month			UNCVX	1L5XX	0.008838						1				
	Interoffice Transport - Dedicated - 4- Wire Voice Grade	1			1						Ì			1		
	combination - Facility Termination per month		<u> </u>	UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
_	Nonrecurring Currently Combined Network Elements Switch -As-	1		l	I											
<u> </u>	Is Charge	<u> </u>	1055	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
DS3 E	High Canacity Unbundled Local Local DS2 combination Por	j⊨ i'RAl I	NSPOR	(EEL)	+				+							
1 1	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 combination -		 	01100/	ILUIND	0.36			†							
	Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	,			1000%	1-20.7	000.00	.002	200.04		55.00	1		·	1		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					41 =>04		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	1	UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	Is Charge	1		UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
STS1 D	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSPO		UNCCC		5.55	3.33	0.30	0.30		13.00				
	High Capacity Unbundled Local Loop - STS1 combination - Per			, ,												
	Mile per month			UNCSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGOV	111000		F F0		0.00	0.00		45.00				
2 WIDE	Is Charge ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	DT /EEL		UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
Z-VVIKE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T (LLL	1		+	<u> </u>										
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination					40.55			=====							
	Transport - Zone 3	ļ	3	UNCNX	U1L2X 1L5XX	48.55 0.18	117.24	79.77	52.88	10.54		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combintion - Facility	.	<u> </u>	UNC1X	ILSXX	0.18										
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.41	6.58	4.72				15.66				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.41	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE TI		3		0.00	0.00	0.00	0.30	l	10.00				
	First DS1 Loop in STS1 Interoffice Transport Combination -			` '												
\vdash	Zone 1	ļ	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	1	15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	STS1 to DS1 Channel System conbination per month		t	UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -	-	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	1	15.66				
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
3											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					i e	В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
4 WIDE	Is Charge 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 1	DANCI	UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-VVIKE	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE	KANSI	OKI (EEL)	1				 							
	Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			LINODY	LIDI 50			22.5								1
\vdash	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	 	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	-	15.66				
	Per Mile			UNCDX	1L5XX	0.008838			1							1
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	†	†	5.10DA		0.000000	1		<u> </u>							
	Facility Termination	<u></u>	L	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66	<u> </u>			<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u> </u>		UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIRE	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANSI	PORT (EEL)	1				ļ							
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		<u>'</u>	UNCDX	ODL04	20.09	120.21	00.00	35.14	14.50		13.00				
	Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															1
	Per Mile	-	-	UNCDX	1L5XX	0.008838			1							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODX	OTTEO	10.12	40.54	27.41	10.74	0.30		13.00				
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				1
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge o	loes not.		1							
Nonrec	curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-		(One a	ppnes to each comi	іпацоп) Т											
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				1
	Nonrecurring Currently Combined Network Elements Switch -As-			-	1			2.30	1	2.30						
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAY	1111000			F =-		0.00		45.00				İ
\vdash	Is Charge - DS1 Nonrecurring Currently Combined Network Elements Switch -As-	 	-	UNC1X	UNCCC		5.59	5.59	6.98	6.98	-	15.66				
	Incorrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3]		UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				1
	Nonrecurring Currently Combined Network Elements Switch -As-	1			3000		0.00	0.00	5.50	0.90		10.00				
	Is Charge - STS1		<u>L</u>	UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				<u> </u>
NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:					<u> </u>								
	Local Channel - Dedicated - 2-Wire Voice Grade		-	UNCVX	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66				\vdash
\vdash	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 per month Zone 1	 	1	UNCVX UNC1X	ULDV4 ULDF1	14.93 35.76	193.53 177.47	33.60 153.72	37.11 22.19	3.67 15.26	-	15.66 15.66				
	Local Channel - Dedicated - DS1 per Month Zone 1	 	2	UNC1X	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92										
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	416.54	451.52	263.94	119.49	83.58		15.66				
\vdash	Local Channel - Dedicated - STS-1- Per Mile per month		-	UNCSX	1L5NC	6.92	454.50	200.51	110.10	00.50		45.00				—
Ontion	Local Channel - Dedicated - STS-1 - Facility Termination lal Features & Functions:	 	-	UNCSX	ULDFS	408.49	451.52	263.94	119.49	83.58	-	15.66				
Орион	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	 				 		 	-				
	Activity - per DS1	1		UNC1X, USL	NRCCC		65.00					15.66				İ
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		50.00					15.66				
MULTI	PLEXERS	<u> </u>			<u> </u>				1				<u> </u>	l		

CATEGORY RATE ELEMENTS Infect Zone BCS UBOC RATE (1) Security Securi	HINDHINDI	.ED NETWORK ELEMENTS - Alabama												Attach	mont. 2	Evhi	hit. D
CATEGORY RATE ELEMENTS Insural Zone IDCS USOC RATES (8) Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Insural Zone Z	OMBONDE	LD NETWORK ELEWIENTS - Alabama		I		1						Svc Order	Svc Order				
ATE FLEMENTS						1						1					
CATEGORY RATE ELEMENTS												1					_
NOTE retirement billing period is one month for DSI to DSI Channel System and Interfaces First Add SOMAN SOM	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				_				
Part	CATEGORI	NATE ELEMENTS	m	20116	ВСО	0000			KATLO (ψ)			per LSR	per LSR				
Note																	
MOTE Mote Price April SOME														1st	Add'l	Disc 1st	Disc Add'l
NOTE Inflamental Millings period is some mouth for DE TOP 12 DID Courtnel Systems and interference NOTE Inflamental Millings period in content for DE TOP 12 DID Courtnel Systems and interference NOTE Inflamental Millings period in content for DE TOP 12 DID Courtnel Systems and interference NOTE Inflamental Systems (in the period content of the Court o							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
NOTE minimum billing gend of a three months to DSS p. DS1 (Channel System and interfaces) NOTE							Rec					SOMEC	SOMAN			SOMAN	SOMAN
NOTE minimum billing gend of a three months to DSS p. DS1 (Channel System and interfaces) NOTE	NOT	E: minimum billing period is one month for DS1 to DS0 Channel	Systen	n and i	nterfaces												
Solicotion in the same SWCD per morn! Solicotion So																	
DST to DSD Charmed System (used to charmelize a DST Local Charmed System (used to charmelize a DST Local Charmed System) (used to charmelize a DST Local Charmed Intelligent Charmelize a DST Local Charmed Intelligent Charmelize a DST Local Charmed Intelligent Charmelize a DST Local Charmed Intelligent Charmelize a DST Local Charmelize a DST Local Charmed Intelligent Charmelize a DST Local Charmelize a DST Loc		DS1 to DS0 Channel System (with the higher-level connected to															
Charrent per morth ULCD1 M21 101.06 91.04 62.57 10.54 9.79 10.66					UXTD1	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
OST to 150 Channel System (und to invancished a DSS) UTIDS WO1 10106 91.04 62.57 10.54 9.79 15.66																	
Intercentic Channel pie mornil GOLDP COLD (State) - DSTS (DSS Channel System - per mornil (2-6-6-6)th (June 1) to 1,001 (1-6-6)th (June 1)					ULDD1	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
OCU-DP COCI (page 1-25) to DSB Channel System - per morth CA-6484by used for a condition to a channelism of DSI Concept Concep																	
month (24-46fels) used for a Lose Losp OCUPP COCI (cals) - 150 LOSP Calment Bystem - per (15.66)					U1TD1	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
OCU-DP COCI (data) - DS1 to DSI Charmed System - per month 15.66									. =0				4= 00				
month (2.4-96.bb) used for connection to a charmetized DS1 U1TUD	\vdash			-	UDL	10100	1.12	6.58	4.72				15.66				
Local Chammel in the same SWC as collocation						1											
Savere SDN COCI (BRTE) - OS 10 DSO Channel Systems - per north to a Local LOCA Control of the Control of th					LIATUD	10100	1 10	6 50	4 70				15 66				
Month for a Local Loop	\vdash			-	טוווט	טטוטו	1.12	0.58	4.72				13.00				
2-wint SON COC (BRITE) - DST to DSC Channel Systems - per month used for connection to a channelized SSI Local (Anneal In the same SWC as collocation 15.66 1					LIDN	LIC1CA	2 //1	6 50	172				15.66				
morth used for connection to a channelized DS1 Local Channel in the same SW0 as collocation Violate Final CO2T - DS1 to ISSC Channel System - per month UEA	 		-	 	ווטטו	JUIUA	2.41	0.30	4.12				13.00				
In the same SWC as collocation Voice Grade COCI - 195 to DS0 Channel System - per month UEA 101VG 0.53 6.58 4.72 15.66						1											
Vivice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Local Channel in the unit of the control of the c					U1TUB	UC1CA	2 41	6.58	4 72				15.66				
Use Division Use	\vdash				01105	00.07	2	0.00	2			1	10.00				
Voice Grade COCL - DR 16 DSD Channel System: per month used for connection to a channelized DS Local Channel in the same SVIC as collocation					UEA	1D1VG	0.53	6.58	4.72				15.66				
Use Description Use Description Use Description Use Description Use Description Use Description Use Description Use Description Description Use Description De						1											
DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month																	
a collocation in the same SWC, per month DSS to DSI Channel System (used to channelize a DS3 Local Channel) per month DSS to DSI Channel System (used to channelize a DS3 Local Channel) per month DSS to DSI Channel System (used to channelize a DS3 literative for the same SWC) per month STS-1 to DSI Channel System (used to channelize a DS3 literative for channel per month UXTSI MO3 166.13 178.14 93.97 33.26 31.83 15.66 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72				15.66				
DS3 to DS1 Channel System (used to channelize a DS3 Local Channel) per month ULDO3 MO3 166.13 178,14 93,97 33.26 31.83 15.66		DS3 to DS1 Channel System (with the higher level connected to															
Channel per month					UXTD3	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
DSS1 to DS1 Channel System (used to channelize a DS3 U1TD3 MO3 166.13 178.14 93.97 33.26 31.83 15.66																	
Interoffice Channel per month					ULDD3	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
STS-11 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month																	
to a collocation in the same SWC) per month UXTS1 MQ3 166.13 178.14 93.97 33.26 31.83 15.66					U1TD3	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
STS-1 to DS1 Channel System (used to channelize a STS-1 ULDS1 MQ3 166.13 178.14 93.97 33.26 31.83 15.66							400.40	.=					4= 00				
Local Channel) per month	\vdash			-	UXIS1	MQ3	166.13	1/8.14	93.97	33.26	31.83		15.66				
STS-1 to DST Channel System (used to channelize a STS-1 Intendifice Channel) per month UTTS1 MQ3 166.13 178.14 93.97 33.26 31.83 15.66					LII DC4	1400	400.40	470.44	02.07	22.00	24.02		45.00				
Interoffice Channel) per month	\vdash				ULDST	IVIQ3	100.13	178.14	93.97	33.20	31.83		15.00				
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month					111701	MOS	166 12	170 14	02.07	22.26	21 02		15.66				
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 12.70 6.58 4.72 15.66	 			 						აა.∠ნ	31.63	 			 	 	
Channel in the same SWC as collocation) per month	\vdash		-		OOL	30101	12.70	0.50	4.12			-	13.00				
DST COCI used with Interoffice Channel per month					U1TUA	UC1D1	12.70	6,58	4.72				15,66				
Sub-Loop Feeder		DS1 COCI used with Interoffice Channel per month									İ				İ	İ	
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	Sub-					1											
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2				1	UNC1X	USBFG	55.09	101.85	64.38	62.05	17.40						
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Port s Exchan		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2													
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRL 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID LUM) UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID LUM) UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33 15.66				3	UNC1X	USBFG	294.62	101.85	64.38	62.05	17.40						
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRL 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res. UEPSR UEPAR 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33 15.66																	
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66						1											
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			KY, LA	& TN, tl	ne desired features	will need to b	e ordered usin	g retail USOC	8								
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33 15.66	2-Wi			<u> </u>	LIEDOD	LIEDE:							/= 0-				
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33		15.66				
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		Fusher to Date 10 With Apple 11 to Bot 11 Oction 12 13			LIEDOD	LIEDEO	4.00	0.00	0.67		1.00		45.00				
Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan	\vdash	Exchange Ports - 2-wire Analog Line Port with Caller ID - Res.		-	UEP5K	UEPRC	1.38	2.38	2.27	1.42	1.33	1	15.66		-	-	
Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan	1 1	Evolungo Borto - 2 Wiro Apolog Lino Bort outgoing and -			LIEDOD	LIEBBO	1 20	2.20	2.07	1 40	1.00		15.00				
dialing parity Port with Caller ID - Res.	\vdash			-	UEFSK	UEPKU	1.38	∠.38	2.27	1.42	1.33		10.00				
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33 15.66					LIEDSD	LIEDAR	1 20	2 20	2 27	1 42	1 22		15.66				
with Caller ID (LUM) UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33 15.66 Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan Image: Control of the property o	\vdash		-	-	OLFOR	OLFAR	1.38	2.38	2.21	1.42	1.33		13.00		 	 	
Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan					LIEPSR	LIEPAP	1 32	2 38	2 27	1 42	1 22		15.66				
				†	021 OIX	JEI /3I	1.50	2.50	2.21	1.72	1.33	 	10.00				
		without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33		15.66				

ONRONDLE	D NETWORK ELEMENTS - Alabama				· · · · · ·									ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	UEPRT	1.38	2.38	2.27	1.42	4.22		45.00				
_	Capability Subsequent Activity			UEPSR UEPSR	USASC	0.00	0.00	0.00	1.42	1.33		15.66 15.66				
FEATU				OLI OK	OUAGE	0.00	0.00	0.00				13.00				
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00				15.66				
2-WIRI	VOICE GRADE LINE PORT RATES (BUS)				1											
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33		15.66				
	Evahanga Darta 2 Mira Analog Lina Dart autgaing only. Bug			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local		-	UEFSB	UEPBU	1.30	2.30	2.21	1.42	1.33	1	13.00				
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33		15.66				
	Exhange Ports - 2-Wire VG unbundled incoming only port with			02. 05	02.7.0		2.00			1.00		10.00				
	Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33		15.66				l
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
	without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33		15.66				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33		15.66				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.66				ļ
FEATU						4.00						4= 00				
EVOLU	All Available Vertical Features ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	1.98	0.00	0.00				15.66				
EXCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90	-	15.66				-
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		-	UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90	-	15.66				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90		15.66				<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	UEPSP	UEPAE	1.38	31.27	14.85	13.94	0.90	-	15.00				
	Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	OLI OI	OLI AL	1.00	01.27	14.00	10.04	0.00		10.00				
	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1											
	Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90		15.66				l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90		15.66				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.66				
FEATU		ļ	ļ	LIEDOD LIEDOE	LIED) (E	4.0-					1					
EVO	All Available Vertical Features	ļ	<u> </u>	UEPSP UEPSE	UEPVF	1.98	0.00	0.00				15.66				
EXCHA	ANGE PORT RATES (COIN) Exchange Ports - Coin Port		-		+	1.38	2.38	2.27	1.42	1 22		15.66			-	
NOTE:	Transmission/usage charges associated with POTS circuit so	witchod	Hesas	will also apply to a	ircuit ewitche			2.27		1.33	isted with a	15.66	norte		-	
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)			, oug Di 10/16W				- series oupubi							1	<u> </u>
	ANGE PORT RATES	i e	l		1										İ	
	Exchange Ports - 2-Wire DID Port	1	Ì	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76		15.66			İ	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46		15.66				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered			UEPTX UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74		15.66				
				UEPTX UEPSX	UEPVF	1.98	0.00	0.00			1	1			1	

UNBUI	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental			Incremental Charge -
							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availab	le only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	termined via	he Bona Fig	de Request/	New Business	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06		15.66				
	UNBUN	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33		15.66				
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33		15.66				ļ
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33		15.66				
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33		15.66				
\vdash	Non-Re	ecurring				!											
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10				15.66				
\vdash		Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with		-	UEPVK	USAC2		0.10	0.10			ļ	15.66	 	 	-	
					LIED\/D	LICACC		0.10	0.10				15.66				
\vdash	LINIDIIN	allowed change (PIC and LPIC) IDLED REMOTE CALL FORWARDING - Bus		-	UEPVR	USACC		0.10	0.10	1		-	15.66	-	-	-	
	UNDUN	IDLED REMOTE CALL FORWARDING - BUS		-		1						1					1
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33		15.66				
		g			-												
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33		15.66				
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33		15.66				
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33		15.66				
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33		15.66				
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10				15.66				
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10				15.66				.
		OCAL SWITCHING, PORT USAGE		-								1					
	Ena Of	fice Switching (Port Usage)		-			0.0007005										
\vdash		End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU					0.0007025 0.0001638					-					
\vdash	Tondor	n Switching (Port Usage) (Local or Access Tandem)					0.0001636					-					
	ranuei	Tandem Switching Function Per MOU		-		1	0.000095					1					-
\vdash		Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU		 		1	0.0002015			1		1		 	 	l	
\vdash	Comm	on Transport				 	0.0002015					 		 	 		
	Jonna	Common Transport - Per Mile, Per MOU		l —		1	0.0000023			1		1	-	 			†
\vdash		Common Transport - Facilities Termination Per MOU				1	0.0003224							1	1		
UNBUN	DLED F	PORT/LOOP COMBINATIONS - COST BASED RATES				İ								İ	İ	İ	
		ased Rates are applied where BellSouth is required by FCC an	d/or St	ate Co	mmission rule to pre	ovide Unbun	dled Local Swi	tching or Swite	h Ports.				İ			İ	
		es shall apply to the Unbundled Port/Loop Combination - Cost								ed Port section	of this Rate E	xhibit.					
	End Of	fice and Tandem Switching Usage and Common Transport Us	age rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	ort network elen	nents except	for UNE Coi					
		st and additional Port nonrecurring charges apply to Not Curre	ently Co	ombine	ed Combos. For Cur	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	II be those iden	ntified in the N	lonrecurring	J - Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										<u> </u>
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
igsquare	UNE L	pop Rates				ļ											ļ
$\vdash \!$		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	11.55			ļ							_
$\vdash \vdash$		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	20.04					ļ					_
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.65			ļ							
$\vdash \vdash \vdash$	2-Wire	Voice Grade Line Port Rates (Res)		<u> </u>	LUEDDY.	Lucas:				ļ							ļ
$\vdash \vdash$		2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63	ļ	15.66				_
\vdash		2-Wire voice unbundled port with Caller ID - res		<u> </u>	UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63	ļ	15.66				
\vdash		2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63	ļ	15.66	 	 	 	↓
		2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63		15.66				
oxdot		parity port with Galler ID - 165		L	ULFKA	UEPAR	1.15	40.19	19.83	24.91	0.03	l	15.00	l	l	l	

MRONDFI	D NETWORK ELEMENTS - Alabama			ı							Τ			ment: 2	1	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			_		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundled Low Usage Line Port without Caller ID															Ī
	Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63		15.66				
FEAT	URES															
	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00				15.66				
LOCA	L NUMBER PORTABILITY															ĺ
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35								Î		
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED													ĺ		ĺ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -													Î		
	Switch-as-is			UEPRX	USAC2		0.10	0.10	I			15.66	I		I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1				İ		1		İ	İ	İ	î .
	Switch with change			UEPRX	USACC		0.10	0.10				15.66				
ADDI	TIONAL NRCs		İ								İ					î e
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.66				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)										i e					1
	Port/Loop Combination Rates															
0.12	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNF	Loop Rates		Ŭ		+	0 1.00					1					
0.12	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55					1					
_	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04					1					
_	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65					1					
2-Wir	e Voice Grade Line Port (Bus)		Ť	02. 5/	02. 2.	00.00										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63	+	15.66				+
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63	+	15.66				+
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63	+	15.66				+
_	2-Wire voice dribdridled port outgoing only - bus 2-Wire voice Grade unbundled Alabama extended local dialing			OLFBA	OLFBO	1.13	40.19	15.03	24.31	0.03		13.00				
	parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63		15.66				
_	2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63	ł	15.66	-		-	
_			-	UEPBA	UEPBI	1.10	40.19	19.03	24.91	0.03	-	13.00				-
	2-Wire Voice Unbundled Alabama Business Dialing Plan without			LIEDDY	LIEDWD	4.45	40.40	40.00	04.04	0.00		45.00				
_	Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63	1	15.66	 	-	 	
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	4 4 5	40.40	19.83	24.91	6.63		15.66	1		1	
1.004	L NUMBER PORTABILITY			ULPDA	UEFBE	1.15	40.19	19.83	24.91	6.03	1	10.00	 	-	 	
LUCA				LIEDDY	LNDCV	0.25			 		1		 	-	 	
EEAT	Local Number Portability (1 per port) URES		-	UEPBX	LNPCX	0.35						 		-		+
FEAT				LIEDDY	LIEDVE	1.98	0.00	0.00	 		1	15.00	 	-	 	
NONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPBX	UEPVF	1.98	0.00	0.00				15.66		-		
NONE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+				 		1		 	-	 	
				LIEDBY	LICACO		0.40	0.40	1			45.00	1		1	
-	Switch-as-is		-	UEPBX	USAC2		0.10	0.10	 		}	15.66	 	 	 	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	LICACO		0.40	0.40	I			45.00	I		I	
455	Switch with change		-	UEPBX	USACC		0.10	0.10	 		 	15.66	1	 	 	
ADDI	FIONAL NRCs		-		+				 		}	ļ	 	 	 	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent											4= 00				
0.14***	Activity		-	UEPBX	USAS2		0.00	0.00	.		1	15.66	-	-	-	
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-		+				 		}	ļ	 	 	 	
UNE	Port/Loop Combination Rates		-		+	10.70			 		}	ļ	 	 	 	
_	2-Wire VG Loop/Port Combo - Zone 1		1			12.70			ļ		ļ		_			
_	2-Wire VG Loop/Port Combo - Zone 2		2			21.19			ļ		ļ		_			
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80			ļ		ļ		_			
UNE	oop Rates		L.		1				L						L	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55					ļ		.	ļ	.	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04]					
	2-Wire Voice Grade Loop (SL 1) - Zone 3	_	3	UEPRG	UEPLX	33.65			1	<u> </u>	1	I	1		1	1

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES (\$) Submitted Elec Manually per LSR Per LSR per LSR per LSR Electronic-1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Conversion - Switch-As-Is Conversion - Switch MRCs Conversion - Switc		SOMAN	SOMAN
Conversion - Switch-As-Is Conversion - Switch MRCs Conversion - Switc		SOMAN	SOMAN
2-Wire Voice Grade Line Port Rates (RES - PBX)			
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			
LOCAL NUMBER PORTABILITY UEPRG LNPCP 3.15 0.00 0.00 15.66			
Local Number Portability (1 per port)			
FEATURES			
All Features Offered			
NONRÉCURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			-
Conversion - Switch-As-Is			
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change LEPRG USACC 7.81 1.90 15.66 ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			
Conversion - Switch with Change	1 1		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			
I I ISUBSEQUENT ACTIVITY			I
			1
PBX Subsequent Activity - Change/Rearrange Multiline Hunt			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			-
UNE Port/Loop Combination Rates			-
2-Wire VG Loop/Port Combo - Zone 1 1 12.70			
2-Wire VG Loop/Port Combo - Zone 2 2 21.19	i		
2-Wire VG Loop/Port Combo - Zone 3 3 34.80			
UNE Loop Rates			
2-Wire Voice Grade Loop (SL 1) - Zone 1			
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 20.04			
2-Wire Voice Grade Loop (SL 1) - Zone 3			-
2-wile voice Grade Line Fort Rates (BUS - FBX)	 		1
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 1.15 69.08 32.41 37.43 6.20 15.66			
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 1.15 69.08 32.41 37.43 6.20 15.66			
Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPP1 1.15 69.08 32.41 37.43 6.20 15.66			
2-Wire Voice Unbundled 2-Way Combination PBX Alabama			
Calling Port UEPPX UEPA2 1.15 69.08 32.41 37.43 6.20 15.66			
2-Wire Voice Unbundled PBX LD Terminal Ports UEPPX UEPLD 1.15 69.08 32.41 37.43 6.20 15.66			
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPXA 1.15 69.08 32.41 37.43 6.20 15.66			
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPXB 1.15 69.08 32.41 37.43 6.20 15.66	-		-
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPX UEPXD 1.15 69.08 32.41 37.43 6.20 15.66	 		1
2-Wrie Voice Unbundled PBX LD Terminal Switchboard IDD			†
Capable Port UEPPX UEPX 1.15 69.08 32.41 37.43 6.20 15.66			I
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ		
Administrative Calling Port UEPPX UEPXL 1.15 69.08 32.41 37.43 6.20 15.66			1
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			I
Room Calling Port UEPPX UEPXM 1.15 69.08 32.41 37.43 6.20 15.66			
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			1
Discoult North Calling Pot DEPX DEPX DEPX 37.43 5.20 15.66	+		
LOCAL NUMBER PORTABILITY			1
Local Number Portability (1 per port) UEPPX LNPCP 3.15 0.00 0.00 15.66	i i		
FEATURES			
All Features Offered UEPPX UEPVF 1.98 0.00 0.00 15.66			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ļ
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			I
Conversion - Switch-As-Is UEPPX USAC2 7.91 1.90 15.66			1
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPPX USACC 7.91 1.90 15.66			1
ADDITIONAL NRCs 15.00 15			†
	†		
Subsequent Activity UEPPX	<u> </u>		L

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
			1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred		Nonrecurring	. Diacommont			000	Rates(\$)		
		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	 	-		+		riist	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Group						7.32	7.32				15.66				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT			+		1.52	7.52			-	13.00				
	Port/Loop Combination Rates	ì			+						-					
0.1.2	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
	2-Wire VG Coin Port/Loop Combo – Zone 2	1	2			21.19										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80										
UNE	Loop Rates												ĺ			
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65										
2-Wi	re Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)	1	<u> </u>	UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin 2-Way with Operator Screening (AL, KY)	1	<u> </u>	UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63	-	15.66	ļ	ļ	ļ	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPRA		40.40	10.00	24.61	0.00		45.00				
	900/976, 1+DDD (AL, KY, LA, MS)	1	 	UEPCU	UEPKA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin 2-Way with Operator Screening & Blocking:	1		UEPCO	UEPRB	1.15	40.19	19.03	24.91	0.03	-	13.00				
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin Outward with Operator Screening and 011 Blocking	 		ULFCO	OLFCD	1.13	40.19	19.03	24.51	0.03	1	13.00	1	1	1	1
	(AL. FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin Outward with Operator Screening and Blocking:	1		OLI CO	OLI IXIX	1.10	40.10	10.00	24.01	0.00	-	10.00				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			02. 00	02		10.10	10.00	2	0.00		10.00				
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63		15.66		ĺ		
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63		15.66				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00		15.66				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED	ļ														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPCO	USAC2		0.10	0.10				15.66				
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	 	UEPCU	USACZ		0.10	0.10				15.66				
	Switch with change	1		UEPCO	USACC		0.10	0.10				15.66				
Ann	ITIONAL NRCs	 	†	02.1 00	00,100		0.10	0.10	1		-	13.00	 	 	 	
700	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	t	 		_				1		 	-				
	Activity			UEPCO	USAS2		0.00	0.00				15.66				
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	È LINE I	PORT (2.20	2.30	İ	l						
	Port/Loop Combination Rates		Γ,	, , , , , , , , , , , , , , , , , , ,					İ	l		İ				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52		•								
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2	L	2	UEPFR	UECF2	22.85							ļ	ļ	ļ	
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFR	UECF2	36.14										
2-Wi	re Voice Grade Line Port Rates (Res)	1	<u> </u>	LIEDED	LIEDE:						-		ļ	ļ	ļ	
	2-Wire voice unbundled port - residence	1	<u> </u>	UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77	-	15.66	ļ	ļ	ļ	
	2-Wire voice unbundled port with Caller ID - res	1	 	UEPFR UEPFR	UEPRC UEPRO	1.38 1.38	90.38 90.38	57.27 57.27	48.66	8.77 8.77		15.66 15.66	-	-	-	
	2-Wire voice unbundled port outgoing only - res	1	 	UEPFK	UEPRU	1.38	90.38	57.27	48.66	8.77		15.66				
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		15.66				
	2-Wire voice unbundles res, low usage line port with Caller ID	 	 	OLFIN	ULFAR	1.38	90.38	51.21	40.00	0.77	H	13.00	 	 	 	
i I	(LUM)	1	1	UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77	1	15.66	l	l .	l .	1

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled Alabama Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		15.66				
INT	EROFFICE TRANSPORT															
1 1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	 	UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90	-					
	or Fraction Mile			UEPFR	1L5XX	0.008838										
FEA	TURES			OLITIK	120701	0.000000										
	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00				15.66				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35		_								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ			1											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		LIEDED			0.40	4				45.00				1
 	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	₩	₩	UEPFR	USAC2		8.48	1.87		-	1	15.66		-	-	1
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87				15.66				
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	FIINE	PORT (USACC		0.40	1.07				13.00				
	Port/Loop Combination Rates		I						1							<u> </u>
10.11	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
0.14	2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFB	UECF2	36.14										
2-00	ire Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	-	+	UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77	-	15.66				
	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77		15.66				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77		15.66				
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77		15.66				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77		15.66				
1 1	2-Wire Voice Unbundled Alabama Business Dialing Plan without								40.00							ĺ
	Caller ID CAL NUMBER PORTABILITY			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77		15.66				-
LOC	Local Number Portability (1 per port)	-	+	UEPFB	LNPCX	0.35					-					
INT	EROFFICE TRANSPORT	1	1	OLFIB	LINFOX	0.33			1							
1.00	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														
	Termination	L		UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90	<u></u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	 		UEPFB	1L5XX	0.008838										
FEA	TURES			LIEDED	LIEDY'E				-							
NO	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	<u> </u>	UEPFB	UEPVF	1.98	0.00	0.00			-	15.66				1
NO	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		+				+	-	-	-		-	1	\vdash
	Combination - Conversion - Switch-as-is	1		UEPFB	USAC2		8.48	1.87				15.66				1 !
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			20,102		0.40					.0.50				
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87				15.66				1 !
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	1		1	15.76			-		1			ļ	ļ	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	₩	2		-	24.23				-	1	-		-	-	
IIINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 E Loop Rates	 	3		+	37.52			+	-	 	-				
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38			1	 	 					
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	†	2	UEPFP	UECF2	22.85			†		 	 				
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	36.14										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)	İ														
	1 1		•		•				•			•	•			

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		m			0000			== (+)			per LSR	per LSK	Order vs.			
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-		_	1	Nonrec		Nonrecurring	Dissennest	-		000	Rates(\$)		l .
		-	-		_	Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34		15.66				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34		15.66				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
	Calling Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34		15.66				
- 	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34		15.66				
-+-	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		 	UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34	1	15.66				1
+-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34	-	15.66				
$\longrightarrow \longmapsto$			-	UEPFP			119.27			8.34						<u> </u>
	2-Wire Voice Unbundled PBX LD DDD Terminals Port				UEPXC	1.38		69.85	61.18		ļ	15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		!	UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34	!	15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1						1			1				
	Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34		15.66				<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port		1	UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		1							T				1
	Room Calling Port		1	UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34		15.66				
-+	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		t	0=111	OLI AIVI	1.50	110.21	03.00	01.10	0.34	1	13.00		t	t	
	Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34		15.66				
											ļ					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34		15.66				
LOCA	AL NUMBER PORTABILITY										ļ					
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
- 	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.008838										
EEAT	URES		 	OLITI	TESTA	0.000030										
FLAI	All Features Offered		-	UEPFP	UEPVF	1.98	0.00	0.00			-	15.66				1
		-	-	UEPFP	UEFVF	1.90	0.00	0.00			ļ	13.00		ļ	ļ	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87				15.66				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87				15.66				
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES													1	1	
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT										1				1
	Port/Loop Combination Rates		t —	1	1						1	i		1	1	1
0142	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	—	1	<u> </u>	+	22.40			 		1	 		1	t	+
\longrightarrow	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	—	2	1	1	30.88			+		1	-		 	 	1
\longrightarrow					_				 		1	I		1	1	-
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	ļ		44.17			-							ļ
UNE	Loop Rates		<u> </u>								ļ					ļ
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	22.85			Т			L				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14										
UNE	Port Rate		Ì									1				
	Exchange Ports - 2-Wire DID Port		i –	UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20		15.66				
NON	RECURRING CHARGES - CURRENTLY COMBINED		t	1		0.02	201.01			20	1	.0.00		1	1	1
- 110741	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		t —	1	1						1	i		1	1	1
	Switch-as-is		1	UEPPX	USAC1		7.31	1.87	1			I			1	
\longrightarrow			-	ULPPA	USACI		1.31	1.87	 		1	-		1	1	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1									I			1	
	with BellSouth Allowable Changes		<u> </u>	UEPPX	USA1C		7.31	1.87	├		.	ļ				
ADDI	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		L	UEPPX	USAS1		26.78	26.78								
$\overline{}$	hone Number/Trunk Group Establisment Charges					İ										
Telep	DID Trunk Termination (One Per Port)		Ì	UEPPX	NDT	0.00	0.00	0.00				1				
Telep				4												+
Telep				UEPPX	ND4	0.00	0.00	0.00								I
Teler	Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX	ND4	0.00	0.00	0.00	 		-					
Teler				UEPPX UEPPX UEPPX	ND4 ND5 ND6	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00								

UNBII	NDLF	D NETWORK ELEMENTS - Alabama													Attach	ment: 2	Fyhil	bit: B
3,450	···	THE THORK ELEMENTO Addama						I					Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			"												Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
-			1					 	Nonrec	urrina	Nonrecurring	Disconnect			088	Rates(\$)		l
			1				1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	. NUMBER PORTABILITY	1						THOL	Auu i	THOU	Addi	JOINEO	JOINAIN	JONIAN	JONAN	JOINAIN	JONIAN
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00	t					t		
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
-		UNE Zone 1	1	1	UEPPB	UEPPR		27.28			1			-		1		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		37.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITB	OLITIK		37.00					†			-		
		UNE Zone 3		3	UEPPB	UEPPR		53.84										
	UNE L	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03		-								
1				_							_							
		2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	29.62										
-	LINE D	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB	UEPPR	USL2X	45.60			1			-		1		
-	UNE P	ort Rate Exchange Port - 2-Wire ISDN Line Side Port	 	 	LIEDDR	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28	}	15.66		-		
-	NONRE	ECURRING CHARGES - CURRENTLY COMBINED	1	1	OLFFB	ULFFR	OLFFB	0.24	190.01	132.70	100.07	21.20		13.00				
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port									1							
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02				15.66				
		ONAL NRCs																
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
-	в-сна	NNEL USER PROFILE ACCESS: [CVS/CSD (DMS/5ESS)	1	-	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1			-		1		
		CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
-		CSD	1	1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)	02.75	OL: III	0.000	0.00	0.00	0.00	t					t		
		CVS/CSD (DMS/5ESS)	ľ	T	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
-	USER	FERMINAL PROFILE	1	-	LIEDDD	LIEDDD	LIALINAA	0.00	0.00	0.00	1			-		1		
-	VEDTI	User Terminal Profile (EWSD only) CAL FEATURES	1	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	-		.	-		-		
	VEICH	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00			†			-		
	INTER	OFFICE CHANNEL MILEAGE	t e		22.10	J 1 10	J=: *I	1.50	0.00	0.00	1							
	1	Interoffice Channel mileage each, including first mile and	İ															
		facilities termination				UEPPR	M1GNC	21.14	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage each, additional mile	<u> </u>		UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00				0.00				
		EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT	1							ļ					 		
	UNE P	ort/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	-			1				-				-	-		-
		Zone 1		1	UEPPP			166.87								1		
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		J 11			100.07					1					
L	L	Zone 2		2	UEPPP		<u> </u>	238.50			<u> </u>			<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			398.85								1		
	UNE L	pop Rates	1	L .	LIEDDD		LICL 4D	20.55					1	1				
-	-	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	+	1	UEPPP		USL4P USL4P	82.55			 		ļ	1	-	1		-
H	1	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPPP		USL4P USL4P	154.18 314.52			 		1	 	 	 		
 	UNE P	ort Rate	t		JLIFF		JULTE	314.32			+		1	 		 		
		Exchange Ports - 4-Wire ISDN DS1 Port	1		UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77		15.66				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	L	Combination - Conversion -Switch-as-is	L		UEPPP		USACP	0.00	119.07	78.56	ļ			15.66		1		
<u> </u>	ADDIT	ONAL NRCs					ļ				-							
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49		1							
	<u> </u>	IIIIwaiu,two way Tellinos. (exceptino)	1	<u> </u>	ULFFF		ICIN/ IF	<u> </u>	0.49		1		1	1	L	1	L	l

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonre	curring	Nonrecurring	Disconnect	ĺ	•	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
		FACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								ļ
	New or	Additional "B" Channel		<u> </u>						ļ				ļ			ļ
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53		ļ		ļ		ļ			ļ
		New or Additional - Digital Data B Channel		<u> </u>	UEPPP	PR7BF	0.00	14.53		ļ				ļ			
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53				ļ					<u> </u>
	CALL 1	TYPES															
		Inward		<u> </u>	UEPPP	PR7C1	0.00	0.00	0.00			<u> </u>					_
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								.
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								ļ
	Interof	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44		15.66				
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18										ļ
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															ļ
		ort/Loop Combination Rates			LIEDDO		440.04										ļ
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		142.64										ļ
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.26										ļ
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61					1					
		pop Rates 4-Wire DS1 Digital Loop - UNE Zone 1		-	UEPDC	USLDC	82.55						-				-
		4-Wire DS1 Digital Loop - UNE Zone 1		1 2	UEPDC	USLDC	154.18					-					
		4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3				USLDC	314.52					-					
	LINE D	prt Rate		3	UEPDC	USLDC	314.52					-	-				
		4-Wire DDITS Digital Trunk Port		-	UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17	1	15.66				-
-		ECURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	00.09	454.43	255.25	117.29	14.17		13.00				
	NONKE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		-								1	1				+
		- Switch-as-is			UEPDC	USAC4		129.49	67.02				15.66				
-		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		 	02.1 00	JUAUT	+	123.43	07.02			 	10.00				
		- Conversion with DS1 Changes			UEPDC	USAWA		129.49	67.02				15.66				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						.20.40	57.02			1		i			
		- Conversion with Change - Trunk			UEPDC	USAWB		129.49	67.02				15.66				
	ADDITI	ONAL NRCs			-									İ			
\neg		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		İ						†				1			
		Subsequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA		14.48	14.48				15.66				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48				15.66				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID		L	UEPDC	UDTTC		14.48	14.48	<u> </u>		<u></u>	15.66	<u> </u>		<u></u>	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID		<u> </u>	UEPDC	UDTTD		14.48	14.48				15.66	L		<u> </u>	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan									-						
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.48	14.48				15.66				
	BIPOL	AR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
	Alterna	te Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00		· ·						
]		one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00									l	1

IDUNDED N	ETWORK ELEMENTS - Alabama													ment: 2	1	bit: B
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Increment Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	-	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
-						Rec	Nonrec		Nonrecurring					Rates(\$)		
					ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	serve Non-Consecutive DID Nos.		_	UEPDC	ND6	0.00	0.00	0.00								
	serve DID Numbers	District.		UEPDC	NDV	0.00	0.00	0.00								
	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 proffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop	With 4-Wire DDITS I	runk Port											
				UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44		45.00				
Terr	mination)		-	UEPDC	TLNOT	60.16	89.27	81.81	16.35	14.44		15.66				
				LIEDDO	41.000	0.40	0.00	0.00								
	eroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00						-	-	
	eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities mination)			LIEBDO	1LNO2	0.00	0.00	0.00			1					1
	mination) proffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	ILINU2	0.00	0.00	0.00						-	-	
				LIEDDO	41 1100	0.40	0.00	0.00								
mile			-	UEPDC	1LNOB	0.18	0.00	0.00			-			 	1	-
	eroffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEDDO	41 NGC	2.00	2.22	2.22	2.00							
Terr	mination)		_	UEPDC	1LNO3	0.00	0.00	0.00	0.00							
- I - I																
	eroffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	al Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	ntral Office Termininating Point		_	UEPDC	CTG	0.00										
	1 LOOP WITH CHANNELIZATION WITH PORT															
	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			L												
	em can have up to 24 combinations of rates depending on	type ar	nd nun	ber of ports used												
UNE DS1 Lo																
	Vire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	Vire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
	Vire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
	Channelization Capacities (D4 Channel Bank Configuration	15)		LIEBLIO	1 11 10 1	101.10										
	DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	DSO Channel Capacity - 1 per 2 DS1s		_	UEPMG	VUM48	202.80	0.00	0.00								
	DSO Channel Capacity -1per 4 DS1s		_	UEPMG	VUM96	405.60	0.00	0.00								
	DS0 Channel Capacity - 1 per 6 DS1s		_	UEPMG	VUM14	608.40	0.00	0.00								
	DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	811.20	0.00	0.00								
	DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,014.00	0.00	0.00								
	B DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00								
	DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
	DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,028.00	0.00	0.00						.	ļ	
	DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00							ļ	
	PDS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	2,839.20	0.00	0.00								
	ring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	n System configuration is One (1) DS1, One (1) D4 Channe															
	of this configuration functioning as one are considered Ad	ıa'ı atte	r the m	inimum system con	riguration is	counted.					-			-	1	
	C - Conversion (Currently Combined) with or without			LIEDMO	LICACA	2.00	450.40	0.00				45.00				
	South Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36				15.66				
System Add	ditions at End User Locations Where 4-Wire DS1 Loop wit	n Chan	nelizat	tion with Port Comb	ination Curre	ntiy Exists and					.				1	
	Currently Combined) in all states, except in Density Zone 1	ot Top	8 MSA	N'S	+									.	ļ	_
	S1/D4 Channel Bank - Additionally Add NRC for each Port			LIEBMO					4 10 ==		1	4= 00				1
	Assoc Fea Activation			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65		15.66			ļ	
	ero Substitution			-	+											
	ar Channel Capability Format, superframe - Subsequent										1					1
	ivity Only			UEPMG	CCOSF	0.00	0.00	600.00			ļ					
	ar Channel Capability Format - Extended Superframe -															
	osequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
	fark Inversion (AMI)			L	1									ļ		
	perframe Format			UEPMG	MCOSF	0.00	0.00	0.00						ļ		$oxed{oxed}$
	ended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00						ļ		<u> </u>
	Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1											
	Ports		1 -	1	1			-			1			1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			•		Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Cide Combination Channellined DRV Truel Both Business			UEPPX	LIEDOV	4.45	0.00	0.00	0.00	0.00		45.00				
\vdash	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15 1.15	0.00	0.00	0.00	0.00	1	15.66 15.66				
 	Line Side Odtward Chairneilzed FBA Trunk Fort - Business			OLFFX	OLFOX	1.13	0.00	0.00	0.00	0.00		13.00				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		15.66				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00		15.66				
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.15						15.66				
	Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service)			UEPPX	UEPCT	1.15						15.66				
	2-Wire Channelized PBX Area Calling Service Combination Port			LIEBBY .												
\vdash	(AL Only)			UEPPX	UEPA4	1.15	0.00	0.00			ļ	15.66				
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only)			UEPPX	UEPA3	1.15	0.00	0.00				15.66				
Featu	re Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4				1											
	Bank			UEPPX	1PQWM	0.56	54.55					15.66				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.56	77.03					15.66				
Telep	hone Number/ Group Establishment Charges for DID Service			UEPPX	NDT	0.00	0.00	0.00								
	DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional Switching Features Offered with Line Side Ports Only															
Loca	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00								
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3		02.17	02. 11	1.00	0.00	0.00								
1. Co	st Based Rates are applied where BellSouth is required by FCC	and/or	State C	commission rule to	provide Unbu	indled Local S	witching or Sw	itch Ports.								
	atures shall apply to the Unbundled Port/Loop Combination - C															
	d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cu														Additional NR	Cs may
	also and are categorized accordingly.	•			•							Ü	•			•
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, unt	til further notic	e.	<u> </u>								
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)			ļ						<u> </u>					
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)															
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		4	UEP91		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	UEP91		21.19										
	Non-Design		3	UEP91	-	34.80					 					
UNE	Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-						 					
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91		15.53										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	UEP91		24.00										
	Design		3	UEP91		37.29										
UNE	Loop Rate		Ľ			50			<u> </u>							
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	11.55		•								
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65					l	l	l	l	l	

Version 1Q03: 02/28/03

NBUNDLE	D NETWORK ELEMENTS - Alabama				1						1 -			ment: 2	1	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38	101	7.00.	1 01	71441		00		00	00	00
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14					İ					
UNE P			1								İ					
All Sta	ates (Except North Carolina and Sout Carolina)		i e													
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
A1 1/2	Basic Local Area Y, LA, MS, & TN Only		-	UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, K			-	UEP91	UEPQA	4.45	40.40	19.83	24.91	6.63		45.00				ļ
_	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP91	UEPQA	1.15 1.15	40.19 40.19	19.83			-	15.66				
_	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQB	1.15	40.19	19.83	24.91 24.91	6.63	-	15.66 15.66				
	2-Wire Voice Grade Port (Centrex with Carlet 12)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated in 60 Megalifix of equivalent			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP91	UEPVF	1.98										ļ
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52									
MARC	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	1.98								 	1	-
NARS	Unbundled Network Access Register - Combination		-	UEP91	UARCX	0.00	0.00	0.00			-			-	1	
-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		+	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00	 		-			-	1	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		-	UEP91	UARTX	0.00	0.00	0.00			-			-	 	1
Misco	Ilaneous Terminations		 	OEFSI	UARUX	0.00	0.00	0.00						 		
	Trunk Side		 	1	+						H			 	1	1
2-44116	Trunk Side Terminations, each		\vdash	UEP91	CENA6	8.05	119.31	18.74	59.90	3.76		15.66				t
Intero	ffice Channel Mileage - 2-Wire				020	0.00	110.01	10.74	55.55	0.70	 	10.00		1	1	†
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66				1
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838		=.711		2.00		.5.50		İ		
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														İ
	annel Bank Feature Activations				1									ĺ		Ì
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.56										<u> </u>
	Slot			UEP91	1PQW7	0.56										<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port	1		UEP91	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block	1		UEP91	USACN		37.75	16.58				15.66				
\vdash	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block	1		UEP91	M1ACC	0.00	667.21					15.66				
$\vdash \vdash$	Secondary Block, per Block	1	1	UEP91	M2CC1	0.00	78.02		ļ		<u> </u>	15.66	.	-	-	_
1,500	NAR Establishment Charge, Per Occasion	 	1	UEP91	URECA	0.00	72.73		1		}	15.66	 	 	 	
	-P CENTREX - 5ESS (Valid in All States)	+	-		+				-		1		-	 	 	-
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	 	1		+ +				1		}	-	 	 	 	
UNE		1			+						 	-				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP95		12.70								1	1	
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+		ULF90	+	12.70			1		1		-			
	Non-Design		2	UEP95		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		UEF95	+	21.19					 					
	Non-Design		3	UEP95		34.80										
LINE	Port/Loop Combination Rates (Design)	+	3	OLF 93	_	34.00										
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 			+ +						<u> </u>		1			1
	Design	1	1	UEP95		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '	OLI 33	+ +	10.00					<u> </u>		1			1
	Design		2	UEP95		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 50	+	24.00					1			1		
	Design		3	UEP95		37.29										
UNE	Loop Rate	1	Ť								i e					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55					İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95	UECS1	20.04					İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP95	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14										
UNE	Port Rate												Î			
All S	States															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
oxdot	Area	1		UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63	<u> </u>	15.66	ļ	L	L	
] [2-Wire Voice Grade Port (Centrex from diff Serving Wire			l <u>_</u>	l l									I	I	
$\vdash \vdash \vdash$	Center)2 Basic Local Area	1	<u> </u>	UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77	ļ	15.66		ļ	ļ	
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1								1			I	I	l
\vdash	Term - Basic Local Area	ļ	 	UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77	ļ	15.66	ļ	.	.	ļ
] [2-Wire Voice Grade Port terminated in on Megalink or equivalent	t	1				40 :-	40			1			I	I	l
$\vdash \vdash \vdash$	- Basic Local Area	 	-	UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63	 	15.66	 	 	 	
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOE	LIEDYC		40.40	10.00	04.64	0.00		45.00		1	1	
AI	Basic Local Area	╂		UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63	 	15.66	-	1	 	-
AL, P	KY, LA, MS, SC, & TN Only	╂		LIEDOE	UEPQA	4.15	40.40	19.83	04.04	0.00	 	45.00	-	1	 	-
\vdash	2-Wire Voice Grade Port (Centrex)	+	-	UEP95	UEPQA	1.15	40.19 40.19		24.91	6.63	1	15.66	-	 	 	-
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	+	 	UEP95 UEP95	UEPQB	1.15 1.15	40.19	19.83 19.83	24.91 24.91	6.63 6.63	1	15.66 15.66	-			
\vdash	2-Wire Voice Grade Port (Centrex With Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	╂	 	ULF90	UEFUH	1.15	40.19	19.83	24.91	0.03	}	10.00	 	 	 	-
	Center)2			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66		1	1	
$\vdash \vdash \vdash$	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	+	1	OL1 30	OLF QIVI	1.15	30.30	31.21	40.00	0.77	 	13.00		+	+	-
1 1	Term		1	UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77	1	15.66		I	I	l
	Tomi	+	!	OLF 30	ULFUL	1.15	90.38	51.21	40.00	0.77	1	13.00	 	t	t	
	1	1	I	UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63	1	15.66	1	1	1	I
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t I		IUE P95	IIIFP(39	1 15				h h 3						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted		_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local	Switching		ļ													
Lacal	Centrex Intercom Funtionality, per port	1	 	UEP95	URECS	0.5488										
Local I	Number Portability Local Number Portability (1 per port)	<u> </u>	-	UEP95	LNPCC	0.35										
Feature		1	†	OL1 95	LIVI CC	0.55										
- Julian	All Standard Features Offered, per port	1	1	UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS		ļ	ļ													
	Unbundled Network Access Register - Combination	-	<u> </u>	UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	<u> </u>	UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00								
Miscel	laneous Terminations	t	 	OFL 20	UANUA	0.00	0.00	0.00								
	Trunk Side	t	t -													
	Trunk Side Terminations, each	1		UEP95	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.46					15.66				
Interof	fice Channel Mileage - 2-Wire	ļ	1	LIEDOE	144000	04.40	40.54	07.44	10.71	0.00		45.00				
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	-	UEP95 UEP95	M1GBC M1GBM	21.13 0.008838	40.54	27.41	16.74	6.90		15.66				
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	20	1	OLF 95	IVITGBIVI	0.000030										
	nnel Bank Feature Activations	Ī			1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP95	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOE	1PQW7	0.50										
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1	UEP95	1PQW7	0.56										
	Different Wire Center			UEP95	1PQWP	0.56										
	Billiotatic Wile Gotton			021 00	11 QVVI	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.56										
L	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.56										,
Non-Re	PRC Conversion Currently Combined Switch-As-Is with allowed	1	1		+											
	changes, per port			UEP95	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each	1	1	UEP95	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21	-				15.66				
<u> </u>	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73					15.66				
	CENTREX - DMS100 (Valid in All States)	-	1		+											
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	-	1		+						-					
ONE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	 		+											
	Non-Design		1	UEP9D		12.70										,
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	ļ	2	UEP9D		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		2.25										,
LIME D	Non-Design ort/Loop Combination Rates (Design)	 	3	UEP9D	+	34.80					-					
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	 		+											
	Design	1	1	UEP9D		15.53					1					.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		-	1											
	Design		2	UEP9D		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l												, 7
	Design	ļ	3	UEP9D		37.29										
UNE LO	pop Rate	1	1			l			l l					L		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.005 - 0.00 - 1.1 (01.4) - 7 4	ļ	4	LIEDOD	LIEGOA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEP9D UEP9D	UECS1 UECS1	11.55 20.04										\vdash
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
	ort Rate	ļ														
ALL ST		ļ		LIEDOD	LIEDVA	4.45	40.40	40.00	24.04	0.00		45.00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<u> </u>		UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63		15.66				7
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77		15.66				
	Basic Local Area Pasic Local Area Basic Local Area Basic Local Area Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77		15.66				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77		15.66				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77		15.66				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77		15.66				
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77		15.66				
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent	:		UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	Basic Local Area	<u> </u>		UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				

UNBUN	DLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			to to a									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m									per Lak	per Lak				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
l 1				 		+		Nonred	urring	Nonrecurring	Disconnoct	†	1	000	Rates(\$)		
				-		+	Rec					SOMEC	SOMAN	SOMAN	SOMAN	COMAN	SOMAN
		O.W. V. V. Co. L. D. J. T. V. Co. L. D. J. T. V. Co. L. Co. O. O. C. C. T. V. D. C. C.		1				First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOWAN	SOMAN	SUMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic						40.40									
L .		Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
A	L, KY,	LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63	1	15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3		t	UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3		1	UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63	1	15.66	i e	i e	1	
	-	2-Wire Voice Grade Port (Centrex / EBS-M5206)3		t	UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63	t	15.66			 	
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5316)3	-	 	UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63	 	15.66	 	 	 	
				-													
-		2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63	1	15.66	-	-	 	
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEBOD	LIEDOW		40.10	40.00		0.00		45.00				
		Indication)3			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77	1	15.66				
		, ,										İ					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77		15.66				
		2 1110 1000 01000 1 01 (001110) 0110 0110			02. 02	02. Q.1	0	00.00	07.12.	10.00	0	1	10.00			1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77		15.66				
 		2-Wile Voice Grade Fort (Gentlewaliter GWG/EBG-W3312)2, 3		 	OLI 3D	OLI QO	1.13	30.30	31.21	40.00	0.77	†	13.00			 	
		2 Mins Vains Conda Bort (Control/differ CMC (EBC MESSON) 2			LIEDOD	LIEDO4	4.45	00.00	F7 07	40.00	8.77		45.00				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77		15.66				
		0 Min Vain On In Bord (On the Aliffer OM/O /EBO MESSON)			LIEDOD	LIEDOS	4.45	00.00	F7.07	40.00	0.77		45.00				
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		-	UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77	ļ	15.66				
					l												
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77		15.66				
										I		1	l	l	l	1	
$oxed{oxed}$		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		L	UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								1							
		Term		L	UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66	<u> </u>	<u> </u>	<u> </u>	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63	1	15.66	l	l	1	
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Lo		witching												İ	İ		
	1	Centrex Intercom Funtionality, per port		1	UEP9D	URECS	0.5488			i e		1	İ	İ	İ	1	
1.4	ocal N	umber Portability		t			3.0.00			†		t	 	l	l	t	
		Local Number Portability (1 per port)		t	UEP9D	LNPCC	0.35			†		t	 	l	l	t	
E.	eature			t	02.00	2141 00	0.00			-		t	-			 	
F 15	Jacus	All Standard Features Offered, per port	-	!	UEP9D	UEPVF	1.98			 		 	 	 	 	 	
-	-+	All Select Features Offered, per port	-	1	UEP9D	UEPVS	0.00	405.52		 		1	 	 	 	 	
		All Centrex Control Features Offered, per port	-	1	UEP9D	UEPVS	1.98	405.52		 		1	-			 	
A.	ADC	All Control Control Features Onered, per port	-	1	OLFBD	OLF VO	1.98			 		1	-			 	
N.	ARS	Habitandlad Nationals Appears Deptition Countries	-	 	LIEDOD	LIADOY	2.22	2.00	2.00	 		1	 	 	 	 	
\vdash		Unbundled Network Access Register - Combination	<u> </u>		UEP9D	UARCX	0.00	0.00	0.00	.		-	.	-	-	-	
		Unbundled Network Access Register - Inward		<u> </u>	UEP9D	UAR1X	0.00	0.00	0.00			-					
		Unbundled Network Access Register - Outdial		ļ	UEP9D	UAROX	0.00	0.00	0.00	ļ		1	ļ	ļ	ļ	ļ	
		aneous Terminations								ļ		1				ļ	
2-	Wire 7	Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-	Wire I	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.46					15.66				

UNRUI	NDI F	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: B
314001	10000	ALL WORK ELLINERTO - Alabama	ı .			1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR				Order vs.
0711201			m		200	0000			= (4)			per LSR	perLSK	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nteroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66				Ī
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														Ī
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1														
\vdash		Different Wire Center	!	<u> </u>	UEP9D	1PQWP	0.56										
		Francis Authorization in B.4 Okasa 12, 12, 13, 13, 14, 15, 15	1		LIEDOD	450000							1				
\vdash		Feature Activation on D-4 Channel Bank Private Line Loop Slot	.	-	UEP9D	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		LIEDOD	400000	0.50										
\vdash		Slot		-	UEP9D	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1PQWA	0.56										
		NRC Conversion Currently Combined Switch-As-Is with allowed	-	-													
					UEP9D	USAC2		0.10	0.40				45.00				
\vdash		changes, per port Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	0.10 16.58			-	15.66 15.66				
h +		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21	10.56			1	15.66				
h +		New Centrex Standard Common Block			UEP9D	M1ACC	0.00	667.21				1	15.66				
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73					15.66				
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLI OD	OILLON	0.00	12.10					10.00				
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Non-Design		1	UEP9E		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		34.80										
	UNE Po	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															Î
		Design		1	UEP9E		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design	<u> </u>	2	UEP9E		24.00				<u></u>				L	<u> </u>	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
igsquare		Design		3	UEP9E		37.29								ļ		
\vdash		op Rate	ļ	L.													<u> </u>
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1	!	1	UEP9E	UECS1	11.55										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2	!	2	UEP9E	UECS1	20.04										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP9E	UECS1	33.65				-	-			ļ	 	ļ
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9E	UECS2	14.38				-		ļ		 	 	
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP9E	UECS2	22.85				-	-	ļ		 	-	
 	UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3	!	3	UEP9E	UECS2	36.14					-	-	-			
		KY, LA, MS, & TN only	!	+		+	 					-	-	-			
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66		1	 	
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 	 	OLI JL	OLI IA	1.13	40.19	13.03	24.31	0.03	H	13.00		 	 	
		Area	1		UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	t		02. 10	1.10	40.19	10.00	2-7.51	0.00		10.00		i	 	t e
		Area	1		UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
\vdash		2-Wire Voice Grade Port (Centrex from diff Serving Wire	 				5		.5.50	251	5.50		.0.00		1		
		Center)2 Basic Local Area	1		UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	-	1			Ţ <u></u>						İ		İ
		Term - Basic Local Area	1	1	UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac iat	Disc Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, K	(Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66	Î	Î		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66	Î	Î		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66	Î	Î		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		i													
	Center)2			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		1	UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66			1	1
		1							1			1	ĺ	ĺ		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66			I	1
	2-Wire Voice Grade Port Terminated on 800 Service Term	t	t	UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66	i	i	i e	
Loca	Switching	t	t		~-	0	.00	.0.50	251	5.50			i	i	i e	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
Loca	Number Portability			02.02	0.1.200	0.0100										
	Local Number Portability (1 per port)		1	UEP9E	LNPCC	0.35			1		†	1				
Featu			1	02.02	2.1. 00	0.00			1		†	1				
- I cutt	All Standard Features Offered, per port		1	UEP9E	UEPVF	1.98			1		†	1				
	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	405.52		1		†	1				
	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	1.98	400.02		1		†	1				
NARS			1	OLI OL	OLI VO	1.00						+				
TVAIN.	Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0.00	0.00	0.00				+				
	Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00				+				
	Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0.00	0.00	0.00			1					
Mico	ellaneous Terminations		1	OLF9L	UARUA	0.00	0.00	0.00			1					
	e Trunk Side	-	+		+				1		-	ł			-	
2-4411	Trunk Side Terminations, each	-	+	UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76	-	15.66			-	
4 10/:-	re Digital (1.544 Megabits)	-	+	UEF9E	CENDO	6.05	119.51	10.74	59.90	3.76	-	13.00			-	
4-441	DS1 Circuit Terminations, each	-	+	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	-	15.66			-	
—	DS0 Channel Activated Per Channel	-	+	UEP9E	M1HD0	0.00	14.46	93.09	72.59	2.40	-	15.66			-	
Intor	office Channel Mileage - 2-Wire	-	1	UEF9E	MILLIO	0.00	14.40					13.00				-
mere		-	1	UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66				-
—	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	-	+	UEP9E	M1GBM	0.008838	40.54	21.41	10.74	6.90	-	13.00			-	
Foot	ure Activations (DS0) Centrex Loops on Channelized DS1 Service		+	UEF9E	IVITGBIVI	0.000030			1		-	ł			-	
	hannel Bank Feature Activations	je I	+		+				1		1	1			-	
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	+	UEP9E	1PQWS	0.56			1		-	ł			-	
\vdash	i eature Activation on 5-4 Chaillet Dank Centrex 2000 510t	-	+	OLFBL	IFWVVO	0.00			1		-	-	-	-	 	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP9E	1PQW6	0.56									I	1
\vdash	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	+	OLFBL	IF WVV0	0.36			1	 	 	1	 	 		
	Slot		1	UEP9E	1PQW7	0.56						1			1	1
\vdash	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-	+	OLFSE	IFQVV/	0.56			+		<u> </u>	1	-	-	 	
]		1	1	LIEDOE	4DOWD	0.50				1		1			1	1
	Different Wire Center	-	+	UEP9E	1PQWP	0.56			 		-	 	 	 	1	
	Francis Astination on D.4 Ohar of Book Britain Co.	1	1	LIEDOE	4001407	0.50									I	1
 	Feature Activation on D-4 Channel Bank Private Line Loop Slot	├	1	UEP9E	1PQWV	0.56			 	-	 	}	 	 	 	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1	LIEDOE	400000							1			1	1
	Slot			UEP9E	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		+	UEP9E	1PQWA	0.56						ļ			_	├
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	L	 						ļ							
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1	l	1										I	1
	changes, per port		1	UEP9E	USAC2		0.10	0.10	ļ			15.66				1
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73					15.66				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	\Box	\perp													
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
	* ***										Svc Order	Svc Order	Incremental		Incremental	
İ											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ĺ		Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ĺ		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
ĺ														Add'l	Disc 1st	Disc Add'l
ĺ													1st	Addi	DISC 1St	DISC Add I
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Non-Design		1	UEP93		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1								i e					
1 1	Non-Design		2	UEP93		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										İ					
	Non-Design		3	UEP93		34.80										
UNE	Port/Loop Combination Rates (Design)										i e					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										i e					
	Design		1	UEP93		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i –	 			.0.00					1	1		1	1	1
1 1	Design	1	2	UEP93		24.00										1
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1 -		1	24.00			1		1			i	i	t
1 1	Design	1	3	UEP93		37.29					1					I
LINE	Loop Rate	†	Ť	02.00		07.23			 		 	1		 	 	<u> </u>
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP93	UECS1	11.55			 	 	 	 		 	 	t
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	2	UEP93	UECS1	20.04			 	 	 	 		 	 	t
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33.65										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	1	UEP93	UECS2	14.38			 		ł	-				-
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP93	UECS2	22.85					-	-				
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3		UECS2						-	-				
LINE	Port Rate		3	UEP93	UEC52	36.14					-	-				
			 								-					
AL, N	Y, LA, MS, & TN only		 	LIEDOS	LIEDVA	4.45	10.10	40.00	04.04	0.00	-	45.00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63	-	15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOO	LIEDVO	4.45	40.40	10.00	04.04	0.00		45.00				
\vdash	Area		_	UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local						40.40					4= 00				
\vdash	Area		ļ	UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
igsquare	Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
\sqsubseteq	Basic Local Area	<u> </u>	1	UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	40.19	19.83		6.63		15.66				
\Box	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire									l						
	Center)2	<u> </u>	<u></u>	UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
1 T	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
1	Term	I	1	UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66		l	l	I
1 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:[1	UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63	1	15.66				I
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Loca	Switching	Ì			1									İ	İ	
	Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.5488			1		1			ĺ	ĺ	
Local	Number Portability	i –	1	İ	1				1	İ	İ	1		İ	İ	1
1 3 3 3 3	Local Number Portability (1 per port)	†	1	UEP93	LNPCC	0.35			<u> </u>		İ	1		İ	İ	1
Featu		t	1			5.55			İ	İ				i	i	1
, Julia	All Standard Features Offered, per port	t	1	UEP93	UEPVF	1.98			İ	İ				i	i	1
	All Centrex Control Features Offered, per port	i –	1	UEP93	UEPVC	1.98					1	1		1	1	1
		†	1	02.00	JE1 VO	1.30			 		 	1		 	 	
INARS	Unbundled Network Access Register - Combination	 	1	UEP93	UARCX	0.00	0.00	0.00	1		†	 				t
NARS			1						 	-	 	-		-	-	
NARS			1	HEP93	IIAR1Y	0.00	0.00	n nn								
NARS	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								1
				UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00								

NBUNDLED	NETWORK ELEMENTS - Alabama													ment: 2	Exhi	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Intori									Elec	Manually	Manual Svc		Manual Svc	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order v
		m									po. 20.1	poi zoit	Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Ac
															DISC 1St	DISC AC
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Frunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
	Pigital (1.544 Megabits)															
	OS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	OS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.46					15.66				
	ce Channel Mileage - 2-Wire															
	nteroffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66				
	nteroffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008838										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Char	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56	ĺ									
	•						ĺ									
_ I _ Iı	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -											i e				
	Different Wire Center			UEP93	1PQWP	0.56										
1 1	Sincion Tillo Conto			02. 00		0.00										
_ I _ Iı	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			02. 00		0.00						1				
	Slot			UEP93	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56						1				
	curring Charges (NRC) Associated with UNE-P Centrex			0L1 00	11 0,000	0.00						1				
	NRC Conversion Currently Combined Switch-As-Is with allowed					1						1				
	changes, per port			UEP93	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21	10.50				15.66				
	New Centrex Standard Common Block		t	UEP93	M1ACC	0.00	667.21					15.66			 	
	NAR Establishment Charge, Per Occasion		t	UEP93	URECA	0.00	72.73					15.66			 	
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1	OL: 33	JILOA	0.00	12.13					15.00			 	
	Required Port for Centrex Control III TAESS, 3ESS & EWSD		1									 			 	
	Requires Specific Customer Premises Equipment		1		+						 	 			-	-
	ates displaying an "R" in Interim column are interim and sub		1	L								Ļ				⊢—

CATEGORY RATE ELEMENTS Intering Manual Svc Direction of the control of the contro			
ACTEORY RATE ELEMENTS INTO THE BCS USOC STATES AND STAT		Exhibit: B	
ACTECORY RATE ELEMENTS Done DOS RATE S(S) RATE S(S) DONE DONE RATE S(S) DONE			ncremen
ATTE ELEMENTS I'm Zone BCS USOC BATES (8) per LBR per LBR per LBR core was electronic service ordering charges and selection and service ordering charges and ordered the state specific described by the state specific descr			Charge
Record R	II		Manual S
The "Zina" shown in the sections for state-delines loops or loops as part of a combination refers to Geographically Deservaged URE Zones. To view Geographic			Order vs
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Desevraged UNE Zones. To view Geographically Desevraged UNE Zones Designations by Central Office, refer to internet Yest Cones Shown			Electroni
The Tares" shown in the sections for stand-allows loops or loops as part of a combination refers to Geographically December (1998). The Tares is not to the sections for stand-allows loops or loops as part of a combination refers to Geographically December (1998). The Part of Pa	Disc 1st Dis	Disc 1st Dis	Disc Add
The Tores' theorem in the sections for stand-allore loops or loops as part of a combination refers to Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Desveraged UNE Zones. To view Geographically Geographi			
The "Zone" shown in the sections for stand-ations loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographical Units of the Commissions. The section of the Geographical Deaver Control Cont	SOMAN SO	SOMAN S	SOMAN
PREATONAL SUPPORT SYSTEMS MOTE: (f) Exercine Service Order: CLES placella doctates its contract registery of prefers the state specific describing charges as referred by the State Contribution. The destroal carried ordering charge currently contained by the State Contribution of the State Contribution	00		
http://www.interconnection.belleouth.combecome a_clechhomidinerconnection.html MOTE: (f) Exercinic Service Order: CEE aboutd contact its contact programs of its prefers he airth specific describing charges as referred by the State Continuismen. The destroid carried ordering charge currently contains. NOTE: (f) Exercinic Service Order: CEE aboutd contact its contact programs of the state and programs of the prefers he airth specific describing charges are referred by the State Continuismen. The destroid carried and contact programs of the State Continuismen of the state of the service ordering charges currently contains. NOTE: (f) Exercinic Service Order: CEE aboutd contact its contact programs of the State Continuismen of the State C	ebsite:	site:	
OPERATIONAL SUPPORT SYSTEMS NOTE: (1) Exercised Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained within the shell South regional electronic service ordering charge. CLEC may effect either the state specific commission ordered rates for the electronic service ordering charge. CLEC may effect either the state specific commission ordering charges as ordered by the State Commissions. The electronic service ordering charges in the state of the electronic service ordering charges. CLEC may effect the regional electronic service ordering charges or the state of the electronic service ordering charges. CLEC may effect the regional electronic service ordering charges or the state of the electronic service ordering charges. CLEC may effect the regional electronic service ordering charges or the state of the electronic service ordering charges or the state of the electronic service ordering charges or the state of the electronic service ordering charges or the state of the electronic service ordering charges or the state of the electronic service ordering charges or the state of the electronic service ordering charges or the state of the electronic service ordering charges or the state of the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service ordering charges or the electronic service order	0.001101	0.101	
NOTE: (1) Electronic Service Order: CLEC should contact its contract negoliator if it prefers the state specific electronic service ordering charges as ordered by the State Commission. The electronic service ordering charges or CLEC may elect either the states specific commission ordered retes for the electronic service ordering charges. CLEC may elect either the states specific commission ordered retes for the electronic service ordering charges. CLEC may elect either the states specific commission ordered retes ordering charges. CLEC may elect either the states specific commission ordered retes ordering charges or CLEC may elect either the states specific commission ordered retes ordering charges. CLEC most event and control ordering electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the state of the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are charged by the electronic service ordering charges are c			
whibit is the BellSouth regional electronic service ordering charges, or CLEC may elect the regional electronic service ordering Carbon Any element that cannot be ordered electronically with be billed according to the SDEC rate lated in this category. Present service flower (BERL-10, the electronically as present per the BBRL-10, the listed SOMEC rate lated in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Ordering cap	tained in this rat	ined in this rat	rate
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate in this category. Please refer to BellSouth's Business Rules for Local Ordering (BRR-LO) to determine if a product can be ordered electronically at present per the BBR-LO, the Islated SOMEC rate in this category. Please refer to BellSouth's Business Rules for Local Ordering (BRR-LO) to determine if a product can be ordered electronically at present per the BBR-LO, the Islated SOMEC rate in this category. Please refer to BellSouth ordering capabilities come on-line for that element. Ordering (BRR-LO) to determine if a product can be ordered electronically at the second control of the second control ordering capabilities come on-line for that element. Ordering (BRR-LO) to determine if a product can be ordered electronically at the second control ordering capabilities come on-line for that element. Ordering (BRR-LO) to determine if a product can be ordered electronically at the second control of the second control ordering capabilities come on-line for that element. Ordering (BRR-LO) to determine the second control ordering capabilities come on-line for that element. Ordering (BRR-LO) to SOME can be seen to SOME			
those elements that camnot be ordered electronically at present per the BBR-LO, the listed SOME rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Of ordering capabilities come on-line for that element. Of contraining and some contract of the page 158. Biotechnic and 158. Disconnect Only (FL) Electronic OSC Change, per LSR, biotechnic and SST 6 OSS SOMEC SOMEN INTEL THE Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 3 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 3 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 3 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 3 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 3 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 4 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 5 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 5 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 6 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 6 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 6 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 6 as applicable. NOTE: The Expedite charge will be maintained commensurate with BullSouth's FCC No.1 Tariff, Section 6 as applicable. NOTE: U.S., U.S., U.S., U.S., U.S., U.S., U.S., U.S.,			. For
Ordering charge, SOMAN, will be applied to a CLECS bill when it submits an LSR to BellSouth. SOMAN 1.83			
Minimus Service Order Charge, per LSR. Disconnect Only (FL) SOMAN 1.83			
Electronic OSS Charge, per LSR, submitted via BSTs OSS SOMEC 3.50			
Interactive interfaces (Regional)		-	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable. UAL, UEANL, UCL, UECD, UDL, UERTW, LOND, UDL, UERTW, LOND, UDL, UERTW, LOND, UDL, UERTW, LOND, UDL, UERTW, LOND, USL, UTTTL, UTTGS, UTTG			
UAL UEANL UCL, UEF, UEF, UEP, UEC, UDL, UENTW, UDN, UEA, OHL, ULC, USL, UTTA,			
UFF, UPF, UED, UDE, UPFIN, UDN, UEA, UHL, ULC, USE, UTTZ, UTTAS, UTTDX, UTTOX, UTTDX, UTTDX, UTTOX, UCHEC, UCHEL, ULDOS,			
UFF, UPF, UEC,			
UDL, LENTW, LDC, USL, UHT2, UTT46, UITD1, UHT03, UITD13, UITD103, UITD103, UITD103, UITD103, UITD103, UITD103, UITD103, UITD104, UCIEL, UCIEL, UCIEC, UCIEL,			
URE Type of the Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNDLED Expedite Charge per Circuit or Line Assignable USOC			
USE, UTT12, UTT18, UTT103, UTT103, UTT104, UTT03, UTT104, UTT03, UTT104, UTT03, UTT04, UTT03, UTT04, UTT03, UTT04, UTT04, UTT05, UTT05, UTT05, UTT05, UTT05, UTT05, UTT05, UTT05, UTT05, UTT06, UT06,			
UITO1, UITO3, UITO3, UITO4, UITO5, UITO5, UITO5, UITO5, UITO5, UITO7, UITO6, UI			
UTDX, UTDX, UTDX, UTDX, UTDX, UTDX, UTDX, UTDX, UTDL, UTDL, UC16C, UC1CL, UC16C, UC1CL, UC16C, UC1CL, UC16C, UC16C, UC16L, UC16C			
UTS1, UTTVX, UC1BC, UC1GL, UC1CC, UC1CC, UC1			
UC1BC, UC1BL, UC1C, UC1CL, UC1DC, UC1DC, UC1DC, UC1DC, UC1DC, UC1DC, UC1DC, UC1DC, UC1DC, UC1DC, UC1DC, UC1EL, UC1FC, UC1EL, UC1FC, UC1EL, UC1FC, UC1EL, UC1FC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1			
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUD, UNIO,			
UCTIDC, UCTIDL, UCTEL, UCTEL, UCTEL, UCTEC, UCTEL, ULDAS, ULDCX, ULDSX, ULDOX, ULDOX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, UNCXX			
UC1EC, UC1EL, UC1GC, UC1EL, UC1GC, UC1EL, UC1GC, UC1GL, UC1HC, UC1HC, UC1HC, UC1HC, UC1HL, UD12, UD148, UDL03, UD148, UDL03, UD151, ULD03, UD151, ULD03, ULD05, ULD03, ULD			
UC1FC, UC1FL, UC1GL,			
UC1GC, UC1GL, UC1H, UC1HL, UC1			
UCHC, UCHL, UDL48, UDL48, UDL03, UDL8, UDL03, UDL8, UDL03, UDL8, UDL03, UDL03, UDL03, UDL03, UDL03, UDL03, UDDN, ULDD3, ULDDX, ULDD3, ULDDX, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, UD03,			
UDL12, UDL48, UDD01, UDL012, ULD48, UDD01, ULD3, UNCNX, UNCX, UNCNX, UNC			
UDLO3, UDLSX, UE3, ULD12, ULD04, ULDD1, ULD03, ULD0X, ULD0X, ULD03, ULD0X, ULD03, ULD0X, ULD03, ULD0X, ULD0X, ULD03, ULD0X, ULD03, ULD0X, ULD0X, UNC0			
UE3, ULD12, ULD48, ULDD1, ULD3, ULDD3, UNCDX, UNCDX, UNCX, UN			
ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNCOX,			
ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNCOX,			
ULDVX, UNC1X, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCX, U			
UNC Expedite Charge per Circuit or Line Assignable USOC, per UTUC, UTUD, UTUBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP UNGER ANALOG VOICE GRADE LOOP UEANL UEAL2 10.69 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57			
UNC UNC			
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UTUR, U			
UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD3, UXTD1, UTIUC, U1TUD, UTIUB, UTIUA SDASP 200.00		1	
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UTUC, UTUD, U			
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			
Day			
UNBUNDLED EXCHANGE ACCESS LOOP			
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		\longrightarrow	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 11.90	\longrightarrow		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 11.90	$\longrightarrow \vdash$	\longrightarrow	
Unbundled Miscellaneous Rate Element, Tag Loop at End User	+		
Premise UEANL URETL 8.33 0.83 11.90 Loop Testing - Basic 1st Half Hour UEANL URET1 48.65 11.90	+		
Loop Testing - Basic 1st Half Hour UEANL URET1 48.65 11.90		1	
	+		
	-		
CLEC to CLEC Conversion Charge Without Outside Dispatch			
(UVL-SL1) UEANL UREWO 15.78 8.94 11.90		1	
Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			
providing make-up (Engineering Information - E.I.) UEANL UEANM 13.49		1	
Manual Order Coordination for UVL-SL1s (per loop) UEANL UEAMC 9.00			

Version 1Q03: 02/28/03

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
3.120			1									Svc Order	Svc Order	Incremental		Incremental	Incremental
			1	1	1							Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1				0000											
\vdash	0.14/105	(per LSR)			UEANL	OCOSL		23.02				1					
	2-WIRE	Unbundled COPPER LOOP	— —	1	LIEO	LIEONY	7.00	44.98	20.00	40.05	5.00		44.00				
\vdash		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ UEQ	UEQ2X	7.69 10.92	44.98	20.90	19.65	5.09		11.90 11.90				
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X UEQ2X	19.38	44.98	20.90	19.65 19.65	5.09 5.09	 	11.90				
\vdash		Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEQ	UEQZX	19.30	44.90	20.90	19.65	5.09	1	11.90			-	
		Premise			UEQ	URETL		8.33	0.83				11.90				
\vdash		Order Coordination 2 Wire Unbundled Copper Loop - Non-	1	-	ULQ	UKLIL		0.33	0.03	-		1	11.90			-	
		Designed (per loop)			UEQ	USBMC		9.00									
\vdash		Unbundled Copper Loop, Non-Design Cooper Loop, billing for	 	\vdash	024	CODIVIO		3.00		+						+	
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49		1			11.90			1	
		Loop Testing - Basic 1st Half Hour	t	t —	UEQ	URET1		48.65		1	İ	†	11.90		İ	1	İ
\vdash		Loop Testing - Basic Additional Half Hour	†	t	UEQ	URETA		23.95		1			11.90		i	1	i
		CLEC to CLEC Conversion Charge Without Outside Dispatch	l	1	<u> </u>	1				t					İ	t	İ
		(UCL-ND)			UEQ	UREWO		14.27	7.43	1			11.90			1	
UNBUN	DLED E	EXCHANGE ACCESS LOOP		i –	1			-				İ			1		1
	2-WIRE	ANALOG VOICE GRADE LOOP													ĺ		ĺ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-													ĺ		ĺ
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2	ļ	2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD		00.07	40.57	00.00	05.00	0.57		44.00				
		Zone 3	ļ	3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	LIEDOD LIEDOD	LIEADO	00.07	40.57	20.00	25.02	0.57		44.00				
LIMBUN	DI ED E	Zone 3 EXCHANGE ACCESS LOOP	<u> </u>	3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57		11.90			-	
		ANALOG VOICE GRADE LOOP	1	-						-		1	1			-	
\vdash	Z-VVIIXL	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1								†					
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01		11.90				
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	02/1	02712		100.10	02.11	00.00	12.01	1	11.00				
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		11.90			1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	<u> </u>	1					22.00	:=:01				İ	t	İ
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01		11.90			1	
		Order Coordination for Specified Conversion Time (per LSR)	1	T -	UEA	OCOSL		23.02				1			İ	1	İ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1	<u></u>	1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01		11.90		<u> </u>	<u></u>	<u> </u>
1 7		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse]												
\perp		Battery Signaling - Zone 2	ļ	2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01		11.90				
1 7		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse]												
\perp		Battery Signaling - Zone 3	ļ	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	ļ	11.90		ļ	1	ļ
\vdash		Order Coordination for Specified Conversion Time (per LSR)	!	<u> </u>	UEA	OCOSL		23.02		ļ		ļ				ļ	
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> </u>	UEA	UREWO		87.71	36.35	-	-		11.90		ļ	-	ļ
\vdash	4 10/15	Loop Tagging - Service Level 2 (SL2)	<u> </u>	<u> </u>	UEA	URETL		11.21	1.10	-	-		11.90		ļ	-	ļ
\vdash	4-WIKE	ANALOG VOICE GRADE LOOP	!	-	LIEA	LIEALA	10.00	407.00	115.75	07.00	45.50	 	44.00		.	 	.
\vdash		4-Wire Analog Voice Grade Loop - Zone 1	 	1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56	 	11.90		 	 	
\vdash		4-Wire Analog Voice Grade Loop - Zone 2	 	2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56	 	11.90		 	 	
\vdash		4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA UEA	UEAL4 OCOSL	47.62	167.86 23.02	115.15	67.08	15.56	-	11.90			 	
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	-	 	UEA	UREWO		87.71	36.35	-		-	11.90	-		-	
\vdash	2-WID=	SISDN DIGITAL GRADE LOOP	 	 	ULA	UKEWU		01.11	30.35	+			11.90			+	
\vdash	Z-WIRE	2-Wire ISDN Digital Grade Loop - Zone 1	 	1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	+	11.90		 	 	
\vdash		2-Wire ISDN Digital Grade Loop - Zone 1	†		UDN	U1L2X	27.40	147.69	94.41	62.23	10.71	 	11.90		 	 	
\vdash		2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71		11.90			+	
1 1		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	70.02	23.02	U-1T I	02.20	10.71	 	11.30				

CATEGORY RATE ELEMENTS Intering m Zone BCS USOC RATES (\$) BCS USOC RATES (\$) Svc Order Submitted Charge - Manual Svc Manual Svc Manual Svc Manual Svc Order Submitted Charge - Manual Svc Manual Svc Order Submitted Charge - Manual Svc Order Submitted Charge - Manual Svc Order Submitted Charge - Manual Svc Order vs. Electronic Electronic Electronic Electronic Add'l Disc	Exhibit: B	Exh	ment: 2	Attach												BUNDLED NETWORK ELEMENTS - Florida	UNBUNDL
CATEGORY RATE REMENTS Mary 2 one BCS USOC RATES (I) Esc					Svc Order	Svc Order											
CATEORY RATE ELEMENTS	rge - Charge	Charge -	Charge -	Charge -	Submitted	Submitted											
Color Colo	al Svc Manual S	Manual Svo	Manual Svc	Manual Svc	Manually	Elec									Interi		
CARC to CARC Connerson, Charge without outside dispatch NOT UPSYNO First Add First Add Sole	r vs. Order v	Order vs.	Order vs.	Order vs.	per LSR	per LSR			RATES (\$)			USOC	BCS	Zone		TEGORY RATE ELEMENTS	CATEGORY
CLEC to CLEC coversor Charge without consider dispatch JUN JREWO Service First Add Service	ronic- Electron	Electronic-	Electronic-	Electronic-													
CLEC to CLEC Concessor Charge without nutside displaced? UNN UNREWOOD 96.64 44.55 11.00	1st Disc Ad	Disc 1st	Add'l	1st													
CLEC to CLEC Concessor Charge without nutside displaced? UNN UNREWOOD 96.64 44.55 11.00			Rates(\$)	OSS			Disconnect	Nonrecurring	rurring	Nonrec					_		
CLEC to CLEC Convenient Charge without distinct disposition Comparison Compar	MAN SOMA	SOMAN			SOMAN	SOMEC					Rec			-			
2.WINE Universal Digital Channel (UDC) CORPATIBLE LOOP				00		0020	71441					UREWO	1	UD		CLEC to CLEC Conversion Charge without outside dispatch	
1																	2-WIF
2-Wire Universal Digital Channel (IDC) Compatible Loop - Zone 2 UDC UDC2X 27.40 147.69 04.41 62.23 10.71 11.60			j														
2 Vivre Universal Digital Channel (UCS) Compatible Loop - Zone UCCS		<u> </u>			11.90		10.71	62.23	94.41	147.69	19.28	UDC2X		1 UD		1	
SAME Universal Digital Charmet (UDC) Compatible Loop - Zaroe 3 UDC UDC2X 48.62 147.69 94.41 62.23 10.71 11.90 11.9		1														2-Wire Universal Digital Channel (UDC) Compatible Loop - Zon	
S UDC					11.90		10.71	62.23	94.41	147.69	27.40	UDC2X	<u> </u>	2 UD		2	
CLEC to CLEC Convention Charge without outside dispatch UPC UREWO 91.61 44.15 11.30		l .			44.00		40.74	00.00	04.44	4.47.00	40.00	LIBOOV				2-Wire Universal Digital Channel (UDC) Compatible Loop - Zon	
2 Wire Unburdled ADS. Loop including manual service inquiry 1		—	 				10.71	62.23			48.02					CLEC to CLEC Conversion Charge without outside dispatch	
2 Wire Unbursided ADSL Loop including manual service inquiry & facility reservation. 2 zone 1 UAL UAL 2X 8.30 149,53 103,85 75,05 15,63 11,90 2 2 2 2 2 2 2 2 2			-		11.90				44.13	91.01		UKLVVO	,		TIBLE		2-WIE
Stacility reservation - Zone 1	-		\vdash		<u> </u>	†		†				+					Z-441L
2 Wife Unbundled ADSL Loop including manual service inquiry 2 UAL UAL2X 11.00 149.53 103.85 75.05 15.63 11.90		ĺ			11.90		15.63	75.05	103.85	149.53	8.30	UAL2X		1 UA			
2 Wire Unbundled ADSL Loop including manual service inquiry 3 UAL																	
Stability reservation - Zone 3		L			11.90		15.63	75.05	103.85	149.53	11.80	UAL2X		2 UA			
Order Coordination for Specified Conversion Time (per LSR)		ĺ															
2 Wire Unbundled ADSL Loop without manual service inquiry & 1 UAL UAL2W 8.30 124.83 71.12 60.64 6.12 111.90 1	$-\!+\!-\!-$				11.90		15.63	75.05	103.85		20.94		•				
facility reservation - Zone 1			 							23.02		OCOSL		UA			
2 Wire Unbundled ADSL Loop without manual service inquiry & 1		1			11 00		0.12	60.64	71 10	124 92	9 20	1101 200		1 11/1			
Sacilly reservation - Zone 2			-		11.50		9.12	00.04	/1.12	124.03	0.30	UALZVV	•	I UA	_		
2 Wire Unbundled ADSL Lop without manual service inquiry 8 3 UAL UAL2W 20,94 124,83 71,12 60,64 9,12 11,90		1			11.90		9.12	60.64	71.12	124.83	11.80	UAL2W		2 UA			
Order Coordination for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.19 40.39 11.90		1			11.90		9.12	60.64	71.12	124.83	20.94			3 UA		facility reservaton - Zone 3	
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDS), COMPATIBLE LOOP																	
2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 1 1 UHL UHL2X 7.22 159.09 113.41 75.05 15.63 11.90					11.90				40.39	86.19		UREWO	•				
Stability reservation - Zone 1			 		-	-								OOP	IBLE L		2-WIF
2 Wire Unbundled HDSL Loop including manual service inquiry		ĺ			11 00		15.63	75.05	113 //1	150.00	7 22	LIHI 2Y		1 1111			
Stacility reservation - Zone 2					11.50		15.05	75.05	113.41	159.09	1.22	UTILZX	-	1 011			
2 Wire Unbundled HDSL Loop including manual service inquiry 3		ĺ			11.90		15.63	75.05	113.41	159.09	10.26	UHL2X	_	2 UH			
Order Coordination for Specified Conversion Time (per LSR)																	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		L			11.90		15.63	75.05	113.41		18.21		-	3 UH			
and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 10.26 134.40 80.69 60.64 9.12 11.90 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 10.26 134.40 80.69 60.64 9.12 11.90 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 18.21 134.40 80.69 60.64 9.12 11.90 2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 2 UHL UHL4X 10.86 193.31 138.98 77.15 12.61 11.90 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 3 UHL UHL4X 15.44 193.31 138.98 77.15 12.61 11.90 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 3 UHL UHL4X 10.86 193.31 138.98 77.15 12.61 11.90 11.90 11.90 12.61 11.90 13.90 14.90 14.90 15.44 15.44 168.62 115.47 15.44 11.22 11.90										23.02		OCOSL	-	UH			
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 10.26 134.40 80.69 60.64 9.12 11.90 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 18.21 134.40 80.69 60.64 9.12 11.90 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.02 CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.12 40.39 11.90 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 1 UHL UHL4X 15.44 193.31 138.98 77.15 12.61 11.90 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 UHL UHL4X 27.39 193.31 138.98 77.15 12.61 11.90 Order Coordination for Specified Conversion Time (per LSR) UHL UCOSL 23.02 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 UHL UHL4X 27.39 193.31 138.98 77.15 12.61 11.90 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.02 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 UHL UHL4X 10.86 188.62 115.47 62.74 11.22 11.90 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 UHL UHL4W 15.44 168.62 115.47 62.74 11.22 11.90 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 UHL UHL4W 15.44 168.62 115.47 62.74 11.22 11.90		1															
and facility reservation - Zone 2			 		11.90	-	9.12	60.64	80.69	134.40	7.22	UHL2W	-	1 UH			
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 18.21 134.40 80.69 60.64 9.12 11.90		ĺ			11 00		0.12	60.64	80 60	13/1/0	10.26	LIHI 3W		2 11111			
and facility reservation - Zone 3	-+-		 		11.90		5.12	00.04	00.09	134.40	10.26	OI ILZVV	-	2 00			
Order Coordination for Specified Conversion Time (per LSR)		ĺ			11.90		9.12	60.64	80.69	134.40	18.21	UHL2W	_	3 UH			
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.12 40.39 11.90										23.02		OCOSL					
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1					11.90				40.39	86.12						CLEC to CLEC Conversion Charge without outside dispatch	
and facility reservation - Zone 1	-		$oxed{oxed}$											OOP	IBLE L		4-WIF
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		i												, l			
and facility reservation - Zone 2	-+-		\vdash		11.90		12.61	77.15	138.98	193.31	10.86	UHL4X	-	1 UH			
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 3 UHL UHL4X 27.39 193.31 138.98 77.15 12.61 11.90		ĺ			11 00		10.61	77 15	120 00	102 24	15 14	LIHLAV		2 11111			
and facility reservation - Zone 3	-+-		 		11.90	-	12.01	11.15	130.98	183.31	15.44	UI IL4A	-	∠ UH			-
Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL4W 10.86 168.62 115.47 62.74 11.22 11.90 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 UHL UHL4W 15.44 168.62 115.47 62.74 11.22 11.90		i			11.90		12.61	77.15	138.98	193,31	27,39	UHL4X	_	з ин			
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL4W 10.86 168.62 115.47 62.74 11.22 11.90 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 UHL UHL4W 15.44 168.62 115.47 62.74 11.22 11.90																	
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 UHL UHL4W 15.44 168.62 115.47 62.74 11.22 11.90						Ì										4-Wire Unbundled HDSL Loop without manual service inquiry	
and facility reservation - Zone 2 2 UHL UHL4W 15.44 168.62 115.47 62.74 11.22 11.90		<u> </u>			11.90		11.22	62.74	115.47	168.62	10.86	UHL4W	-	1 UH			
		1										l		_ [_			
4-wire undunated HDSL Loop without manual service inquiry			ļ		11.90		11.22	62.74	115.47	168.62	15.44	UHL4W	-	2 UH			
		1			44.00		44.00	00.74	445 47	400.00	07.00	LILL AM		ي ا ا			
and facility reservation - Zone 3	-+	 			11.90		11.22	62.74	115.47		27.39			0 011			
Order Coordination for specimed conversion time (per LSR) UPIL OCOSL 23.02 CLEC to CLEC Conversion Charge without outside dispatch UPIL UREWO 86.12 40.39 11.90	-+-		 		11.90	-		1	40 39								
4-WIRE DS1 DIGITAL LOOP	-				11.00				70.35	00.12		OI LEVVO	•	011			4-WIF
4-Wire DS1 Digital Loop - Zone 1 1 USL USLXX 70.74 313.75 181.48 61.22 13.53 11.90					11.90		13.53	61.22	181.48	313.75	70.74	USLXX	-	1 US			- 1 · · · · ·

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-	A Mine DOA Binitellane 7	-	_	1101	110170	100.51	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL USL	USLXX	100.54 178.39	313.75 313.75	181.48 181.48	61.22 61.22	13.53 13.53		11.90 11.90				
	Order Coordination for Specified Conversion Time (per LSR)	-	3	USL	OCOSL	178.39	23.02	181.48	61.22	13.53	-	11.90				
	CLEC to CLEC Conversion Charge without outside dispatch	-	-	USL	UREWO		101.07	43.04			-	11.90				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	OIKETTO		101.07	40.04			-	11.00				
7 77	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ	1	UDL	UDL64	22.20	161.56	108.85		15.56		11.90				
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	_		UDL	UDL64	31.56	161.56	108.85	67.08	15.56		11.90				
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL UDL	OCOSL UREWO		23.02 102.11	49.74				11.90				
2-WID	CLEC to CLEC Conversion Charge without outside dispatch E Unbundled COPPER LOOP	-	-	UDL	UREWU		102.11	49.74			-	11.90				
Z-WIK	2-Wire Unbundled Copper Loop/Short including manual service										1					
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63		11.90				1
	2-Wire Unbundled Copper Loop/Short including manual service		<u> </u>	002	OOL! D	0.00	140.00	102.02	70.00	10.00	1	11.00				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63		11.90				1
	2 Wire Unbundled Copper Loop/Short including manual service			-					10.00							
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		11.90				ı
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Short without manual service		_													1
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Short without manual service		3	UCL	UCLPW	00.04	400.04	70.00	00.04	0.40		44.00				ı
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.94	123.81 9.00	70.09 9.00	60.64	9.12	-	11.90				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	UCLIVIC		9.00	9.00			1					
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.42	148.50	102.82	75.05	15.63		11.90				1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	OOL	OOLEL	17.72	140.00	102.02	70.00	10.00		11.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24.76	148.50	102.82	75.05	15.63		11.90				1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	43.94	148.50	102.82	75.05	15.63		11.90				1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.42	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service		_			0.4.00		=								1
\vdash	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.76	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service		3	UCL	UCL2W	43.94	123.81	70.09	60.64	9.12		11.90				1
\vdash	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	43.94	9.00	9.00	60.64	9.12	-	11.90				
 	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		9.00	9.00								
	(UCL -Des)			UCL	UREWO		97.21	42.47				11.90				,
4-WIR	E COPPER LOOP											50				
	4-Wire Copper Loop/Short - including manual service inquiry	i –							†							
	and facility reservation - Zone 1	<u> </u>	1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		11.90				<u>. </u>
	4-Wire Copper Loop/Short - including manual service inquiry									-						
	and facility reservation - Zone 2	ļ	2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry				[]											, ,
\vdash	and facility reservation - Zone 3	_	3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73		11.90				
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLMC		9.00	9.00								
1 1	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		4	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		11.90				, [
$\overline{}$	Tability 10001 validit - 2016 1		<u>'</u>	001	OCLTVV	11.03	100.10	100.03	02.74	11.22		11.30				

UNBUND	LED NETWORK ELEMENTS - Florida													ment: 2		ibit: B
CATEGOR	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2	ļ	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCLMC	29.02	9.00	9.00		11.22	1	11.90	-			
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	OCLIVIC		9.00	9.00								-
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	31.10	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.					2										
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	44.20	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	1														
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	78.42	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								ļ
	4-Wire Unbundled Copper Loop/Long - without manual svc.				1101.40	04 10	450.10	400.00	00 -	44.00		44.00	1			
\vdash	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	31.10	153.18	100.03	62.74	11.22	ļ	11.90	 			
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	44.20	153.18	100.03	62.74	11.22		11.90	I			
	4-Wire Unbundled Copper Loop/Long - without manual svc.	1		UUL	UCL4U	44.20	155.18	100.03	02.74	11.22	<u> </u>	11.90	 	 	-	+
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	78.42	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	70.12	9.00	9.00			1	11.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47				11.90				1
LOOP MOD	IFICATION	1														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00				11.90				
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		343.12	343.12				11.90				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1														
	less than or equal to 18K ft			UHL, UCL, UEA	ULM4L		0.00	0.00				11.90				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
SUB-LOOP	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UCL UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4G ULMBT		343.12 10.52	343.12				11.90				
	-Loop Distribution										1					
J	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1			İ											İ
	Up	I	<u></u>	UEANL	USBSA		487.23				<u> </u>	11.90				<u> </u>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		6.25					11.90				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	Ι.		LIFANI	LICECO		400.0=					44.00	I			
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	+ '	-	UEANL	USBSC		169.25				 	11.90	1	 	-	-
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ı		UEANL	USBSD		38.65					11.90				
	Zone 1 Sub-Loop Distribution Per 2-Wire Arrang Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26		11.90				
	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1	l	l	l	ı _ T						l	_			
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		11.90				
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1	2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60	-	11.90	-			-
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		11.90				

UNBU	NDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	bit: B
355		3101										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1			_	Nonrec	urring	Nonrecurring	Disconnect	t		oss	Rates(\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	i																
1 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00							· '		
	i	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26		11.90				
		3		1								t			<u> </u>		
1 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00							· '		
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60		11.90				
	İ																
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00							'		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26	t	11.90		<u> </u>		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26	İ	11.90		<u> </u>		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS2X	12.98	60.19	21.78	47.50	5.26	İ	11.90		<u> </u>		
		, ,	<u> </u>	T			:=:55	220		30	2.20	1			T		İ
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEF	USBMC		9.00							1 '		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		11.90		<u> </u>		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		11.90		<u> </u>		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i	3	UEF	UCS4X	13.51	68.83	30.42		6.60	İ	11.90		<u> </u>		
		, ,	<u> </u>	T							2.30	1			T		İ
1 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00							· '		
		dled Network Terminating Wire (UNTW)		1								t			<u> </u>		
		Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.4572	18.02				t	11.90		<u> </u>		
	Network	k Interface Device (NID)		1			0.101					t			<u> </u>		
		Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		71.49	48.87			t	11.90		<u> </u>		
		Network Interface Device (NID) - 1-6 lines		1	UENTW	UND16		113.89	89.07			t	11.90		<u> </u>		
		Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC2		7.63	7.63			t	11.90		<u> </u>		
		Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		7.63	7.63			t	11.90		<u> </u>		
SUB-LC												İ			<u> </u>		
	Sub-Lo	op Feeder											İ				
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
1 1		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		487.23					11.90		· '		
	İ	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,								İ				
		set-up			UDN,UCL,UDL,UDC	USBFX		6.25	6.25				11.90		'		
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522.41	11.32				11.90				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
		Grade - Zone 1		1	UEA	USBFA	6.41	92.75	51.24	58.45	13.07		11.90		'		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
		Grade - Zone 2	l	2	UEA	USBFA	9.10	92.75	51.24	58.45	13.07		11.90		1 '		
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		1	1												
		Voice Grade - Zone 3	l	3	UEA	USBFA	16.15	92.75	51.24	58.45	13.07		11.90		1 '		
		Order Coordination for Specified Conversion Time, per LSR	Ì		UEA	OCOSL		23.02									
		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
1 1		Grade - Zone 1	l	1	UEA	USBFB	6.41	92.75	51.24	58.45	13.07	1	11.90		I '	1 1	1
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice													,		
]]		Grade - Zone 2	l	2	UEA	USBFB	9.10	92.75	51.24	58.45	13.07	1	11.90		I '	, ,	I
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
		Grade - Zone 3	L_	3	UEA	USBFB	16.15	92.75	51.24	58.45	13.07	<u> </u>	11.90	<u> </u>	<u> </u>		<u> </u>
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
		Voice Grade - Zone 1	L_	1	UEA	USBFC	6.41	92.75	51.24	58.45	13.07	<u> </u>	11.90	<u> </u>	<u> </u>		<u> </u>
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
		Voice Grade - Zone 2	L_	2	UEA	USBFC	9.10	92.75	51.24	58.45	13.07	<u> </u>	11.90	<u> </u>	<u> </u>		<u> </u>
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
\Box		Battery, Voice Grade - Zone 3	<u> </u>	3	UEA	USBFC	16.15	92.75	51.24	58.45	13.07	<u> </u>	11.90	<u> </u>	<u> </u>	<u>. </u>	<u> </u>
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
		Grade - Zone 1	L_	_1	UEA	USBFD	12.47	106.92	64.46	63.54	14.83	<u> </u>	11.90	<u> </u>	<u> </u>		<u> </u>
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
1 1		Conda Zona O	I	2	UEA	USBFD	17.73	106.92	64.46	63.54	14.83		11.90	1	I '	1	<u> </u>
		Grade - Zone 2															
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	31.45	106.92	64.46	63.54	14.83		11.90			,	

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
OH DONE		I				1					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonred		Nonrecurring					Rates(\$)		
					0000		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	_	23.02				 					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	USBFE	12.47	106.02	64.46	63.54	14.83		11.90				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	-	-	UEA	USBFE	12.47	106.92	04.40	03.34	14.03		11.90				
	Grade - Zone 2		2	UEA	USBFE	17.73	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	OODI L	17.75	100.32	04.40	03.34	14.03	†	11.50				
	Grade - Zone 3		3	UEA	USBFE	31.45	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02				İ					
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	14.83	109.71	66.68	60.21	12.49	İ	11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	37.39	109.71	66.68	60.21	12.49		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23.02									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.83	109.71	66.68		12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	37.39	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	42.59	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	60.53	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	107.39	133.77	78.02	85.16	21.21		11.90				
	Order Coordination For Specified Conversion Time, Per LSR		.	USL	OCOSL	0.70	23.02	10.01	=0.=4	10.00		44.00				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	3.76	85.27	42.24	58.54	10.82	 	11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	5.35	85.27	42.24	58.54	10.82		11.90				ı
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			UCL	USBFH	5.35	85.27	42.24	58.54	10.82	 	11.90				
	onbundled Sub-Loop reeder Loop, 2-wire Copper Loop - Zone		3	UCL	USBFH	9.49	85.27	42.24	58.54	10.82		11.90				
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	3.43	23.02	72.27	30.34	10.02		11.50				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	7.32	99.66	57.20	60.98	12.28	1	11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.40	99.66	57.20	60.98	12.28	İ	11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	18.46	99.66	57.20	60.98	12.28		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.02									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	20.59	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	36.53	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															ı
	Zone 1		1	UDL	USBFO	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_					=0.40								
	Zone 2	-	2	UDL	USBFO	20.59	100.62	58.16	63.54	14.83	1	11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	36.53	100.62	50.40	CO 54	44.00		44.00				ı
	Order Coordination For Specified Time Conversion, per LSR	-	3	UDL	OCOSL	30.53	23.02	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1	-	ODL	OCOSL	1	23.02		1		1	1				
	Zone 1	1	1	UDL	USBFP	14.48	100.62	58.16	63.54	14.83		11.90				,
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1	<u> </u>		55511	17.70	100.02	55.10	00.04	14.00		11.50		1		
	Zone 2	1	2	UDL	USBFP	20.59	100.62	58.16	63.54	14.83		11.90				.
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1									1		l	İ		
	Zone 3	<u> </u>	3	UDL	USBFP	36.53	100.62	58.16	63.54	14.83	<u> </u>	11.90	<u> </u>			<u>. </u>
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.02									
SUB-LOOPS																
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	- 1		UE3	1L5SL	15.69			ļ		ļ			ļ		
	Sub Loop Feeder - DS3 - Facility Termination Per Month	- !		UE3	USBF1	347.59	3,402.59	407.15	166.83	94.58	ļ	11.90				,
\vdash	Sub Loop Feeder – STS-1 – Per Mile Per Month	1		UDLSX	1L5SL	15.69	0.400 =0	407 :-	400.00	04 = 0	-	44.00				
LINDUNDI ED	Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1	-	UDLSX	USBF7	402.09	3,402.59	407.15	166.83	94.58	 	11.90	-	 		
UNBUNDLED	LIGHUNGHOLD CONCENTRATION Lighunghold Loop Concentration System A (TROOP)	-	-	III.C	LICTOA	449.49	359.42	359.42	 		 	11.90	-	 		
 	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)	+	-	ULC	UCT8A UCT8B	53.44	359.42 149.76	359.42 149.76	1		 	11.90			-	
	Unbundled Loop Concentration - System B (1R008) Unbundled Loop Concentration - System A (TR303)	 	-	ULC	UCT3A	487.33	359.42	359.42	1		}	11.90	 	 		
 	Unbundled Loop Concentration - System A (TR303)	 		ULC	UCT3B	90.05	149.76	149.76	 		 	11.90		 		
	Unbundled Loop Concentration - System B (18303) Unbundled Loop Concentration - DS1 Loop Interface Card	†		ULC	UCTCO	5.04	71.70	51.52	18.49	4.82	1	11.90				
	Tanana and an an and an and an and and				100.00	3.04		01.02	10.40	02	L			1		

ONBONDE	ED NETWORK ELEMENTS - Florida			1		1					_	_		ment: 2	1	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Do.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						40.50	40.50								
	(Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90			1	
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		-	ULC	UCTTC	34.68	16.59	16.50	6.77	6.73	-	11.90			 	1
	Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73	1	11.90			I	
+	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	JLUU1	10.51	10.59	10.30	0.77	0.73		11.50		 	 	
	Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Haland Hall Control Name Burking to Cala Na Bata			UEANL,UEF,UEQ,U	LINIEGNI	0.00	0.00									
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00		-						-	
UNE OTHER,	PROVISIONING ONLY - NO RATE								-						-	
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		-	ODIN,OLA,OITL,OLG	UNLCIN	0.00	0.00							1		
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			OL71,ODI1,OOL,ODO	CODI Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	ITY UNBUNDLED LOCAL LOOP															
NOTE	: minimum billing period of three months for DS3/STS-1 Local	Loop														
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per				41.5310	40.00					1				I	
- 	month High Capacity Unbundled Local Loop - DS3 - Facility		-	UE3	1L5ND	10.92								-	 	1
1	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84	1	11.90			I	
+	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		-	ULJ	OLOFA	300.08	330.37	343.01	138.13	90.64		11.90		1	 	
	month			UDLSX	1L5ND	10.92					1				I	
	High Capacity Unbundled Local Loop - STS-1 - Facility				. 20.10	10.02								1	<u> </u>	
	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
LOOP MAKE-														ĺ		
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		55.07	55.07	ļ					ļ	1	
	ENCY SPECTRUM		-	-	 				 		 			-	 	1
	SHARING		-	 										-	 	+
SPLII	TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity - True up				 				 		-				 	
1	pending approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90			1	
-	Line Sharing Splitter, per System 24 Line Capacity - True up	- 11		020	OLODA	115.12	318.13	0.00	341.50	0.00		11.50		 	t	1
1	pending approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00	1	11.90			I	
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90		1	<u> </u>	
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	-		-		5.00	5.5.10	2,00	5 11 100	2700		50			1	
	deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00	1	11.90			I	
	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPECT	TRUM									1		i	1	İ

HINDHINDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	sit. D
UNBUNDL			1	ı		I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		lustani									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—							Names		Namaanuuina	Diagona			220	Detec(f)		
						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
H	Line Sharing - per Line Activation -(BST Owned Splitter)		1	ULS	ULSDC	0.61	29.68	21.28	19.57	9.61	SOMEC	11.90	SOWAN	SOWAN	SOWAN	SOWAN
	Line Sharing - per Line Activation -(BST Owned Spritter)		1	OLO	OLODO	0.01	23.00	21.20	19.57	3.01		11.50				
	Line Sharing - per Subsequent Activity per Line Rearrangement															
	- True up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44				11.90				
						İ										
	Line Sharing - per Subsequent Activity per Line Rearrangement															
	- True up pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21.68	16.44				11.90				
	Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				
	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED		ļ	UEPSR UEPSB	UREOS	0.61										
 	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	<u> </u>	 	UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61	 	11.90		 		
 	Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	1	11.90				
REMO	OTE SITE HIGH FREQUENCY SPECTRUM	<u> </u>	1	OLI OR OLI OD	OKEDV	1.104	20.00	21.20	10.01	0.01		11.50				
	TTERS-REMOTE SITE				İ											
	Remote Site Line Share BellSouth Owned Splitter, 24 Port	- 1		ULS	ULSRB	46.07	114.81	0.00	86.20	0.00		11.90				
	Remote Site Line Share Cable Pair Activation CLEC Owned at															
	RS and deactivation	- 1		ULS	ULSTG		95.64	0.00	69.19	0.00		11.90				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	MAKA	REMOT	E SITE LINE SHARI	NG											
	Remote Site Line Share Line Activationfor End User Served at RS. BST Splitter	l ,		ULS	ULSRC	0.61	40.00	22.00	19.57	9.61		11.90				
	RS Line Share Line Activation for End User served at RS, CLEC					2.2.										
	Splitter	- 1		ULS	ULSTC	0.61	40.00	22.00	19.57	9.61		11.90				
	Remote Site Line Share Subsequent Activity-RS BST Owned															
	Splitter	- 1		ULS	ULSRS		49.15	17.83				11.90				
	Remote Site Line Share Subsequent Activity-RS CLEC Owned Splitter	ı		ULS	ULSTS		49.15	17.83				11.90				
UNBUNDLED	DEDICATED TRANSPORT					İ										
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g peric	od - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			l												
	Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
\vdash	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	01172	25.32	47.35	31.70	10.31	7.03	-	11.90				
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			011 470	TEO/O	0.0001										
	Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month		<u> </u>	U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
\vdash	- Facility Termination	<u> </u>	<u> </u>	U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90		 		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091										
 	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-	 	UTIDA	ILOAA	0.0091	-				1					
	Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		t	5 <i>5</i> /	51100	10.44	47.55	31.70	10.01	7.03		11.30		1		
	per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1					İ							1		
	Termination		<u> </u>	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
\vdash	month		<u> </u>	U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATOA			405 = 1	00 :=	04 17	40.05		44.60				
 	Termination	-	 	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05	1	11.90		 		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87					<u> </u>					
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month		<u> </u>	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90]		

UNBUNDI	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
<u> </u>		I									Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<u>† </u>					Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1						71441		71441	0020					
	month			U1TS1	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		01101	120701	0.07			1		†	†				
	Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
LOC	CAL CHANNEL - DEDICATED TRANSPORT	1		01101	0	1,000.00	000.10	210.20	72.00	7 0.00	†	11.00				
	TE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billi	na nerio	nd = he	low DS3-one mont	DS3/STS-1	-four months			1		†	†				
1101	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	I pone		ULDVX	ULDV2	19.66	265.84	46.97	37.63	4.00	1	11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2	1	2	ULDVX	ULDV2	27.94	265.84	46.97	37.63	4.00	1	11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3	+	3	UNDVX	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade - 2016 3 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat	+	J	ONDVX	OLDVZ	49.00	203.04	40.57	37.03	4.00		11.30				
	Zone 1		1	ULDVX	ULDR2	19.66	265.84	46.97	37.63	4.00	1	11.90				1
 	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat	+	+ '-	OLDVA	JLDINZ	13.00	203.04	40.37	37.03	4.00	 	11.50	 	 	 	
	Zone 2		2	ULDVX	ULDR2	27.94	265.84	46.97	37.63	4.00	1	11.90				1
\vdash	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat	+		OLDVA	OLDINZ	21.94	203.04	40.97	31.03	4.00	 	11.90	-	-		-
	Zone 3		3	ULDVX	ULDR2	49.58	265.84	46.97	37.63	4.00	1	11.90				1
\vdash	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1	+	1	ULDVX	ULDK2 ULDV4	49.58 20.45	265.84	46.97	37.63 44.22	5.33	1	11.90	-	-	-	-
\vdash	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	+	2	ULDVX	ULDV4 ULDV4	20.45	266.54	47.67	44.22	5.33	+	11.90				-
-		+	3	ULDVX	ULDV4	51.56	266.54	47.67	44.22	5.33	-	11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 Local Channel - Dedicated - DS1 - Zone 1	-	-	ULDD1	ULDV4	36.49	216.65	183.54		16.95	-	11.90				
		-	1								-					
	Local Channel - Dedicated - DS1 - Zone 2	-	2	ULDD1	ULDF1	51.85	216.65	183.54	24.30	16.95	-	11.90				
	Local Channel - Dedicated - DS1 - Zone 3	-	3	ULDD1	ULDF1	92.00	216.65	183.54	24.30	16.95	-	11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month	-	-	ULDD3	1L5NC	8.50	=== ==	0.10.01	100.10			44.00				
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50										
LL.	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
DARK FIBE																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	55.04										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		751.34	193.88				11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	26.85										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		751.34	193.88				11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		751.34	193.88				11.90				
8XX ACCES	SS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX												I			l
	Number Reserved	<u></u>	<u></u>	OHD	N8R1X		4.15	0.70	<u> </u>		<u> </u>	11.90	<u> </u>			<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations	<u>L</u>	<u> </u>	OHD			8.78	1.18	5.77	0.70		11.90				<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations	1	1	OHD	N8FTX		8.78	1.18	5.77	0.70		11.90	1	l		1
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number	1	1	OHD	N8FCX		4.15	2.07				11.90	1	l		1
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.	1	1	OHD	N8FMX		4.85	2.78				11.90	1	l		1
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.15	4.15			1	11.90				1
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	1		OHD		0.0006252					1					1
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006252					1					1
LINE INFOR	RMATION DATA BASE ACCESS (LIDB)	1							1		1			ĺ	ĺ	1
	LIDB Common Transport Per Query	1		OQT		0.0000203			1		1			ĺ	ĺ	1
	LIDB Validation Per Query		Ì	OQU		0.0136959								İ		
	LIDB Originating Point Code Establishment or Change	1		OQT, OQU	NRPBX		55.13	55.13	55.13	55.13	1	11.90		ĺ	ĺ	1
	(CCS7)	1	t		1	1			1		i e	1		i e	i e	l

UNBUI	NDLE	D NETWORK ELEMENTS - Florida			_									Attach	ment: 2	Exhi	ibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Do-	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
		CCS7 Signaling Connection, Per link (B link) (also known as D					4=00	40.55									
		link) CCS7 Signaling Usage, Per ISUP Message		-	UDB UDB	TPP++	17.93 0.0000152	43.57	43.57	18.31	18.31		11.90				
		CCS7 Signaling Usage, Per ISOP Message CCS7 Signaling Usage Surrogate, per link per LATA		-	UDB	STU56	694.32					 					
		CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			ODB	31030	094.32					+					
		Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				
E911 SE	RVICE				000	00/11/0		10.00	.0.00	.0.00	10.00	1	11100				
Ī		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				1	21.94	265.84	46.97	37.63	4.00	Ì	11.90	1	ĺ	l	
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97	37.63	4.00		11.90				
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00		11.90				
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
		Termination					25.32	47.35	31.78	18.31	7.03	1	11.90	ļ			1
		Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05	ļ	11.90				
		Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3		-			47.63 92.01	216.65 216.65	183.54 183.54	21.47 21.47	19.05 19.05		11.90 11.90				
		Interoffice Transport - Dedicated - DS1 Per Mile		-		-	0.1856	210.00	103.54	21.47	19.05	 	11.90				
		interoffice transport - Dedicated - DST Fer Mile				1	0.1000					1					
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05		11.90				
CALLIN	G NAM	E (CNAM) SERVICE					00.44	100.04	30.47	21.47	10.00	1	11.00				
		CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01	†	11.90				
		CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
		CNAM For DB Owners - Service Provisioning With Point Code															
		Establishment			OQV			1,592.00	1,177.00	352.36	259.09		11.90				
		CNAM For Non DB Owners - Service Provisioning With Point															
		Code Establishment			OQV			546.51	393.82	358.06	259.09		11.90				
		CNAM for DB Owners, Per Query			OQV		0.001024					ļ					
LNP Qu		CNAM for Non DB Owners, Per Query		-	OQV	+	0.001024			-		.					
LIVE QU		LNP Charge Per query			OQV		0.000852					+					
		LNP Service Establishment Manual			OQV	+	0.000002	13.83	13.83	12.71	12.71	1	11.90				
		LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40	†	11.90				
OPERA	TOR CA	ALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min Using BST															
		LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using															
		Foreign LIDB					1.24			1		1		ļ			1
		Oper. Call Processing - Fully Automated, per Call - Using BST					0.00										
\vdash		LIDB Oper. Call Processing - Fully Automated, per Call - Using	-			+	0.20			+		1		1	-	-	-
		Foreign LIDB					0.20										
INWARI		ATOR SERVICES				+	0.20			1		1					1
		Inward Operator Services - Verification, Per Call				t	1.00			†					1		1
		Inward Operator Services - Verification and Emergency Interrupt				1				†		Ì		1		l	
		- Per Call	<u></u>			<u> </u>	1.95			<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>
		PERATOR CALL PROCESSING					_		•								
		based CLEC															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00	ļ			11.90		ļ	ļ	
		Loading of Custom Branded OA Announcement per shelf/NAV				CDAC		500.00	500.00				44.00				
	UNEP (per OCN		-		CBAOL		500.00	500.00	1		ļ	11.90	 	 	 	1
	ONEP (Recording of Custom Branded OA Announcement	-	-		+		7,000.00	7,000.00	1		-	11.90				1
		Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV				+		1,000.00	1,000.00	+		1	11.90	 	 		
		per OCN						500.00	500.00				11.90				
li	Unbran	iding via OLNS for UNEP CLEC				1		300.00	555.56					İ	İ	İ	Ì
		Loading of OA per OCN (Regional)		t e		İ	i	1,200.00	1,200.00			İ	11.90		i		İ

UNB	JNDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. zo	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
						1	_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
	†			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIREC	TORY A	SSISTANCE SERVICES							71441		7144		00	00			
DIIKE		TORY ASSISTANCE ACCESS SERVICE		1		1										1	
-	DIIKEO	Directory Assistance Access Service Calls, Charge Per Call				+	0.275										
	DIDEC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	24.00)			<u> </u>	0.275										
	DIKEC		JACC)			<u> </u>											
		Directory Assistance Call Completion Access Service (DACC),															
	1	Per Call Attempt					0.10										↓
DIREC		SSISTANCE SERVICES															
	DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service Charge Per Listing					0.04										
		Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRAN		IRECTORY ASSISTANCE															
	Facility	y Based CLEC								İ							
		Recording and Provisioning of DA Custom Branded															
1	1	Announcement			AMT	CBADA		3,000.00	3,000.00				11.90		l		
		Loading of Custom Branded Announcement per Switch per						0,000.00	-,			1					
1	1	IOCN			AMT	CBADC		1,170.00	1,170.00				11.90		l		
	UNEP			-	AIVII	CBADC		1,170.00	1,170.00			†	11.90			1	
	UNEP					<u> </u>		0.000.00	0.000.00				44.00				
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00				11.90				↓
		Loading of DA Custom Branded Announcement per Switch per															
		OCN						1,170.00	1,170.00				11.90				
	Unbra	nding via OLNS for UNEP CLEC															
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00				11.90				
		Loading of DA per Switch per OCN						16.00	16.00				11.90				
SELEC	CTIVE R	OUTING															
		Selective Routing Per Unique Line Class Code Per Request Per			İ	1											
		Switch				USRCR		93.55	93.55	11.46	11.46		11.90				
VIRTU	AI COL	LOCATION		1													
*****	1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line										1					
		Splitting			UEPSR, UEPSB	VE1LS	0.0502	11.57					11.90				
DLIVCI	CAL CO	LLOCATION	-	 	OLI OIX, OLI OD	VETEO	0.0302	11.07				}	11.50		-	-	
FHIS	T CAL CO					1						-				1	
		Physical Collocation-2 Wire Cross Connects (Loop) for Line			HEDOD HEDOD	DE41.0	0.0070	0.00	7.00	5 74	4.50		44.00				
		Splitting		1	UEPSR, UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58		11.90				
AIN S	LECTIV	E CARRIER ROUTING															ļ
		Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00			11.90				ļ
		End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				
		Query NRC, per query			SRC		0.0031868										
AIN - E	BELLSO	UTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
1	1	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93		11.90		l		
										İ							
1	1	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		11.90		l		
	1	AIN SMS Access Service - Port Connection - ISDN Access		1	A1N	CAM1P		8.64	8.64	10.03	10.03		11.90		İ		
	†	AIN SMS Access Service - User Identification Codes - Per User		1													
1	1	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90		1		
	+	AIN SMS Access Service - Security Card, Per User ID Code,		1	, ,	07 1172 10		00.00	00.00	20.00	20.00		11.00			1	
		Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93		11.90				
-	+	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	-	 	AIIN .	CAWING	0.0028	13.10	13.10	12.93	12.93	1	11.90		 	 	+
<u> </u>	+			1												-	
<u> </u>	+	AIN SMS Access Service - Session, Per Minute	-	<u> </u>	 	1	0.7809					 			ļ	ļ	├
1	1	AIN SMS Access Service - Company Performed Session, Per			1										l		
L	<u> </u>	Minute		1		1	0.4609					.				ļ	
AIN - E	SELLSO	UTH AIN TOOLKIT SERVICE		<u> </u>	L	1						.					
1	1	AIN Toolkit Service - Service Establishment Charge, Per State,			İ										l		
		Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439.00	8,439.00				11.90				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
1	1	DN, Term. Attempt			1	BAPTT		8.64	8.64	10.03	10.03		11.90		l		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
1	1	DN, Off-Hook Delay	1	1	1	BAPTD		8.64	8.64	10.03	10.03		11.90			1	l

UNBUI	IDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
5.1231														Incremental	Incremental	Incremental	Incremental
												Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash			1			1		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
	-		<u> </u>			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
\vdash		DN, Off-Hook Immediate	ļ			BAPTM		8.64	8.64	10.03	10.03		11.90				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		38.06	38.06	15.86	15.86		11.90				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
\longrightarrow		DN, Feature Code	ļ			BAPTF	0.0505007	38.06	38.06	15.86	15.86		11.90				
\vdash		AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	<u> </u>				0.0535927			-							
		Subscription, Per Node, Per Query					0.0063698										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
ENHANC		Service Subscription TENDED LINK (EELs)			CAM	BAPES	0.12	9.56	9.56				11.90				
		The monthly recurring and non-recurring charges below will	anniv a	nd the	L Switch-Δs-Is Charge	will not ann	ly for FFI s pro	visioned as ' (Ordinarily Con	hined' Networ	k Flements						
		The monthly recurring and the Switch-As-Is Charge and not t															
		Minimum billing is one month for DS1 and below and three n															
1	-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	TEROFF	ICE TR	ANSPORT (EEL)												
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1	Ė	O. CO. T.	O L / KLL	12.21	127.00	00.01	12.70	2.01		11100				
		Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
\vdash		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	UEALZ	30.07	127.59	60.54	42.79	2.01		11.90				
		per month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month	ļ		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
\vdash		DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month	 		UNC1X UNCVX	MQ1 1D1VG	146.77 1.38	51.83 12.16	10.75 8.77	6.71	4.84	 	11.90 11.90				
\vdash		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	†		0.101/	.5.40	1.50	12.10	0.11	0.71	7.04	 	11.50				
$oxed{oxed}$		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
		Voice Grade COCI - DS1 to DS0 Channel System combination -	1	Ť	-												
		per month	-		UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
1	-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FEROFF	ICE TR				3.30	0.00	5.50	5.50						
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
\vdash		Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
\vdash		Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81	 	11.90				
$oxed{oxed}$		Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-	Channelination Channel Contant DC4 to DC0 combination Dca				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL))											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				ļ
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				.
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	51.83	10.75	45.01	17.95		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				-
	combination per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				ı
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00	0.00	0.50	0.00		11.00				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				<u> </u>
	Month OCU-DP COCI (data) - DS1 to DS0 Combination Per			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_	UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				

UNBUNI	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
	Ī													Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	, l	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OATEGOR	``	NATE ELEMENTO	m	20110	500	0000			ιστι ΣΟ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.00.
\vdash	-						Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
\vdash		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1				1		FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
		OCU-DP COCI (data) - DS1 to DS0 Channel System															
\perp		combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-			LINICAY	LINICOC		0.00	0.00	0.00	0.00		44.00				
4-1	WIRE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TR	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	<u> </u>	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	I	<u> </u>	ator on (LLL)					1							
		Transport - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
<u> </u>		Transport - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
++		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	014017	JULAA	170.39	211.13	121.02	31.44	14.43	 	11.50				
		Per Month			UNC1X	1L5XX	0.1856			<u> </u>		<u> </u>	<u> </u>				
		Interoffice Transport - Dedicated - DS1 combination - Facility															
\vdash		Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1	11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-1	WIRE	IS Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EROFFI	CE TR	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
7.	VVIIXE	First DS1Loop in DS3 Interoffice Transport Combination - Zone	I	OL IIV	HOI OKI (LLL)												
		1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
		First DS1Loop in DS3 Interoffice Transport Combination - Zone															
\vdash		2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
		First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
\vdash	-	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	ONCIA	USLAA	170.39	217.73	121.02	31.44	14.45		11.90				
		Per Month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															
		month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				
\vdash		DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC3X UNC1X	MQ3 UC1D1	211.19 13.76	115.60 12.16	59.93 8.77	5.45 6.71	0.00 4.84		11.90 11.90				
	-	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONCIA	OCIDI	13.70	12.10	0.77	0.71	4.04		11.90				
		Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
\vdash		Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
\vdash	-+	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	UC1D1	178.39	12.16	8.77	6.71	4.84	 	11.90				
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-				-5.5.	.5.76	.2.10	3.77	5.71	0-1		50				
		Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-1	WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	TEROFF	ICE TR	ANSPORT (EEL)												
		2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVX	UEAL2	40.04	407.50	60.54	42.79	2.81		11.90				
\vdash		Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
		Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
		2-WireVG Loop used with 2-wire VG Interoffice Transport		Ī				00	22.01				50				
\Box		Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	Ţ	Interoffice Transport - Dedicated - 2-wire VG combination - Per			1110101	41.5307				_							
\vdash		Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	1L5XX	0.0091			 		-					
		combination - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-					20.02	0 0	32.00	55.40	200		50				
$oxed{oxed}$		ls Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-1	WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	TEROFF	ICE TR	ANSPORT (EEL)												
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
\vdash	-+	4-WireVG Loop used with 4-wire VG Interoffice Transport		- 1	DINCVA	UEAL4	18.89	127.59	00.54	42.79	∠.81	 	11.90				
1 1		Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				

ATTOON RATE ELBINITS ***PATE 1.00 ***PATE 1	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	oit: B
No. Pire April Source SOURCE				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Advisorition process with values Visit Interface Transport						1	Doo	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	
Combination Zenia 3 UNCOX							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interface Transport - Section 41						I											
Main Pay Mann Main Pay Man			ļ	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
Combination Freinfalls Terrification per north Commission Commis		Mile Per Month			UNCVX	1L5XX	0.0091										
Inchange		combination - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		11.90				
High Capacity Unbrounded Load Loap - DSS combination - Feel UNCDX LEND 10-92		Is Charge				UNCCC		8.98	8.98	8.98	8.98		11.90				
Mile per month Mile per month Mile M	DS3 D		CE TRA	NSPOR	T (EEL)												
Facility Termination per month INCXIX LESPIX 386.88 249.07 120.05 67.10 26.62 11.90					UNC3X	1L5ND	10.92										
Interoffice Transport - Decisional - 1983 - Per Mile per month UNCSX LEXX 3.87																	
Interesting Transprior Conditional - SSS contribution - Facility Lincold								249.97	162.05	67.10	26.82		11.90				
Termination per per month			ļ		UNC3X	1L5XX	3.87										
Is Charge UNCX		Termination per per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				
STST DIGITAL EXTENDED LOOP WITH DEDICATED STST INTEROPFICE TRANSPORT (EEL)			1		LINGOV	1111000		0.00	0.00	0.00	0.00		44.00				
High Capacity Unbundled Local Loop - STSI combination - Per UNCSX 1LSND 10.92	STS1		FICE TE	ANSP		UNCCC		8.98	8.98	8.98	8.98		11.90				
Mile per month UNCSX USND 19.92	0101		l loc II	LANOI V	JKT (LLL)	+											
Facility Termination per month UNCSX UUS\$1 426.60 249.97 162.05 67.10 28.82 11.90		Mile per month			UNCSX	1L5ND	10.92										
Def month UNGSX LISXX 3.87					UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82		11.90				
Interoffice Transport - Declarated - STSI combination - Facility Termination per morth UNCSX UNCCC 8.98 8.98 8.98 8.98 11.90																	
Termination per month					UNCSX	1L5XX	3.87										
Interface UNCSX UNCCC 8.98 8.98 8.98 8.98 11.90		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
First 2Wire ISDN Loop in a DSI Interoffice Combination 1 UNCNX UIL2X 19.28 127.59 60.60 42.79 2.81 11.90					UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
Transport - Zone 1	2-WIR		RT (EEL)													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 2 UNCNX U1L2X 27.40 127.59 60.60 42.79 2.81 11.90				1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 3 UNCNX U1L2X 48.62 127.59 60.60 42.79 2.81 11.90																	
Transport - Zone 3			-	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X				3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
Termination per month					UNC1X	1L5XX	0.1856										
Der month UNC1X MQ1 146.77 51.83 10.75 11.90		Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month					UNC1X	MQ1	146.77	51.83	10.75				11.90				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 1 UNCNX U1L2X 19.28 127.59 60.60 42.79 2.81 11.90		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System								6.71	4 84						
Additional 2-wire ISDN Loop in same DS1Interoffice Transport		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1													
Combination - Zone 3 3 UNCNX U1L2X				2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
Combintaion- per month		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
Is Charge		combintaion- per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				
First DS1 Loop in STS1 Interoffice Transport Combination -		Is Charge				UNCCC		8.98	8.98	8.98	8.98		11.90				
Zone 1	4-WIR		ITEROF	FICE TI	RANSPORT (EEL)												
First DS1 Loop in STS1 Interoffice Transport Combination -				1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
r		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida			ı							1-			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	First POAL and in OTTO Live Was Transport On this state of the Control of the Con				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				ĺ
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		-	ONOTA	OOLXX	170.55	217.75	121.02	31.44	14.45		11.30				
	Per Month			UNCSX	1L5XX	3.87										ĺ
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19	20.06	31.66	5.45	0.00		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84						-
	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				ĺ
	Additional DS1Loop in STS1 Interoffice Transport Combination -			0.10.77	002,01	70.71	20	121.02	0			11100				
	Zone 2	<u> </u>	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				<u> </u>
	Additional DS1Loop in STS1 Interoffice Transport Combination -								ĺ							
	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				└
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				ĺ
4-WID	Is Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 1	DANG		UNCCC		8.98	8.98	8.98	8.98		11.90				
4-99151	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	T TICE	KANS	I (EEL)	+											
	Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				ĺ
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			0.1027	00200	22.20	127.00	00.01	12.170	2.01		11.00				
	Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				ĺ
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															1
	Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															1 '
	Per Mile			UNCDX	1L5XX	0.0091										\longleftarrow
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		11.90				1 '
	Nonrecurring Currently Combined Network Elements Switch -As-			ONCDX	01103	10.44	94.70	32.39	30.49	21.33		11.90				
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				[
4-WIRI	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS													
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															l
	Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				ĺ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODX	ODLO4	33.99	127.00	00.54	42.13	2.01		11.50				
	Per Mile			UNCDX	1L5XX	0.0091										1
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		11.90				
, [Nonrecurring Currently Combined Network Elements Switch -As-			LINODY												1 '
ADDITIONAL	Is Charge NETWORK ELEMENTS	-	-	UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				<u> </u>
	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr	na cha	rape de	not apply but a	Switch As Is o	harge does ann	dv									\vdash
	used as ordinarily combined network elements in All States, the															
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each con	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-								l i							
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	Is Charge - 56/64 kbps	-	-	UNCDX	UNCCC		8.98	8.98	8.98	8.98	-	11.90		-	-	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				1
+	Nonrecurring Currently Combined Network Elements Switch -As-	-	 	014017	ONCOO		0.30	0.90	0.30	0.30		11.50				
	Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				1
	Nonrecurring Currently Combined Network Elements Switch -As-				1			2.30		2.30	İ			l	l	[
	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				<u> </u>
NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo														
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1		1	UNCVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				

UNBUNDL	DLED NETWORK ELEMENTS - Florida													ment: 2		ibit: B
CATEGORY	RY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			1		+		Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates(\$)	1	<u> </u>
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	27.94	265.84	46.97	37.63	4.00	0020	11.90	00			
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCVX	ULDV2	49.58	265.84	46.97	37.63	4.00	İ	11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1			UNCVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2			UNCVX	ULDV4	29.06	266.54	47.67	44.22	5.33	i e	11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade Zone3			UNCVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				1
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.49	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	51.85	216.65	183.54	24.30	16.95	İ	11.90				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	92.00	216.65	183.54	24.30	16.95	i e	11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month		Ť	UNC3X	1L5NC	8.50										
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				1
	Local Channel - Dedicated - BGS - Facility Fermination Local Channel - Dedicated - STS-1- Per Mile per month		t	UNCSX	1L5NC	8.50	300.07	5-10.01	100.10	55.54	1	11.50		 	i	t
	Local Channel - Dedicated - STS-1 - Facility Termination		t	UNCSX	ULDFS	540.69	556.37	343.01	139.13	96.84	1	11.90	l		 	†
Onti	otional Features & Functions:		 	5.100A	020.0	340.03	550.57	545.01	100.10	30.04	†	11.00		 		†
Ори	Clear Channel Capability (SF/ESF) Option - Subsequent		 	ULDD1, U1TD1,	+ -	+	+		 		 		 	 	 	
	Activity - per DS1	I		UNC1X, USL	NRCCC		65.01					11.90				
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		50.01					11.90				
MUL	ULTIPLEXERS															Ī
	OTE: minimum billing period is one month for DS1 to DS0 Channel	Systen	n and i	nterfaces												1
NOT	OTE: minimum billing period is three months for DS3 to DS1 Chann	nel Syst	tem and	d interfaces												
	DS1 to DS0 Channel System (with the higher-level connected to															
	a collocation in the same SWC) per month			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
	DS1 to DS0 Channel System (used to channelize a DS1 Local Channel) per month			ULDD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
-	DS1 to DS0 Channel System (used to channelize a DS1			OLDD1	IVIQI	140.77	101.42	71.02	11.09	10.49	1	11.90				
	Interoffice Channel) per month			U1TD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			OTIDI	IVIQI	140.77	101.42	71.02	11.09	10.43		11.90				
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08				11.90				
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	טטוטו	2.10	10.07	7.00	+ + + + + + + + + + + + + + + + + + +		1	11.90				
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08				11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	01100	טטוטו	2.10	10.07	7.00			ł	11.90				
				UDN	UC1CA	3.66	10.07	7.08				11.90				
	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDIN	UCTCA	3.00	10.07	7.00			-	11.90				
	month used for connection to a channelized DS1 Local Channel			LIATUD	110404	3.66	10.07	7.00				44.00				
	in the same SWC as collocation		-	U1TUB	UC1CA	3.00	10.07	7.08			-	11.90				-
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	40.07	7.08				44.00				
	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	1.38	10.07	7.08	-		-	11.90				
	used for connection to a channelized DS1 Local Channel in the															
				U1TUC	1D1VG	1.38	10.07	7.08				11.90				
	same SWC as collocation DS3 to DS1 Channel System (with the higher level connected to			01100	IDIVG	1.38	10.07	7.08			 	11.90				-
	a collocation in the same SWC) per month			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	DS3 to DS1 Channel System (used to channelize a DS3 Local			UXTD3	IVIQ3	211.19	199.28	118.64	40.34	39.07	-	11.90				
					1400	044.40	400.00	440.04	40.04	00.07		44.00				
	Channel) per month		-	ULDD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				-
	DS3 to DS1 Channel System (used to channelize a DS3															
	Interoffice Channel per month		1	U1TD3	MQ3	211.19	199.28	118.64	40.34	39.07	}	11.90	-	-	 	
	STS-1 to DS1 Channel System (with the higher level connected		1	LIVTOA	MOO	011.10	400.00	440.01	40.01	00.0=		44.00				
	to a collocation in the same SWC) per month		-	UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07	1	11.90				
	STS-1 to DS1 Channel System (used to channelize a STS-1			LII DO1	MOS	044.40	100.00	440.04	40.04	20.07		44.00				
	Local Channel) per month		-	ULDS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	STS-1 to DS1 Channel System (used to channelize a STS-1			LIATOA	MQ3	044.40	400.00	440.04	40.04	20.07	1	44.00				
	Interoffice Channel) per month		1	U1TS1		211.19	199.28	118.64	40.34	39.07	}	11.90	-	-	 	
	DS1 COCI used with Loop per month		1	USL	UC1D1	13.76	10.07	7.08			}	11.90	-	-	 	
	DS1 COCI (used for connection to a channelized DS1 Local		1	LIATUA	LIC4E4	10.70	10.0-	7.00				44.00				
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month		-	U1TUA	UC1D1	13.76	10.07	7.08	 			11.90				<u> </u>
	THE EAST COULTISED WITH INTERDUICE CHANNEL DEL MONTO		1	U1TD1	UC1D1	13.76	10.07	7.08				11.90				
CL	ib-Loop Feeder					ı	I		1		II .					

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
-							00.50	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	60.53	133.77	78.02	85.16	21.21						
LINIBLIA	 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	-	3	UNC1X	USBFG	107.39	133.77	78.02	85.16	21.21						1
UNBUN		OCAL EXCHANGE SWITCHING(PORTS)	-	-		1											1
-		nge Ports	107 1 4	0.751.41													1
		Although the Port Rate includes all available features in GA,	KY, LA	& IN, ti	ne desired features	will need to b	e oraerea usir	ig retail USOCS	5								
	Z-WIRE	E VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80	-	11.90				
		Exchange Ports - 2-wire Analog Line Port- Res.			UEPSK	UEPKL	1.40	3.74	3.03	1.88	1.80	-	11.90				
		Evaluation Derta 2 Wire Applea Line Best with Coller ID. Bee			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				I
-		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEFSR	UEPRC	1.40	3.74	3.03	1.00	1.00	-	11.90				
1	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1	UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				ı
—	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled Florida area calling with	 	1	OLFOR	OLFKU	1.40	3.14	3.03	1.08	1.60	 	11.90	 	1		
	1	Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				ı
-	-	Exchange Ports - 2-Wire VG unbundled Florida Residence Area	-	1	OLI OK	OLFAI	1.40	3.74	3.03	1.00	1.00	 	11.90				
		Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80		11.90				I
-	1	Exchange Ports - 2-Wire VG unbundled Florida extended	 	1	OLFOR	OLF A9	1.40	3.14	3.03	1.08	1.60	 	11.90	 	1		
	1	dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80		11.90				ı
—	 	Exchange Ports - 2-Wire VG unbundled Florida extended	-		OLI OIX	JLI AI	1.40	3.14	3.03	1.00	1.00	-	11.50		 		
		dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80		11.90				I
-		Exchange Ports - 2-Wire VG unbundled res, low usage line port			OLI OIX	OLI AO	1.40	3.74	3.03	1.00	1.00		11.50				
		with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				I
		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLI OK	OLI AI	1.40	5.74	5.05	1.00	1.00		11.50				
		Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80		11.90				I
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		1.00		11.90				
-	FEATU				OLI OIX	00/100	0.00	0.00	0.00			-	11.50				
	LAIG	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00			1	11.90				
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)			02. 0.0	02	2.20	0.00	0.00				11100				
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				I
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				I
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				I
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				I
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80		11.90				I
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				11.90				
	FEATU	RES															
		All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18		0.7187		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				<u> </u>
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90		ļ		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				<u> </u>
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90				ļ
	ļ	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90		ļ		ļ
1	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1		İ											ı
	ļ	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90		ļ		ļ
	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				l											I
ļ	ļ	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				
1	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1					40 :-								I
<u> </u>	ļ	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187	-	11.90	 			
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	LIEDOD	LIEDYG					. =						ı
		Discount Room Calling Port	l	l	UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187	1	11.90				

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
0.120												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to at									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac rat	Disc Add I
							Rec	Nonrec			g Disconnect				Rates(\$)		
							IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				<u> </u>
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				11.90			'	
	FEAT															<u> </u>	<u> </u>
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90			<u> </u>	<u> </u>
	EXCH/	ANGE PORT RATES (COIN)														'	
		Exchange Ports - Coin Port					1.40		3.63	1.88	1.80		11.90			 '	
		Transmission/usage charges associated with POTS circuit sy													L		
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
UNBUN		LOCAL EXCHANGE SWITCHING(PORTS)														 '	
⊢—	EXCH/	ANGE PORT RATES		1	LIEDEY	LIEDES		==				-		.	-	 '	
<u> </u>	<u> </u>	Exchange Ports - 2-Wire DID Port		-	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90	 	 	1.83	
	l	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	UEPDD	LIEDES	54.05			40.01	0.40		44.00			1	1
	-	capability		-		UEPDD U1PMA	54.95	151.11	77.75	48.81	3.10	-	11.90 11.90	-	-	1.83	
-		Exchange Ports - 2-Wire ISDN Port (See Notes below.)		-	UEPTX UEPSX		8.83	46.83	50.68	27.64	11.93					1.83	
-	NOTE	All Features Offered	and the second		UEPTX UEPSX	UEPVF	2.26	0.00	0.00	· · · · · · · · · · · · · · · · · · ·			11.90			1.83	
-		Transmission/usage charges associated with POTS circuit sy													Danwart Dra		
-	NOTE:	Access to B Channel or D Channel Packet capabilities will be	avaiiai	ole only							etermined via t	ne Bona Fid	ie Request/	New Busines	s Request Pro	cess.	
-	-	Exchange Ports - 2-Wire ISDN Port Channel Profiles		-	UEPTX UEPSX UEPEX	U1UMA UEPEX	0.00 82.74	0.00 174.61	0.00 95.17	49.80	18.23		11.90			1.83	
-	LINIDIII	Exchange Ports - 4-Wire ISDN DS1 Port NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,		UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	
-		NDLED REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-								-				\vdash	
-	UNDU	Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80	-	11.90			\vdash	
	-	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEFVK	UERAC	1.40	3.74	3.03	1.00	1.00	1	11.90			$\vdash \vdash \vdash$	
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80		11.90			, '	ł
	-	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80	1	11.90			$\vdash \vdash \vdash$	
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	1	11.90				
	Non-P	ecurring			OLI VIC	OLIVIN	1.40	5.74	5.05	1.00	1.00		11.50			\vdash	$\overline{}$
	NOII-IX	Unbundled Remote Call Forwarding Service - Conversion -		1		+						-					
		Switch-as-is			UEPVR	USAC2		0.102	0.102				11.90			, ,	í
		Unbundled Remote Call Forwarding Service - Conversion with			02. ***	00,102		0.102	0.102			1	11.00				
		allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102							, ,	í
	UNBU	NDLED REMOTE CALL FORWARDING - Bus							*****								
																	·
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80		11.90			, ,	í
																	·
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80		11.90			, ,	í
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				i
		Unbundled Remote Call Forwarding Service Expanded and															i
		Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90			<u> </u>	ı
	Non-R	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -														1	í
		Switch-as-is			UEPVB	USAC2		0.102	0.102				11.90			<u> </u>	l
		Unbundled Remote Call Forwarding Service - Conversion with														·	ĺ
		allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102							<u> </u>	<u> </u>
UNBUN		LOCAL SWITCHING, PORT USAGE															<u> </u>
	End O	fice Switching (Port Usage)														<u> </u>	<u> </u>
	<u> </u>	End Office Switching Function, Per MOU				1	0.0007662							ļ	ļ	'	
		End Office Trunk Port - Shared, Per MOU		<u> </u>		1	0.000164			ļ				ļ	ļ	 '	
ļ	Tande	m Switching (Port Usage) (Local or Access Tandem)		 		<u> </u>				ļ				ļ		 '	
	.	Tandem Switching Function Per MOU		-		-	0.0001319									 '	
	0.	Tandem Trunk Port - Shared, Per MOU		ļ		1	0.000235				-	-		ļ		 '	
	Comm	on Transport		-		-	0.000000==									 '	.
<u> </u>	ļ	Common Transport - Per Mile, Per MOU		<u> </u>		1	0.0000035									⊢——'	
LINIBUS	IDI EE	Common Transport - Facilities Termination Per MOU		-		1	0.0004372			!	-			 	 		
ONBON		PORT/LOOP COMBINATIONS - COST BASED RATES	d/a - C	oto O		avida Hele	dlad Least Corr	tohing or Cuit	h Borts	-	-	1		 	 	\vdash	
—		ased Rates are applied where BellSouth is required by FCC are								d Dort costin	of this Bots 5	Vhibit		-		\vdash	
<u> </u>	reatur	es shall apply to the Unbundled Port/Loop Combination - Cos	L Basec	rate s	section in the same i	manner as tr	iey are applied	to the Stand-A	one of lear 's	et potwork -	or this Rate E	AUDIT.	n Bort/Loan	Combinetic	L		
	j⊑na O	fice and Tandem Switching Usage and Common Transport Us	aye rat	៤៦ រា ព	ie Poit Section of th	no rate extilb	nı sıran appıy to	an combination	ль он юор/рс	iir iiermolk elel	nems except	IOI UNE COI	11 FUI (/LOOK	Oliminatio	15.	1 '	

UNBUNDL	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	'	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_							Name		I Name a comming	. Dianamant			000	Detec(f)	l	l
\vdash	_		-	-			Rec	Nonred		Nonrecurring		001150	001111		Rates(\$)	001141	001441
The	firet	and additional Port nonrecurring charges apply to Not Curi	rontly C	ombine	d Cambaa Far Cur	rontly Combi	ned Combos t	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	lently C	T	l Combos. For Cur	rently Combi	nea Combos u	ie nonrecurrin	g charges sha	li be those idei	l linea in the N	l	- Currently	Combined S	ections.	-	
		/Loop Combination Rates				1											
0.11		-Wire VG Loop/Port Combo - Zone 1		1		1	10.94										
		-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE		p Rates															
	2-	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77										
	2-	-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88										
		-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63										
2-Wi		pice Grade Line Port Rates (Res)															
\vdash		Wire voice unbundled port - residence	ļ		UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37		11.90	ļ	1	1	ļ
\vdash		-Wire voice unbundled port with Caller ID - res	ļ		UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37		11.90		ļ		
\vdash	2-	-Wire voice unbundled port outgoing only - res	_	<u> </u>	UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37		11.90		-	-	
	_	Miles resident resident Florida Accordante 195 Oct. 12			LIEDDY	LIEDAE		50.01	00.40	07.50	0.0-		44.00		I	I	
\vdash		Wire voice unbundled Florida Area Calling with Caller ID - res	-	├	UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37		11.90		 	 	<u> </u>
		-Wire voice unbundles res, low usage line port with Caller ID .UM)			UEPRX	UEPAP	1.17	EO 04	26.40	27.50	8.37		11.00		1	1	
\vdash		-Wire voice unbundled Florida extended dialing port for use	╂	-	UEPKA	UEPAP	1.17	53.31	26.46	27.50	8.37		11.90		 	 	
		ith CREX7 and Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37		11.90				
\vdash		-Wire voice unbundled Florida extended dialing port for use	1		UEFRA	UEPAI	1.17	33.31	20.40	27.50	0.37		11.90		-	-	
		ith CREX7, without Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37		11.90				
\vdash		Wire voice unbundled Florida Area Calling Port without Caller			OLI IOX	OLI AO	1.17	33.31	20.40	21.50	0.57		11.30				
		Capability			UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37		11.90				
		Wire voice unbundled Low Usage Line Port without Caller ID			021.101	02.7.0		00.01	20.10	27.00	0.07		11.00				
		apability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37		11.90				
FEA	TURE																
	Al	Il Features Offered			UEPRX	UEPVF	2.26	0.00	0.00				11.90				
LOC	CAL N	UMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON		URRING CHARGES (NRCs) - CURRENTLY COMBINED															
		-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		witch-as-is	ļ		UEPRX	USAC2		0.102	0.102				11.90				
		-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
ADE		witch with change	-		UEPRX	USACC		0.102	0.102	1			11.90		1		
ADD		NAL NRCs -Wire Voice Grade Loop/Line Port Combination - Subsequent	╂	-		+				-					 	 	
		vvire voice Grade Loop/Line Port Combination - Subsequent ctivity			UEPRX	USAS2	0.00	0.00	0.00	1			11.90		1	1	
2-1/1/		OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	-	OLFIX	UUAUZ	0.00	0.00	0.00	 	 	1	11.90	 	 	 	
		/Loop Combination Rates	 			+				t				 	t	 	
O.VE		-Wire VG Loop/Port Combo - Zone 1	†	1		1	10.94			I		-	-		I	I	H
		-Wire VG Loop/Port Combo - Zone 2		2			15.05			<u> </u>					<u> </u>	<u> </u>	i
		-Wire VG Loop/Port Combo - Zone 3		3			25.80			1		İ	İ	İ	1	1	
UNE		p Rates															
	2-	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
		-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
	2-	-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wi		pice Grade Line Port (Bus)															
		Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37		11.90				
\vdash		Wire voice unbundled port with Caller + E484 ID - bus	ļ		UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37		11.90	ļ	1	1	ļ
\vdash		Wire voice unbundled port outgoing only - bus	ļ	<u> </u>	UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37		11.90		ļ	ļ	
\vdash		-Wire voice unbundled incoming only port with Caller ID - Bus	<u> </u>	ļ	UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37	ļ	11.90	 	-	-	
		Wire voice unbundled Incoming Only Port without Caller ID			LIEDBY	HEDDE	4 47	50.01	00.40	07.50	0.07		44.00		1	1	
100		apability UMBER PORTABILITY	1	-	UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37		11.90	-	 	 	
LOC		DOCAL Number Portability (1 per port)	+	+	UEPBX	LNPCX	0.35			 		-	-	-	 	 	
EEA	TURE		 	-	ULFDA	LINEUX	0.35			 		-	-	 	 	 	
FEA		Il Features Offered	 		UEPBX	UEPVF	2.26	0.00	0.00	t			11.90	 	t	 	
			1	1	J D/	vi	2.20	0.00	0.00	1	1	1	11.30	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		1	-		+	ı	Nonrec	urrina	Nonrecurring	Disconnect			088	Rates(\$)		<u> </u>
-		1	1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+		11131	Auu	11130	Addi	JOHILO	JOHAN	JONIAN	JONIAN	JONIAN	JONIAN
	Switch-as-is			UEPBX	USAC2		0.102	0.102				11.90				1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Switch with change			UEPBX	USACC		0.102	0.102				11.90				
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1		+				-							
	Activity			UEPBX	USAS2		0.00	0.00				11.90				i l
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1	021 5/1	00/102		0.00	0.00				11.00				
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										$oxed{oxed}$
\vdash	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										\vdash
LINE	2-Wire VG Loop/Port Combo - Zone 3	1	3			25.80			-							—
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	9.77			 		1	-	-	-	-	
 	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPRG	UEPLX	13.88			 							
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	24.63			1							
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															i
	Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73		11.90				
LOCA	L NUMBER PORTABILITY	ļ	ļ													
	Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00				11.90				—
FEAT	All Features Offered	1	 	UEPRG	UEPVF	2.26	0.00	0.00	-			11.90				—
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	OLFRG	OLF VI	2.20	0.00	0.00	1		ł	11.90				
HOME	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1													
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				11.90				1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91				11.90				1
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO		0.00	0.00	0.00				11.90				1
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	<u> </u>	-	UEPRG	USAS2	0.00	0.00	0.00	-			11.90				—
	Group						7.86	7.86				11.90				1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1	1				7.00	7.00				11.00				
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3	-	3		+	25.80			-		-					—
UNE L	oop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPPX	UEPLX	9.77			-				-	-	-	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	2	UEPPX	UEPLX	13.88			+		1	—				<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	24.63			t							
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
\vdash	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73		11.90				
\vdash	Line Side Unbundled Outward PBX Trunk Port - Bus	-	1	UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73	-	11.90				—
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports	 	1	UEPPX UEPPX	UEPP1 UEPLD	1.17 1.17	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73	1	11.90 11.90	-	-	-	
 	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<u> </u>	1	UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73	 	11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	t	UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73	1	11.90	1	1	1	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73		11.90	İ	İ	İ	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1											l	l	l	1
\vdash	Capable Port	ļ	1	UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73	ļ	11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73		11.90				1
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<u> </u>	1	UEPPA	UEPAL	1.17	174.81	100.65	75.88	12./3	 	11.90				
	Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73		11.90				(J
		1	-	1	1			.00.00		.2.70						-

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ĺ											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ĺ		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ĺ		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
ĺ													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73		11.90				
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90				
FEAT	TURES															
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
\vdash	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110466											
	Conversion - Switch with Change	1	!	UEPPX	USACC		8.45	1.91		-		11.90	 	 	-	
ADDI	ITIONAL NRCs	1	!		+											↓
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDY	110400	0.00	0.00	0.00			1	44.00				
	Subsequent Activity	╂	<u> </u>	UEPPX	USAS2	0.00	0.00	0.00			-	11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.00	7.00				44.00				
0.14/	Group RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	DT	1		1		7.86	7.86				11.90				
	Port/Loop Combination Rates	KI	<u> </u>									-				
UNE	2-Wire VG Coin Port/Loop Combo – Zone 1	+	1		1	10.94										
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2	+	2		+ +	15.05					-	-				
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		+	25.80										
LINE	Loop Rates	1	3		+	25.60										
OIAL	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	+	2	UEPCO	UEPLX	13.88										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	24.63										
2-Wi	re Voice Grade Line Ports (COIN)	1		021 00	OLI LX	24.00										-
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1 1											
	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				1											
	(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:	1	i													
1	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37		11.90				
1	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37		11.90				<u> </u>
\Box	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37		11.90				
1 1 -	2-Wire Coin Outward Smartline with 900/976 (all states except		1		Ι											
$\vdash \vdash \vdash$	LA)	ļ	<u> </u>	UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37		11.90				
ADDI	ITIONAL UNE COIN PORT/LOOP (RC)	ļ	<u> </u>	LIEBOO	Lines											
	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	<u> </u>	UEPCO	URECU	1.86	0.00	0.00	0.00	0.00		11.90				↓
LOC/	AL NUMBER PORTABILITY	1	1	LIEBOO	LNDCY						ļ		 	 	 	
115	Local Number Portability (1 per port)	 	!	UEPCO	LNPCX	0.35				-			 	 	 	—
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	 		+					-			-	-	-	
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	1		UEPCO	USAC2		0.102	0.102			1	11.90				
$\vdash \vdash \vdash$	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	+	1	ULFUU	USAUZ		0.102	0.102			-	11.90	-	-		┼──
1	2-vvire voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		0.102	0.102			1	11.90				
ADD.	TIONAL NRCs	+	t	OLFOO	JUACC		0.102	0.102		 		11.90	l	l	l	
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	+	l l		+ +											
i I	Activity			UEPCO	USAS2		0.00	0.00			1	11.90				
2-1//	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	FIINE	PORT /		00/102		0.00	0.00				11.50				
	Port/Loop Combination Rates	I CINE	J (I	_J	+ +											+
LUNE		1	1						I .							
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 2			13.64 18.80										

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect	i e		oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24					i e					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40					i e					
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87					i e					
2-W	re Voice Grade Line Port Rates (Res)		Ť								i e					
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73	i e	11.90				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73	i e	11.90				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73	i e	11.90				
											i e					
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID	†	t —		J=	1.40	174.01	100.00	70.00	12.70	1	11.50		†	t	
	(LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		11.90		1	1	1
INTE	ROFFICE TRANSPORT	 	 	021111	JE1 / N	1.40	174.01	100.03	73.00	12.73	†	11.30		t	t	—
11416	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	 		+ -				 		 	 		 	 	
	Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	 	OLFIN	UIIVZ	20.32	41.33	31.78	 		1	 		+	+	
	or Fraction Mile			UEPFR	1L5XX	0.0091										
EEA	TURES	-	-	UEPFK	ILSAA	0.0091					ł	-		-	-	
FEA		-	-	UEPFR	UEPVF	2.26	0.00	0.00			-	11.90				-
1.00	All Features Offered AL NUMBER PORTABILITY	-	-	UEPFR	UEPVF	2.26	0.00	0.00			-	11.90				
LOC		-	-	LIEDED	LNDOV	0.05					-					
1101	Local Number Portability (1 per port)	-	-	UEPFR	LNPCX	0.35					-					
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						40.00									
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90				└
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change	<u> </u>		UEPFR	USACC		16.97	3.73				11.90				└
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
2-W	re Voice Grade Line Port (Bus)		<u> </u>								ļ	ļ		ļ	ļ	
	2-Wire voice unbundled port without Caller ID - bus	ļ	 	UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73	ļ	11.90		.	.	1
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundled port outgoing only - bus	<u> </u>	<u> </u>	UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73		11.90		ļ	ļ	
	2-Wire voice unbundled incoming only port with Caller ID - Bus	<u> </u>	<u> </u>	UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73		11.90		ļ	ļ	↓
LOC	AL NUMBER PORTABILITY	<u> </u>	<u> </u>											ļ	ļ	
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35						L				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination	<u> </u>	<u> </u>	UEPFB	U1TV2	25.32	47.35	31.78						<u> </u>		<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							-								1
	or Fraction Mile	<u> </u>	<u> </u>	UEPFB	1L5XX	0.0091										<u> </u>
FEA	TURES															1
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					j										
	Combination - Conversion - Switch-as-is	1	1	UEPFB	USAC2		16.97	3.73			1	11.90		I	I	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change	1	1	UEPFB	USACC		16.97	3.73			1	11.90		I	I	1
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				1											
	Port/Loop Combination Rates	İ			1 1						İ					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1	13.64			1		1			İ	İ	
l I									1						-	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80	ļ.									l .

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,		Manual Svc		
CATEGORI	KATE EEEMERTO	m	20116	500	0000			IXATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-				Nonred	urrina	Nonrecurring	Disconnect		l .	000	Rates(\$)		
						Rec										
———							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus	i	1	UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73	ĺ	11.90		İ		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73	1	11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 	1	UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73	†	11.90		1		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	 	UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73	-	11.90				
 	2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	 	UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73	 	11.90		1		
\vdash		!	 	UEPFP	UEPXC	1.40					-					
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-	-	UEFFF	UEPAD	1.40	174.81	100.65	75.88	12.73	 	11.90		<u> </u>		
1 1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	l	1					400								
	Capable Port	ļ		UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73		11.90				
LOCA	L NUMBER PORTABILITY	-		02.77	02.70	0		100.00	70.00	12.70		11.00				
2007	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				11.90				
INTER	ROFFICE TRANSPORT	-		OLFIF	LINECE	3.13	0.00	0.00			-	11.90				
INTER			-													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11470 /0	05.00	47.05	04.70								
	Termination			UEPFP	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.0091										
FEAT																
	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00				11.90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73				11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73				11.90				
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES	i	1								ĺ	i		İ		
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1						i e	i		i e		
	Port/Loop Combination Rates	T	1								†			1		
0.42	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	l -	1		1	20.95					 	1		†		
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	 	2		+	26.11					 	 		†		
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	 	3		1	39.58					 	 		1		
LINE I	Loop Rates	!	3			38.38					-	-				
UNE		 	1	HEDDY	LIEOD1	10.01					 	44.00		 	100	
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-		UEPPX	UECD1	12.24					.	11.90		-	1.83	
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	ļ	2	UEPPX	UECD1	17.40						11.90			1.83	
<u> </u>	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87						11.90			1.83	
UNE	Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29			ļ	11.90			1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	l								· · · · · · · · · · · · · · · · · · ·		l				
	Switch-as-is	<u> </u>	<u></u>	UEPPX	USAC1		7.85	1.87			<u> </u>	11.90		<u> </u>		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes	l	1	UEPPX	USA1C		7.85	1.87				11.90				
ADDI	TIONAL NRCs	i –			1 -						i e	1		i e		
ADDI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	l -	t	UEPPX	USAS1		32.26	32.26	-		 	11.90		†		
Tolon	hone Number/Trunk Group Establisment Charges	-	 	OLITA	COACI		52.20	52.20			 	11.90		 		
reiep		-	-	LIEDDY	NDT	0.00	0.00	0.00			-	11.00		-	1.00	
\Box	DID Trunk Termination (One Per Port)	l		UEPPX	NDT	0.00	0.00	0.00			1	11.90		l	1.83	

CATEGORY																	bit: B
CATEGORY	1											Svc Order	Svc Order	Incremental		Incremental	Incremental
CATEGORY												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		L M	B'		l	000	D - ((A)		
		-	-				Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	0011411	001111
	DID North and Fatablish Troub Cooks and Decide First Cooks							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00				11.90			1.83	i .
	Additional DID Numbers for each Group of 20 DID Numbers	-	-	UEPPX		ND4	0.00	0.00	0.00			-	11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00			-	11.90			1.83	——
	Reserve Non-Consecutive DID numbers	-	-	UEPPX		ND6	0.00	0.00	0.00			1	11.90			1.83	—
$\overline{}$	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00			1	11.90			1.83	—
LOCA	L NUMBER PORTABILITY			ULFFA		INDV	0.00	0.00	0.00				11.90			1.03	
LOCAL	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00			-					—
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT			LIVI OI	0.10	0.00	0.00								
	Port/Loop Combination Rates	I OIDE	1									-					—
- 0.1.2.1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
1	UNE Zone 1		1	UEPPB	UEPPR		22.63						1				1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -									1							
	UNE Zone 2		2	UEPPB	UEPPR		29.05										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1							1							
	UNE Zone 3		3	UEPPB	UEPPR		45.84										1
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
UNE P	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	194.52	145.09				11.09			1.83	1
NONR	ECURRING CHARGES - CURRENTLY COMBINED																1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																l .
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
	TONAL NRCs																
LOCAI	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	ANNEL USER PROFILE ACCESS:																——
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)	-	-	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
D CIII	CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	C MC O	TAIL	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	TERMINAL PROFILE	C,IVIO, &	IN)														
USER	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			-					——
VERTI	CAL FEATURES			OLFFB	ULFFR	UTUNA	0.00	0.00	0.00								
VERT	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00			-	11.90				—
INTER	OFFICE CHANNEL MILEAGE			OLITB	OLITIK	OLI VI	2.20	0.00	0.00			-	11.00				—
	Interoffice Channel mileage each, including first mile and		t														
1	facilities termination			UEPPB	UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03		11.90			1.83	1
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00	.0.01	7.00		11.90			1.83	
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT					,	2.20	2.30		l				l		ſ
	Port/Loop Combination Rates										l				l		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
1	Zone 1	<u> </u>	1	UEPPP			153.48			<u> </u>	<u></u>	<u></u>	<u></u>		<u></u>		1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2	<u></u>	2	UEPPP		<u> </u>	183.28				<u></u>				<u> </u>		<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	Zone 3		3	UEPPP			261.12										
UNE L	oop Rates																
\longrightarrow	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74						11.90			1.83	
\longrightarrow	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100.54						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38						11.90			1.83	—
UNE P	Port Rate		-	LIEDOS		LIEDES	00.71	400.00	070.65				44.00			100	—
NOVE	Exchange Ports - 4-Wire ISDN DS1 Port		-	UEPPP		UEPPP	82.74	488.36	276.65			-	11.90			1.83	
NONRI	ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		-														
	Combination - Conversion -Switch-as-is		1	UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	1

UNBU	NDLE	D NETWORK ELEMENTS - Florida													ment: 2		ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.5412					11.90			1.83	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
	LOCAL	NUMBER PORTABILITY			LIEBBB	LUBOU											
	====	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTER	FACE (Provsioning Only)		-	LIEDDD	DD74)/	0.00	0.00	0.00			1					
		Voice/Data			UEPPP UEPPP	PR71V PR71D	0.00	0.00	0.00			 					
		Digital Data Inward Data	!	+	UEPPP	PR71D PR71E	0.00	0.00	0.00	+ +		 	-	 		-	
		Additional "B" Channel	!	+	OLFFF	FR/IE	0.00	0.00	0.00	+ +		 	-	 		-	
		New or Additional - Voice/Data B Channel	 	 	UEPPP	PR7BV	0.00	15.48		+		}	11.90	+	 	1.83	
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48		1			11.90			1.83	
		New or Additional Inward Data B Channel	 		UEPPP	PR7BD	0.00	15.48		+ +		 	11.90	 	 	1.83	
	CALL 1				OLITI	I KIDD	0.00	13.40				†	11.50			1.03	1
	OALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00			†	-				1
		Outward			UEPPP	PR7CO	0.00	0.00	0.00			†	†				
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
		fice Channel Mileage			02		0.00	0.00	0.00			İ					
		Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05	İ	11.90			1.93	
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856					t					1
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT											İ				1
		ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		125.69						11.90			1.83	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		155.49						11.90			1.83	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		233.33						11.90			1.83	
		pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38						11.90			1.83	
	UNE P	ort Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54.95	464.86	259.23				11.90			1.83	
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>							1		1					_
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		LIEDDO	LICACA		05.01	40 = 1				44.00	I		4.00	
		- Switch-as-is	 	-	UEPDC	USAC4		95.31	46.71	+ +		 	11.90	 	 	1.83	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes	1		UEPDC	USAWA		95.31	46.71				11.90	I		1.83	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	 	OLPDO	USAVVA		95.31	46.71	+		}	11.90	+	 	1.83	
		- Conversion with Change - Trunk	1		UEPDC	USAWB		95.31	46.71	1			11.90	1		1.83	
	ADDITI	ONAL NRCs	 	 	02.1 00	JOAND		30.31	70.71	+ + +			11.50	+		1.03	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	 	 		+				+ + +				+			
		Subsequent Channel Activation/Chan - 2-Way Trunk	1		UEPDC	UDTTA		15.69	15.69	1			11.90	1		1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	l	t		32			.0.00	† †				1	i		
		Channel Activation/Chan - 1-Way Outward Trunk	1		UEPDC	UDTTB		15.69	15.69				11.90	I		1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel										İ			1		
		Activation/Chan Inward Trunk w/out DID	1		UEPDC	UDTTC		15.69	15.69				11.90	I		1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
	BIPOL	AR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00	1			11.90			1.83	<u> </u>
	Alterna	te Mark Inversion	ļ			1				1		ļ		1	ļ		
		AMI -Superframe Format	ļ	<u> </u>	UEPDC	MCOSF		0.00	0.00	1				ļ	ļ		ļ
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								l

RUND	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
											Svc Order	Svc Order	Incremental			Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to at									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
EGOR1	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	
		m			0000						per LSK	per LSR	Order vs.			Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
		<u> </u>	-				Names		l Namesaumina	Diagonard		l	220	Detec(f)		
_		-	-		1	Rec	Nonrec		Nonrecurring		001150	SOMAN		Rates(\$)	001441	001111
Tale	ephone Number/Trunk Group Establisment Charges	-	-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
reie			-	LIEDDO	LIDTOY	0.00						44.00			4.00	
—	Telephone Number for 2-Way Trunk Group	1	 	UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00	i i			11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00	i			11.90			1.83	ĺ
Dec	licated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS	Trunk Port											
1200	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	gu			1							i e				
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	l
+	Torrinduon)	+	+	021 00	ILIVOI	00.44	103.54	30.47	21.47	19.05	-	11.50		 	1.03	-
	Interesting Channel Milesen Additional and a control of the contro	1	1	LIEDDO	41.000	0.4050	2.22	0.00			1	I		1		1
+	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	+	-	UEPDC	1LNOA	0.1856	0.00	0.00				.		-	-	
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1	1	1						I	I		1	1	1
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								L
	Interoffice Channel Mileage - Additional rate per mile - 9-25	1	1		1						1	I		1		1
	miles			UEPDC	1LNOB	0.1856	0.00	0.00	<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	
T	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)	1	1	UEPDC	1LNO3	0.00	0.00	0.00	0.00		I	I		1	1	1
	<u> </u>	1	1						1		ĺ	ĺ		İ	İ	i
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00				1				l
+	Local Number Portability, per DS0 Activated	+	+	UEPDC	LNPCP	3.15	0.00	0.00	0.00		 	t e				-
+	Central Office Termininating Point	+	+	UEPDC	CTG	0.00	0.00	0.00	0.00		 	 		l	 	
4 14	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT	+	+	UEPUC	010	0.00					-	-		-		
		fired .	_	+	+	 					-	 		-	-	
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Ac				1							.		-	-	
	h System can have up to 24 combinations of rates depending of	n type a	nd nun	nper of ports used	1							ļ				<u> </u>
UNI	E DS1 Loop	<u> </u>	1		1											<u> </u>
\bot	4-Wire DS1 Loop - UNE Zone 1	ļ	1	UEPMG	USLDC	70.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
UNI	E DSO Channelization Capacities (D4 Channel Bank Configuration	ons)								•						
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00	i i			11.90		l	1.83	
\top	48 DSO Channel Capacity - 1 per 2 DS1s	1	1	UEPMG	VUM48	236.12	0.00	0.00	i i		i	11.90		i	1.83	i
+	96 DSO Channel Capacity - 1 per 4 DS1s	1	1	UEPMG	VUM96	472.24	0.00	0.00			†	11.90		 	1.83	
+	144 DS0 Channel Capacity - 1 per 6 DS1s	+	+	UEPMG	VUM14	708.36	0.00	0.00	 		 	11.90			1.83	
+	192 DS0 Channel Capacity -1 per 8 DS1s	+	+	UEPMG	VUM19	944.48	0.00	0.00			 	11.90			1.83	
+		1	+								-					
+	240 DS0 Channel Capacity - 1 per 10 DS1s	+	-	UEPMG	VUM2O	1,180.60	0.00	0.00				11.90		-	1.83	ļ
4	288 DS0 Channel Capacity - 1 per 12 DS1s	ļ	1	UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	ļ
\bot	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00	l i			11.90			1.83	
Nor	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	th Chan	neliztio	on with Port - Conve	rsion Charge	Based on a Sv	stem		i i					1		
	linimum System configuration is One (1) DS1, One (1) D4 Channe										İ	i		İ	İ	i
	Itiples of this configuration functioning as one are considered A											1				
	NRC - Conversion (Currently Combined) with or without	1	1								†	†				
- 1	BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24				11.90				l
	tem Additions at End User Locations Where 4-Wire DS1 Loop w	ith Char	nolisa					4.24	-		-	11.90		-	-	
C					mation Curre	ining Exists and					-	 		-	-	
		1 of Top	8 MS/	A'S	1									ļ		
	v (Not Currently Combined) in all states, except in Density Zone	1 .		1	1							1				
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port						726.11	468.21	145.32	17.24	l	11.90		I	l	
Nev	DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation			UEPMG	VUMD4	0.00	720.11									
Nev	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			UEPMG	VUMD4	0.00	720.11					11.00				
Nev	DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation			UEPMG	VUMD4	0.00	720.11					71.00				
Nev	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation olar 8 Zero Substitution				VUMD4 CCOSF	0.00	0.00	655.00								
Nev	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation olar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG UEPMG				655.00				11.90				
Nev	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation olar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent							655.00 655.00								

UNBUN	IDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.
			m						- (,,			per Lor	per Lor	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
\vdash		0 (UEPMG	140005		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+		Superframe Format Extended Superframe Format			UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00								
F	xchar	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLFIVIG	IVICOFO	0.00	0.00	0.00								
		ige Ports	J. 1 W. ICII	1 0.1		1											
		3															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00		11.90			1.83	
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00		11.90			1.83	
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX UEPPX	UEP1X	1.40 8.71	0.00	0.00	0.00	0.00		11.90 11.90			1.83	
	oatur	2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	
H	eature	Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93		11.90			1.83	
		Feature (Service) Activation for each Trunk Port Terminated in					5.5.02			2.00	3.00			İ	İ		
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95	<u></u>	11.90	<u></u>	<u> </u>	1.83	
T	eleph	one Number/ Group Establishment Charges for DID Service									-						
\Box		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				
\vdash		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
\vdash		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
\vdash		Reserve Non-Consecutive DID Numbers Reserve DID Numbers		-	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00				11.90 11.90				
	ocal N	lumber Portability			UEPPA	INDV	0.00	0.00	0.00				11.90				
	.ooui i	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
F	EATU	RES - Vertical and Optional										1					
		Switching Features Offered with Line Side Ports Only										1					
		All Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
		PORT LOOP COMBINATIONS - MARKET RATES															
		Rates shall apply where BellSouth is not required to provide	unbunc	lled loo	al switching or swi	tch ports per	r FCC and/or St	ate Commissio	n rules.								
		cludes:	1-1-0				MOAO : D-110			20. 4							
		dled port/loop combinations that are Currently Combined or N p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											0)				
		p o MSAS III BellSouth's region are. FL (Orlando, Ft. Lauderdo ath currently is developing the billing capability to mechanica												. In the interi	m where Bell	South cannot	bill Market
		BellSouth shall bill the rates in the Cost-Based section preced								ig onarges for	lot carrently	Jonnbinea III		. III the interi	III WIICIC BCIII	ooutii ouiiiiot	DIII Market
		rket Rate for unbundled ports includes all available features i						- р д д .									
E	nd Of	fice and Tandem Switching Usage and Common Transport Us	age rat	es in th	e Port section of th	is rate exhib	it shall apply to	all combination	ns of loop/po	rt network elen	nents except	for UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	sage charge
(USOC	URECU).															
F	or No	t Currently Combined scenarios the Nonrecurring charges are	listed i	in the F	irst and Additional	NRC column	s for each Port	USOC. For Cu	rrently Combi	ned scenarios,	the Nonrecu	ring charge	s are listed	in the NRC - 0	Currently Con	bined section	n.
		nal NRCs may apply also and are categorized accordingly.															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
U	JNE P	ort/Loop Combination Rates															
\vdash		2-Wire VG Loop/Port Combo - Zone 1		1		1	23.77										
\vdash		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	27.88 38.63					 	-				
 		pop Rates		٥		+	30.03					1	1	 	 		
T		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77						†	1	1		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	24.63					İ.,					
2	-Wire	Voice Grade Line Port (Res)									-						
$\sqcup \bot$		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00				11.90	ļ			
\vdash		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00			<u> </u>	11.90				
\vdash		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00				11.90				
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14.00	90.00	90.00				11.90				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				11.90				
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	14.00	90.00	90.00				11.90				

UNBUN	DLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>																	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
\vdash		0 W						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID			UEPRX	UEPA1	14.00	90.00	90.00				11.90				
\vdash		2-Wire voice unbundled Florida extended dialing port for use		-	UEPKX	UEPAT	14.00	90.00	90.00				11.90				
		with CREX7, without Caller ID capability			UEPRX	UEPA8	14.00	90.00	90.00				11.90				
		2-Wire voice unbundled Florida Area Calling Port without Caller		<u> </u>	OLFKX	ULFAG	14.00	90.00	90.00				11.90				
		ID Capability			UEPRX	UEPA9	14.00	90.00	90.00				11.90				
17		NUMBER PORTABILITY		<u> </u>	OLITAX	OLI AS	14.00	30.00	30.00				11.50				
F - F		Local Number Portability (1 per port)		<u> </u>	UEPRX	LNPCX	0.35										
F	EATU				021101	2.1. 07.	0.00										
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				11.90				
N/		CURRING CHARGES - CURRENTLY COMBINED				1											
	Ī																
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				11.90				
		2-Wire Voice Grade Loop / Line Port Combination - Switch with		1					-						1		
		change			UEPRX	USACC		41.50	41.50				11.90				
A!		ONAL NRCs								<u> </u>							
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent	<u></u>	<u></u>	UEPRX	USAS2		0.00	0.00				11.90				
2-	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UI		rt/Loop Combination Rates															
\vdash		2-Wire VG Loop/Port Combo - Zone 1		1			23.77										
\vdash		2-Wire VG Loop/Port Combo - Zone 2		2			27.88										
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3			38.63										
UI		op Rates				l											
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63					-					
2-		Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus		<u> </u>	UEPBX	UEPBL	14.00	90.00	90.00			-	11.90				
		2-Wire voice unburidled port with Caller + E484 ID - bus		<u> </u>	UEPBX	UEPBC	14.00	90.00	90.00				11.90				
		2-Wire voice unbundled port with Carlet + L464 ib - bus			UEPBX	UEPBO	14.00	90.00	90.00				11.90		1		
		2-Wire voice unbundled Incoming Only Port without Caller ID		<u> </u>	OLI DX	OLI DO	14.00	30.00	30.00				11.50				
		Capability			UEPBX	UEPBE	14.00	90.00	90.00				11.90				
L		NUMBER PORTABILITY			02. 5/1	02. 32		00.00	00.00				11.00				
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
N/	ONRE	CURRING CHARGES - CURRENTLY COMBINED		i													
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	<u></u>	<u></u>	UEPBX	USAC2		41.50	41.50				11.90				
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
$\sqcup \bot$		change			UEPBX	USACC		41.50	41.50				11.90				
A		ONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -			l	1		_									
<u> </u>		Subsequent		ļ	UEPBX	USAS2		0.00	0.00				11.90				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<u> </u>		1											
UI		ort/Loop Combination Rates		L .		1	00										
\vdash		2-Wire VG Loop/Port Combo - Zone 1		1		1	23.77					-			-		
\vdash		2-Wire VG Loop/Port Combo - Zone 2	-	2		+	27.88								 		
		2-Wire VG Loop/Port Combo - Zone 3 op Rates		3		+	38.63										
UI		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	9.77								-		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	H	2	UEPRG	UEPLX	13.88			 					 		
+		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPRG	UEPLX	24.63								 		
2-		Voice Grade Line Port Rates (RES - PBX)	†	۲	021110	JLILA	24.00					-					
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1											1		
		Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
L		NUMBER PORTABILITY	1	1	-			22.20	22.30			1			İ		
		Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00						1		
				1		1 1											
FE	ATU	RES All Features Offered		I	UEPRG	UEPVF	0.00	0.00	0.00				11.90				

2-Wire 2-Wire 2-Wire Chang ADDITIONAL 2 Wire Subses PBX S Group 2-Wire Voice 12-Wire 2-Wire	L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) boop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3	Interi	Zone	BCS UEPRG UEPRG	USAC2	Rec	Nonrec First 41.50	RATES (\$) surring Add'l	Nonrecurring First	Disconnect Add'l	Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
NONRECURR 2-Wire Chang ADDITIONAL 2 Wire Subse PBX S Group 2-Wire Voic UNE Port/Loo 2-Wire 2	RRING CHARGES - CURRENTLY COMBINED ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates	m	Zone	UEPRG	USAC2	Rec	First	urring			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
NONRECURR 2-Wire Chang ADDITIONAL 2 Wire Subse PBX S Group 2-Wire Voic UNE Port/Loo 2-Wire 2	RRING CHARGES - CURRENTLY COMBINED ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates	m	Zone	UEPRG	USAC2	Rec	First	urring			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
NONRECURR 2-Wire Chang ADDITIONAL 2 Wire Subse PBX S Group 2-Wire Voic UNE Port/Loo 2-Wire 2	RRING CHARGES - CURRENTLY COMBINED ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates	m	Zone	UEPRG	USAC2	Rec	First	urring			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
2-Wire Chang ADDITIONAL 2 Wire Subses PBX S Group 2-Wire Voice UNE Port/Log 2-Wire 2-W	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates					Rec	First				,		Electronic- 1st	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
2-Wire 2-Wire 2-Wire Chang ADDITIONAL 2 Wire Subses PBX S Group 2-Wire Voice 12-Wire 2-Wire	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates					Rec	First				SOMEC	SOMAN	1st OSS	Add'I Rates(\$)	Disc 1st	Disc Add'l
2-Wire 2-Wire 2-Wire Chang ADDITIONAL 2 Wire Subses PBX S Group 2-Wire Voice 12-Wire 2-Wire	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates					Rec	First				SOMEC	SOMAN	OSS	Rates(\$)		
2-Wire 2-Wire 2-Wire Chang ADDITIONAL 2 Wire Subses PBX S Group 2-Wire VOICE UNE Port/Loc 2-Wire	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates					Rec	First				SOMEC	SOMAN			SOMAN	SOMAN
2-Wire 2-Wire 2-Wire Chang ADDITIONAL 2 Wire Subses PBX S Group 2-Wire VOICE UNE Port/Loc 2-Wire	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates					Rec		Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire 2-Wire 2-Wire Chang ADDITIONAL 2 Wire Subses PBX S Group 2-Wire VOICE UNE Port/Loc 2-Wire	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates						41.50									,
2-Wire Chang ADDITIONAL 2 Wire Subse PBX S Group 2-WiRE VOICI UNE Port/Loo 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire Line S Line S Line S 2-Wire	ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt LIP CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Doop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates						41.50									
2-Wire Chang ADDITIONAL 2 Wire Subse PBX S Group 2-WiRE VOICI UNE Port/Loo 2-Wire	ire Voice Grade Loop/ Line Port Combination - Switch with nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt LIP CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Doop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates						41.50		1							í
Chang ADDITIONAL 2 Wire Subse PBX S Group 2-Wire Voice UNE Port/Loo 2-Wire	nge L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) poop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates			UEPRG	USACC			41.50				11.90				
ADDITIONAL 2 Wire Subse PBX S Group 2-Wire Voici UNE Port/Loo 2-Wire	L NRCs ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates			UEPRG	USACC											ł
2 Wire Subse PBX S Group 2-WIRE VOICI UNE Port/Loo 2-Wire	ire Loop/Line Side Port Combination - Non feature - sequent Activity - Nonrecurring (Subsequent Activity - Change/Rearrange Multiline Hunt UP CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) boop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates						41.50	41.50				11.90				
Subse PBX S Group 2-WIRE VOICI UNE Port/Loo 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire Voice Line S Line S 2-Wire	sequent Activity - Nonrecurring Subsequent Activity - Change/Rearrange Multiline Hunt DECE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) DOD Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates															
PBX S Group 2-WIRE VOICI UNE Port/Loo 2-Wire 2-Wire UNE Loop Ra 2-Wire	Subsequent Activity - Change/Rearrange Multiline Hunt up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) cop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates						0.00	0.00				44.00				í
Group 2-Wire Voici UNE Port/Loo 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire Voice Line S Line S 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	up CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates				_		0.00	0.00				11.90				
2-WIRE VOICI UNE Port/Loo 2-Wire 2-Wire 2-Wire UNE Loop Ra 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire Voice Line S Line S 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) DOOP COmbination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates		<u> </u>				7.00	7.00				44.00				í
UNE Port/Loc 2-Wire 2-Wire 2-Wire UNE Loop Ra 2-Wire	pop Combination Rates ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates		1		+		7.09	7.09	 			11.90				
2-Wire 2-Wire UNE Loop Ra 2-Wire UNE Loop Ra 2-Wire 2-Wire 2-Wire 2-Wire Voice Line S Line S 2-Wire 2-Wire	ire VG Loop/Port Combo - Zone 1 ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates		 		+ +				+					-		
2-Wire 2-Wire UNE Loop Ra 2-Wire 2-Wire 2-Wire 2-Wire Voice Line S Line S Line S 2-Wire 2-Wire 2-Wire	ire VG Loop/Port Combo - Zone 2 ire VG Loop/Port Combo - Zone 3 Rates		1		+ +	23.77			+					 		
2-Wire UNE Loop Ra 2-Wire 2-Wire 2-Wire 2-Wire Voice Line S Line S 2-Wire 2-Wire Voice 2-Wire S 2-Wire 2-Wire S 2-Wire 2-Wire	ire VG Loop/Port Combo - Zone 3 Rates		2		+ +	23.77			 				-		-	
UNE Loop Ra 2-Wire 2-Wire 2-Wire Voice Line S Line S Line S 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	Rates	 	3		+ +	38.63			+					-		
2-Wire 2-Wire 2-Wire 2-Wire Voice Line S Line S Line S 2-Wire 2-Wire 2-Wire 2-Wire		 	3		+ +	38.63			+					-		
2-Wire 2-Wire Voice Line S Line S 2-Wire Voice 2-Wire S 2-Wire C 2-Wire C 2-Wire C 2-Wire C		 	1	UEPPX	UEPLX	9.77			+							
2-Wire 2-Wire Voice Line S Line S 2-Wire 2-Wire 2-Wire	ire Voice Grade Loop (SL1) - Zone 2	1	2	UEPPX	UEPLX	13.88										
2-Wire Voice Line S Line S Line S 2-Wire 2-Wire	ire Voice Grade Loop (SL1) - Zone 3	+		UEPPX	UEPLX	24.63			-							
Line S Line S Line S 2-Wire 2-Wire 2-Wire	e Grade Line Port Rates (BUS - PBX)	 	3	ULFFA	OLFLX	24.03			+							
Line S Line S 2-Wire 2-Wire 2-Wire 2-Wire	e Grade Line Fort Rates (BOS - FBA)	1			+											
Line S Line S 2-Wire 2-Wire 2-Wire 2-Wire	Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				11.90				í
Line S 2-Wire 2-Wire 2-Wire 2-Wire	Side Unbundled Outward PBX Trunk Port - Bus	 		UEPPX	UEPPO	14.00	90.00	90.00	+			11.90				
2-Wire 2-Wire 2-Wire	Side Unbundled Incoming PBX Trunk Port - Bus	 		UEPPX	UEPP1	14.00	90.00	90.00	+			11.90				
2-Wire	ire Voice Unbundled PBX LD Terminal Ports	1	1	UEPPX	UEPLD	14.00	90.00	90.00				11.90				$\overline{}$
2-Wire	ire Voice Unbundled 2-Way Combination PBX Usage Port	<u> </u>		UEPPX	UEPXA	14.00	90.00	90.00				11.90				
	ire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				11.90				
2-Wire	ire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				11.90				
	ire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				
	ire Voice Unbundled PBX LD Terminal Switchboard IDD	1														
	able Port			UEPPX	UEPXE	14.00	90.00	90.00				11.90				í
	ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															í
	ninistrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				11.90				í
	ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															·
	m Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				í
2-Wire	ire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1													
Discor	ount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				11.90				ł
2-Wire	ire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				11.90				
	MBER PORTABILITY															
	al Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES																
	eatures Offered			UEPPX	UEPVF	0.00	0.00	0.00		· ·		11.90				
NONRECURR	RRING CHARGES - CURRENTLY COMBINED															
														l		·
	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
	ire Voice Grade Loop/ Line Port Combination - Switch with			l												ł .
Chang		1	<u> </u>	UEPPX	USACC		41.50	41.50				11.90				
ADDITIONAL	L NRCS	1	<u> </u>													
	in Miles One In Leave (Ilian Burn Co. Ilian Co.			HEDDY	110466							,				ł .
	ire Voice Grade Loop/ Line Port Combination - Subsequent	-	1	UEPPX	USAS2	0.00	0.00	0.00				11.90		-		
	ire Loop/Line Side Port Combination - Non feature -						0.00	0.00				44.00				1
	sequent Activity- Nonrecurring	1	<u> </u>		_		0.00	0.00	 			11.90				
	Subsequent Activity - Change/Rearrange Multiline Hunt						7.00	7.00				44.00				ł.
Group	up CE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	L	<u> </u>		_		7.09	7.09	 			11.90				
	CE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI DOD Combination Rates	K I	 		+				 				-			
	ire VG Coin Port/Loop Combo – Zone 1	 	1		+ +	23.77			+					 		
		 	2		+ +	27.88			 					-		
2-Wire	ire VG Coin Port/Loop Combo – Zone 2	1	3	L	1 1	38.63										

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
		Intor:									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
		i –				В	Nonred	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE I	oop Rates	i –														
	2-Wire Voice Grade Loop (SL1) - Zone 1	i –	1	UEPCO	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	i –	2	UEPCO	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										
2-Wire	e Voice Grade Line Port Rates (Coin)	i –														
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	i –														
	900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	i –														
	(FL)			UEPCO	UEPFA	14.00	90.00	90.00				11.90				1
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL)	1	1	UEPCO	UEPCG	14.00	90.00	90.00			1	11.90		1		1
i	2-Wire Coin Outward with Operator Screening and 011 Blocking	1	İ						1		İ	1				
	(AL, FL)	1	1	UEPCO	UEPRK	14.00	90.00	90.00			1	11.90		1		1
1	2-Wire Coin Outward with Operator Screening and Blocking:	†			1			22.30				1	i	1	t e	
	900/976, 1+DDD, 011+ (FL)	1		UEPCO	UEPOF	14.00	90.00	90.00				11.90		I	I	1
1	2-Wire Coin Outward with Operator Screening and Blocking:	†		- · · · · · ·			55.56	55.50					i	1	t e	
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				1
LOCA	L NUMBER PORTABILITY			02.00	02.00	1 11.00	00.00	00.00			İ	11.00				
200/	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35			1		1					——
NONE	ECURRING CHARGES - CURRENTLY COMBINED			02. 00	Little OX	0.00			1		1					——
- Itolui	CONTRACTO CONTRACTO CONTRACTO COMBINED				+				1		1					——
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90				1
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI CO	00/102		71.00	41.00	1		1	11.00				——
	Change			UEPCO	USACC		41.50	41.50								1
ADDI	FIONAL NRCs			OLI CO	00/100		71.00	41.00			†					†
ADDI	TIONAL NINGS	1			+						†					—
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				11.90				1
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	FINE	PORT (00/102		0.00	0.00			1	11.00				——
	Port/Loop Combination Rates	T	1	l l	+						†					—
0.1.2	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	26.24					1					——
	2-Wire VG Loop/IO Tranport/ Ort Combo - Zone 2		2		+	31.40					1					——
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	44.87					1					——
UNF I	Loop Rates		Ť			1 1107					İ					
OIVE I	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24					†					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40					1					——
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87					1					——
2-Wir	e Voice Grade Line Port Rates (Res)	 	-	021111	32012	30.07					†			t	t	<u> </u>
- 7711	2-Wire voice unbundled port - residence	l		UEPFR	UEPRL	14.00	180.00	110.00	85.00	20.00		11.90		<u> </u>	<u> </u>	
	2-Wire voice unbundled port with Caller ID - res	l		UEPFR	UEPRC	14.00	180.00	110.00	85.00	20.00		11.90		<u> </u>	<u> </u>	
-+	2-Wire voice unbundled port outgoing only - res	l		UEPFR	UEPRO	14.00	180.00	110.00	85.00	20.00	1	11.90	i	t	†	
	2 11.10 10.00 Gribunated port outgoing only 100	l		J 1 IX	221110	14.00	100.00	110.00	55.00	20.00		11.30		<u> </u>	<u> </u>	
	2-Wire voice unbundled Florida Area Calling with Caller ID - res	1		UEPFR	UEPAF	14.00	180.00	110.00	85.00	20.00		11.90		I	I	1
	2-Wire voice unbundles res, low usage line port with Caller ID	l		J 1 1 1	52171	14.00	100.00	110.00	55.00	20.00		11.30		<u> </u>	<u> </u>	
	(LUM)	1	1	UEPFR	UEPAP	14.00	180.00	110.00	85.00	20.00	1	11.90		1		1
INTER	ROFFICE TRANSPORT	 			J=u	14.00	100.00	110.00	55.50	20.00	†	11.50		t	t	<u> </u>
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 			1						†			t	t	<u> </u>
	Termination	1	1	UEPFR	U1TV2	25.32	47.35	31.78			I	I		I	1	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 		021111	511142	20.02	47.55	31.76			†			t	t	<u> </u>
	or Fraction Mile	1		UEPFR	1L5XX	0.0091						1		I	I	1
EEAT	URES	 	 	OLI I IX	ILUMA	0.0091					 	 	 	 	 	
FEAT	All Features Offered	 		UEPFR	UEPVF	0.00	0.00	0.00	 		 	11.90	 	 	 	
1.004	L NUMBER PORTABILITY	 		OLITIN	OLI VI	0.00	0.00	0.00	 		 	11.50	 	 	 	
LUCA	Local Number Portability (1 per port)	 	 	UEPFR	LNPCX	0.35			 				 	 	 	
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		OLFIN	FIALOV	0.35			1		1		-			
NONE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 			+				1		1		-			
	Combination - Conversion - Switch-as-is	1		UEPFR	USAC2		16.97	3.73				11.00		I	I	1
		 	 	UEFFK	USAUZ		10.97	3./3			+	11.90		 	 	—
ı l	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change	1		UEPFR	USACC		16.97	3.73				11.90		I	I	1
0.1405		L	L CODE (USACC		16.97	3.73			1	11.90	-	-	-	
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE	-UKI (BUS)	1						1			1	1	

ONRONDL	ED NETWORK ELEMENTS - Florida											1		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26.24										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			31.40										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			44.87										
UNE	Loop Rates	1	<u> </u>			10.01										
	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1 2	UEPFB UEPFB	UECF2	12.24 17.40			<u> </u>							
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFB	UECF2	30.87			-		-	 				
2.1/1	e Voice Grade Line Port (Bus)		3	UEPFB	UECF2	30.87						-			-	
2-4411	2-Wire voice unbundled port without Caller ID - bus	ł	+	UEPFB	UEPBL	14.00	180.00	110.00	85.00	20.00	1	11.90			-	
- 	2-Wire voice unburidled port with Caller + E484 ID - bus	1	+	UEPFB	UEPBC	14.00	180.00	110.00	85.00	20.00		11.90		 	 	†
	2-Wire voice unbundled port outgoing only - bus	t	†	UEPFB	UEPBO	14.00	180.00	110.00	85.00	20.00	 	11.90		H	I	1
	2-Wire voice unburidled incoming only port with Caller ID - Bus	t	t	UEPFB	UEPB1	14.00	180.00	110.00	85.00	20.00		11.90		1	<u> </u>	
LOCA	AL NUMBER PORTABILITY	t	t		1				55.55	20.00				1	<u> </u>	
	Local Number Portability (1 per port)	t	1	UEPFB	LNPCX	0.35			1					İ	1	
INTE	ROFFICE TRANSPORT	1			1				i i					İ	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility											İ		1		
	Termination			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	ļ	ļ	UEPFB	1L5XX	0.0091										
FEAT	URES	ļ	ļ													
NON	All Features Offered	<u> </u>	-	UEPFB	UEPVF	0.00	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	-		_							1				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	LICACO		40.07	0.70				44.00				
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	-	UEPFB	USAC2		16.97	3.73	-		1	11.90				
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73				11.90				
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1	OLFIB	USACC		10.57	3.73	 		1	11.90		1		
	Port/Loop Combination Rates		1						 		1			1		
- 0.12	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			26.24					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			31.40						İ				İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.87										
UNE	Loop Rates	i e														
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
				l											1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPFP	UEPPC	14.00	180.00	110.00	85.00	20.00		11.90		ļ	1	
	Line Side Unbundled Outward PBX Trunk Port - Bus	!	1	UEPFP	UEPPO	14.00	180.00	110.00	85.00	20.00		11.90			ļ	
	Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>	-	UEPFP	UEPP1	14.00	180.00	110.00	85.00	20.00	-	11.90		ļ	-	ļ
	2-Wire Voice Unbundled PBX LD Terminal Ports	 	+	UEPFP	UEPLD	14.00	180.00	110.00	85.00	20.00		11.90		.	 	1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	+	UEPFP UEPFP	UEPXA UEPXB	14.00 14.00	180.00 180.00	110.00 110.00	85.00 85.00	20.00	-	11.90 11.90		<u> </u>	 	1
	2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	+	UEPFP	UEPXB	14.00	180.00	110.00	85.00 85.00	20.00		11.90		-	 	-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	+	UEPFP	UEPXC	14.00	180.00	110.00	85.00 85.00	20.00	 	11.90		 	+	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	+	OLFIF	OLFAD	14.00	100.00	110.00	65.00	20.00	—	11.90		 	t	1
	Capable Port			UEPFP	UEPXE	14.00	180.00	110.00	85.00	20.00		11.90			1	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	t	†		02. AL	14.00	100.00	110.00	55.55	20.00	 	11.50		H	I	1
	Administrative Calling Port	1		UEPFP	UEPXL	14.00	180.00	110.00	85.00	20.00		11.90			I	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				7											
	Room Calling Port			UEPFP	UEPXM	14.00	180.00	110.00	85.00	20.00		11.90				
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								IT							
	Discount Room Calling Port	1	1	UEPFP	UEPXO	14.00	180.00	110.00	85.00	20.00		11.90				1
		1														
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	180.00	110.00	85.00	20.00		11.90				
LOCA				UEPFP UEPFP	LNPCP	14.00 3.15	180.00	0.00	85.00	20.00		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida											Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnect				Rates(\$)		
						1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIATO (O	25.22	47.05	24.70							l
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	U1TV2	25.32	47.35	31.78		-					
	or Fraction Mile			UEPFP	1L5XX	0.0091									ł
FEATU				OLITI	120/01	0.0001				1					l
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00		i i	11.90				1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73			11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						40.00	. =-							l
UNDUNDUED.	Combination - Conversion - Switch with change		-	UEPFP	USACC	-	16.97	3.73		-	11.90				
	PORT/LOOP COMBINATIONS - MARKET BASED RATES E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT	-							+	.				-
	ort/Loop Combination Rates	I			1	 	-		 	+	1				
ONEF	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 	1			67.24				1	1				
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	l	2			72.40				1					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	i	3			85.87				İ	Ì				
UNE L	oop Rates														1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	12.24					11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40					11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87					11.90			1.83	
UNE P	ort Rate														
NONE	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	55.00	850.00	75.00			11.90			1.83	
NONK	ECURRING CHARGES - CURRENTLY COMBINED		-		-	-				-					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		850.00	75.00			11.90				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		850.00	75.00			11.90				1
ADDIT	IONAL NRCs														1
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26			11.90				
Teleph	one Number/Trunk Group Establisment Charges														l
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00			11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group														ĺ
	of 20 DID Numbers		-	UEPPX	NDZ ND4	0.00	0.00	0.00		-	11.90			1.83	
	Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00		+	11.90 11.90			1.83 1.83	-
	Reserve Non-Consecutive DID numbers	 		UEPPX	ND6	0.00	0.00	0.00		+	11.90			1.83	
	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00		1	11.90			1.83	
LOCAI	NUMBER PORTABILITY					2.00	2.00	2.00			11.00				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI <mark>N</mark>	NE SIDE	PORT												
UNE P	ort/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					0.7									
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEPPR		85.25				+	1				
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB UEPPR		91.67				 	1				
	UNE Zone 3		3	UEPPB UEPPR		108.46									
UNE L	oop Rates							•							
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25				 	11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67					11.90			1.83	l
İ	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	38.46				İ	11.90			1.83	
UNE P	ort Rate														
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	70.00	525.00	400.00			11.09			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1			110465		6 0-								i
ADDIT	Combination - Conversion - Top 8 MSAs only	-	-	UEPPB UEPPR	USACB	0.00	215.00	215.00		1	11.90			1.83	-
AUUII	IONAL NRCs	l	<u> </u>	L	l	1				1	<u> </u>	l			

UNBUNDL	ED NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	E	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""												Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
		1					Rec	Nonrec		Nonrecurring					Rates(\$)		
1.00	AL NUMBER ROPTARII ITV	1				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	AL NUMBER PORTABILITY Local Number Portability (1 per port)	+		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	-							-
B CL	HANNEL USER PROFILE ACCESS:	+		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			-					
D-C1	CVS/CSD (DMS/5ESS)	+		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			-					
+	CVS (EWSD)	+	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	-		1				-	
	CSD CSD	+		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	OLITB	OLITIK	01000	0.00	0.00	0.00								
	R TERMINAL PROFILE	1	Ι,			+						1					
- 002.	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1					
VER	TICAL FEATURES			02.10	OLITIN	0.0	0.00	0.00	0.00								
1	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	2.26	0.00	0.00	1			11.90		İ	1	
INTE	ROFFICE CHANNEL MILEAGE	1		T		1		2.20	2.30	1					İ	1	1
İ	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT															
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			970.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			1,000.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			1,078.39										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	70.74						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPPP		USL4P USL4P	100.54			1			11.90			1.83	
LINE	4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate	+	3	UEPPP		USL4P	178.39					-	11.90			1.83	
UNE	Exchange Ports - 4-Wire ISDN DS1 Port	+		UEPPP		UEPPP	900.00	1,150.00	1,150.00			-	11.90			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	1	OLFFF		OLFFF	900.00	1,130.00	1,130.00	-		1	11.90			1.03	
NON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	+				+				 					1		
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	925.00	925.00				11.90			1.83	
ADD	ITIONAL NRCs	1		OLITI		00/101	0.00	020.00	020.00			1	11.00			1.00	
,,,,,,,	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1				+						1					
	Inward/two way Telephone Numbers (except NC)			UEPPP		PR7TF		0.5412					11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1						******									
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				11.90			1.83	
İ	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Telephone Numbers	<u></u>	L	UEPPP		PR7ZT	<u> </u>	25.42	25.42	<u> </u>		<u></u>	11.90		<u></u>	1.83	<u> </u>
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	RFACE (Provsioning Only)													-			
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00					-			
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel	1	<u> </u>							ļ						L	
	New or Additional - Voice/Data B Channel	1	ļ	UEPPP		PR7BV	0.00	20.00		-		-	11.90		ļ	1.83	
	New or Additional - Digital Data B Channel	1	ļ	UEPPP		PR7BF	0.00	20.00		-		-	11.90		ļ	1.83	
	New or Additional Inward Data B Channel	 	-	UEPPP		PR7BD	0.00	20.00		 			11.90		 	1.83	
CALI	L TYPES	+	-	LIEDDD		DD7C4	0.00	0.00	0.00	 		1			 	 	
	Inward	+	-	UEPPP		PR7C1	0.00	0.00	0.00	 		1			 	 	
	Outward Two-way	+	+	UEPPP		PR7CO PR7CC	0.00	0.00	0.00	 		-	-				-
Intor	office Channel Mileage	+	+	UEPPP		PR/00	0.00	0.00	0.00	 		-	-				
inter	Fixed Each Including First Mile	 	 	UEPPP		1LN1A	88.6256	105.54	98.47	21.47	19.05	 	11.90		 	1.93	-
- 	Each Airline-Fractional Additional Mile	+	\vdash	UEPPP		1LN1B	0.1856	103.54	30.47	21.4/	19.05		11.90		 	1.93	
4-1/11	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	+	\vdash	OLFFF		ILIVID	0.1000			 					 	 	
	Port/Loop Combination Rates	1	 			t				t		<u> </u>	 			†	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	i	i		1						1	i				

UNBUN	DLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		850.54						11.90			1.83	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		928.39						11.90			1.83	
U	NE Lo	op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74						11.90	Î	Î	1.83	
	į.	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54						11.90	Î	Î	1.83	
	į.	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.39						11.90	Î	Î	1.83	
U	NE Po	rt Rate												Î	Î		
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10		11.90	Î	Î	1.83	
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED			İ							1					
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										İ					
		- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	
												İ					
	Į,	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		1]]				1							
		- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71				11.90			1.83	
		and the same of th	†	t				22.01		1		1	11100	1	1		
	Į,	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		İ					I			1				
		- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		95.31	46.71				11.90			1.83	
Α	DDITIO	DNAL NRCs			02. 20	00/1112		00.01	10.7 1				11.00			1.00	
<u> </u>		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+						†					
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		13.03	15.05				11.50			1.00	
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLFDC	ODITE		13.09	13.03			1	11.90			1.03	
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	<u> </u>	-	OLFDC	ODITO		13.09	13.03			-	11.90			1.03	
					UEPDC	UDTTD		15.69	15.69				11.90			1.83	
\vdash		Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	<u> </u>	-	UEPDC	טווטט		13.69	15.09			-	11.90			1.03	
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
- P		R 8 ZERO SUBSTITUTION	<u> </u>	-	UEPDC	UDITE		15.69	15.69				11.90			1.83	
В			<u> </u>	-	LIEDDO	00005		0.00	055.00				44.00			4.00	
-		B8ZS -Superframe Format	<u> </u>	-	UEPDC	CCOSF		0.00	655.00				11.90			1.83	
		B8ZS - Extended Superframe Format	<u> </u>	-	UEPDC	CCOEF		0.00	655.00				11.90			1.83	
А		e Mark Inversion	<u> </u>	-	LIEDDO	140005		0.00	0.00								
		AMI -Superframe Format		-	UEPDC	MCOSF		0.00	0.00								
<u> </u>		AMI - Extended SuperFrame Format		-	UEPDC	MCOPO		0.00	0.00								
110	elepho	one Number/Trunk Group Establisment Charges		-	LIEBBO	UBTOV							11.00			4.00	
\vdash		Telephone Number for 2-Way Trunk Group	!	<u> </u>	UEPDC	UDTGX	0.00			-		-	11.90	ļ	.	1.83	
		Telephone Number for 1-Way Outward Trunk Group	 	-	UEPDC	UDTGY	0.00			-		-	11.90			1.83	
\vdash		Telephone Number for 1-Way Inward Trunk Group Without DID	<u> </u>		UEPDC	UDTGZ	0.00						11.90			1.83	
		DID Numbers, Establish Trunk Group and Provide First Group	1							I							
\vdash		of 20 DID Numbers		-	UEPDC	NDZ	0.00	0.00	0.00	ļ			11.90			1.83	
\vdash		DID Numbers for each Group of 20 DID Numbers		-	UEPDC	ND4	0.00			ļ			11.90			1.83	
\vdash		DID Numbers, Non- consecutive DID Numbers , Per Number	<u> </u>		UEPDC	ND5	0.00						11.90			1.83	
\vdash		Reserve Non-Consecutive DID Nos.	ļ	1	UEPDC	ND6	0.00	0.00	0.00				11.90	ļ	ļ	1.83	
		Reserve DID Numbers	ļ	<u> </u>	UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
D	edicat	ed DS1 (Interoffice Channel Mileage) -	ļ	1	<u> </u>									ļ	ļ		
F	X/FCO	for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	ļ	1	<u> </u>									ļ	ļ		
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1		l	1				I			1				
		Termination)	ļ	<u> </u>	UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	1	11.90			1.83	
			1		İ					I			1				
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	ļ	<u> </u>	UEPDC	1LNOA	0.1856	0.00	0.00	ļ		1					
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1		1				I	1	1	l	l	l		1
		Termination)	ļ	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00	ļ		1					
		Interoffice Channel Mileage - Additional rate per mile - 9-25	1		l	1				I			1				1
		miles	ļ		UEPDC	1LNOB	0.1856	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1	1		1 7				_	<u> </u>					[I
\Box		Termination)	ļ		UEPDC	1LNO3	0.00	0.00	0.00	0.00					ļ		
	Ţ																
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>	<u> </u>	UEPDC	1LNOC	0.1856	0.00	0.00		<u></u>						
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							

JNBUNI	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		October Office Territories Bridge			LIEDDO	OTO	0.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 1	WIDE	Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0.00					-					-
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations			+						1					-
		m can have various rate combinations based on type and nu			ised	+									1	1	-
		S1 Loop	11001 01	porto	Joca	+						†					
0.		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00			1					†
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.39	0.00	0.00								†
UI		O Channelization Capacities (D4 Channel Bank Configuration	ns)														†
		24 DSO Channel Capacity - 1 per DS1	l Í		UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
		48 DSO Channel Capacity - 1 per 2 DS1s	L		UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
		96 DSO Channel Capacity -1per 4 DS1s	L		UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00				11.90			1.83	
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	ļ
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00				11.90			1.83	L
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									ļ
		num System configuration is One (1) DS1, One (1) D4 Channe															-
IVI	uitipie	es of this configuration functioning as one are considered Ad NRC - Conversion (Currently Combined) with or without	ad i ante	r tne m	inimum system cor	inguration is	countea.										
					UEPMG	USAC4	0.00	450.00	50.00				11.90				
e,	rotom	BellSouth Allowed Changes - Top 8 MSAs Only Additions Where Currently Combined and New (Not Current)	v Comb	inad \	UEPING	USAC4	0.00	450.00	50.00			-	11.90				-
		sity Zone 1 Top 8 MSAs	y Conii.	illeu)		+						1					-
	Della	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc				+											
		Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
Bi	ipolar	8 Zero Substitution			02. 11.0	10.0.5	0.00	000.00	000.00	200.00	00.00	1	11.00				
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Al	terna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Ex	xchan	ge Ports				1											
			1			l		_	_	_	_						
		Line Side Combination Channelized PBX Trunk Port - Business	ļ	.	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00	1	11.90			1.83	<u> </u>
		Line Side Outward Channelized PBX Trunk Port - Business	 	-	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90		 	1.83	├
		Line Cide Inward Only Channelined DDV Tourly Dest will a 1 DD	1		UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
		Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	!	\vdash	UEPPX	UEPTX	14.00 55.00	0.00	0.00	0.00	0.00	-	11.90	-		1.83	\vdash
F	aatura	Activations - Unbundled Loop Concentration	 	 	ULFFA	OEPDIVI	55.00	0.00	0.00	0.00	0.00		11.90		 	1.83	
Ге	Jacure	Feature (Service) Activation for each Line Port Terminated in D4				+									 	 	\vdash
		Bank	1		UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	-+	Feature (Service) Activation for each Trunk Port Terminated in	1			~ , , , , , , ,	0.00	70.00	20.00	3.30	0.00	 	11.00			1.55	†
		D4 Bank	1		UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
Te	elepho	one Number/ Group Establishment Charges for DID Service	i e			1	5.55	7.0.00	55.50	33.30	20.00				İ	50	
	1	DID Trunk Termination (1 per Port)	1		UEPPX	NDT	0.00	0.00	0.00				11.90		İ	İ	
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	İ		UEPPX	NDZ	0.00	0.00	0.00				11.90				
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90		1	1	
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				11.90				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				11.90				
Lo		lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00						1		

	.ED NETWORK ELEMENTS - Florida													ment: 2		ibit: B
											Svc Order	Svc Order	Incremental		Incremental	
											1	Submitted		Charge -	Charge -	Charge -
i											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
															Disc ist	DISC Add I
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TURES - Vertical and Optional															
Loca	All Features Offered with Line Side Ports Only All Features Available			HEDDY	LIED\/E	0.00	0.00	0.00				44.00			4.00	
LINDUNDI EL	All Features Available D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	ost Based Rates are applied where BellSouth is required by FCC		State C	'ammissian rula ta i	nrovido Unb	undlad Lacal C	witching or Cu	vitab Darta			-					
	eatures shall apply to the Unbundled Port/Loop Combination - Co								dlad Dart sasti	on of this Date	Evhibit					
	nd Office and Tandem Switching Usage and Common Transport											Coin Port/Lo	on Combinat	ions		
	ne first and additional Port nonrecurring charges apply to Not Cu														l Δdditional	
	is may apply also and are categorized accordingly.	uncining	0011101	nea combos. Tor	ourrently oo	mbinea combe	, , the homeot	arring ondrages	Silaii be tilose	identifica iii t	ne monicou	ining ounc	only combine	ou scottons.	Additional	
	larket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, un	til further notice	e.			1		1		1	l	
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)				1											
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														
	Port/Loop Combination Rates (Non-Design)				1											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
<u>. </u>	Non-Design	<u></u>	1	UEP91	<u> </u>	10.94				<u> </u>					<u> </u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		25.80										<u> </u>
UNE	Port/Loop Combination Rates (Design)															ļ
ı	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i														
	Design Control of the		1	UEP91		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		18.57										
ı	Design		3	UEP91		32.04										
LINE	Loop Rate		3	UEP91	1	32.04					1					
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87										
UNE	Ports															
All S	States (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				L
.	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1														
	Area	ļ		UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
.	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area	1		LIED04	HEDVII	4 4 7	F0.01	00.40	07.50	0.07		44.00				
		-		UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				├
.	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area	1		UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 		OLF31	JLF (IVI	1.17	139.49	00.10	65.41	13.61	H	11.90		 	l	
.	Term - Basic Local Area	1		UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 		02. 01	021 12	1.17	100.49	55.10	00.41	10.01		11.30				
.	- Basic Local Area	1		UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -	i e			1		00.01	20.70	250	3.37				İ	İ	
.	Basic Local Area	1		UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
Geor	rgia and Florida Only				1									1		
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90	-			
. _	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1														
	Center)2			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90		ļ		ļ
.	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1														
	Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
. 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
·							53.31		27.50		1	11 40		1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Florida											Attach	ment: 2	Exhil	bit: B
011201122			1							Svc Orde	Svc Order	Incremental		Incremental	Incremental
										Submitted			Charge -	Charge -	Charge -
		Interi								Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		- ""								, F-1	P	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring Disconne				Rates(\$)		
1	D. 16-1-16-16	ļ					First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local	Switching Controy Intercom Funtionality, per part	1		UEP91	URECS	0.7384				_	+				
Local	Centrex Intercom Funtionality, per port Number Portability	1	<u> </u>	UEF91	UKECS	0.7364			 	-	+				
Local i	Local Number Portability (1 per port)	1	1	UEP91	LNPCC	0.35					+				
Feature		1	<u> </u>	OLI 01	LIVI OO	0.00			 		+				
- Julian	All Standard Features Offered, per port			UEP91	UEPVF	2.26					11.90				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70		1		11.90				
	All Centrex Control Features Offered, per port	i	i	UEP91	UEPVC	2.26					11.90				
NARS															
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00			11.90				i
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00			11.90				
	Unbundled Network Access Register - Outdial	ļ	<u> </u>	UEP91	UAROX	0.00	0.00	0.00			11.90				
	laneous Terminations	ļ	<u> </u>			ļ				\rightarrow		ļ	ļ		
2-Wire	Trunk Side	ļ	1	LIEDO4	OFNICE										
1	Trunk Side Terminations, each	<u> </u>	<u> </u>	UEP91	CENA6	8.73									
Interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade	 	<u> </u>	UEP91	M1GBC	25.32					1	-	-		\vdash
-	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	<u> </u>	UEP91	M1GBC M1GBM	0.0091				-	+				
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service		<u> </u>	UEF91	IVITGBIVI	0.0091				-	+				
	annel Bank Feature Activations	1								-	+				
D-7 0110	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66					1				$\overline{}$
	Today Total Control Dank Control 2000 Clot	1	1	02.01		0.00					1				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66									ı l
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop														
	Slot			UEP91	1PQW7	0.66									ı l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -														1
	Different Wire Center			UEP91	1PQWP	0.66									
															ı l
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66									
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDO4	400000	0.00									ı l
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP91 UEP91	1PQWQ 1PQWA	0.66 0.66				_	+				
Non-Pa	ecurring Charges (NRC) Associated with UNE-P Centrex	1	1	UEF91	IPQVVA	0.00					+				$\overline{}$
INOII-IX	Conversion - Currently Combined Switch-As-Is with allowed				+	 					+				$\overline{}$
	changes, per port			UEP91	USAC2		21.50	8.42			11.90				i l
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32			11.90				$\overline{}$
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82				11.90				
	New Centrex Customized Common Block	ĺ		UEP91	M1ACC	0.00	618.82				11.90				
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31				11.90				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48				11.90				
	CENTREX - 5ESS (Valid in All States)	ļ	<u> </u>			ļ				\rightarrow		ļ	ļ		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ	1		+										
UNE P	ort/Loop Combination Rates (Non-Design)	.	<u> </u>							\rightarrow	-	.	.		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	4	UEP95		10.94				1					, l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	+-	OLF90	+	10.94				\rightarrow	+	 	 		$\overline{}$
	Non-Design	1	2	UEP95		15.05				1	1				, l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		021 00	1	10.00					 				
	Non-Design	1	3	UEP95		25.80				1	1				, l
UNE P	ort/Loop Combination Rates (Design)	1			1					1	†				\vdash
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	1			1						1	1		
	Design		1	UEP95		13.41									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1													, 7
	Design	<u> </u>	2	UEP95		18.57						ļ	ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1 .	l <u>_</u> _						1	1				ı l
	Design	ļ	3	UEP95	+	32.04									\vdash
UNE L	oop Rate	!	1	LIEDOE	LIECC4	0				-	-	 	 		
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP95 UEP95	UECS1	9.77 13.88					1	-	-		\vdash
	Z-vviie voice Grade Loop (SL 1) - ZOHE Z	1		OLF 30	ULUSI	13.08			<u> </u>		1	l	1		

INDUNDE	D NETWORK ELEMENTS - Florida										1 -			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.	Increment Charge Manual S Order vs
		m						.,			per Lor	per Lor	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87										
All Sta	Port Rate															
All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37	-	11.90		-	-	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37	1	11.90		1	1	
-	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLF 93	OLFIB	1.17	33.31	20.40	27.30	0.37	1	11.50		1	1	
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
+	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF 93	OLFIII	1.17	55.51	20.40	27.30	0.37		11.90			-	
	Center)2 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
-	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
	Y, LA, MS, SC, & TN Only															
FL & C	GA Only			LIEDOE	LIEDLIA	4.47	50.04	00.40	07.50	0.07		44.00				
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90		-	1	
-	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
-	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	Center)2			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur	res															
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
NARS				ļ	1									1	1	ļ
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				11.90		-	-	
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00			-	11.90		-	-	<u> </u>
p. 41	Unbundled Network Access Register - Outdial		-	UEP95	UAROX	0.00	0.00	0.00				11.90		 	 	ļ
	Ilaneous Terminations Trunk Side		-	 	+						-			1	1	!
Z-vvire	Trunk Side Trunk Side Terminations, each	-	-	UEP95	CEND6	8.73			 		-			 	 	
4-14/;=-	e Digital (1.544 Megabits)	-	 	OLF90	CEINDO	8.73								 	 	
4-14116	DS1 Circuit Terminations, each		 	UEP95	M1HD1	54.95								 	 	
_	DS0 Channels Activated, each	-		UEP95	M1HDO	0.00	15.69				-	11.90		 	t	
Intero	ffice Channel Mileage - 2-Wire			02. 00		0.00	10.00					11.30		 	-	
	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32								t	<u> </u>	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091								1	1	
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e												1	1	
	annel Bank Feature Activations			İ										1	1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66								1	1	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		'
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	-		UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot	1		UEP95	1PQWQ	0.66										\vdash
Non-P	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex	-	 	UEP95	1PQWA	0.66										
Non-K	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2	0.00	21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each	1		UEP95	USACN	0.00	5.17	8.32				11.90				
	New Centrex Standard Common Block	1	1	UEP95 UEP95	M1ACS M1ACC	0.00	618.82 618.82					11.90 11.90				—
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion		-	UEP95	URECA	0.00	66.48					11.90				—
UNF-P	P CENTREX - DMS100 (Valid in All States)		1	OLI 93	ONLOA	0.00	00.40					11.50				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														i
	Non-Design		1	UEP9D		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.05										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9D		15.05										
	Non-Design		3	UEP9D		25.80										1
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														1
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	UEP9D		13.41										—
	Design		2	UEP9D		18.57										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		32.04										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP9D UEP9D	UECS1 UECS1	13.88 24.63										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	1	UEP9D	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.87										
	ort Rate															
ALL S	TATES															
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	1	UEP9D	UEPYA	1.17						11.90				—
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				İ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	 	 	OLI OD	OLI ID	1.17	55.51	20.40	21.30	0.37	 	11.50				
	Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37	<u> </u>	11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1	1	UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37	-	11.90				
	Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	 	t	02	72		33.51	20.40	200	2.01		50				
	Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEDOD	LIEDYO		50.04	00.40	07.50	0.07		44.00				
 	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	 	 	UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37	 	11.90				
	Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		11.90				1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local								ĺ							
\vdash	Area	<u> </u>	1	UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37	-	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37		11.90				
	p. 100	1	1	021 00	OL: IV	1.17	55.51	20.70	21.50	0.37	1	11.30	1	l	l	

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
	_	Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	curring	Nonrecurring	Disconnect		I	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															ĺ
	Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	50.04	26.46	27.50	0.07		11.90				1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37		11.90				1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			02.02	02		00.01	20.10	21.00	0.07		11.00				
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37		11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															ĺ
	2 Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37		11.90				i
 	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	<u> </u>		OLFSD	UEFIU	1.17	00.31	20.46	27.50	0.37		11.90				
	Basic Local Area	1		UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37		11.90				i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															l .
	Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81		11.90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			OLF 9D	ULF 13	1.17	139.49	80.10	05.41	13.01		11.90				
	Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81		11.90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81		11.90				<u></u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															1
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81		11.90				
	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81		11.90				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLI II	1.17	100.40	00.10	00.41	10.01		11.00				
	Term			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															ĺ
	Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				!
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				ĺ
FI &	GA Only		-	OEF9D	UEP12	1.17	55.51	20.40	27.50	0.37		11.90				
1.20	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3	-		UEP9D UEP9D	UEPHE UEPHF	1.17 1.17	53.31	26.46 26.46	27.50	8.37 8.37		11.90 11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3	 		UEP9D UEP9D	UEPHF	1.17	53.31 53.31	26.46	27.50 27.50	8.37	—	11.90				
	2-Wire Voice Grade Fort (Centrex / EBS-M5008)3	 		UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	<u> </u>		UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37	1	11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)	-		UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	1		UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37		11.90				1
	2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication)3	 		UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	İ		-	1					2.3,						
	2			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81		11.90				
	O Miss Vision Condo Bost (Control 1997 - CMO (EDO MESSO)			LIEDOD	LIEDUS		400.40	00.40	05.41	40.01		44.00				ĺ
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	 	-	UEP9D UEP9D	UEPHP UEPHQ	1.17 1.17	139.49 139.49	86.10 86.10	65.41 65.41	13.81 13.81	 	11.90 11.90				
 	2-vviie voice Glade Folt (Celitiexulliel GVVC/LBG-5209)2, 3	 		OLI 3D	ULFIIQ	1.17	133.49	00.10	05.41	13.01		11.90				
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	l	1	UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81		11.90				1

UNBU	NDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
3.100		Jan Leement of Florida										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81		11.90				
\vdash		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81		11.90				
		2 Mine Veine Crede Best (Control/differ CMC (EBC ME200)2 2			LIEDOD	LIEDLIE	1.17	420.40	00.40	CF 44	40.04		44.00				
\vdash		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81	-	11.90				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81		11.90				
\vdash		2-Wile Voice Glade Folt (Centrexuller SWC/EBS-W5210)2, 3			OLF 9D	OLFIIO	1.17	133.43	00.10	03.41	13.01	1	11.90				-
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81		11.90				
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLI III	1.17	100.40	00.10	00.41	10.01	1	11.00				
		Term			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
			i e				,		55.10	33. 11	.0.01				İ	İ	1
]		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90		İ	İ	t
	Local S	Switching				1									1	1	
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
	Miscell	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	8.73										
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69					11.90				
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	25.32										
\vdash	F	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	ļ	UEP9D	M1GBM	0.0091			ļ		-			ļ	ļ	-
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	-		+				1	!		 		 	 	
\vdash	D4 Cha	annel Bank Feature Activations	ļ	_	LIEDOD	400000	0.00										-
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP9D	1PQWS	0.66			1	-	-			-	-	1
]]		Footure Activation on D.4 Chancel Book EV line Side Land Class	1		UEP9D	1PQW6	0.66						1				I
\vdash		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-	-	UEF9D	IPUVV	0.66			1	-	-			-	-	
		Slot	1		UEP9D	1PQW7	0.66										1
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	-	OLFBD	IF QVV/	0.00				-		 		 	 	
		Different Wire Center	1		UEP9D	1PQWP	0.66										1
\vdash		Director Attle Center	 		OLFBD	IFQVVF	0.00			1	1	H			 	 	t
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9D	1PQWV	0.66						1				I
\vdash		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	l	†	021 00	11 92 77 7	0.00			1		 	 				I
		Slot	1		UEP9D	1PQWQ	0.66										1
\vdash		Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9D	1PQWA	0.66				i				i	i	†
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	†	t		1	0.00				i				i	i	1
		NRC Conversion Currently Combined Switch-As-Is with allowed	i e			1					İ				İ	İ	1
		changes, per port	1		UEP9D	USAC2		21.50	8.42				11.90				1
		Conversion of existing Centrex Common Block, each	†	t	UEP9D	USACN		5.17	8.32		i		11.90		i	i	1
		New Centrex Standard Common Block	†	t	UEP9D	M1ACS	0.00	618.82	5.32		i		11.90		i	i	1
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82			İ		11.90		İ	İ	t
		NAR Establishment Charge, Per Occasion	1	1	UEP9D	URECA	0.00	66.48		1	İ		11.90		İ	İ	İ
\vdash	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	i		-								1				
1 1		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		In test									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		i –				B	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
		i				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNI	E Port/Loop Combination Rates (Non-Design)	i														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-												Î		
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													Î		
	Non-Design		2	UEP9E		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													Î		
	Non-Design		3	UEP9E		25.80										
UNI	E Port/Loop Combination Rates (Design)													Î		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Design		1	UEP9E		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					İ										
]	Design	<u></u>	2	UEP9E	<u> </u>	18.57			<u> </u>		<u></u>	<u></u>		<u> </u>	L	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					j										
	Design	1	3	UEP9E		32.04					1	1			I	l
UNI	E Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77								ĺ		1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	t -	1	UEP9E	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	t -	2	UEP9E	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
UNI	E Port Rate															
	, FL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	i –														
	Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area	1	1	UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37	1	11.90			I	l
Flo	orida Only	1	1	-	T -					2.3,	1			İ	İ	İ
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37	1	11.90		İ	İ	İ
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire													ĺ		1
	Center)2	1	1	UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81	1	11.90			I	l
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	Ì														
	Term	1	1	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81	1	11.90			I	l
							-							ĺ		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:[1	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37	1	11.90			I	l
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90		ĺ		1
Loc	cal Switching	Ì														
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384								ĺ		1
Loc	cal Number Portability													ĺ		1
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35								ĺ		1
Fea	atures	Ì									İ	l		İ		İ
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26								ĺ		1
	All Select Features Offered, per port	1	1	UEP9E	UEPVS	0.00	370.70		1		1	11.90		İ	İ	İ
	All Centrex Control Features Offered, per port	1	1	UEP9E	UEPVC	2.26			1		1	<u> </u>		İ	İ	İ
NAF		1	1	-	1	_:_0			1		1			İ	İ	İ
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90		ĺ		1
			t —	UEP9E	UAR1X	0.00	0.00	0.00			İ	11.90		i	1	İ
	Unbundled Network Access Register - Indial			ULFSL	UAINIA	0.00										

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
<u> </u>												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					ļ		Nonne		Name and a second and	Diagram			220	Detec(f)		
-	+						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Miscell	aneous Terminations						FIISL	Auu i	Filat	Auu i	JOINEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.73			i i							
		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
-	D4 Cha	nnel Bank Feature Activations		<u> </u>	LIEDOE	400000	2.00			 							
\vdash	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.66			 							
		Footure Activation on D.4 Channel Book EV line Side Land Class			UEP9E	1PQW6	0.66										1
	+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<u> </u>	UEP9E	IPQVV6	0.66			 		1		-		-	
		Slot			UEP9E	1PQW7	0.66										1
\vdash	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		 	OLFBL	IF QVVI	0.00			 		H		 		l	
		Different Wire Center			UEP9E	1PQWP	0.66						1				1
	+	Different Wife Center		-	OLI OL	11 00111	0.00					-					
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										ĺ
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02.02		0.00										
		Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		21.50	8.42				11.90				
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90				
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82					11.90				
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11.90				
		- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		-													-
-		Requires Interoffice Channel Mileage Requires Specific Customer Premises Equipment										-					-
LINDII		ENTREX PORT/LOOP COMBINATIONS - MARKET RATES										-					-
ONBO		tet Rates are applied where BellSouth is not required by FCC	and/or 9	State C	ommission rulo to n	rovido Unbu	ndlod Local Su	vitching or Swi	tch Ports	+		1					
		irring Charges for all Standard Centrex and Centrex Conrol Fe					liuleu Local Sv	vitcining or 3w	ittii Forts.								
		Office and Tandem Switching Usage and Common Transport					ibit shall apply	to all combina	ations of loop/	port network ele	ements excen	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu														Additional NR	Cs may
1		ilso and are categorized accordingly.		2011101		- a		,	5 -1141 963	25 (11036 1			g Guill	, -5			
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only))	l		1											
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				i e										İ	
		ort/Loop Combination Rates (Non-Design)		İ		1											
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		İ		1											
L	<u> </u>	Non-Design	<u></u>	1	UEP91	<u></u>	26.94			<u> </u>		<u></u>	<u></u>	<u></u>		<u> </u>	1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
L	1	Non-Design		2	UEP91	ļ	31.06										
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								Ι Τ							1
L	1	Non-Design		3	UEP91	ļ	45.87			 			ļ				1
<u> </u>	UNE Po	ort/Loop Combination Rates (Design)		<u> </u>		ļ				ļ							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDO4		20.00										1
-	+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91	1	29.36			 							
		2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design		2	UEP91		34.43										1
\vdash	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFSI	1	34.43			 		-	-		-	-	
		Design		3	UEP91		50.68										1
-	UNFI	pop Rate		-	OLI 31	<u> </u>	30.00			+			 				
	5.4L E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.94			 		 	 				—
-	1	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	17.06			 		 	 				—
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	31.87										
	•											•			•		-

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
													Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi	-	500				DATEO (A)			Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										
UNE	Ports															
All St	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 0.	02:	11.00	100.00	110.00	00.00	20.00		11.00				
	Term - Basic Local Area			UEP91	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OI	OLI 12	14.00	100.00	110.00	00.00	20.00		11.00				
	- Basic Local Area			UEP91	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLF91	OLF19	14.00	70.00	33.00	33.00	10.00		11.90				
	Basic Local Area			UEP91	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
Coor	gia and Florida Only	-	-	UEF91	UEFTZ	14.00	70.00	33.00	35.00	10.00		11.90				
Georg		-	-	UEP91	UEPHA	14.00	70.00	25.00	35.00	40.00		11.90				
-	2-Wire Voice Grade Port (Centrex)						70.00	35.00		10.00						
	2-Wire Voice Grade Port (Centrex 800 termination)	-	-	UEP91	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP91	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l												
	Center)2			UEP91	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						11.90				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						11.90				
NARS																
1	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				11.90		İ		
	Unbundled Network Access Register - Indial		1	UEP91	UAR1X	0.00	0.00	0.00			ĺ	11.90		ĺ		
	Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0.00	0.00	0.00			ĺ	11.90		ĺ		
Misce	ellaneous Terminations		1								ĺ	1		ĺ		
	e Trunk Side	İ									ĺ	İ		İ		
1	Trunk Side Terminations, each			UEP91	CENA6	8.81					İ			İ		
Interd	office Channel Mileage - 2-Wire										İ			İ		
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32					İ			İ		
	Interoffice Channel mileage, per mile or fraction of mile		†	UEP91	M1GBM	0.0091					i e	i		i e		1
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	†			3.0001					i e	i		i e		1
	nannel Bank Feature Activations	ĺ	t		1									i		t
- -	Feature Activation on D-4 Channel Bank Centrex Loop Slot	†	t	UEP91	1PQWS	0.66								i		t
 	Todate 7 total and 10 1 D 4 charmer bank centres 200p clot	t	t	02.01		0.00					-	l		†		<u> </u>
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										1
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	t	t	02101	11 9440	0.00					t e	 		†		t
1	Slot			UEP91	1PQW7	0.66										1
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	 	OE1 31	11 02/1/	0.00					 	 		 		
		1	I	l	1				l l		l	l		I		1
	Different Wire Center	I			11D(\\\/D	0.66										
	Different Wire Center	ļ		UEP91	1PQWP	0.66										-

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.44
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot	ļ		UEP91	1PQWQ	0.66										└
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex	ļ														
	Conversion - Currently Combined Switch-As-Is with allowed						04.50									
	changes, per port	-		UEP91	USAC2		21.50	8.42			1	11.90				-
	Conversion of Existing Centrex Common Block	 		UEP91	USACN	0.00	5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block	-		UEP91	M1ACC	0.00	618.82				1	11.90				
	Secondary Block, per Block	 		UEP91	M2CC1	0.00	71.31					11.90				
11815	NAR Establishment Charge, Per Occasion	 	 	UEP91	URECA	0.00	66.48		-			11.90	-			
	-P CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	 		+ +				1		1		-	 		
	Port/Loop Combination Rates (Non-Design)	1	 		+ +						1		-	 	 	
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		 		+ +						}	-	 	 	+	
	Non-Design	1	-1	UEP95		26.94								1	1	1
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	- '-	OFL 20	+ +	20.94					1	-	1	+	 	
	Non-Design		2	UEP95		31.06										l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+		ULF 93	+	31.00					ł	-		-	-	
	Non-Design		3	UEP95		45.87										
LINE	Port/Loop Combination Rates (Design)	 	3	OLF 93	+	45.67					<u> </u>		1			
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo] 									†					
	Design		1	UEP95		29.36										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI SO		20.00					†					
	Design		2	UEP95		34.43										l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	OL1 00	+	04.40					1			1		
	Design		3	UEP95		50.68										
UNE	Loop Rate	1									i e					
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.94					İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95	UECS1	17.06					İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP95	UECS1	31.87					İ					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68										
UNE	Port Rate	1	1													
	States	1	1													
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90	ĺ			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1												_	_	1
	Term - Basic Local Area			UEP95	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t												1	1	1
	- Basic Local Area	1	ļ	UEP95	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90	ļ	ļ	ļ	Ь——
	2-Wire Voice Grade Port Terminated on 800 Service Term -			l										I	I	1
	Basic Local Area	L	<u> </u>	UEP95	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90	ļ	1	1	├
	KY, LA, MS, SC, & TN Only	1	<u> </u>								ļ			ļ	ļ	├
FL 8	GA Only	1	<u> </u>	LIEDOE	LIEDU		=						ļ	-	-	├
\vdash	2-Wire Voice Grade Port (Centrex)	1	 	UEP95	UEPHA	14.00	70.00	35.00		10.00	ļ	11.90	 	 	 	├
 	2-Wire Voice Grade Port (Centrex 800 termination)	1	<u> </u>	UEP95	UEPHB	14.00	70.00	35.00	35.00	10.00	ļ	11.90	-	 	 	
$\vdash \vdash \vdash$	2-Wire Voice Grade Port (Centrex with Caller ID)1	-	1	UEP95	UEPHH	14.00	70.00	35.00	35.00	10.00	<u> </u>	11.90	.	-	-	├
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDUM	44.00	400.00	440.00	05.00	20.00		44.00		I	I	1
\vdash	Center)2	+	 	UEP95	UEPHM	14.00	180.00	110.00	85.00	20.00	 	11.90	 	 	 	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDUZ	44.00	400.00	440.00	05.00	00.00		44.00		1	1	1
1 1	Term	1	 	UEP95	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90	-			

UNBUN	IDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Interi									Elec	Manually		Manual Svc		Manual Svo
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u></u>			ļ														
\vdash			ļ				Rec	Nonrec		Nonrecurring		001			Rates(\$)		
\vdash					LIEBOS	LIEBLIA		First	Add'l	First	Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
 		2-Wire Voice Grade Port Terminated on 800 Service Term	!	-	UEP95	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90	 	 	 	ļ
		witching Control Intercom Funtionality, per part	1	-	LIEDOS	LIDECS	0.7204			-					 	-	
 		Centrex Intercom Funtionality, per port umber Portability	 	-	UEP95	URECS	0.7384			 	-			 	 	 	
 		Local Number Portability (1 per port)	 	-	UEP95	LNPCC	0.35			+		-	-		+	+	
r	eature		 		OFL 20	LINFOU	0.35			t	1			 	t	t	
 		All Standard Features Offered, per port	 	t	UEP95	UEPVF	0.00			+					t	t	
\vdash		All Select Features Offered, per port	l -		UEP95	UEPVS	0.00	370.70		<u> </u>			11.90		<u> </u>	<u> </u>	
\vdash		All Centrex Control Features Offered, per port	l -		UEP95	UEPVC	0.00	3. 5.7 6		<u> </u>			50		<u> </u>	<u> </u>	
1	IARS	and the second second part of the second sec	t			1 -	2.20			1	İ			İ	1	1	
		Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00	1	İ	İ	11.90	İ	1	1	
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Outdial	Ì		UEP95	UAROX	0.00	0.00	0.00				11.90				İ
P		aneous Terminations												1			
2		Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.81										
4		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
$\sqcup I$		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
		ce Channel Mileage - 2-Wire	ļ			1				ļ				ļ	1	ļ	
\vdash		Interoffice Channel Facilities Termination	ļ	L	UEP95	M1GBC	25.32										
\vdash		Interoffice Channel mileage, per mile or fraction of mile	l	<u> </u>	UEP95	M1GBM	0.0091			ļ					ļ	ļ	
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	<u> </u>		1				-					-	-	
\vdash		nnel Bank Feature Activations	<u> </u>	-	LIEDOS	400000	0.00			 				-	 	 	
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	├	UEP95	1PQWS	0.66			 				-	 	 	
		Footure Activation on D.4 Channel Book EV line Side Land Clat			UEP95	1PQW6	0.66			1					1	1	
\vdash		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	-	OLF90	IFUVVO	0.06			 	-	-	-	 	 	+	
		Slot	1		UEP95	1PQW7	0.66			I		1			I	I	1
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	1	OL1 30	11-001	0.00			 				 	 	 	
		Different Wire Center	1		UEP95	1PQWP	0.66			I		1			I	I	1
\vdash		Different 17110 Odiffer	l	†	OL1 90	Q v v i	0.00			 		 	 		-	-	
	l,	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.66			I		1			I	I	1
\vdash		Feature Activation on D-4 Channel Bank Tivate Line/Trunk Loop	1			1	5.55			<u> </u>	1			1	<u> </u>	<u> </u>	
		Slot	1		UEP95	1PQWQ	0.66			I		1			I	I	1
		Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP95	1PQWA	0.66			1	İ	İ	1	İ	1	1	
1		curring Charges (NRC) Associated with UNE-P Centrex	i														
		NRC Conversion Currently Combined Switch-As-Is with allowed	ĺ														
		changes, per port	<u> </u>	L	UEP95	USAC2	0.00	21.50	8.42	<u> </u>		<u> </u>	11.90	<u> </u>	<u> </u>	<u> </u>	
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32				11.90				
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
		CENTREX - DMS100 (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ							1	ļ			ļ	1	1	
<u> </u>		rt/Loop Combination Rates (Non-Design)	!	<u> </u>		1				ļ					ļ	ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOD					I		1			I	I	1
\vdash		Non-Design	!	1	UEP9D	1	26.94			ļ					ļ	ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOD					I		1			I	I	1
\vdash		Non-Design	!	2	UEP9D	1	31.06			 	!			 	 	 	ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	3	LIEDOD		45.07			I		1			I	I	1
 		Non-Design rt/Loop Combination Rates (Design)	1	3	UEP9D	+	45.87			-					 	-	
H-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<u> </u>	-		+				-					 	-	
1		z-vvire vG Loop/z-vvire voice Grade Port (Centrex) Port Combo -	1	4	UEP9D		29.36			1					1	1	
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	- '	OLFSD	+	29.36			 	-	-	-	 	 	+	
\vdash	T .																1
				2	LIEDAD		24.42										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		34.43										

UNBUNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring		001450	0011411		Rates(\$)	0011411	2011411
UNE L	pop Rate				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	17.06			ĺ							
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP9D	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	20.43										
UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.68										
ALL ST		1	1		+	-										
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	70.00	35.00	35.00	10.00		11.90				ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-WS316)/3 Basic Eddal Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2-Wire Voice Grade Fort (Certnex with Galler ID) Basic Eddal Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	14.00	70.00	35.00	35.00	10.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	14.00	70.00	35.00	35.00	10.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	14.00	70.00	35.00	35.00	10.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	14.00	70.00	35.00	35.00	10.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYQ	14.00	180.00	110.00	85.00	20.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYR	14.00	180.00	110.00	85.00	20.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	14.00	180.00	110.00	85.00	20.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	14.00	180.00	110.00	85.00	20.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	14.00	180.00	110.00	85.00	20.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14.00	180.00	110.00	85.00	20.00		11.90				
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	14.00	180.00	110.00	85.00	20.00		11.90				i
	Term			UEP9D	UEPYZ	14.00	180.00	110.00	85.00	20.00	<u> </u>	11.90				

UNBUNDLI	ED NETWORK ELEMENTS - Florida													ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Dan	Nonred	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
FL &	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	14.00	70.00	35.00	35.00	10.00	ĺ	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		1	UEP9D	UEPHD	14.00	70.00	35.00	35.00	10.00	t	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3		1	UEP9D	UEPHE	14.00	70.00	35.00	35.00	10.00	t	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14.00	70.00	35.00	35.00	10.00	†	11.90				
1	2-Wire Voice Grade Port (Centrex / EBS-M5312)3	l	1	UEP9D	UEPHG	14.00	70.00	35.00	35.00	10.00	1	11.90	1	1	1	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	1	1	UEP9D	UEPHT	14.00	70.00	35.00	35.00	10.00	1	11.90	l	†	 	1
+	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	-	 	UEP9D	UEPHU	14.00	70.00	35.00	35.00	10.00	 	11.90	 	 		
+	2-Wire Voice Grade Port (Centrex / EBS-M5206)3	1	 	UEP9D	UEPHV	14.00	70.00	35.00		10.00	 	11.90	 	 	 	
+	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	1	 	UEP9D	UEPH3	14.00	70.00	35.00	35.00	10.00	 	11.90	 	 	 	
	2-Wire Voice Grade Port (Centrex / EBS-NBS16)3		+	UEP9D	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex With Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		+	OLF3D	OLFIIII	14.00	70.00	33.00	33.00	10.00		11.90				
	Indication)3			UEP9D	UEPHW	14.00	70.00	35.00	35.00	10.00		11.90				
			+	UEP9D	UEPHJ	14.00	70.00	35.00		10.00	-	11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		+	UEP9D	UEPHJ	14.00	70.00	35.00	35.00	10.00	-	11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	44.00	400.00	440.00	05.00	00.00		11.90				
	Z	-	+			14.00	180.00	110.00	85.00	20.00	-					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	180.00	110.00	85.00	20.00		11.90				
		1	1		1 7									_		[
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		1	UEP9D	UEPH6	14.00	180.00	110.00	85.00	20.00		11.90				
T																
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	<u> </u>	<u></u>	UEP9D	UEPH7	14.00	180.00	110.00	85.00	20.00		11.90	<u> </u>			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	<u> </u>	<u></u>	UEP9D	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90	<u> </u>			<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	<u></u>	UEP9D	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90	<u> </u>			<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Local	Switching															
i	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability															
1	Local Number Portability (1 per port)	Ì		UEP9D	LNPCC	0.35							İ			l
Featu																
1	All Standard Features Offered, per port	i	1	UEP9D	UEPVF	0.00			İ		İ					İ
	All Select Features Offered, per port	i –	1	UEP9D	UEPVS	0.00	370.70		1		1	11.90	İ	İ	İ	
İ	All Centrex Control Features Offered, per port	i	1	UEP9D	UEPVC	0.00			İ		İ					İ
NARS		i –	1		1 1	2.20			1		1		İ	İ	İ	
1.5.1.10	Unbundled Network Access Register - Combination	1	t e	UEP9D	UARCX	0.00	0.00	0.00	İ	İ		11.90	i	1	i	
1	Unbundled Network Access Register - Inward	l	1	UEP9D	UAR1X	0.00	0.00	0.00			1	11.90	1	1	1	
- 	Unbundled Network Access Register - Outdial	1	1	UEP9D	UAROX	0.00	0.00	0.00	1		1	11.90	i	t	i	
Misco	Illaneous Terminations	 	1	021 00	0,410,	0.00	0.00	0.00	1		†	11.50		t		
	e Trunk Side	l -	 		+ +				1		1	t	 	 	 	
2-1411	Trunk Side Terminations, each	 	1	UEP9D	CEND6	8.81			1		†	<u> </u>		t		
	e Digital (1.544 Megabits)		+	021 30	SLINDO	0.01			 	-	1	 	-	-	-	

IO.4DO:4DEL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									l .	'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>																
\vdash						Rec	Nonrec		Nonrecurring					Rates(\$)		
	DOLON ILTURALISMO	-		LIEDOD	MALIDA	54.05	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	DS1 Circuit Terminations, each	1	<u> </u>	UEP9D	M1HD1	54.95	45.00				-	11.90				
Intere	DS0 Channels Activiated per Channel	1	<u> </u>	UEP9D	M1HDO	0.00	15.69				-	11.90				
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	1	<u> </u>	UEP9D	M1GBC	25.32					-					
	Interoffice Channel mileage, per mile or fraction of mile	1	-	UEP9D	M1GBM	0.0091					 					
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLFBD	IVITGBIVI	0.0091					<u> </u>					
	nannel Bank Feature Activations	T	<u> </u>		+						1					
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	<u> </u>	UEP9D	1PQWS	0.66					1					
	T catalo 7 lotivation on B 4 chainer Bank Centrox 200p Clot	1	<u> </u>	OLI OD	II QWO	0.00					1					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 00000	0.00										
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 05		0.00					İ					
	Different Wire Center			UEP9D	1PQWP	0.66						1				
		1	i -	-	1	1										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66						1				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1								İ					
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	i	UEP9D	1PQWA	0.66										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21.50	8.42				11.90				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48					11.90				
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)	ļ														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design	-	1	UEP9E	_	26.94					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9E		24.00										
\vdash	Non-Design	-	2	UEP9E	_	31.06					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOE		45.07										
LIME F	Non-Design Port/Loop Combination Rates (Design)	 	3	UEP9E	+	45.87								-		-
UNEP	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo] 	 		+ +	+					}			 		
	Design		1	UEP9E		29.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OL. 0L	+ +	25.50	+					 				
	Design		2	UEP9E	1 1	34.43						1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	<u> </u>		1	3 40	1									
	Design		3	UEP9E	1 1	50.68						1				
UNE L	oop Rate	1		-			İ									
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	12.94					İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68										
	Port Rate							· ·								
AL, FL	L, KY, LA, MS, & TN only	L	<u> </u>													ļ
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	ļ	UEP9E	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOE	LIED: 75		=====									
\vdash	Area	1	<u> </u>	UEP9E	UEPYB	14.00	70.00	35.00	35.00	10.00	ļ	11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOE	LIEDVAL	44.00	70.00	05.00	05.00	40.00		44.60				
	Area			UEP9E	UEPYH	14.00	70.00	35.00	35.00	10.00	!	11.90				-
\vdash	2-Wire Voice Grade Port (Centrex from diff Serving Wire															

NRONDL	ED NETWORK ELEMENTS - Florida													ment: 2	1	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1						1							
	Term - Basic Local Area			UEP9E	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1													
	- Basic Local Area			UEP9E	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
-+	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	02.02	020	1 1.00	7 0.00	00.00	00.00	10.00	†	11.00				
	Basic Local Area			UEP9E	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
Flori	da Oniv		1	OLI OL	OLI 12	14.00	70.00	00.00	00.00	10.00	†	11.00				-
1 1011	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	-	UEP9E	UEPHB	14.00	70.00	35.00	35.00	10.00	-	11.90		-	-	-
	2-Wire Voice Grade Fort (Centrex with Caller ID)1	-	-	UEP9E	UEPHH	14.00	70.00	35.00	35.00	10.00	-	11.90		-	-	-
_				UEF9E	UEPHH	14.00	70.00	33.00	33.00	10.00	-	11.90				-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2	1		UEP9E	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90			I	
-+		!	 	OEFSE	UEFAIVI	14.00	180.00	110.00	გე.00	∠0.00	 	11.90			 	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90			I	I
	Term			UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	L	1	1	LIEBAE			=0							l	I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	.	├	UEP9E	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90			-	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
NAR	6															
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
Misc	ellaneous Terminations															
2-Wii	e Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.81										
4-Wii	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95					İ					İ
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
Inter	office Channel Mileage - 2-Wire		1													
-	Interoffice Channel Facilities Termination		1	UEP9E	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9E	M1GBM	0.0091										
Feati	ire Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1													
	hannel Bank Feature Activations		1													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9E	1PQWS	0.66										
	The second secon	i –	t –	1	1	3.50			1		1	1		i e	1	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP9E	1PQW6	0.66]		l	I	
-+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		t -	OL. 0L	.1 0,110	0.00			 		1			 	 	1
	Slot	1		UEP9E	1PQW7	0.66									I	I
-+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		t -	OLI OL	11 62 77 7	0.00			 		1			 	 	1
	Different Wire Center	1		UEP9E	1PQWP	0.66									I	1
-	Director Wile Conte	 	 	OLI OL	11 Q/VF	0.00					1		 	<u> </u>	 	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9E	1PQWV	0.66									1	
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	-	-	OLF 3L	IF WVVV	0.00			+		-		-	-	 	-
		1		LIEDOE	10000	0.00									I	1
-+	Slot	 	 	UEP9E	1PQWQ	0.66			 		1	—	-	 	 	1
- I	Feature Activation on D-4 Channel Bank WATS Loop Slot	.	!	UEP9E	1PQWA	0.66			.		1		-	-	-	1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	ļ	<u> </u>	1							.					.
	NRC Conversion Currently Combined Switch-As-Is with allowed	l		l											1	
	changes, per port	ļ	<u> </u>	UEP9E	USAC2		21.50	8.42				11.90		ļ		
	Conversion of Existing Centrex Common Block, each	ļ	<u> </u>	UEP9E	USACN		5.17	8.32				11.90		ļ		
	New Centrex Standard Common Block	ļ		UEP9E	M1ACS	0.00	618.82				ļ	11.90			ļ	↓
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82					11.90				
1	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48	· ·		·		11.90	l			

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	nent: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dan	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment				·					·						
Note:	lote: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: B
												1		Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic-
														ist	Addi	DISC 1St	Disc Add'l
							Rec	Nonre	curring	Nonrecurrin	g Disconnect		•		Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														<u> </u>			
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		SUPPORT SYSTEMS			'						ļ.,.,. <u>.</u>				ļ.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		(1) Electronic Service Order: CLEC should contact its contract is the BellSouth regional electronic service ordering charge.															is rate
		(2) Any element that can be ordered electronically will be bill															ly For
		elements that cannot be ordered electronically at present per t															
		ng charge, SOMAN, will be applied to a CLECs bill when it sub				III tillo cate	gory reflects th	e charge that t	would be billed	i to a ollo on	ice electronic c	ruering cap	abilities co	ille oli-illie io	i tilat elemen	. Otherwise,	tile illalitual
	0.00	Electronic OSS Charge, per LSR, submitted via BST's OSS	Jto u.														
		interactive interfaces (Regional)				SOMEC		3.50									
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3.												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX.												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBUI		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP		L							1				ļ		
<u> </u>	.	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	.		UEANL	UEAL2	14.21	42.54	31.33		1			18.94	8.42	0.00	0.00
	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEAL2 UEAL2	16.41	42.54 42.54	31.33		1	1	-	18.94	8.42 8.42	0.00	0.00
—	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	3	UEANL	UEALZ	26.08	42.54	31.33		+	 	1	18.94	8.42	0.00	0.00
1	1	Premise			UEANL	URETL		8.33	0.83					18.94	8.42	0.00	0.00
-	 	Loop Testing - Basic 1st Half Hour		t	UEANL	URET1		78.92	78.92		†	-		18.94	8.42	0.00	0.00
—	t	Loop Testing - Basic Additional Half Hour	l		UEANL	URETA		23.33	23.33		1	1		18.94	8.42	0.00	0.00
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch											İ	15701	37.12	2700	2.00
		(UVL-SL1)			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		14.47	14.47								
		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		16.11	16.11								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001											
<u> </u>	<u> </u>	(per LSR)	1	<u> </u>	UEANL	OCOSL]	35.74	35.74			1		l			L

Version 1Q03: 02/28/03

UNBL	NDLF	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
3.100	1						I					Svc Order	Svc Order	Incremental	Incremental		Incremental
												I .	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								Order vs.
OAIL		NATE ELEMENTO	m	20.10	500	0000			πατι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+	ı	Nonrec	urring	Nonrecurring	n Disconnect	†	1	OSS	Rates(\$)	1	1
			1	1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED		1		1		11100	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	_ ******	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40			1	†	18.94	8.42	0.00	0.00
		2 Wire Unbundled Copper Loop Non-Designed Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40			1	1	18.94	8.42	0.00	0.00
		2 Wire Unbundled Copper Loop Non-Designed Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40			1	†	18.94	8.42	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť	024	OL QLX	20.22	11.00	22.10			1	1	10.01	02	0.00	0.00
		Premise			UEQ	URETL		8.33	0.83					18.94	8.42	0.00	0.00
		Order Coordination 2 Wire Unbundled Copper Loop - Non-			024	UNLETE		0.00	0.00			İ		10.01	02	0.00	0.00
		Designed (per loop)			UEQ	USBMC		16.11	16.11					18.94	8.42	0.00	0.00
		Unbundled Copper Loop, Non-Design Copper Loop, billing for										İ					
		BST providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		28.72	28.72					18.94	8.42	0.00	0.00
		Loop Testing - Basic 1st Half Hour	t	t	UEQ	URET1		78.92	78.92	i	i			18.94	8.42	0.00	0.00
		Loop Testing - Basic Additional Half Hour	l	1	UEQ	URETA		23.33	23.33		İ			18.94	8.42	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch	1	t		T					İ	1			1	1	1.00
		(UCL-ND)	1		UEQ	UREWO		14.25	7.42					18.94	8.42	0.00	0.00
UNBUI	IDLED F	XCHANGE ACCESS LOOP	1	t	İ	1					İ	1			i	1	
		ANALOG VOICE GRADE LOOP	1	t	İ	1					İ	1			İ	İ	1
		op Rates for Line Splitting (In Ga. PSC ordered the line spli	ittina lo	OD US	OCs match the lower	r port- loop c	ombo rates UEI	PLX)					İ				
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	Ĭ	1	UEPSR UEPSB	UEALS	12.59	22.14	15.25				İ	18.94	8.42		
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPSR UEPSB	UEABS	12.59	22.14	15.25			İ		18.94	8.42		
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEALS	14.26	22.14	15.25			İ		18.94	8.42		
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	T i	2	UEPSR UEPSB	UEABS	14.26	22.14	15.25			İ		18.94	8.42		
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	T i	3	UEPSR UEPSB	UEALS	21.62	22.14	15.25			İ		18.94	8.42		
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPSR UEPSB	UEABS	21.62	22.14	15.25				İ	18.94	8.42		
UNBU	DLED E	XCHANGE ACCESS LOOP										i e					
		ANALOG VOICE GRADE LOOP				1											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									Î				Î		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									Î				Î		
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74			Î				Î		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.10	<u> </u>				18.94	8.42	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42	0.00	0.00
		Loop Tagging - Service Level 2 (SL2)	ļ	<u> </u>	UEA	URETL		11.19	1.10					18.94	8.42	0.00	0.00
	4-WIRE	ANALOG VOICE GRADE LOOP	ļ	<u> </u>	<u> </u>	1					ļ				ļ	1	1
		4-Wire Analog Voice Grade Loop - Zone 1	ļ	1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42	0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 2	ļ	2	UEA	UEAL4	25.70	206.95	170.57		ļ			18.94	8.42	0.00	0.00
	\sqcup	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42	0.00	0.00
	\sqcup	Order Coordination for Specified Conversion Time (per LSR)	ļ	<u> </u>	UEA	OCOSL		35.74				ļ			ļ	_	<u> </u>
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch		├	UEA	UREWO		87.72	36.36			ļ		18.94	8.42	0.00	0.00
<u> </u>	2-WIRE	ISDN DIGITAL GRADE LOOP		L .	LIDAL	1141.027	21.2-	600.0-				ļ		40.0			
<u> </u>	\vdash	2-Wire ISDN Digital Grade Loop - Zone 1	!	1	UDN	U1L2X	21.89	233.38	180.35	-	ļ	<u> </u>	-	18.94	8.42	0.00	0.00
<u> </u>	$\vdash \vdash$	2-Wire ISDN Digital Grade Loop - Zone 2	!	2	UDN	U1L2X	25.27	233.38	180.35			ļ	-	18.94	8.42	0.00	0.00
ļ	$\vdash \vdash$	2-Wire ISDN Digital Grade Loop - Zone 3	!	3	UDN	U1L2X	40.17	233.38	180.35	-	-	}	-	18.94	8.42	0.00	0.00
<u> </u>	$\vdash \vdash$	Order Coordination For Specified Conversion Time (per LSR)	!	-	UDN	OCOSL		35.74	00.01	-	-	}	-	10.01	0.40	0.00	2 22
<u> </u>	2 14/10-	CLEC to CLEC Conversion Charge without outside dispatch	!		UDN	UREWO		120.98	33.04			ļ	-	18.94	8.42	0.00	0.00
	Z-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP	 	<u> </u>		+						-				 	-
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	- 1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06		<u> </u>	18.94	8.42	0.00	0.00
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1		1 -	. — —				1	1	. — —			1 -	1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—		1			+		Nonrec		Nonrecurring	Dissennest	-		000	Rates(\$)		
		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1		+		LIISI	Auu i	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	2-Wile Offiversal Digital Charifier (ODC) Compatible Loop - Zone	Ί,	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch	i i	-	UDC	UREWO	40.17	44.69	31.55	25.05	7.00			18.94	8.42	0.00	0.00
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP		OKETTO		44.00	01.00					10.04	0.42	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry	1														
	& facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2	- 1	2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry	1														
	& facility reservation - Zone 3	- 1	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	- 1	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	I	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	 		UAL	OCOSL		35.74						10.01	0.10		
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29					18.94	8.42	0.00	0.00
2-WI	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP		+				1							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry	-	-	UHL	UHLZX	7.88	44.69	31.00	25.05	7.06			18.94	8.42	0.00	0.00
	& facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry	+ '-		OFF	UTILZX	5.05	44.03	31.33	25.05	7.00			10.54	0.42	0.00	0.00
	& facility reservation - Zone 3		3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	-	UHL	OCOSL	14.40	35.74	31.33	25.05	7.00			10.54	0.42	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry	1		OTIL	OCCCE		00.74									
	and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		44.69	31.55					18.94	8.42	0.00	0.00
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP					•								
1 1	4 Wire Unbundled HDSL Loop including manual service inquiry														l	
\vdash	and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry			l	1				I				I			
 	and facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry	Ι.	_	l		40.0=	44.00	04.55	05.65	7.00			100:	0.40		0.00
\vdash	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+ -	3	UHL UHL	UHL4X OCOSL	19.07	44.69 35.74	31.55	25.65	7.06	-	-	18.94	8.42	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	-	UNL	OCOSL		35.74		 				 			
	and facility reservation - Zone 1	l .	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry	+ '	-	UIIL	UNL4VV	10.39	44.09	31.55	∠5.05	7.06	-	-	10.94	0.42	0.00	0.00
	and facility reservation - Zone 2	I .	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry	+-		OI IL	CIILTVV	12.00	44.03	31.33	20.00	7.00			10.94	0.42	0.00	0.00
	and facility reservation - Zone 3	1 1	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	 	Ť	UHL	OCOSL		35.74	000	20.00				.5.54	J.72	5.00	3.00
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UHL	UREWO		44.69	31.55	1				18.94	8.42	0.00	0.00
4-WI	IRE DS1 DIGITAL LOOP							230	1		İ	İ	1	1.72	2.20	3.30
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	55.53	429.98	268.18					18.94	8.42	0.00	0.00
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	64.13	429.98	268.18					18.94	8.42	0.00	0.00
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101.93	429.98	268.18					18.94	8.42	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97					18.94	8.42	0.00	0.00
4-WI	IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241.20	I				18.94	8.42	0.00	0.00

UNBUNI	DLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
	_ <u></u> -	g										Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	29.74	348.55	241.20					18.94	8.42	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47.27	348.55	241.20					18.94	8.42	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	29.74	348.55	241.20					18.94	8.42	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	47.27	348.55	241.20					18.94	8.42	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.75	348.55	241.20					18.94	8.42	0.00	0.00
	·	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	29.74	348.55	241.20					18.94	8.42	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47.27	348.55	241.20					18.94	8.42	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66					18.94	8.42	0.00	0.00
2-		Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop/Short including manual service								1							1
		inquiry & facility reservation - Zone 1	I	1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		2-Wire Unbundled Copper Loop/Short including manual service															
		inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		2 Wire Unbundled Copper Loop/Short including manual service															
		inquiry & facility reservation - Zone 3	I	3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 1	ı	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 2	ı	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 3	ı	3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.		l .													
		inquiry and facility reservation - Zone 1	I	1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		2-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
		inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		2-Wire Unbundled Copper Loop/Long - includes manual svc.		3													
		inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
\vdash		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		16.11	16.11								
		2-Wire Unbundled Copper Loop/Long - without manual service	١.		1101	1101 011	05.50	44.00	04.55	05.05	7.00			40.04	8.42	0.00	0.00
\vdash		inquiry and facility reservation - Zone 1		1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		2-Wire Unbundled Copper Loop/Long - without manual service	١.,	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
-		inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLZVV	41.07	44.69	31.55	25.05	7.06	-		18.94	8.42	0.00	0.00
		inquiry and facility reservation - Zone 3		3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
\vdash		Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	05.20	16.11	16.11	25.05	7.00	1		10.54	0.42	0.00	0.00
\vdash		CLEC to CLEC Conversion Charge without outside dispatch		1	UCL	UCLIVIC		10.11	10.11	-		1					
		(UCL-Des)			UCL	UREWO		44.69	31.55					18.94	8.42	0.00	0.00
1.		COPPER LOOP	- '-	t	JUL	OILLAND		44.09	31.35	t		-	-	10.94	0.42	0.00	0.00
		4-Wire Copper Loop/Short - including manual service inquiry	-	t	+	+				t		-	-		 	 	
		and facility reservation - Zone 1		1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		4-Wire Copper Loop/Short - including manual service inquiry	<u> </u>	<u> </u>	002	002.0	12.02	11.00	01.00	20.00	7.00			10.01	02	0.00	0.00
		and facility reservation - Zone 2	1	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		4-Wire Copper Loop/Short - including manual service inquiry	i i	l -	002	002.0	10.00	11.00	01.00	20.00	7.00			10.01	02	0.00	0.00
		and facility reservation - Zone 3	1	3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06		1	18.94	8.42	0.00	0.00
\vdash		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		16.11	16.11		1.00				22	2.00	2.00
	1.	4-Wire Copper Loop/Short - without manual service inquiry and								t					İ	İ	
		facility reservation - Zone 1	- 1	1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00
		4-Wire Copper Loop/Short - without manual service inquiry and									1						
		facility reservation - Zone 2	1	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06		1	18.94	8.42	0.00	0.00
		4-Wire Copper Loop/Short - without manual service inquiry and															
		facility reservation - Zone 3	1	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06		1	18.94	8.42	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	-	16.11	16.11								
		4-Wire Unbundled Copper Loop/Long - includes manual svc.															
1		inquiry and facility reservation - Zone 1	1	1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.00

ONBO	NDLED	NETWORK ELEMENTS - Georgia			ı	,						1-	1_		ment: 2		ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	1	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Order vs.
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	1101	1101.41	44.07	44.00	31.55	25.65	7.00			18.94	0.40	0.00	
-		inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06	1		18.94	8.42	0.00	0.0
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.0
-		Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	05.20	16.11	16.11	25.65	7.06	1		10.94	0.42	0.00	0.0
		4-Wire Unbundled Copper Loop/Long - without manual svc.			OCL	OCLIVIC		10.11	10.11								
		inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.0
		4-Wire Unbundled Copper Loop/Long - without manual svc.	·		002	002.0	00.00	1 1.00	01.00	20.00	7.00	1		10.01	0.12	0.00	0.0
		inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42	0.00	0.0
		4-Wire Unbundled Copper Loop/Long - without manual svc.											1				1
	i	inquiry and facility reservation - Zone 3	L	3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06	<u></u>		18.94	8.42	0.00	0.0
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		CLEC to CLEC conversion Charge without outside dispatch	_		UCL	UREWO		44.69	31.55					18.94	8.42	0.00	0.0
LOOP N	ODIFIC	CATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00					18.94	8.42	0.00	0.0
		Unbundled Loop Modification, Removal of Load Coils - 2 wire	i i		02. 05	O L.V.LL		0.00	0.00			1			0.12	0.00	0.0
		greater than 18k ft	1		UCL, ULS, UEQ	ULM2G		0.00	0.00					18.94	8.42	0.00	0.0
		Unbundled Loop Modification Removal of Load Coils - 4 Wire											1				
		less than or equal to 18K ft	- 1		UHL, UCL, UEA	ULM4L		0.00	0.00					18.94	8.42	0.00	0.0
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		pair greater than 18k ft	I		UCL	ULM4G		0.00	0.00					18.94	8.42	0.00	0.0
SUB-LO		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		0.00	0.00					18.94	8.42	0.00	0.0
		op Distribution				1						1	1			1	1
ľ		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1						1					1
		Up	1		UEANL	USBSA		421.08	421.08					18.94	8.42	0.00	0.0
	1					1									****		1
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		67.10	67.10					18.94	8.42	0.00	0.0
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	- 1		UEANL	USBSC		394.74	394.74					18.94	8.42	0.00	0.0
T		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	ı		UEANL	USBSD		154.57	154.57				<u> </u>	18.94	8.42	0.00	0.0
		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working							_							_	
		and Spare Loop Activation		-	UEANL	USBRC	1.37	2.48	2.48	1.74	1.74	ļ	ļ	18.94	8.42	0.00	0.0
		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42	0.00	0.0
		and Spare Loop Activation Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLAINL	USBKD	2.14	4.96	4.96	1.74	1.74	1	1	18.94	8.42	0.00	0.0
		Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42	0.00	0.0
	- 1			5**	02,112	CODITE	5.12	207.01	171.02	1		 	†	10.54	0.42	5.00	0.0
	- 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22						I		
1		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42	0.00	0.0
İ																	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
Ţ		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42	0.00	0.0
															1	1	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.		UEANL	USBMC	0.00	34.22	34.22	400 17	40	ļ	ļ	40.01	0.10	0.00	
-+	- 1	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR4	2.96	176.46	55.11	122.17	19.57	 	 	18.94	8.42	0.00	0.0
	I.	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22						I	I	
			-	1	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53	 	1	18.84	8.42	0.00	0.0
									55.50	100.00			•				0.0
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 		UEF	UCS2X	5.54	175.16	55.50	108.86	24.53	i e	1	18.94	8.42	0.00	0.0

UNBUI	NDLE	NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
1							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1		UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42	0.00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
		Iled Network Terminating Wire (UNTW)			UENTW	UENPP	1.37	0.40	2.48	1.74	1.74			18.94	8.42	0.00	0.00
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74	-		18.94	8.42	0.00	0.00
		Network Interface Device (NID) - 1-2 lines	-	 	UENTW	UND12	+	86.37	56.69	+		1	 	18.94	8.42	0.00	0.00
		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	ı	 	UENTW	UND12	+	127.93	98.21					18.94	8.42	0.00	0.00
+		Network Interface Device (ND) - 1-6 lines Network Interface Device Cross Connect - 2 W	i		UENTW	UNDC2	+	6.15	6.15	 		l	t	18.94	8.42	0.00	0.00
- 1		Network Interface Device Cross Connect - 4W	•		UENTW	UNDC4	1	6.15	6.15					.5.54	5.72	3.00	3.00
SUB-LO							i	20	2.10			1		1	İ	1	i
		op Feeder					İ			1					1		1
İ		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,		İ	İ									
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		421.08						18.94	8.42	0.00	0.00
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,				-								
		set-up			UDN,UCL,UDL,UDC	USBFX		67.10	67.10					18.94	8.42	0.00	0.00
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		521.57	11.30					18.94	8.42	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															_
		Grade- Statewide		SW	UEA	USBFA	8.58	206.44	170.05			ļ		18.94	8.42	0.00	0.00
		Order Coordination for Specified Conversion Time, per LSR		ļ	UEA	OCOSL		35.74		ļ		1	-	-	ļ	-	!
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			LIEA	LICDED	8.58	000.44	470.05					40.04	0.40	0.00	0.00
		Grade - Statewide Order Coordination for Specified Time Conversion, per LSR		SW	UEA UEA	USBFB OCOSL	8.58	206.44 35.74	170.05					18.94	8.42	0.00	0.00
-+		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		 	OLA	UUUSL	+	35.74		1		 	 	 	 	 	1
		Voice Grade Loop - Statewide		sw	UEA	USBFC	8.58	206.44	170.05					18.94	8.42	0.00	0.00
		Order Coordination For Specified Conversion Time, per LSR		JW	UEA	OCOSL	0.50	35.74	170.03	1			-	10.34	0.42	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		†	0=/1	COOL	+	33.74		1		 	 	I		I	1
		Grade - Statewide		sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42	0.00	0.00
		Order Coordination For Specified Conversion Time, Per LSR		1	UEA	OCOSL		35.74	202		22.00				27.12	2.00	3.00
$\neg \uparrow$		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice												1		1	1
		Grade - Statewide	<u></u>	SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93	<u></u>	<u></u>	18.94	8.42	0.00	0.00
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -															
		Statewide		SW	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42	0.00	0.00
Ţ		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		35.74							ļ	ļ	
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	17.73	208.50	62.31	119.68	29.58	ļ		19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW		USBFG	79.30	203.69	128.76	124.09	34.80	ļ		19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR		-	USL	OCOSL		35.74		 		 	1	 	-	 	
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42	0.00	0.00
-+		Order Coordination For Specified Conversion Time, per LSR		SW	UCL	OCOSL	1.22	35.74	03.15	119.08	29.58	 		10.94	0.42	0.00	0.00
+		Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		S/W	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93	1	 	18.94	8.42	0.00	0.00
		Order Coordination For Specified Conversion Time, per LSR		JW	UCL	OCOSL	13.12	35.74	01.32	134.11	33.33		-	10.94	0.42	0.00	0.00
- 1		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
- 1		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		<u> </u>			250	2.0.41	002		55.50			.0.00	.5.55	.0.00	.5.50
		Statewide		sw	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		35.74									1
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -					İ										
		Statewide	<u></u>	SW	UDL	USBFP	24.50	243.41	81.32	134.77	33.93	<u></u>	<u></u>	19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74									
SUB-LO																	
		op Feeder													ļ	ļ	
		Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month	- !	<u> </u>	UE3 UE3	1L5SL USBF1	12.80 329.94	3,396.56	406.50	163.61	92.75	ļ		18.94	8.42	ļ	ļ
						IIISBE1			406.50								1

											Cyo Ordor	Svc Order	Incremental	Incremental	In anamantal	1.
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates(\$)	I.	I
-+-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	1		UDLSX	USBF7	372.78	3,396.56	406.50		92.75	0020		18.94	8.42		00
JNBUNDLED	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR303)				UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
\longrightarrow	Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71	ļ		19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface				ULCC4									19.99		
-+-	(Specials Card)			UEA		7.09	21.07	20.96	10.78	10.71	-		19.99		19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
JNE OTHER.	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
JNE OTHER, I	PROVISIONING ONLY - NO RATE															
	Harania I Carania Nazar Baratia Galaria			UAL,UCL,UDC,UDL,	LINEON	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LICREO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDIN,UCL,UDC	USBFQ	0.00	0.00				1	1				1
1	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
-+-	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00		 			-				†
-+-	Unbundled DS1 Loop - Expanded Superframe Format option -				20001	0.00	0.00		1		 	 	 			1
I	no rate			USL	CCOEF	0.00	0.00									
IIGH CAPACI	TY UNBUNDLED LOCAL LOOP					2.00	2.00							İ	İ	i e
	minimum billing period of three months for DS3/STS-1 Local L	Loop														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 - Facility												1			
	Termination per month		L	UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per									_						
	month			UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	421.59	639.50	426.40	ļ		ļ		37.55	37.55	18.03	18.03
LOOP MAKE-U											<u> </u>	1		ļ		ļ
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup - Preordering With Reservation, per spare facility	_		l												
	queried (Manual).			UMK	UMKLP		45.00	45.00	ļ		ļ		ļ			ļ
						I .			1		1	1	1	1	ı	1
	ENCY SPECTRUM					-			ł			-				+
LINE S	ENCY SPECTRUM SHARING TERS-CENTRAL OFFICE BASED															

UNBU	NDLE	NETWORK ELEMENTS - Georgia													ment: 2		ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00					18.94	8.42		
		Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	11.00	0.00	0.00					18.94	8.42		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		404.55	0.00					18.94	8.42		
\vdash		SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	/ CDEC	TDUM				131.55	0.00			-		18.94	8.42		
\vdash		Line Sharing - per Line Activation (BST Owned Splitter)	SPEC		ULS	ULSDC	0.61	10.51	7.70			1		18.94	8.42		
		Line Sharing - per Subsequent Activity per Line			OLO	OLODO	0.01	10.51	7.70			1		10.54	0.42		
		Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	13.23					18.94	8.42		
		Line Sharing - per Subsequent Activity per Line										†		10101			
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23					18.94	8.42		
		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31					18.94	8.42		
		PLITTING															
\square		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter	ı		UEPSR UEPSB	UREOS	0.61							 '			
\vdash		Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	53.48	34.48	16.45	12.75			18.94	8.42		
$\vdash \vdash \vdash$		Line Splitting - per line activation BST owned - virtual E SITE HIGH FREQUENCY SPECTRUM		-	UEPSR UEPSB	UREBV	0.61	53.48	34.48	16.45	12.75	ļ		18.94	8.42	-	1
		ERS-REMOTE SITE		<u> </u>						-		.					
\vdash		Remote Site Line Share BellSouth Owned Splitter, 24 Port		1	ULS	ULSRB	31.13	136.10	0.00			 		18.94	8.42		
\vdash		Remote Site Line Share Cable Pair Activation CLEC Owned at	'		ULS	OLSKB	31.13	130.10	0.00			1		10.54	0.42		
		RS and Deactivation	1		ULS	ULSTG		123.70	0.00					18.94	8.42		
\vdash		SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	M AKA	REMOT				120.70	0.00					10.54	5.⊣∠		
		Remote Site Line Share Line Activationfor End User Served at			, .	T				1							
		RS, BST Splitter	- 1		ULS	ULSRC	0.61	10.51	7.70					18.94	8.42		
		RS Line Share Line Activation for End User served at RS, CLEC				1											
		Splitter	- 1		ULS	ULSTC	0.61	10.51	7.70					18.94	8.42		
-7		Remote Site Line Share Subsequent Activity-RS BST Owned												1		l	
\bigsqcup		Splitter	ı		ULS	ULSRS		36.04	11.96	<u> </u>				18.94	8.42		
		Remote Site Line Share Subsequent Activity-RS CLEC Owned				0.70								1!			
LIMBLE		Splitter DEDICATED TRANSPORT		-	ULS	ULSTS		36.04	11.96	1		ļ		18.94	8.42	 	1
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m hilli∽	a noric	l - below D63-655	month DC2/	STS-1-four ma	nthe		+		1		\vdash		-	
		DEFICE CHANNEL - DEDICATED TRANSPORT - MINIMUL OFFICE CHANNEL - DEDICATED TRANSPORT	III DIIIIN	g perio	a - below bas=one	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	313-1=10ur MO	iiuis		1		<u> </u>		$\vdash \vdash \vdash$			1
\vdash		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 		+				+		1		\vdash		 	
		Per Mile per month			U1TVX	1L5XX	0.0222							1 '			
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -										Ì				1	
		Facility Termination			U1TVX	U1TV2	17.07	79.61	36.08	<u> </u>				18.94	18.94		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
\square		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0222							<u> </u>			
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat												1 '			
\vdash		Facility Termination		-	U1TVX	U1TR2	17.07	79.61	36.08	1		ļ		18.94	18.94	 	1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0222							1 '			
\vdash		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	UTIDA	ILDAA	0.0222			+				$\vdash \vdash \vdash$		-	
		Termination			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
\vdash		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		t	OTTON	01100	10.45	7 3.01	30.06	 		1		10.54	10.54		
		per month			U1TDX	1L5XX	0.0222							1 '			
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility				1										İ	
		Termination			U1TDX	U1TD6	16.45	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per					İ										
igsquare		month			U1TD1	1L5XX	0.4523							<u> </u>			
7		Interoffice Channel - Dedicated Tranport - DS1 - Facility												1 7			
igsquare		Termination			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				41.504								1 '			
		month Interoffice Channel - Dedicated Transport - DS3 - Facility		-	U1TD3	1L5XX	2.72					ļ		 '		 	1
\vdash		unierouice Channel - Dedicated Transport - DS3 - Facility	1	1	I	1				1		1	l	1 '		l	
					LIATES	LIATES	700 00	E11 10	220 77			I		27.55	27 55	10.00	
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	788.00	511.10	330.77					37.55	37.55	18.03	18.03

UNBU	NDLED	NETWORK ELEMENTS - Georgia											Attach	ment: 2	Exhi	bit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring Disconnec				Rates(\$)	_	
							1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - STS-1 - Facility														
		Termination			U1TS1	U1TFS	783.63	511.10	449.91				61.19	61.19	3.17	3.17
		CHANNEL - DEDICATED TRANSPORT			DOO	D00/070 4										
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ig perio	d = be				200.05	00.40				40.04	0.40		
		Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX ULDVX	ULDV2 ULDR2	13.91 13.91	382.95 382.95	62.40 62.40	 	-	<u> </u>	18.94 18.94	8.42 18.94		
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	14.99	368.44	64.05	+ +	+	1	18.94	8.42		1
		Local Channel - Dedicated - 4-Wire voice Grade			ULDD1	ULDF1	38.36	356.15	312.89	 	-	1	44.22	44.22	18.03	18.03
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92	000.10	012.00	 			77.22	77.22	10.00	10.00
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	515.91	639.50	426.31	1		1	37.55	37.55	18.03	18.03
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92	222.00					21.700	21.00	12700	13.00
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	517.56	639.50	426.31				18.94	18.94		
DARK F							<u> </u>									
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														
		Thereof per month - Local Channel			UDF	1L5DC	44.22									
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,355.29	273.69			ļ	18.94	18.94		1
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														
		Thereof per month - Interoffice Channel			UDF	1L5DF	44.22				_		10.01	10.01		
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69		_		18.94	18.94		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	41.501	44.00									
		Thereof per month - Local Loop NRC Dark Fiber - Local Loop			UDF	1L5DL UDFL4	44.22	1,355.29	273.69	+	_	1	18.94	18.94		
0VV AC		EN DIGIT SCREENING			UDF	UDFL4		1,355.29	273.69	 	-	<u> </u>	18.94	18.94		
OAA AC		8XX Access Ten Digit Screening, Per Call			OHD	+	0.0004868			+ +	-	1	-			-
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OLID		0.0004000				+					
		Number Reserved			OHD	N8R1X		6.57	0.76				18.94	18.94		
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			0.15	HOICIA		0.01	00	1		1	10.01	10.01		
		POTS Translations			OHD			12.81	1.45				18.94	18.94		
	i	8XX Access Ten Digit Screening, Per 8XX No. Established With										1				
		POTS Translations			OHD	N8FTX		12.81	1.45				18.94	18.94		
		8XX Access Ten Digit Screening, Customized Area of Service										Ī				
		Per 8XX Number			OHD	N8FCX		4.46	2.23				18.94	18.94		
		8XX Access Ten Digit Screening, Multiple InterLATA CXR														
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2.99				18.94	18.94		
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76				18.94	18.94		
		8XX Access Ten Digit Screening, Call Handling and Destination														
		Features			OHD	N8FDX		4.72	4.46		_		18.94	18.94		
LINE IN		TION DATA BASE ACCESS (LIDB)			007		0.0000000									
		LIDB Common Transport Per Query LIDB Validation Per Query		-	OQT OQU	-	0.0000338 0.0105974				+		-			-
		LIDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRPBX	0.0105974	50.30		+ +	-	1	18.94	18.94		-
SIGNAL				-	OQ1, OQU	INICEDA		30.30				 	10.54	10.54		1
SIGIVAL		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99			 						
		CCS7 Signaling Usage, Per TCAP Message			UDB	1.00%	0.000087					1				
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.05	131.96	131.96	1		1	18.94	18.94		
		CCS7 Signaling Connection, Per link (B link) (also known as D								1						
		link)			UDB	TPP++	17.05	131.96	131.96				18.94	18.94		
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000354									
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67									
		CCS7 Signaling Point Code, per Originating Point Code														
		Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00			ļ	18.94	18.94		1
		CCS7 Signaling Point Code, per Destination Point Code														1
		Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00			ļ	18.94	18.94		1
CALLIN		E (CNAM) SERVICE			001/	1							-			-
		CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		-	OQV	1	0.01			 	+		 	 	 	
			-	-	OQV	+	0.01			+	+	1	 		-	
		CNAM (Non-Databs Owner), NRC, applies when using the	l	1	oqv	CDDCH		595.00	595.00				18.94	18.94	1	1
	ı	Character Based User Interface (CHUI)														

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
		· · · ·										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Inter'									Elec	Manually	Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
																	1
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Oper. Call Processing - Oper. Provided, Per Min Using BST															
		LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using															
		Foreign LIDB					1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST				1											
		LIDB					0.20										
		Oper. Call Processing - Fully Automated, per Call - Using				1	0.20										
		Foreign LIDB					0.20										
INWAR	D OPER	ATOR SERVICES				1	0.20			1		†			-		
	<u> </u>	Inward Operator Svcs - Verification, Per Minute				1	1.15			1		†			-		
		Inward Operator Services - Verification and Emergency Interrupt				1	1.10			1		1			1		-
		- Per Minute					1.15								1		
BRAND	ING - ∩	PERATOR CALL PROCESSING	†			1	1.10			1				 	†	i	t
		based CLEC	 							†					+		
-		Recording of Custom Branded OA Announcement	 	1		CBAOS		7,000.00	7,000.00	1		<u> </u>		19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				ODAGO		7,000.00	7,000.00					13.33	15.55	13.33	13.33
		per OCN	1			CBAOL		500.00	500.00				1	19.99	19.99		
-	UNEP (1		JUNUL		300.00	300.00	 	 	H		15.55	19.99	 	
	OI4LI (Recording of Custom Branded OA Announcement				1		7,000.00	7,000.00			1		19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				1		7,000.00	7,000.00			1		13.33	15.55	13.33	13.33
		per OCN						500.00	500.00					19.99	19.99		
-	Unbron	Iding via OLNS for UNEP CLEC	-			 		500.00	500.00	1		-	-	19.99	19.99		
-	Ulibrai	Loading of OA per OCN (Regional)	-			 		1,200.00	1,200.00	1		-	-	19.99	19.99		
DIRECT	OBV A	SSISTANCE SERVICES	-					1,200.00	1,200.00			-		19.99	19.99		
DIKEC		FORY ASSISTANCE ACCESS SERVICE	-									-					
-	DIKEC		-			 	0.275			1		-	-		-		
-	DIDECT	Directory Assistance Access Service Calls, Charge Per Call FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)			 	0.275			1		-	-		-		
-	DIKEC	Directory Assistance Call Completion Access Service (DACC),	DACC)			 				1		-	-		-		
							0.10										
DIDEO	10 DV 4	Per Call Attempt	-			 	0.10										
DIREC		SSISTANCE SERVICES FORY ASSISTANCE DATA BASE SERVICE (DADS)	-			 											
-	DIKEC	Directory Assistance Data Base Service (Dads)	-				0.04					-					
-			-			DDOOF											
DDANIE	INIO B	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANL		IRECTORY ASSISTANCE															
	Facility	Based CLEC	-			 											
		Recording and Provisioning of DA Custom Branded															
		Announcement	-		AMT	CBADA		3,000.00	3,000.00					18.94	8.42		
		Loading of Custom Branded Announcement per Switch per			ANAT	CBABO		1 470 00	1 470 00					40.04	0.40		
-	LINIES 1	OCN	!	—	AMT	CBADC		1,170.00	1,170.00	1		-		18.94	8.42	-	—
	UNEP (├	—				2.022.02	2 222 22	ļ		-	-	10.01	0.40	-	
<u> </u>		Recording of DA Custom Branded Announcement	!	—		1		3,000.00	3,000.00	1		-		18.94	8.42	-	—
		Loading of DA Custom Branded Announcement per Switch per						4 470 00	4 170 00					10.01			
	11	OCN	<u> </u>	<u> </u>		1		1,170.00	1,170.00					18.94	8.42		
	Unbran	ding via OLNS for UNEP CLEC	<u> </u>	<u> </u>		1											
		Loading of DA per OCN (1 OCN per Order)		<u> </u>				420.00	420.00					18.94	8.42		
0=:=:		Loading of DA per Switch per OCN	<u> </u>	—		1		16.00	16.00					18.94	8.42		
SELEC	IIVE RO	DUTING		.						ļ							
1		Selective Routing Per Unique Line Class Code Per Request Per	1										1				
		Switch	<u> </u>			USRCR		199.56	199.56	ļ		1	ļ	33.67	7.88	ļ	
VIRTU	L COLI	OCATION										1			ļ		
1		Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1										1		I		
		Splitting	<u> </u>		UEPSR, UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99	ļ	
PHYSIC	CAL CO	LOCATION															<u> </u>
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
L		Splitting	<u> </u>	<u> </u>	UEPSR, UEPSB	PE1LS	0.0318	11.94	11.46	<u> </u>	<u></u>			19.99	19.99		<u> </u>
AIN SE	LECTIV	E CARRIER ROUTING															
		Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	
1		End Office Establishment			SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	
		Line/Port NRC, per end user	1		SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99

UNBUN	NDLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
	1	g										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Query NRC, per query			SRC		0.000448										
AIN - BE		TH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		90.25	90.25					18.94	18.94		
		ANN 0440 A															
-		AIN SMS Access Service - Port Connection - Dial/Shared Access	-	-	A1N	CAMDP		29.66	29.66					18.94	18.94		
-		AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		29.66	29.66			-		18.94	18.94		
		AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		84.43	84.43					18.94	18.94		
+		AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAIVIAU		04.43	04.43					10.94	10.94		
		Initial or Replacement			A1N	CAMRC		35.44	35.44					18.94	18.94		
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			Ally	CAWITO	0.0023	33.44	33.44					10.54	10.54		
\vdash		AIN SMS Access Service - Session, Per Minute	1			1	0.0795604								1		
		AIN SMS Access Service - Company Performed Session, Per				1									İ		
		Minute				1	2.08										
AIN - BE		ITH AIN TOOLKIT SERVICE	i –			1									1		
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,348.00	8,348.00					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Term. Attempt				BAPTT		19.13	19.13					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		114.80	114.80					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
\vdash		DN, Off-Hook Immediate				BAPTM		19.13	19.13					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				ВАРТО		70.00	70.00					40.04	18.94		
\vdash		DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		70.06	70.06					18.94	18.94		
		DN. CDP				BAPTC		70.06	70.06					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		DAI 10		70.00	70.00					10.54	10.54		
		DN, Feature Code				BAPTF		70.06	70.06					18.94	18.94		
		AIN Toolkit Service - Query Charge, Per Query				D/ (1 11	0.0209223	70.00	70.00					10.04	10.54		
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1	0.0200220										
		Subscription, Per Node, Per Query					0.0053137										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes	1			1	1.46						1				
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription	<u> </u>		CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
$\perp \perp \downarrow$		Subscription			CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
\vdash		Subscription	_		CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEO	0.000070.	00.01	00.01					40.01	10.01		
ENULANCE		Service Subscription	 	-	CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		
		TENDED LINK (EELs) The monthly recurring and non-recurring charges below will	onn!	nd the	Cuitab Ac la Chara		lu for ECL a con	wielens de la	Ordinarii. O.	nbined Network	k Elemente				-		
	NOTE:	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t	apply a	recurr	ng charges below "	vill apply for	FELS provision	od as ' Curren	Jidinarily Con	Network Elem	k ⊏iements.		-	-	-		
		ine monthly recurring and the Switch-As-is Charge and not t Minimum billing is one month for DS1 and below and three n				ін арріу іог	LLES PLOVISION	eu as Curren	ay Combined	INGLWOIK EIGHT	to.			l	 		
		VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				+	 						 		 		
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport				†											
		Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1		-	1						1			1.72		
		Transport Combination - Zone 2	1	2	UNCVX	UEAL2	19.45	104.14	78.10				1	18.94	8.42		
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
		Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.4523								ļ		
		Interoffice Transport - Dedicated - DS1 combination - Facility	1			l							1				
		Termination per month	<u> </u>	l	UNC1X	U1TF1	78.47	194.63	141.51			L	l	33.63	27.49	19.88	11.85

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
		Interi		BCS	liano.			DATEO (\$\)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonred			g Disconnect				Rates(\$)		
-	DS1 Channelization System Per Month		-	UNC1X	MQ1	126.22	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.17	12.02	8.66		+			18.94	8.42		
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONOVA	15170	1.17	12.02	0.00		1			10.54	0.42		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1							=0.40								ĺ
-	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	19.45	104.14	78.10		+			18.94	8.42		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		ĺ
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ť													
	per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAN			40.07	44.07					45.40	45.70		ĺ
4-WI	Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EPOFE	ICE TR	UNC1X	UNCCC		12.97	11.27					45.46	15.72		-
4-441	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	LKOFF	ICE IK	ANGFORT (EEL)						+						
	Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		ĺ
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57		ļ			18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		ĺ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCVA	OLAL4	40.00	200.93	170.57		+			10.94	0.42		
	Per Month			UNC1X	1L5XX	0.4523										ĺ
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				İ											
	Month			UNC1X	U1TF1	78.47	194.63	141.51		1			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22										ĺ
	Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCIX	IVIQT	120.22				1						
	per month			UNCVX	1D1VG	1.17	12.02	8.66								ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1				İ											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	UEAL4	25.70	206.95	170.57		1			18.94	8.42		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		ĺ
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.17	12.02	8.66		1			18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		ĺ
4-WI	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE		UNCCC		12.97	11.27		+			45.46	15.72		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			(===)	†					1						
	Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice			LINODY	LIDI FO	00 = 1	004 = 0	044.00		1			40.01	0.10		1
\vdash	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	29.74	384.56	241.20		+	-		18.94	8.42		
	Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		ĺ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť							1						
	Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - combination Facility				=-											
—	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per		-	UNC1X	U1TF1	78.47	194.63	141.51		+			33.63	27.49	19.88	11.85
	Month			UNC1X	MQ1	126.22				1						1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1	.20.22				1						
	month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		l	LINODY	LIDLES		601.			1						
\vdash	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	25.75	384.56	241.20		+	1	1	18.94	8.42		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20		1			18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1									1			.0.04			
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20		<u> </u>			18.94	8.42		1

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	pit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															1
	combination per month (2.4-64kbs)	ļ	1	UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		12.97	11.27					18.94	8.42		ł
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	DEFICE				12.91	11.21					10.94	0.42		
7 11	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	TRANSFORT (EEE)												
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		ł
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															i
	Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		ł
 	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	-3	OINODA	UDL04	41.21	ა40.35	241.20	+ +				10.94	0.42		
1 1	Per Month			UNC1X	1L5XX	0.4523										i
	Interoffice Transport - Dedicated - DS1 combination - Facility	İ														
$\sqcup \sqcup$	Termination Per Month	<u> </u>		UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per					400.00										ł
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System	1	-	UNC1X	MQ1	126.22										
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		ł
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	1	1	ONODA	10100	1.00	12.02	0.00					10.54	0.42		ſ
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		ł
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			LINODY	LIBI 04	47.07	0.40.55	044.00					40.04	0.40		i
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System	<u> </u>	3	UNCDX	UDL64	47.27	348.55	241.20	1				18.94	8.42		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		ł
	Nonrecurring Currently Combined Network Elements Switch -As-	-						0.00								i
	Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		l .
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TRA	ANSPORT (EEL)	1											
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		4	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		i
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	-	UNCIA	USLAA	55.55	443.20	130.09					10.94	0.42		
	Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		ł
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	İ														
	Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.5307	0.4523										ł
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	<u> </u>	-	UNC1X	1L5XX	0.4523			1							
1 1	Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As-	1						51					55.50	270	.0.00	
$\sqcup \sqcup$	Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	EROFFI	CE TR/	ANSPORT (EEL)	1											
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		l
 	First DS1Loop in DS3 Interoffice Transport Combination - Zone	 	1	ONCIA	USLAA	55.53	443.20	138.69	+ +				18.94	8.42		
1 1	2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		l
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															i
$\sqcup \sqcup$	3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
_	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINIONY	41.5307				1 7							
\vdash	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per	 	1	UNC3X	1L5XX	2.72			1			-				
1 1	month	1		UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
	DS3 to DS1 Channel System combination per month	t	†	UNC3X	MQ3	137.73	196.66	204.61	1			 	18.94	8.42	10.03	10.03
	DS3 Interface Unit (DS1 COCI) combination per month		L	UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															1
	Zone 1	 	1	UNC1X	USLXX	55.53	443.20	138.69	1				18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	1	2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	LUITO L	1		014017	JUSEAN	04.13	443.20	130.09			l	L	10.94	0.42		

UNBUND	DLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	oit: B
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Dee	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
\vdash	_	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month	-	3	UNC1X UNC1X	USLXX UC1D1	101.93 11.02	443.20 12.02	138.69 8.66	+				18.94 18.94	8.42 8.42		
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-		 	OI4C IA	ועוטט	11.02	12.02	0.00	+	 			10.94	0.42		
		Is Charge			UNC3X	UNCCC		12.97	11.27				<u> </u>	45.46	15.72		
2-V	NIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TF	RANSPORT (EEL)												
		2-WireVG Loop used with 2-wire VG Interoffice Transport			LINIOVAY	LIEALO	40.04	404.44	70.40					40.04	0.40		
\vdash		Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport	-	1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
		Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
		2-WireVG Loop used with 2-wire VG Interoffice Transport															
\vdash		Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
		Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0222										
\vdash		Interoffice Transport - Dedicated - 2- Wire Voice Grade			0.101/	. 20/1/	0.0222			†							
		combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As-			1,10,10,10,1	111000											-
4-1/	MIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FEDOE	ICE TE	UNCVX	UNCCC		12.97	11.27					45.46	15.72		
4-V	VIKE	4-WireVG Loop used with 4-wire VG Interoffice Transport	LKOFF	ICE IF	MINOPORT (EEL)	+											
		Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57				<u> </u>	18.94	8.42		
		4-WireVG Loop used with 4-wire VG Interoffice Transport				Ī											
\vdash		Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
		Interoffice Transport - Dedicated - 4-wire VG combination - Per			O110VA	ULALT	70.00	200.93	110.31					10.34	0.42		
		Mile Per Month			UNCVX	1L5XX	0.0222										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade			LINOVA		47.00	70.01	00.00					40.01	40.01		
\vdash	_	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	U1TV4	17.07	79.61	36.08	+				18.94	18.94		
		Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
DS	3 DIC	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR										·			
		High Capacity Unbundled Local Loop - DS3 combination - Per			LINGOV	41.5115	0.00										
\vdash		Mile per month High Capacity Unbundled Local Loop - DS3 combination -		-	UNC3X	1L5ND	8.90			+							
		Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.72	222.00						200	200		
		Interoffice Transport - Dedicated - DS3 combination - Facility															
\vdash	_	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
		Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
ST	S1 D	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP				.=.07						.5.10	2		
		High Capacity Unbundled Local Loop - STS1 combination - Per															
\vdash		Mile per month		<u> </u>	UNCSX	1L5ND	8.90			1							
		High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
		Interoffice Transport - Dedicated - STS1 combination - Per Mile			5.100/	JULUI	-72 1.UJ	555.50	720.70	1		<u> </u>		31.33	31.33	10.03	10.03
		per month .			UNCSX	1L5XX	2.72										
		Interoffice Transport - Dedicated - STS1 combination - Facility			LINICOV	LIATEO	700.00	400.4=	440.01					07.55	07.55	40.00	10.00
\vdash		Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.03	18.03
		Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
2-V	NIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination					0.4	000	100					40.7			
\vdash	_	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	1	UNCNX	U1L2X	21.89	233.38	180.38	+				18.94	8.42		
		Transport - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38				<u> </u>	18.94	8.42		

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonred		Nonrecurring	Disconnect				Rates(\$)		
 		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.4523	11131	Addi	11130	Addi	SOME	JOINAIN	JOWAN	JONAN	JOHAN	JONAN
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	126.22										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1		UNCIX	IVIQI	120.22								+		
	combination - per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1	ļ	1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0.10.17.	O I LLIX	20.21	200.00	100.00					10.01	0.12		
	Combination - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System														40.00	
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	3.37	12.02	8.66	 				33.63	27.49	19.88	11.85
	Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination -	<u> </u>	1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			LINGOV	1L5XX	0.70										
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	ILSXX	2.72								1		
	Termination			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18.03
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	182.04	196.66	204.61					37.55	37.55	18.08	18.03
	DS3 Interface Unit (DS1 COCI) combination per month	ļ	-	UNC1X	UC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.03
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1	<u> </u>	ONOTA	COLYU	00.00	440.20	100.00					10.04	0.42		
	Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination -		3	LINIOAY	1101.20	404.00	440.00	100.00					40.04	0.40		
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month	 	3	UNC1X UNC1X	USLXX UC1D1	101.93 11.02	443.20 12.02	138.69 8.66	+				18.94 18.94	8.42 8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-	1				11.02	12.02	0.00					10.04	0.42		
	Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)										-		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	T .													
	Combination - Zone 2	ļ	2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	-	3	ONCDV	UDLOB	41.21	384.56	241.20	+				18.94	8.42		
	Per Mile		L	UNCDX	1L5XX	0.0222								<u></u>		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				I											
	Facility Termination	 	 	UNCDX	U1TD5	16.45	147.07	111.75	1		-	ļ	33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		12.97	11.27					45.46	15.72		
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE	RANS		5550		12.01	11.27					70.70	10.72		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	 	1	UNCDX	UDL64	25.75	348.55	241.20	1		-	ļ	18.94	8.42		ļ
	4-wire 64 kbps Loop/4-wire 64 kbps interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring I					Rates(\$)		
 	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Mile			UNCDX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
ADDITIONAL	L NETWORK ELEMENTS	1		ONODX	UNCCC		12.31	11.21					43.40	10.72		
	n used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
	n used as ordinarily combined network elements in All States, t															
Nonr	recurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge - 2 wire/4-Wire VG	ļ	\vdash	UNCVX	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3	-		UNC3X	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		12.97	11.27					18.94	18.94		
NOTI	E: Local Channel - Dedicated Transport - minimum billing perior	d - Belo	w DS3=			r months										
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCVX	ULDV2	13.91	272.07	60.43					18.94	18.94		
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCVX	ULDV4	14.99	272.07	60.43					18.94	18.94		
	Local Channel - Dedicated - DS1			UNC1X	ULDF1	38.36	356.15	312.89								
	Local Channel - Dedicated - DS3 - Per Mile per month	ļ		UNC3X	1L5NC	6.92		100.01					10.01			
	Local Channel - Dedicated - DS3 - Facility Termination	ļ		UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	1		UNCSX UNCSX	1L5NC ULDFS	6.92 517.56	639.50	426.31					18.94	18.94		
Ontic	onal Features & Functions:	1		UNCOX	ULDF3	317.30	639.50	420.31					10.94	10.94		
Ориг	Clear Channel Capability (SF/ESF) Option - Subsequent	1		ULDD1, U1TD1,												
	Activity - per DS1	1		UNC1X, USL	NRCCC		65.02						18.94	8.42		
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		50.02						18.94	8.42		
	TIPLEXERS															
	E: minimum billing period is one month for DS1 to DS0 Channe															
NOTI	E: minimum billing period is three months for DS3 to DS1 Chan		tem and	l interfaces												
	DS1 to DS0 Channel System (with the higher-level connected to a collocation in the same SWC) per month	1		UXTD1	MQ1	126.22	198.22	123.59					14.75	6.55	10.70	
\vdash	DS1 to DS0 Channel System (used to channelize a DS1 Local	<u> </u>	-	ועואט	IVIQI	120.22	190.22	123.39	-				14.75	0.55	10.70	
	Channel) per month	1		ULDD1	MQ1	126.22	198.22	123.59				1	14.75	6.55	10.70	J
	DS1 to DS0 Channel System (used to channelize a DS1	t				120.22	100.22	120.00	 				17.70	0.00	10.70	
	Interoffice Channel) per month			U1TD1	MQ1	126.22	198.22	123.59					14.75	6.55	10.70	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.86	12.02	8.66					14.75	6.55	10.70	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1														
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation	ļ		U1TUD	1D1DD	1.86	12.02	8.66					14.75	6.55	10.70	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per						40									
\vdash	month for a Local Loop	<u> </u>	 	UDN	UC1CA	3.37	12.02	8.66	 				14.75	6.55	10.70	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel	1										1				J
	in the same SWC as collocation	1		U1TUB	UC1CA	3.37	12.02	8.66				1	14.75	6.55	10.70	
	Voice Grade COCI - DS1 to DS0 Channel System - per month	 		0.100	JOTOA	3.31	12.02	0.00				 	14.75	0.55	10.70	
	used for a Local Loop			UEA	1D1VG	1.17	12.02	8.66					14.75	6.55	10.70	
	Voice Grade COCI - DS1 to DS0 Channel System - per month	1									İ					
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.17	12.02	8.66					14.75	6.55	10.70	
	DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month			UXTD3	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	

DS1 COC) used with interoffice Channel per month U1TD1 UC1D1 11.02 12.02 8.66 14.75 6 14.75 6 15.3 interface Unit (DS1 COC) used with Loog her month USL, U1TUA UC1D1 11.02 12.02 8.66 14.75 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75 14.75 6 14.75 6 14.75 6 14.75 6 14.75 6 14.75	Exhit	Exhibit: B
ACTOONLY NATE ELEMENTS INDICATE PARTE (LEMENTS) INDICATE PARTE (LEMENT	al Incremental	ental Incremen
ATE GORY ANTE ELEMENTS BOTH	Charge -	
CATEGORY RATE ELEMENTS		
Become Rec		
12 12 13 14 15 15 15 15 15 15 15		
DISS to DSI Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a DSS Load Channel System (oued to channelize a STS-1 Chan	Disc 1st	
DS to DST Channel System (used to channelus a DSS Local ULDD M23 182.04 266.91 188.78 14.75 6 18.75 6	2.00 101	0. 2.007.0
SST NS IC Channel grammath SOMAN		
Chartest por morth	SOMAN	AN SOMA
DS3 to DS1 Channel System (rused to channelize a DS3 U1TD3 MD3 162.04 265.91 186.76 14.75 6 17.76		
Interceptions Charamerel part month Interception Interceptio	5 10.70	3.70
STS-10 DSI Charles System (with the higher level connected to be a collection in the same SVC) per month UXT81 MIQ3 182.04 286.91 188.76 14.75 6		0.70
Description of the same SWC) per month United M03 182.04 286.91 186.78 14.75 6 14.75	5 10.70	J.70
STS-1 to DST Channel System (used to channelse a STS-1 Lock Channel per more (used to channelse a STS-1 Lock Channel per more) (used to channelse a STS-1 UTS1 M33 182.04 265.91 188.76 14.75 6 14.75	5 10.70	0.70
Local Channel) per month LLDS1 M03 182.04 265.91 188.78 14.75 6 187.75	3 10.70	5.70
STS-1 to DST Charmer System (used to charmerise a STS-1 to DST Charmer System (used to charmerise a STS-1 to DST Charmer System (used to charmerise a STS-1 to DST Charmer System (used to charmerise a STS-1 to DST Charmer System (used to charmerise a STS-1 to DST Charmer System (used to charmerise and STS-1 to DST Charmerise (used to the charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and STS-1 to DST Charmerise (used to the charmerise and ST	5 10.70	0.70
Interdition Channel) per month	10.70	2.10
OST COCI Lused with Loop per month USL UC1D1 11,02 12,02 8,66 14,75 6 14	5 10.70	0.70
SST COCT (used for connection to a channelized DST Local Channel per morth U1TIJA UCID1 11.02 12.02 8.66 14.75 6 14.75		
DS1 COCI used with interdiffee Channel per month UritD1 UCID1 11.02 12.02 8.66 14.75 6 15.5 17.16 17.16 18.94 8.65 14.75 6 14.75 6 17.16 17.16 18.94 8.65 14.75 6 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16 17.16 17.16 18.94 8.65 17.16		
DSS Interface Unit (DSI COCI) used with Loop per month USL, UTIUA UCIDI 11.02 12.02 8.66 14.75 14.75 6 14.75 14.	5 10.70	0.70
DS3 Interface Unit (DS1 COCI) used with Local Channel per month	5 10.70	0.70
Month	5 10.70	0.70
DS3 Interface Unit (DS1 COC7) used with Interoffice Channel U1TD1 UC1D1 11.02 12.02 8.66 14.75 6		
Dept. Dept	5 10.70	ე.70
Sub-Loop Feeder Ulbruburided Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide Sw UNCIX USBFG 79.30 203.69 128.76 124.09 34.80		
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	5 10.70	ე.70
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRL 1.85 17.16 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.85 17.16 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.85 17.16 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Note Georgia basic dialing port UEPSR UEPRC 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire voice Georgia basic dialing port UEPSR UEPWC 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire voice unbundled Georgia basic dialing port UEPSR UEPWC 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire voice unbundled Georgia basic dialing port UEPSR UEPWC 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire voice unbundled Georgia basic dialing port or use with Caller ID - Res UEPWC 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire voice unbundled Low Usage Line Port without Caller ID UEPSR UEPWC 1.85 17.16 17.16 19.94 8 Exchange Ports - 2-Wire voice unbundled Low Usage Line Port without Caller ID UEPSR UEPWR 1.85 17.16 17.16 19.94 8 Exchange Ports - 2-Wire voice unbundled Low Usage Line Port without Caller ID UEPSR UEPWR 1.85 17.16 17.16 19.94 8 Exchange Ports - 2-Wire Nation Under the Virtual Caller ID UEPSR UEPWR 1.85 17.16 17.16 19.94 8 Exchange Ports - 2-Wire Nation Under the Virtual Caller ID UEPSR UEPWR 1.85 17.16 17.16 19.94 8 Exchange Ports - 2-Wire Nation Under the UEPSR UEPSR UEPWR 1.85 17.16 17.16 19.94 8 Exchange Ports - 2-Wire Nation Georgia Business Basic Dialing UEPSR		
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs		
2-WiRe Voice GRADE LINE PORT RATES (RES)		\rightarrow
Exchange Ports - 2-Wire Analog Line Port -Res.		$-\!\!\!\!-\!\!\!\!\!-$
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.85 17.16 17.16 18.94 8	_	$-\!\!\!\!+\!\!\!\!-$
Exchange Ports - 2-Wire Vice analog Line Port outgoing only - Res. UEPSR UEPRO 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Vice unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID UEPSR UEPWC 1.85 17.16 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 17.16 18.94 8 18.94 8 17.16 17.16 17.16 17.16 18.94 8	4	$-\!\!+\!\!-\!\!-$
Exchange Ports - 2-Wire Vide Analog Line Port outgoing only - Res. UEPSR UEPRO 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Vide Ceorgia basic dialing port with Caller ID (LUM) UEPSR UEPAP 1.85 17.16 17.16 18.94 8 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 17.16 17.16 17.16 18.94 8 18.94 8 17.16 17.16 17.16 17.16 18.94 8 18.94	2	
Exchange Ports - 2-Wire Vide or Unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPNR UE	-	-+-
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPNR	2	
with Caller ID (LUM)	- 	$\overline{}$
Exchange Ports - 2-Wire Voice Georgia basic dialing port UEPSR UEPWC 1.85 17.16 17.16 18.94 8 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res UEPSR UEPWQ 1.85 17.16 17.16 18.94 8 2-Wire voice unbundled Georgia basic dialing port - outgoing only UEPSR UEPWR 1.85 17.16 17.16 17.16 18.94 8 2-Wire voice unbundled Low Usage Line Port without Caller ID UEPSR UEPWR 1.85 17.16 17.16 18.94 8 2-Wire voice unbundled Low Usage Line Port without Caller ID UEPSR UE	2	
Without Caller ID	1	_
Caller ID - res	2	
Caller ID - res		
Only	2	
2-Wire voice unbundled Low Usage Line Port without Caller ID UEPSR		
Capability	2	
Subsequent Activity		
FEATURES		
All Available Vertical Features	2	
2-WIRE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Exchange Ports - 2-Wire VG unbundled incoming only port with Exchange Ports - 2-Wire VG unbundled incoming unbundled incoming unbundled incoming unbundled incoming unbundled incoming unb		$-\!\!+\!\!-\!\!-$
Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus UEPSB UEPBL 1.85 17.16 17.16 18.94 8	2	\rightarrow
Bus		
Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus UEPSB UEPSB UEPBO 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Exchange Ports - 2-Wire VG unbundled incoming only port with Exchange Ports - 2-Wire VG unbundled incoming only port with Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan	_	
Unbundled port with Caller+E484 ID - Bus.	<u> </u>	$\overline{}$
Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability UEPSB UEPWP 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. UEPSB UEPBO 1.85 17.16 17.16 18.94 8 Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus UEPSB UEPSB UEPBO 1.85 17.16 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan	ا ا	
Port, with Caller ID capability		-+
Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. UEPSB UEPBO 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Exchange Ports - 2-Wire VG unbundled incoming only port with UEPSB UEPB1 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan	2	
Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus UEPSB UEPB1 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan	+ +	-+-
Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus UEPSB UEPB1 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan	2	
Caller ÎD - Bus UEPSB UEPB1 1.85 17.16 17.16 18.94 8 Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan Image: Control of the property of the prop	+ +	-
Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan	2	
	+ +	
	2	
2-Wire voice unbundled Incoming Only Port without Caller ID		
Capability UEPSB UEPBE 1.85 17.16 17.16 18.94 8		
Subsequent Activity UEPSB USASC 0.00 0.00 0.00 18.94 8	2	

ARONDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		
EXCH	IANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia extended dialing port, PBX 1-							.=						0.40		
	Way Outdial Trunk			UEPSE UEPSP	UEPPO UEPPC	1.85 1.85	17.16	17.16	-				18.94 18.94	8.42 8.42		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.85	17.16 17.16	17.16 17.16	-				18.94	8.42	-	
_	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.85	17.16	17.16	-				18.94	8.42		†
_	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.85	17.16	17.16	+				18.94	8.42	1	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		†
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42	<u> </u>	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	i e		UEPSP	UEPXB	1.85	17.16	17.16	1				18.94	8.42	1	t
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	Ì	UEPSP	UEPXD	1.85	17.16	17.16	1				18.94	8.42		1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPSP	UEPWS	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPSP	UEPWT	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPSP	UEPPQ	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports			UEPSP	UEPPS	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports			UEPSP	UEPPT	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port			UEPSP	UEPPU	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port			UEPSP	UEPPV	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard DDD Capable Port			UEPSP	UEPPW	1.85	17.16	17.16					18.94	8.42		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					18.94	8.42		
FEAT	URES								$oxed{\Box}$							
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42	L	<u> </u>
EXC	ANGE PORT RATES (COIN)	ļ											ļ	ļ	1	ļ
	Exchange Ports - Coin Port					2.05	17.16	17.16	1		-1-1-1-		18.94	8.42	-	
	:: Transmission/usage charges associated with POTS circuit s :: Access to B Channel or D Channel Packet capabilities will be													Poguest Pro	L	
	E: Access to B Channel of D Channel Packet capabilities will be D LOCAL EXCHANGE SWITCHING(PORTS)	avanar	ne oni	y unougn BFK/NeW	Dusiness Rec	quest Process.	nates for the	раскет сараві	nues will be det	terminea via ti	ne Bona Fio	ie request/	New business	s Request Pro	July St.	
	HANGE PORT RATES	1	 		+				+				 	1	 	1
LAGI	Exchange Ports - 2-Wire DID Port	 		UEPEX	UEPP2	11.35	61.91	61.91	+ +		-	-	19.99	19.99	19.99	19.
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	120.80	108.38	60.88					19.99	19.99	19.99	19.
_	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	l	 	UEPTX UEPSX	U1PMA	13.47	47.37	47.37			 	 	39.98	39.98	13.35	13.
	All Features Offered	 	\vdash	UEPTX UEPSX	UEPVF	0.00	0.00	0.00	 		 	 	55.56	55.36	t	†
NOTE	: Transmission/usage charges associated with POTS circuit s	witched	usage						nission by B-Cha	annels associ	ated with 2-	wire ISDN r	oorts.	1	1	<u> </u>
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	163.16	186.80	186.80					37.88	37.88		
	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	I —								1	1	1	1	1	1

UNBU	INDLE	NETWORK ELEMENTS - Georgia													ment: 2		ibit: B
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.85	17.16	17.16					18.94	8.42		
									.=								
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR UEPVR	UERLC UERTE	1.85 1.85	17.16	17.16					18.94	8.42 8.42		1
		Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res		-	UEPVR	UERTR	1.85	17.16 17.16	17.16 17.16	-				18.94 18.94	8.42		+
		curring			OLFVK	OLKIK	1.00	17.10	17.10					10.54	0.42		+
		Unbundled Remote Call Forwarding Service - Conversion -															1
		Switch-as-is			UEPVR	USAC2		2.01	0.31					33.67	7.88	11.17	3.91
		Unbundled Remote Call Forwarding Service - Conversion with										İ	İ				
		allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31	I					I		1
	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
																	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.85	17.16	17.16					18.94	8.42		1
		Unbundled Remote Call Forwarding Service, Local Calling - Bus		<u> </u>	UEPVB	UERLC	1.85	17.16	17.16	ļ		ļ	ļ	18.94	8.42		ļ
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.85	17.16	17.16					18.94	8.42		1
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.85	17.16	17.16					18.94	8.42		1
		Unbundled Remote Call Forwarding Service Expanded and			LIEDVD	UERVJ	1.85	17.16	17.16					18.94	8.42		
		Exception Local Calling curring			UEPVB	UERVJ	1.85	17.16	17.16			 	 	18.94	8.42		1
		Unbundled Remote Call Forwarding Service - Conversion -		-						1		ł	ł	1	1		
		Switch-as-is			UEPVB	USAC2		2.01	0.31					33.67	7.88	11.17	3.91
		Unbundled Remote Call Forwarding Service - Conversion with		-	OLI VD	CONOL		2.01	0.01					00.07	7.00		0.01
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
UNBUN		OCAL SWITCHING, PORT USAGE															
	End Off	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0016333										
		End Office Trunk Port - Shared, Per MOU					0.0001564										
		n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0006757										ļ
		Tandem Trunk Port - Shared, Per MOU					0.0002126										
		on Transport					0.000000										1
		Common Transport - Per Mile, Per MOU					0.000008 0.0004152			-					-		-
LINBLIN		Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES		-			0.0004152			1		ł	ł	1	1		+
ONDO		ased Rates are applied where BellSouth is required by FCC an	d/or St	ate Coi	nmission rule to pr	ovide Unbun	dled Local Swit	ching or Swite	h Ports								+
		s shall apply to the Unbundled Port/Loop Combination - Cost								ed Port section	of this Rate E	xhibit.	İ		t		1
		ice and Tandem Switching Usage and Common Transport Usage											in Port/Loo	p Combinatio	ns.		1
	The firs	t and additional Port nonrecurring charges apply to Not Curre															
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)							· · · · ·								
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1		1	12.59					ļ	ļ		ļ		1
		2-Wire VG Loop/Port Combo - Zone 2		2		ļ	14.26							ļ		1	
		2-Wire VG Loop/Port Combo - Zone 3		3		 	21.62			 		 	 	1	 	1	
-		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80			-		-	-	-	 	1	1
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	10.80	-		 		1	1	1	 	1	1
—		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	19.83			t		1	1	1	t	1	
		Voice Grade Line Port Rates (Res)		<u> </u>	02.100	021 27	10.00			 				1	 	1	1
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91	†	†	33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.79	22.14	15.25	8.45	3.91			37.06	7.88		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
		2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res			UEPRX	UEPWC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
		2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPRX	UEPWQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		
 		1			+		Nonred	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPRX	UEPWR	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Low Usage Line Port without Caller ID			HEDDY	LIEDDT	4.70	00.44	45.05	0.45	0.04			00.07	7.00	44.47	
FEATU	Capability	1		UEPRX	UEPRT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
FEAT	All Features Offered	1		UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
LOCAL	NUMBER PORTABILITY						5.55	3.00								
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021100	30/102		2.01	0.5100	1				33.07	7.00	11.17	5.51
	Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		<u> </u>
ADDIT	IONAL NRCs								1							
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
2-WIRI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1		UEPRX	USA52	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE L	oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	10.80										\vdash
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	12.47										\vdash
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	<u> </u>		UEPBX UEPBX	UEPBC UEPBO	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus 2-Wire voice unbundled Georgia basic dialing port for use with	<u> </u>		UEPBX	UEPWD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Caller ID - bus			UEPBX	UEPWP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDDY	UEPBE	1.79	00.44	15.25	0.45	2.04			33.67	7.88	11.17	2.04
LOCAL	Capability NUMBER PORTABILITY	1		UEPBX	UEPBE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOGAL	Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35										
FEATU																
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ			+											$\vdash \vdash \vdash$
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DA	30/102		2.01	0.5100	1				33.07	7.00	11.17	3.31
	Switch with change	<u> </u>	<u>L</u> .	UEPBX	USACC		2.01	0.3108								<u>1</u> l
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
2-WIRI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI BX	00/102		0.00	0.00					00.07	7.00		0.01
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										\Box
\vdash	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3			14.26 21.62			1							\vdash
UNFI	oop Rates		3			21.02			1							\vdash
15.32.2	2-Wire Voice Grade Loop (SL 1) - Zone 1	†	1	UEPRG	UEPLX	10.80										\vdash
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	12.47										
2.22	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19.83			1							\vdash
2-Wire	Voice Grade Line Port Rates (RES - PBX)	<u> </u>	1		1				1	<u> </u>	l	l	I	l		

ONRONDE	ED NETWORK ELEMENTS - Georgia		1	ı							C C1	Com Contr		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Tour Moule II to the Pay Tour						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia extended dialing port, PBX 1-			UEFRG	UEPKD	1.79	22.14	15.25	0.45	3.91			33.07	7.00	11.17	3.91
	Way Outdial Trunk			UEPRG	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
FEAT	TURES			LIEBBO										= 00		
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 								-				-	-
	Conversion - Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	00/102		2.01	0.0100			1		00.07	7.00		0.01
	Conversion - Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt													40.00		
0.14/15	Group						14.64	14.64					19.99	19.99	19.99	19.99
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates		 								-				-	-
UNE	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.59									<u> </u>	
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26					1					
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		1												1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		3.91
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88		3.91
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		3.91
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79 1.79	22.14 22.14	15.25	8.45	3.91			33.67	7.88		3.91 3.91
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	OLITA	OLI AL	1.70	22.17	10.20	0.40	0.01			00.07	7.00		0.01
	Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port		1	UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire voice unbundled Georgia basic dialing port - 1-Way		 	UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88	11.17	3.91
	Oudial Trunk			UEPPX	UEPWS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - 2-Way		 		02. 110	1.73	22.17	10.20	0.40	0.01	<u> </u>		00.07	7.50		0.01
	Trunk			UEPPX	UEPWT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
ĺ	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk			UEPPX	UEPPQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															l
	Terminal Ports		1	UEPPX	UEPPS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
1	2-Wire voice unbundled Georgia basic dialing port - PBX Toll	1		UEPPX	UEPPT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
									0.40	3.91	1	i			. 11.1/	3.91
	Terminal Ports 2-Wire voice unbundled Georgia basic dialing port - PBX LD		1	02.17	02	1.70										

JNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port - PBX LD					. =0										
	Terminal Switchboard Port		-	UEPPX	UEPPV	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Terminal Switchboard DDD Capable Fort			ULFFA	OLFFVV	1.79	22.14	13.23	0.45	3.31			33.07	7.00	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way														11.17	3.31
	Trunk			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
FEAT	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		2.01	0.3108	ļ				33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		0.04	0.0400					00.07	7.00	44.47	0.04
ADDI	Conversion - Switch with Change TIONAL NRCs			UEPPX	USACC		2.01	0.3108	-		-		33.67	7.88	11.17	3.91
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-													
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	CONCE	0.00	0.00	0.00					00.01	7.00	11.17	0.01
	Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.69										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			14.36										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			21.72										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47										
0.146	2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	19.83			-		-					-
2-771	2-Wire Coin 2-Way with Operator Screening (GA)		-	UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			ULFCO	ULFGC	1.09	22.14	13.23	0.40	3.31			33.07	7.00	11.17	3.91
	900/976, 1+DDD (GA)			UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 900/976															
	Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEBOO	LIEDD	4	00.11	45.00		0.01			00.00	7.00		
	(GA, KY, MS) 2-Wire Coin Outward with Operator Screening and Blocking:		-	UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward Smartline with 900/976 (all states except			02.1 00	JEI JIK	1.05	۷۷. ۱۴	10.20	0.40	5.31	-		33.07	7.00	11.17	5.31
	LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00			33.67	7.88	11.17	3.91
LOCA	AL NUMBER PORTABILITY					_		•		•						
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED								ļ							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEBOO	110400		001	0.0465					00.0=	7.00		
	Switch-as-is			UEPCO	USAC2		2.01	0.3108	 		-		33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2.01	0.31					33.67	7.88	11.17	3.91
ΔΡΝ	TIONAL NRCs			ULFCU	USACC		2.01	0.31	 				33.67	1.88	11.17	3.91
7001	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+ +						1					
	Activity		1	UEPCO	USAS2		0.00	0.00			I		33.67	7.88	11.17	3.91

UNBUNI	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
330141	7											Svc Order	Svc Order	Incremental			Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Intent									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	PORT (RES)												
UI	NE Po	rt/Loop Combination Rates				-	10.00										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		-	18.69										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2			21.30										
- 1	NE La	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 op Rates		3		-	32.77					-					
U		2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFR	UECF2	16.84					1			-		
	-	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	19.45					1			1		
	-	2-Wire Voice Grade Loop (SL2) - Zone 3	-		UEPFR	UECF2	30.92					1			-		
2-	Wire	Voice Grade Line Port Rates (Res)		-	OLITIK	OLOI 2	30.32								-		
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.85	121.33	95.26	8.45	3.91	1		33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller ID - res		t	UEPFR	UEPRC	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundles res, low usage line port with Caller ID	t	t		1			22.20	20	2.3.				1	1	
		(LUM)	1		UEPFR	UEPAP	1.85	121.33	95.26	8.45	3.91		1	33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port, without	i –	i –												1	
		Caller ID capability - res	<u> </u>	<u></u>	UEPFR	UEPWC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - res			UEPFR	UEPWQ	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - outgoing															
		only			UEPFR	UEPWR	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
IN	ITERC	PFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	17.07	79.61	36.08								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				l											
<u> </u>	- 4 - 1 1	or Fraction Mile	-		UEPFR	1L5XX	0.0222										
FI	EATU			1	LIEDED	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	2.04
- 1		All Features Offered NUMBER PORTABILITY		1	UEPFR	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
L(Local Number Portability (1 per port)			UEPFR	LNPCX	0.35					-					
N/		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIK	LINFOX	0.33									1	
	OIVIL	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+						-					
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
i l		Combination - Conversion - Switch-With-Change			UEPFR	USACC		93.83	93.83					33.67	7.88		
2-	WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	PORT (BUS)												
		rt/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.69										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			21.30										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.77										
UI	NE Lo	op Rates	1														
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.84										
		2-Wire Voice Grade Loop (SL2) - Zone 2	L	2	UEPFB	UECF2	19.45										
<u> </u>	147	2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFB	UECF2	30.92					-			-	ļ	
2-	wire \	Voice Grade Line Port (Bus)	!	<u> </u>	LIEDED	LIEDDI	4.05	404.00	05.00	0.45	3.91		ļ	22.07	7.00	44.17	2.24
$\vdash \vdash$		2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	+	 	UEPFB UEPFB	UEPBL UEPBC	1.85 1.85	121.33 121.33	95.26 95.26	8.45 8.45	3.91	-	-	33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
\vdash	-+	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	 	 	UEPFB	UEPBO	1.85	121.33	95.26 95.26	8.45 8.45	3.91	 	 	33.67	7.88	11.17	3.91
\vdash	-+	2-Wire voice unburidled incoming only port with Caller ID - Bus	 	 	UEPFB	UEPB0	1.85	121.33	95.26	8.45	3.91	 	 	33.67	7.88	11.17	3.91
\vdash	-	2-Wire voice unburidled freoring only port with Carler 15 - Bus 2-Wire voice unbundled Georgia basic dialing port, without	 	†	OLI I D	OLI DI	1.05	121.33	33.20	0.43	5.51		 	33.07	7.00	11.17	5.91
		Caller ID capability - bus			UEPFB	UEPWD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port for use with		t		02.770	1.00	121.00	33.20	5.45	0.01			55.57	7.50	/	5.51
		Caller ID - bus	1		UEPFB	UEPWP	1.85	121.33	95.26	8.45	3.91		1	33.67	7.88	11.17	3.91
L	OCAL	NUMBER PORTABILITY	t	t		1			22.20	20	2.3.				1	1	
		Local Number Portability (1 per port)	İ	i –	UEPFB	LNPCX	0.35										
IN	ITERC	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					ĺ	İ									
1 1		Termination	1		UEPFB	U1TV2	17.07	79.61	36.08				1		I		1

UNBUN	IDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
														Incremental		Incremental	Incremental
												Submitted		_	Charge -	Charge -	Charge -
CATEGO)RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CAILOC	,,,,	NATE ELLINEITO	m	20116	500	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
				ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	1L5XX	0.0000										
-	EATU	or Fraction Mile		1	UEPFB	ILSXX	0.0222										
 	LAIO	All Features Offered		1	UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110400		00.00	00.00								
	WIDE	Combination - Conversion - Switch with change VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1	UEPFB	USACC		93.83	93.83								
		rt/Loop Combination Rates		1													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	t	1		1	18.69							1	1		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	İ	2			21.30						Ì				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.77										
U	JNE Lo	op Rates															
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.84										
+		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFP UEPFP	UECF2	19.45 30.92										
2	-Wire	/oice Grade Line Port Rates (BUS - PBX)		3	OLFIF	ULCI 2	30.92										
		roise Grade Eine Fort Nates (BGC FBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
-		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP UEPFP	UEPXA UEPXB	1.85 1.85	121.33 121.33	95.26 95.26	8.45 8.45	3.91 3.91			37.06 33.67	7.88 7.88	11.17 11.17	3.91 3.91
 		2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port	-	 	UEPFP	UEPXL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
 		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1	OLITI	OLI XIVI	1.05	121.00	33.20	0.40	5.51			33.07	7.00	11.17	3.31
		Discount Room Calling Port			UEPFP	UEPXO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 1-Way															
\vdash		Oudial Trunk	ļ	<u> </u>	UEPFP	UEPWS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPFP	UEPWT	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
 	OCAI	NUMBER PORTABILITY		 	OLFIF	OLF WI	1.00	121.33	95.26	0.45	3.91			33.07	7.08	11.17	3.91
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
\vdash		Termination		1	UEPFP	U1TV2	17.07	79.61	36.08								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0222										
	EATU		 	+	OLITE	ILJAA	0.0222							 	<u> </u>		
		All Features Offered	†	t	UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
I^{T}		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is		1	UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USACC		93.83	02.02					33.67	7 00	11.17	3.91
UNRUND)I FD P	Combination - Conversion - Switch with change ORT/LOOP COMBINATIONS - COST BASED RATES		 	OLFFF	USACC	+	93.83	93.83					33.07	7.88	11.17	3.91
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	t -													
		rt/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28.19		-		-						

UNBUNDI	LED	NETWORK ELEMENTS - Georgia														ment: 2	1	ibit: B
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	Е	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
															1st	Add'l	Disc 1st	Disc Add'l
								Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)	•	•
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.80					ļ					.
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	ļ		1	42.27					1					-
UNE		op Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.84					1				1	-
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		2	UEPPX		UECD1	19.45					-				-	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.92					†				-	
UNE		rt Rate		3	OLITA		OLODI	30.32									-	
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	11.35	166.08	140.01			İ		33.67	7.88		
NON		CURRING CHARGES - CURRENTLY COMBINED																
	2	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX		USAC1		93.38	93.38					33.67	7.88		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1		l						I						_	
		with BellSouth Allowable Changes			UEPPX		USA1C		93.38	93.38					33.67	7.88	1	ļ
		DNAL NRCs											ļ					ļ
I ele		ne Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)	 	-	UEPPX		NDT	0.00	0.00	0.00	 		1	-			 	
		DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group	1	-	UEPPA		ושאו	0.00	0.00	0.00	 	 	1	1		1	 	
		of 20 DID Numbers	1		UEPPX		NDZ	0.00	0.00	0.00							I	
h		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00			1					
		DID Numbers, Non- consecutive DID Numbers . Per Number			UEPPX		ND5	0.00	0.00	0.00			†				t	
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00			İ					
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	CAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT	<u> </u>		ļ											
UNE		rt/Loop Combination Rates															1	-
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		35.36										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB	UEPPR	-	33.30					-				-	-
		UNE Zone 2		2	UEPPB	UEPPR		38.74										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITE	OLITIK	1	00.14					i e					
		JNE Zone 3		3	UEPPB	UEPPR		53.64										
UNE	E Lo	op Rates																
	2	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89							19.99	19.99		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.27							19.99	19.99		
L		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.17							19.99	19.99		
UNE		rt Rate			LIEDDD	LIEDDD	LIEDDD	40.47	200 75	207.70					40.00	10.00		<u> </u>
NO		Exchange Port - 2-Wire ISDN Line Side Port CURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	13.47	280.75	227.72			.		19.99	19.99	-	-
NOI		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					+						†				-	+
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	93.38	93.38					19.99	19.99		
ADD		DNAL NRCs						0.00					İ					
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		
LOC		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								ļ
B-C		NEL USER PROFILE ACCESS:			LIEBBB													
		CVS/CSD (DMS/5ESS)	-	<u> </u>	UEPPB	UEPPR UEPPR	U1UCA	0.00	0.00	0.00		-	ļ			-	1	
\vdash		CVS (EWSD) CSD	-		UEPPB UEPPB	UEPPR	U1UCB U1UCC	0.00	0.00	0.00	 	-	1				 	
R-C		NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS &	TN)	UEPPB	UEFFR	01000	0.00	0.00	0.00			<u> </u>			 	 	
		ERMINAL PROFILE	J,1113, 0	1111)	1								†				t	
		User Terminal Profile (EWSD only)	1		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1	1			†	t
VER		AL FEATURES	i e		ti i i i i i i i i i i i i i i i i i i				5.50	2.30						İ	1	†
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
INTI		FFICE CHANNEL MILEAGE																
		nteroffice Channel mileage each, including first mile and																
		acilities termination	l	l	UEPPB	UEPPR	M1GNC	16.47	79.61	36.08		1	1		19.99	19.99		1

UNBUNDLE	ED NETWORK ELEMENTS - Georgia			T							Ι			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring D	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0222	0.00	0.00				0.00				
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														
UNE F	Port/Loop Combination Rates				ĺ						ĺ					1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				İ						i e					
	Zone 1		1	UEPPP		218.69										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		227.29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															1
	Zone 3		3	UEPPP		265.09										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	55.53					1		19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	64.13							19.99	19.99		1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	101.93					1		19.99	19.99		
UNE F	Port Rate				İ						1			1	İ	1
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	163.16	616.78	454.98			1		19.99	19.99	İ	1
NONR	ECURRING CHARGES - CURRENTLY COMBINED				i -		,,,,,,,				1			1	İ	1
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port				İ	† †					1			İ	İ	1
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	269.96	269.96					19.99	19.99		
ADDIT	TIONAL NRCs			02	00,101	0.00	200.00	200.00			1		10.00	10.00	1	1
71.5511	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				1				t		1					†
1 1	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.9686									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI	1 10/11		0.0000		t		1					†
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.75	22.75								
—	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITI	11010		22.70	22.10			†					-
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		45.49	45.49								
LOCA	L NUMBER PORTABILITY			OLITI	11(721		40.40	40.43			†					
LOCA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75					†					-
INTER	RFACE (Provsioning Only)			OLITI	LIVI OIV	1.70			t		1					†
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00			†					-
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00			†					-
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00			†					-
New c	or Additional "B" Channel			OLITI	I IX/ IL	0.00	0.00	0.00			†					-
IVEW C	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71				†		19.99	19.99		-
	New or Additional - Voice/Bata B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
CALL	TYPES			ULFFF	FRIBD	0.00	20.71						13.33	19.99		
OALL	Inward		-	UEPPP	PR7C1	0.00	0.00	0.00	 		 			 	 	
\leftarrow	Outward		-	UEPPP	PR7CO	0.00	0.00	0.00	 		 			 	 	
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00	 		 		 	 	 	
Intero	ffice Channel Mileage			0=111	. 11700	0.00	0.00	0.00	 		 		 	 	 	
Intero	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00		 		19.99	19.99	 	
-	Each Airline-Fractional Additional Mile		-	UEPPP	1LN1B	0.4523	177.07	111.73	0.00		 		10.55	13.33	 	
4-WID	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-	OLI I I	ILIVID	0.4023			 		 			 	 	
	Port/Loop Combination Rates				1				+ +		1		 	1	+	+
ONE P	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	176.33			+ +		1		 	1	+	+
 	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	184.93			+ +		1		 	1	+	+
 	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	222.73			+ +		1		 	1	+	+
line i	Loop Rates		- 3	021 00	†	222.13			 		 		 	 	 	
ONE L	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53			+ +		1		19.99	19.99	+	+
	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPDC	USLDC	64.13			+ +		1		19.99	19.99	+	+
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93			+ +		1		19.99	19.99	+	+
LIME	Port Rate		3	OLFDO	USLDC	101.93			+ +		1		19.99	19.99	+	+
UNE	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	519.42	320.64	+ +		1		19.99	19.99	+	+
NOND	RECURRING CHARGES - CURRENTLY COMBINED		_	OLFDO	ווטטטו	120.00	319.42	320.04	+		1		19.99	19.99		
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		_		1				+		1		-	-		
	- Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99	I	
\vdash	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		_	ULPUC	USAU4	 	209.90	∠69.96	+		1		19.99	19.99		
1 1	- Conversion with DS1 Changes		1	UEPDC	USAWA		269.96	269.96			I]	19.99	19.99	I	
. 1	- Conversion with Don Changes			ULPUC	USAVVA		209.90	209.96	1		L	ı	19.99	19.99	1	

UNBUND	LED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
		g										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-	-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												ĺ			
	- (Conversion with Change - Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADI	DITIO	NAL NRCs												Î			
	4-	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent												Î			
	S	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -												ĺ			
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	С	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4-	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	A	ctivation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
		-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
		ctivation Per Chan - Inward Trunk with DID		Ц_	UEPDC	UDTTD	<u> </u>	28.71	28.71	<u> </u>		<u> </u>	<u> </u>	19.99	19.99	<u> </u>	<u> </u>
	4-	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan								İ							
	A	ctivation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
BIP	OLAR	R 8 ZERO SUBSTITUTION															
		8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	В	8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alte	ernate	Mark Inversion															
	Al	MI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	Al	MI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele	ephon	ne Number/Trunk Group Establisment Charges															
	Te	elephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		elephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		elephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		ID Numbers, Establish Trunk Group and Provide First Group															
		f 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
		ID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Ded		d DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	Loop	with 4-Wire DDITS T	runk Port											
		nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Te	ermination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
\vdash		nteroffice Channel Mileage - Additional rate per mile - 0-8 miles		 	UEPDC	1LNOA	0.4523	0.00	0.00	1				ļ	.	.	1
		nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities								1					1	1	1
\vdash		ermination)			UEPDC	1LNO2	0.00	0.00	0.00								
		nteroffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41.1105	0 1=0-			1					1	1	1
\vdash		niles	—	1	UEPDC	1LNOB	0.4523	0.00	0.00	+ +		-		.	-	-	├
		nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities		1	LIEDDO	41.1100	0.00	0.00	0.00	1			1		I	I	1
	Te	ermination)	-	-	UEPDC	1LNO3	0.00	0.00	0.00	1		-	-	-	 	 	
	I.	Adalisis Observal Milesens Adalisis of action and the control of		1	LIEDDO	41 NOC	0.4500	0.00	0.00				1		I	I	1
\vdash		nteroffice Channel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.4523	0.00	0.00	+ +					-	-	+
		ocal Number Portability, per DS0 Activated	-	-	UEPDC	LNPCP	3.15			1		-	-	-	 	 	
4 144		Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT		-	UEPDC	CTG	0.00			+					 	 	
		SST LOOP WITH CHANNELIZATION WITH PORT s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	iveti			-				+		-		-	 	 	
		s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti Stem can have up to 24 combinations of rates depending on			har of parts used	-				+		-		-	 	 	
		stem can have up to 24 combinations of rates depending on Loop	type at	ia num	ibei oi poits used	-				+		-		-	 	 	
UNI		-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00	+ +		-		-			
\vdash		-Wire DS1 Loop - UNE Zone 1 -Wire DS1 Loop - UNE Zone 2	-	2	UEPMG	USLDC	64.13	0.00	0.00	+ +		-		-			
\vdash		-Wire DS1 Loop - UNE Zone 2 -Wire DS1 Loop - UNE Zone 3	-	3	UEPMG	USLDC	101.93	0.00	0.00	+ +		-		-			
LINIE		-Wire DST Loop - UNE Zone 3 D Channelization Capacities (D4 Channel Bank Configuration	ne)	3	OLFIVIG	USLDC	101.93	0.00	0.00	+ +		-		-			
UNE	ר הפת ד	4 DSO Channel Capacities (D4 Channel Bank Configuration	ə <i>j</i>	 	UEPMG	VUM24	102.64	0.00	0.00	+ +		-		19.99	19.99		
\vdash	24	8 DSO Channel Capacity - 1 per DS1		-	UEPMG	VUM24 VUM48	205.28	0.00	0.00	+ +		-		19.99	19.99		
\vdash		8 DSO Channel Capacity - 1 per 2 DS1s 6 DSO Channel Capacity -1per 4 DS1s	-	 	UEPMG	VUM48 VUM96	205.28 410.56	0.00	0.00	+ +		-		19.99			
\vdash		44 DS0 Channel Capacity -1per 4 DS1s	-	 	UEPMG	VUM14	615.84	0.00	0.00	+ +		-		19.99	19.99		
\vdash		92 DS0 Channel Capacity - 1 per 8 DS1s	-	 	UEPMG	VUM19	821.12	0.00	0.00	+ +		-		19.99	19.99		
ullet	[13	22 DOO CHAIITEI Capacity -1 pel 0 DO18	L		OLFING	VOIVITS	021.12	0.00	0.00	1		1	1	19.99	19.99	1	

BUNDLE	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhi	bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
_	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1.026.40	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN 19.99	SOMAN 19.99	SOMAN	SOMAN
-	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,026.40	0.00	0.00					19.99	19.99		
+	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
1	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,052.80	0.00	0.00			1	1	19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	bles of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without			LIEDMO	110004	0.00	220.25	40.50					40.00	40.00		
Systo	BellSouth Allowed Changes m Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat	UEPMG	USAC4	0.00	328.35	16.52	 				19.99	19.99		
	Not Currently Combined) in all states, except in Density Zone 1				auon oun	LIN LAISIS AIIU	•					1				
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	J. 10p	2	-							l	1				
	and Assoc Fea Activation	1		UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		1
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -															
A 14	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00				ļ				
Aitern	ate Mark Inversion (AMI) Superframe Format		<u> </u>	UEPMG	MCOSF	0.00	0.00	0.00			-	.				-
-	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1	1				-
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLI WO	WCOI C	0.00	0.00	0.00				+				
	ange Ports	<u> </u>	1 0.1								1	1				
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00		ļ	33.67	7.88		
Гасти	2-Wire Trunk Side Unbundled Channelized DID Trunk Port re Activations - Unbundled Loop Concentration			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00	1		33.67	7.88		
reatu	Feature (Service) Activation for each Line Port Terminated in D4										1	1				-
	Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
	Feature (Service) Activation for each Trunk Port Terminated in			02.17		0.02	20.00	.0.20	0.00	0.07	1	1	00.07	7.00		
	D4 Bank			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		
Telepl	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
-	DID Numbers - groups of 20 - Valid all States	ļ	_	UEPPX	ND4	0.00	0.00	0.00			<u> </u>	1				
+	Non-Consecutive DID Numbers - per number	-	-	UEPPX	ND5	0.00	0.00	0.00			 	ļ				
+	Reserve Non-Consecutive DID Numbers Reserve DID Numbers	-	-	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00	 		1	1				
Local	Number Portability	1	 	OLFFA	INDV	0.00	0.00	0.00	 		1	1				
Local	Local Number Portability - 1 per port	 	t	UEPPX	LNPCP	3.15	0.00	0.00				1				
FEAT	URES - Vertical and Optional	l				0.10	0.00	0.00								
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	PORT LOOP COMBINATIONS - MARKET RATES							•		·						
	t Rates shall apply where BellSouth is not required to provide	unbund	lled lo	al switching or swi	tch ports pe	r FCC and/or St	ate Commission	n rules.								
	ncludes:	1			- (d) - T 1	 					I Para					-
Unbu	ndled port/loop combinations that are Currently Combined or N	Not Curi	rently (Ombined in Zone 1	or the Top 8	NISAS IN BellS	outh's region i	or end users	with 4 or more I	250 equivaler	t lines.	lo)				
	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda buth currently is developing the billing capability to mechanica												In the interi	m where Rell	South cannot	hill Marks
	, BellSouth shall bill the rates in the Cost-Based section preced								ig charges for i	ior currently (Jonnonieu II		. ar the mitelli	where bells	Journ Carrillot	wiii iriai Kt
Rates				The market Hates an	I		up tile billing t									ļ
Rates, The M	larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Us	in all sta	ates.						ort network elen	nents except	for UNE Coi	in Port/Loor	Combination	s which have	a flat rate us	age char

UNBUND	LED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
					1							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi		1							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	1	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· .	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—	_							Names		Nonrecurring	. Dianamana			000	Rates(\$)		
	-					-	Rec	Nonrec First	Add'l	First	Add'l	COMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMAN
For	Not (Currently Combined scenarios the Nonrecurring charges are	listadi	in the l	I First and Additional	NPC column	s for each Port										
		al NRCs may apply also and are categorized accordingly.	noteu	iii tiie i	iist and Additional	TAING COIGIIIII	s ioi eacii i oit	0000. 10100	arrently comb	inea scenarios	, the Nomecui	ring charge	s are risted	III tile ivito - t	Surreintly Con	ibilied section	
		OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			1	1					1	I	I	I	1	1	I
		t/Loop Combination Rates										+					
1		-Wire VG Loop/Port Combo - Zone 1		1			24.80					İ					
		-Wire VG Loop/Port Combo - Zone 2		2			26.47										
		-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE	E Loo	p Rates															
	2	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80										
		-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47										
		-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
2-W		oice Grade Line Port (Res)			LIEBBY	LUEDE:											
\vdash		-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00			ļ		33.67	7.88	11.17	3.91
\vdash		-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00	ļ				33.67	7.88	11.17	3.91
\vdash		-Wire voice unbundled port outgoing only - res	-	<u> </u>	UEPRX	UEPRO	14.00	90.00	90.00	1	<u> </u>	ļ	-	33.67	7.88	11.17	3.91
		-Wire voice unbundles res, low usage line port with Caller ID LUM)			UEPRX	UEPAP	14.00	90.00	90.00					33.67	7.88	11.17	3.91
 		-UM) -Wire voice unbundled Georgia basic dialing port without Caller			ULFRA	UEFAF	14.00	90.00	90.00	1	 	<u> </u>		33.67	1.88	11.17	3.91
		-wire voice unburidled Georgia basic dialing port without Caller D capability - res			UEPRX	UEPWC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
 		-Wire voice unbundled Georgia basic dialing port for use with			OLI IVA	OLI WO	17.00	30.00	30.00	+		†		55.07	7.00	11.17	5.91
		Caller ID - res			UEPRX	UEPWQ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		-Wire voice unbundled Georgia basic dialing port - outgoing			02.100	σ2α	1 1.00	00.00	00.00			İ		00.07	7.00		0.01
		nlv			UEPRX	UEPWR	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2	-Wire voice unbundled Low Usage Line Port without Caller ID															
	С	Capability			UEPRX	UEPRT	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOC	CALN	IUMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEA	ATUR																
		Il Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NOI	NREC	URRING CHARGES - CURRENTLY COMBINED															
		Miles Visites One In Least (15 - Book Orankis etter - Original and			HEDDY	110 4 00		44.50	44.50					00.07	7.00	44.47	0.04
-		-Wire Voice Grade Loop / Line Port Combination - Switch-as-is -Wire Voice Grade Loop / Line Port Combination - Switch with			UEPRX	USAC2		41.50	41.50			.		33.67	7.88	11.17	3.91
		hange			UEPRX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADI		NAL NRCs			ULFKX	USACC		41.50	41.50			1		33.07	7.00	11.17	3.91
ADI		IRC - 2-Wire Voice Grade Loop/Line Port Combination -				1						†					
		Subsequent			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
2-W		/OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			1		0.00	0.00	3.30		İ			55.57	7.50		3.51
		t/Loop Combination Rates											İ	İ			
		-Wire VG Loop/Port Combo - Zone 1		1	<u> </u>		24.80				<u> </u>						
		-Wire VG Loop/Port Combo - Zone 2		2			26.47										
		-Wire VG Loop/Port Combo - Zone 3		3			33.83		•								
UNE		p Rates															
		-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										
\vdash		-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12.47			1		ļ					
<u> </u>		-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	19.83			ļ				ļ			
2-W		oice Grade Line Port (Bus)	-	-	LIEDDY	UEPBL	44.00	00.00	00.00	1	 	ļ		22.27	7.00	44.47	2.01
\vdash		-Wire voice unbundled port with Caller ID - bus		-	UEPBX	UEPBC	14.00 14.00	90.00	90.00	1		-		33.67 33.67	7.88 7.88	11.17	3.91 3.91
\vdash		-Wire voice unbundled port with Caller + E484 ID - bus -Wire voice unbundled port outgoing only - bus		-	UEPBX UEPBX	UEPBC	14.00	90.00	90.00	-		-		33.67	7.88	11.17 11.17	3.91
\vdash		-Wire voice unbundled Georgia basic dialing port, without	 	-	OLFBA	OLFBU	14.00	90.00	90.00	+	1	1	1	33.07	7.08	11.17	3.91
		Caller ID capability - bus			UEPBX	UEPWD	14.00	90.00	90.00					33.67	7.88	11.17	3.91
\vdash		-Wire voice unbundled Incoming Only Port without Caller ID	<u> </u>		02.10/	JE1 **D	17.00	30.00	30.00	1		1	-	55.07	7.00	11.17	5.91
		Capability			UEPBX	UEPBE	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		-Wire voice unbundled Georgia basic dialing port for use with			İ	1		22.20	22.50		İ				1.50		2.01
		Caller ID - bus			UEPBX	UEPWP	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOC	CAL	IUMBER PORTABILITY															
	L	ocal Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FF.A	ATUR	ES															

UNBUN	NDLE	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhil	bit: B
011201												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Addi	DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	g Disconnect	1	•	OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00			1		33.67	7.88	11.17	3.91
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
		change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
	ADDITIO	ONAL NRCs		1		-											
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -		1													
		Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
-	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1	02. 5/	00/102	+	0.00	0.00		1	1		00.07	7.00		0.01
		ort/Loop Combination Rates	l	† 		+ +	+			 	1	1	†				
 		2-Wire VG Loop/Port Combo - Zone 1	l -	1	 	1 1	24.80			†	1	t	 				
\vdash	- 1	2-Wire VG Loop/Port Combo - Zone 2	l	2		+ +	26.47	-		 	1	1	†				
\vdash		2-Wire VG Loop/Port Combo - Zone 3	 	3		+ +	33.83	-		 	 	 	 				
 		pop Rates	1	-		+ +	33.03			1	l .	 	-	 	 		l
- "	JNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPRG	UEPLX	10.80				1	-	-				
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPRG	UEPLX	12.47				1	-	-				
\vdash				_	UEPRG	UEPLX	19.83										
) \A/: \	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19.83					1					
- 4	2-wire	Voice Grade Line Port Rates (RES - PBX)		_													
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia extended dialing port, PBX 1-															
		Way Outdial Trunk			UEPRG	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Low Usage Line Port without Caller ID		1													
		Capability			UEPRX	UEPRT	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	OCAL	NUMBER PORTABILITY		1													
		Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU																
		All Features Offered		1	UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	CURRING CHARGES - CURRENTLY COMBINED		1													
				1													
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with			02.110	00/102			11.00					00.07	7.00		0.01
		Change			UEPRG	USACC		41.50	41.50					33.67	7.88	11.17	3.91
	ADDITIO	ONAL NRCs		1	02.110	00,100	+		11.00		1	1		00.07	7.00		0.01
H	100111	2 Wire Loop/Line Side Port Combination - Non feature -		1		+	+	-			1	1					
		Subsequent Activity- Nonrecurring						0.00	0.00					33.67	7.88	11.17	3.91
	-	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1		+	+	0.00	0.00		1	1		00.07	7.00	11.17	0.01
		Group	I	1			l	14.64	14.64			1	l	19.99	19.99	19.99	19.99
 	2-WIRF	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 	1		+ +		17.04	17.04		1	 		10.00	10.00	10.00	10.59
		ort/Loop Combination Rates	†	1		+ +	+				<u> </u>	 	 				
 	1	2-Wire VG Loop/Port Combo - Zone 1	t	1		+ +	24.80			 	<u> </u>	†	 				
\vdash		2-Wire VG Loop/Port Combo - Zone 1	t	2		+ +	26.47			 	<u> </u>	†	 				
		2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
 		pop Rates	 			+ +	55.55	+		<u> </u>	 	 	 				
 	JIVE EU	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPPX	UEPLX	10.80	-		<u> </u>	 	 	 				
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPPX	UEPLX	12.47	-		1	 	 	 	 	 		
 		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	†	3	UEPPX	UEPLX	19.83				<u> </u>	 	 				
	2-Wire 1	Voice Grade Line Port Rates (BUS - PBX)	 		JEI I X	JLI LX	13.00	-		<u> </u>	 	 	 				
 		TOIGG GIAGE LINE I OIL MAIES (DOG - FDA)	1	1		+ +	+			1	l .	 	-	 	 		l
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
\vdash		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	 	+	UEPPX	UEPPO	14.00	90.00	90.00	<u> </u>	 	 	 	33.67	7.88	11.17	3.91
\vdash		Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	 	+	UEPPX	UEPP0	14.00	90.00	90.00	 	1	+	 	33.67	7.88	11.17	3.91
\vdash		2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPPX	UEPLD	14.00	90.00	90.00		1	1		33.67	7.88	11.17	3.91
\vdash			 	1	UEPPX					 	 	 	 				
\vdash		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 	1		UEPXA	14.00	90.00	90.00	-	 	 	 	33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	.	-	UEPPX	UEPXB	14.00	90.00	90.00	-	1	!	.	33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPPX	UEPXC	14.00	90.00	90.00	1	1	1	I	33.67	7.88	11.17	3.91
\vdash		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPPX	UEPXD	14.00	90.00	90.00		1	1		33.67	7.88	11.17	3.91

BUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec			g Disconnect				Rates(\$)		
_							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			HEDDY	LIEDVE	44.00	00.00	00.00					00.07	7.00	44.47	
_	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<u> </u>	UEPPX	UEPXE	14.00	90.00	90.00		-			33.67	7.88	11.17	3
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	;
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02.17	OL: AL		00.00	00.00					00.07	7.00		
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPPX	UEPWS	14.00	90.00	90.00					33.67	7.88	11.17	
1	2-Wire voice unbundled Georgia basic dialing port - 2-Way			UEPPX	UEPWS	14.00	90.00	90.00					33.67	7.88	11.17	
	Trunk			UEPPX	UEPWT	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX			02 X	02		00.00	00.00					00.07	7.00		
	Trunk			UEPPX	UEPPQ	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															1
	Terminal Ports			UEPPX	UEPPS	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll															
	Terminal Ports			UEPPX	UEPPT	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port - PBX LD			LIEDDY	LIEDDII	44.00	00.00	00.00					22.67	7.00	44.47	
-	DDD Terminal Port 2-Wire voice unbundled Georgia basic dialing port - PBX LD		<u> </u>	UEPPX	UEPPU	14.00	90.00	90.00		-			33.67	7.88	11.17	1
	Terminal Switchboard Port			UEPPX	UEPPV	14.00	90.00	90.00					33.67	7.88	11.17	
1	2-Wire voice unbundled Georgia basic dialing port - PBX LD			OLITA	OLITY	14.00	30.00	30.00					33.07	7.00	11.17	
	Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	14.00	90.00	90.00					33.67	7.88	11.17	
LOCAL	NUMBER PORTABILITY										1					
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	1
NONKI	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI I X	00/102		41.00	71.00					00.07	7.00	11.17	
	Change			UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00					33.67	7.00	44.47	
-	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt		<u> </u>				0.00	0.00		-			33.67	7.88	11.17	1
	Group						14.64	14.64					19.99	19.99	19.99	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT.					14.04	14.04					19.99	19.99	13.33	
	ort/Loop Combination Rates															
1	2-Wire VG Coin Port/Loop Combo – Zone 1		1			24.80										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.47		-								
L	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.83				L						
UNE L	pop Rates		L .	LIEBOO	LIEDLY	40.00					<u> </u>		ļ			1
1	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1	UEPCO UEPCO	UEPLX UEPLX	10.80 12.47			-	 	<u> </u>		 	-	ļ	1
1	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	12.47			-	 	1		-	-	 	1
2-Wire	Voice Grade Line Port Rates (Coin)		3	OLFOO	ULFLA	19.03				 	<u> </u>		 			1
e	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00		†			33.67	7.88	11.17	1
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				7-:	00	22.00	22.00					22.0.			1
<u> </u>	900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00		<u> </u>	L		33.67	7.88	11.17	<u> </u>
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Coin 2-Way with Operator Screening and 900/976															
1	Blocking (GA)		1	UEPCO	UEPGB	14.00	90.00	90.00	l	1	1	l	33.67	7.88	11.17	1

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+,and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	I OCAL	NUMBER PORTABILITY			DEPCO	UEPCQ	14.00	90.00	90.00	 				33.67	7.88	11.17	3.91
	LOUAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35			1					1		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
\vdash		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		ļ	UEPCO	USAC2		41.50	41.50	<u> </u>		-		33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50	1				33.67	7.88	11.17	3.91
\vdash	ADDITI	ONAL NRCs		 	011 00	USACC		41.50	41.50	 				33.07	1.00	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I													
	UNE Po	ort/Loop Combination Rates							•								
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.84										
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	33.45 44.92			 		-			-		
\vdash	UNFI	pop Rates		3		+	44.92			 		-					
\vdash	0.4L L(2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.84										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	19.45			1							
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.92										
$\perp \Box$	2-Wire	Voice Grade Line Port Rates (Res)				1											
\vdash		2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	160.00	125.00	-		-		33.67	7.88	11.17	3.91
\vdash		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		-	UEPFR UEPFR	UEPRC UEPRO	14.00 14.00	160.00 160.00	125.00 125.00	 		-		37.06 33.67	7.88 7.88	11.17 11.17	3.91 3.91
\vdash		2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID		 	OLFIN	OLFINO	14.00	160.00	120.00	 		1		33.07	1.08	11.17	3.91
		(LUM) 2-Wire voice unbundled Georgia basic dialing port, without			UEPFR	UEPAP	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		Caller ID capability - res			UEPFR	UEPWC	14.00	160.00	125.00	1				33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - outgoing															
\vdash	NITES	only		-	UEPFR	UEPWR	14.00	160.00	125.00	-				33.67	7.88	11.17	3.91
\vdash	IN I ER	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-		+				 					-		
		Termination			UEPFR	U1TV2	17.07	79.61	36.08	1							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							33.00	1							
		or Fraction Mile			UEPFR	1L5XX	0.0222										
\sqcup	FEATU				LIEBER	1				L							
\vdash		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00	-		-		33.67	7.88	11.17	3.91
\vdash		NUMBER PORTABILITY Local Number Portability (1 per port)		-	UEPFR	LNPCX	0.35			-							
\vdash		ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIK	TIMI OV	0.35			—					†		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								1							
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
\vdash	2 14/10-	Combination - Conversion - Switch-With-Change	1 1111 7	OPT "	UEPFR	USACC		93.83	93.83	 				33.67	7.88		
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE	JUKI (I	503)	+ -				-							
\vdash	OIAT L	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	30.84			+							
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	33.45			1							
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.92										
	UNE Lo	pop Rates							<u> </u>								
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.84										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	19.45			L				l	L	<u> </u>	l

CATEGORY RATE ELEMENTS Not Zone BCS USOC RATES (3) RATES (3) RATES (3) Company Charge C	JNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
ATE CORY RATE ELEMENTS March Some BCS												Svc Order	Svc Order			Incremental	Incremental
CATEGORY RATE ELEMENTS In Zone BCS USC Service Ser												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
MALE LEMENTS MALE			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Recommendation	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Second Color Seco												p	p				Electronic-
SWIN VIOLED CORPORATION SWIN SW																	Disc Add'l
Second S																	
2-Min vive class Line Frei Bar 3000 30							Rec										
2 2 2 2 2 2 2 2 2 2								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SWIN voice authorizing of without Callett ID - bus UEPPS UEPPS 1.000 125.00 1.25.00 1.30.07 7.86 11.17				3	UEPFB	UECF2	30.92										
2-Wine voice authorizing of management of the resident of the search o	2-Wii			-	LIEDED	LIEDDI	44.00	400.00	105.00					00.07	7.00	44.47	0.04
2. Wise vince unburded port outgoing only not will collect in June 1 (IRPPB 1400 1400 19000 125.00 35.07 7.86 11.17				-													3.91 3.91
2-Wire vote authorided from the Carlot B - Dus UEPFB 1400 160.00 25.00 33.67 7.88 11.17				-													3.91
2-Vive voca unbundled Georgia Date Glating port, whoul UEPPB UEPVP 14.00 125.00 33.87 7.88 11.17 Color (1) - UePPB UEPVP 14.00 160.00 125.00 33.87 7.88 11.17 Color (1) - UePPB UEPVP 14.00 160.00 125.00 33.87 7.88 11.17 Color (1) - UePPB UEPVP 14.00 160.00 125.00 33.87 7.88 11.17 Color (1) - UePPB UEPVP 14.00 160.00 125.00 33.87 7.88 11.17 Color (1) - UePPB UEPVP UEPVB UEVBB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEVBB UEPVB UEP			<u> </u>										-				3.91
Calle Depublish - Date Dep			-		UEPFB	UEPBT	14.00	160.00	125.00			-		33.67	7.88	11.17	3.91
Controlled Cooping Basis State Cooping Basis State Cooping Basis State Cooping Basis State Cooping Basis State Cooping B					LIEDED	LIEDWD	14.00	160.00	125.00					22.67	7 00	11 17	3.91
Caller FD - hour Processor Lipsey			<u> </u>	-	OLFIB	OLFVVD	14.00	100.00	123.00			-	-	33.07	7.00	11.17	3.91
LOCAL NUMBER PROTESSITY UEFFE UFFY UEFFE UFFY UEFFE UFFY UEFFE					LIEDED	I IEDWD	14.00	160.00	125.00					22.67	7 00	11 17	3.91
Interest Fandshort per port	LOC		 	 	OLITO	OLFWE	14.00	100.00	120.00					33.07	1.00	11.17	3.91
NetRoPFIce TransPORT Internation Inter	100		 	 	UEPER	LNPCX	0.35			1	 	<u> </u>					<u> </u>
Interoffice Transport - Dedicated - 2 Wire Votor Grade - Facility Termination UEPFB UTIV2 17.07 79.61 36.68	INTE		l		02.10	2.11 0/1	0.00										
Termination UEPPB UTIV2 17.07 79.61 36.08			1	†		1				1		 	-				
Interdifice Transport - Dedicated - 2 Wire Voice Grade - Per Mile UEPPB					UEPFB	U1TV2	17.07	79.61	36.08								1
Fartures			†			J	17.07	70.01	55.56					1	1	1	
REATURES					UEPFB	1L5XX	0.0222										1
All Features Offred UEPFB UEPFF UEPF	FEA					1 - 2 - 1 - 1											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED					UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
Combination - Conversion - Switch-sea-6	NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
Combination - Composition -		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	i														
Combination - Conversion - Switch with change UEPPB USACC 93.83 93.83					UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
AWRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port												ĺ	ĺ		
UNE Port/Loop Combination Rates					UEPFB	USACC		93.83	93.83								l .
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1																	
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 33.45	UNE																
2-Wire Voice Grade Loop (SL2) - Zone 1																	
UNE Loop Rates																	
2-Wire Volice Grade Loop (SL2) - Zone 1				3			44.92										
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 19.45	UNE																
2-Wire Voice Grade Lony (SL2) - Zone 3 3 UEPFP UECF2 30.92																	
Line Side Unbundied Combination 2-Way PBX Trunk Port - Bus																	+
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPFP UEPPO 14.00 160.00 125.00 133.67 7.88 11.17 Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPPO 14.00 160.00 125.00 125.00 133.67 7.88 11.17 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPFP UEPPO 14.00 160.00 125.00	0.14/:-			3	UEPFP	UECF2	30.92										+
Line Side Unbundled Qutward PBX Trunk Port - Bus UEPFP UEPP1 14.00 160.00 125.00 33.67 7.88 11.17	2-111	re voice Grade Line Port Rates (BUS - PBX)	<u> </u>			+							-				
Line Side Unbundled Qutward PBX Trunk Port - Bus UEPFP UEPP1 14.00 160.00 125.00 33.67 7.88 11.17		Line Side Unbundled Combination 2 Way DBY Trunk Bort - Bus			LIEDED	LIEDDC	14.00	160.00	125.00					22.67	7 00	11 17	3.91
Line Side Unbundled Incoming PBX Trunk Port - Bus UEPFP UEPD1 14.00 160.00 125.00 33.67 7.88 11.17	-																3.91
2-Wire Voice Unbundled PBX LD Terminal Ports	-		 	 													3.91
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPFP UEPXA 14.00 160.00 125.00 37.06 7.88 11.17	-		 	 													3.91
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPFP UEPXB 14.00 160.00 125.00 33.67 7.88 11.17			l														3.91
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPFP UEPXC 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPFP UEPXD 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXD 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPXD 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPXD 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPXD 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXD 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire voice unbundled Georgia basic dialing port - 1-Way Outgoing PBX Measured Port UEPFP UEPXD 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire voice unbundled Georgia basic dialing port - 1-Way Outgoing PBX Measured Port UEPFP UEPWS 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire voice unbundled Georgia basic dialing port - 2-Way Tunk UEPFP UEPWS 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire voice unbundled Georgia basic dialing port - 2-Way Tunk UEPFP UEPWS 14.00 160.00 125.00 33.67 7.88 11.17			†														3.91
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPFP UEPXD 14.00 160.00 125.00 33.67 7.88 11.17																	3.91
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXE 14.00 160.00 125.00 33.67 7.88 11.17			1										1				3.91
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 14.00 160.00 125.00 33.67 7.88 11.17			1			İ							1			İ	
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 14.00 160.00 125.00 33.67 7.88 11.17		Capable Port	1		UEPFP	UEPXE	14.00	160.00	125.00					33.67	7.88	11.17	3.91
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 14.00 160.00 125.00 33.67 7.88 11.17			i														
Room Calling Port					UEPFP	UEPXL	14.00	160.00	125.00					33.67	7.88	11.17	3.91
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPFP UEPXO 14.00 160.00 125.00 33.67 7.88 11.17		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
Discount Room Calling Port					UEPFP	UEPXM	14.00	160.00	125.00					33.67	7.88	11.17	3.91
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 14.00 160.00 125.00 33.67 7.88 11.17																	1
2-Wire voice unbundled Georgia basic dialing port - 1-Way UEPFP UEPWS 14.00 160.00 125.00 33.67 7.88 11.17 2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk UEPFP UEPWT 14.00 160.00 125.00 33.67 7.88 11.17 1.00 1			<u> </u>							Į							3.91
Oudial Trunk			ļ		UEPFP	UEPXS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk UEFFP UEPWT 14.00 160.00 125.00 33.67 7.88 11.17			1														1 -
Trunk			<u> </u>		UEPFP	UEPWS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
LOCAL NUMBER PORTABILITY			1														1 -
			<u> </u>		UEPFP	UEPWT	14.00	160.00	125.00					33.67	7.88	11.17	3.91
I I ILOCAL NUMBER PORADILIS (1 DEF DOT) I I IUEPEP ILNPOP I 3.15 I 0.00 I 0.00 I I I I 33 67 I 7.88 I 11.17 i	LOC		!	-	LIEDED	LNDCD	0.4-	0.00	0.00	1	-			20.6=	7.00	44.4-	0.01
INTEROFFICE TRANSPORT	INITE		!	1	UEPFP	LINPUP	3.15	0.00	0.00	1	-	 	-	33.67	7.88	11.17	3.91

UNBUNDLE	ED NETWORK ELEMENTS - Georgia											Ι	1 -		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	3	USOC			RATES (\$)				Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED		11477.60	47.07	70.04	00.00								
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP		U1TV2	17.07	79.61	36.08			.					
	or Fraction Mile			UEPFP		1L5XX	0.0222										
FEAT	URES						*******					†					
	All Features Offered			UEPFP		UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
	Combination - Conversion - Switch-as-is			UEPFP		USAC2		93.83	93.83					33.67	7.88	11.17	3.91
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
UNDUNDUED.	Combination - Conversion - Switch with change PORT/LOOP COMBINATIONS - MARKET BASED RATES			UEPFP		USACC		93.83	93.83			1		33.67	7.88	11.17	3.91
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT										.					
	Port/Loop Combination Rates	PORT										 					
ONL	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				99.84					1					
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				102.45					1					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				113.92					İ					
UNE L	oop Rates											İ					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.84	104.78	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	19.45	104.78	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.92	104.78	104.10								
UNE F	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	83.00	850.00	75.00					33.67	7.88		
NONR	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -								== 00								
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		850.00	75.00			1		33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		850.00	75.00					33.67	7.88		
ADDI	FIONAL NRCs			UEPPA		USAIC		650.00	75.00			-		33.07	7.00		
	hone Number/Trunk Group Establisment Charges											†					
ТСССР	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00			i e					
	DID Numbers, Establish Trunk Group and Provide First Group											İ					
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
ĺ	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY			UEPPX		LNPCP	0.45	0.00	0.00								
O MID	Local Number Portability (1 per port) E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDI	- DODI			LINPUP	3.15	0.00	0.00			-					<u> </u>
	RE ISON DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LI	INE SIDI	PORI	1													
ONE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		†									†					
1	UNE Zone 1		1	UEPPB	UEPPR		81.89										
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		†				200										İ
1	UNE Zone 2		2	UEPPB	UEPPR		85.27										
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1										İ					1
	UNE Zone 3		3	UEPPB	UEPPR		100.17										
UNE L	Loop Rate																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB L	JEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		
1	0 W/W 10DN DWW 10 Ow 10 10 00 10 10 00 00 10 10 00 00 10 10		_	LIEDES	LIEBBE	1101.01											
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	-	3		UEPPR JEPPR	USL2X	25.27	252.32	188.77			-		19.99 19.99	19.99 19.99		-
LINE	2-Wire ISDN Digital Grade Loop - UNE Zone 3	-	3	UEPPB L	UEPPK	USL2X	40.17	252.32	188.77			 		19.99	19.99	-	
UNE	Exchange Port - 2-Wire ISDN Line Side Port	-	 	UEPPB U	IEDDD	UEPPB	60.00	525.00	400.00			1		19.99	19.99	-	-
NOND	RECURRING CHARGES - CURRENTLY COMBINED	1	 	OLIID U	/ELLIK	OLI I D	00.00	323.00	+00.00		 	1		15.55	19.33		
- 1.51410	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		t														
	Combination - Conversion - Top 8 MSAs only		1	UEPPB U	JEPPR	USACB	0.00	215.00	215.00					19.99	19.99		
										•							

UNBUNDLE	D NETWORK ELEMENTS - Georgia														ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonred		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1															í
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		——
LOCAL	L NUMBER PORTABILITY					LNBOY											
D 0114	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)	-		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								·
	CSD		1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS &	TN)	OLFFB	ULFFR	01000	0.00	0.00	0.00								
	TERMINAL PROFILE	T	Ι,														
OOLK	User Terminal Profile (EWSD only)		t	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VERTI	CAL FEATURES	t	t	1 5			0.00	0.00	0.50			1		İ	İ	İ	<u> </u>
1	All Vertical Features - One per Channel B User Profile	1	i –	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99	l	
INTER	OFFICE CHANNEL MILEAGE	İ	i –														
	Interoffice Channel mileage each, including first mile and																i
	facilities termination				UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		í
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00								i Total
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	Zone 1		1	UEPPP			955.53										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	Zone 2		2	UEPPP			964.13										—
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														í
———— ————————————————————————————————	Zone 3		3	UEPPP			1,001.93										
UNE L	oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1	-	1	LIEDDD		USL4P	55.50	448.92	276.60					19.99	19.99		——
	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPPP		USL4P USL4P	55.53 64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPPP		USL4P	101.93	448.92	276.60					19.99	19.99		
LINE D	Port Rate	-	3	OLFFF		USL4F	101.93	440.32	270.00					19.99	19.99		
ONLF	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	900.00	1,200.00	1,200.00			1		19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLITI		OLITI	300.00	1,200.00	1,200.00					13.33	13.33		ſ
NON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	925.00	925.00					19.99	19.99		í
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																· · · · ·
	Inward/two way Telephone Numbers (except NC)			UEPPP		PR7TF		0.9686									ı
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1														i
	Outward Tel Numbers (All States except NC)	<u> </u>	L	UEPPP		PR7TO		22.75	22.75			<u></u>			<u> </u>		<u>. </u>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																·
	Subsequent Inward Telephone Numbers		<u> </u>	UEPPP		PR7ZT		45.49	45.49								
LOCAI	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data	ļ	<u> </u>	UEPPP		PR71V	0.00	0.00	0.00			ļ					
	Digital Data	.	<u> </u>	UEPPP		PR71D	0.00	0.00	0.00			ļ					
<u> </u>	Inward Data	-	<u> </u>	UEPPP		PR71E	0.00	0.00	0.00	ļ		1		 	 	 	
New o	r Additional "B" Channel	!	├	UEPPP		PR7BV	0.00	00.71		1		ļ		40.00	40.00		
	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	-	<u> </u>	UEPPP		PR7BF	0.00	28.71				1		19.99 19.99	19.99 19.99		——
\vdash	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	+	 	UEPPP		PR7BD	0.00	28.71 28.71		1		1		19.99	19.99		
CALL	TYPES	 	 	UEPPP		FK/BD	0.00	∠8./1				 		19.99	19.99		·
CALL	Inward	1	 	UEPPP		PR7C1	0.00	0.00	0.00			1					1
	Outward	1	 	UEPPP		PR7CO	0.00	0.00	0.00			1					1
	Two-way	 	†	UEPPP		PR7CC	0.00	0.00	0.00			t					
Interof	ffice Channel Mileage	t	 	J		. 10,00	0.00	0.00	0.00	1		 					í
	Fixed Each Including First Mile		t	UEPPP		1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		1
	Each Airline-Fractional Additional Mile	t	1	UEPPP		1LN1B	0.4523			5.50		i .				i	
4 14/15/	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1				5520					1					

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70			19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADD	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -												40.00			
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	UEPDC	UDITO		20.71	20.71			-		19.99	19.99		
	Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD		28.71	28.71					19.99	19.99		1
BIPC	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00	1							
Alter	nate Mark Inversion						0.00	555.56	1						i	
701	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00	1						i	
	AMI - Extended SuperFrame Format			UEPDC	MCOPO	1	0.00	0.00	i İ						İ	
Telei	phone Number/Trunk Group Establisment Charges					1									İ	
1	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00			i l						İ	
İ	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1						ĺ	
İ	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			1						ĺ	
l l	DID Numbers, Establish Trunk Group and Provide First Group			1					1						ĺ	
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								1
i	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
İ	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
i	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedi	cated DS1 (Interoffice Channel Mileage) -			1					1						ĺ	
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port														1	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.4523	0.00	0.00								1

UNBUNDI	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	
1			1								Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
		m						= O (4)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>			+		Nonrec	urring	Nonrecurring	Disconnect	†	l	OSS	Rates(\$)		
		<u> </u>			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1					11100	Addi	1 1130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Tommatony			02. 50	12.100	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated	1		UEPDC	LNPCP	3.15	0.00	0.00			†	1				
	Central Office Termininating Point	<u> </u>		UEPDC	CTG	0.00					†	1				
4-W	VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT	<u> </u>		OLI DO	010	0.00					†	1				
	stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	tivations			+						†	1				
	system can have various rate combinations based on type and nu			lead							1					
	E DS1 Loop	I IIIDEI OI	porta	useu							1					
IONE	4-Wire DS1 Loop - UNE Zone 1	t	1	UEPMG	USLDC	55.53	0.00	0.00	 		H			 		
 	4-Wire DS1 Loop - UNE Zone 2	 	2	UEPMG	USLDC	64.13	0.00	0.00			t	 		 		
 	4-Wire DS1 Loop - UNE Zone 3	 	3	UEPMG	USLDC	101.93	0.00	0.00			t	 		 		
LINE	E DSO Channelization Capacities (D4 Channel Bank Configuratio	ne)	3	OLI IVIG	USLDC	101.93	0.00	0.00	 		 	-				
ONE		113)	-	UEPMG	VUM24	100.64	0.00	0.00	-		-	-	19.99	10.00		├
\vdash	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	 	 	UEPMG	VUM24 VUM48	102.64 205.28	0.00	0.00	 		-	-	19.99	19.99 19.99		
\vdash	96 DSO Channel Capacity - 1 per 2 DS1s	 	 	UEPMG	VUM96	410.56	0.00	0.00	 		-	-	19.99	19.99		
\vdash	144 DS0 Channel Capacity - 1 per 6 DS1s	+	-	UEPMG	VUM14	615.84	0.00	0.00	-		-	-	19.99	19.99		├
	192 DS0 Channel Capacity - 1 per 6 DS1s	 	-	UEPMG	VUM19	821.12	0.00						19.99	19.99		├
		 	-			1.026.40		0.00						19.99		├
	240 DS0 Channel Capacity - 1 per 10 DS1s	 	-	UEPMG UEPMG	VUM2O		0.00	0.00					19.99			├
	288 DS0 Channel Capacity - 1 per 12 DS1s	 	-		VUM28	1,231.68	0.00	0.00					19.99	19.99		├
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s	ļ		UEPMG	VUM4O	2,052.80	0.00	0.00					19.99	19.99		└
	576 DS0 Channel Capacity -1 per 24 DS1s	ļ		UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		└
<u> </u>	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	Minimum System configuration is One (1) DS1, One (1) D4 Channe															
Mul	Itiples of this configuration functioning as one are considered Ac	dd'i afte	r the m	ınımum system coi	ifiguration is	counted.										└
	NRC - Conversion (Currently Combined) with or without						4=0.00	=					40.00			
	BellSouth Allowed Changes - Top 8 MSAs Only	<u> </u>	<u> </u>	UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99		└
	stem Additions Where Currently Combined and New (Not Current	ly Comb	pined)													└
In D	Density Zone 1 Top 8 MSAs	ļ														└
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc												40.00			
	Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		
Bipo	polar 8 Zero Substitution	ļ														└
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	ļ		UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only	ļ		UEPMG	CCOEF	0.00	0.00	600.00								
Alte	ernate Mark Inversion (AMI)	ļ														└
	Superframe Format	ļ		UEPMG	MCOSF	0.00	0.00	0.00								
<u> </u>	Extended Superframe Format		<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								└
	change Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													└
Exc	change Ports	ļ														└
l l		1	1	l	1		_	_			1	1		_		1
\vdash	Line Side Combination Channelized PBX Trunk Port - Business		L	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		└
\vdash	Line Side Outward Channelized PBX Trunk Port - Business	<u> </u>		UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		└
			1									1				1
	Line Side Inward Only Channelized PBX Trunk Port without DID		<u> </u>	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00	1	ļ	33.67	7.88		↓
\vdash	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	L	 	UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		
Feat	ature Activations - Unbundled Loop Concentration		L						ļ							└
	Feature (Service) Activation for each Line Port Terminated in D4		1	l	1		J					1				1
	Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			33.67	7.88		
	Feature (Service) Activation for each Trunk Port Terminated in															1
	D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			33.67	7.88		L
Tele	ephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	1	1 -	UEPPX	NDZ	0.00	0.00	0.00	1 1		1	i —		1		1
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								

UNBUND	LED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec	Nonred			Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loc		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								!
		RES - Vertical and Optional															!
Loc		witching Features Offered with Line Side Ports Only		-													
LINIBUNDI E		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:		<u> </u>		<u> </u>											
1. 0	ost	Based Rates are applied where BellSouth is required by FCC	and/or	State (commission rule to	provide Unbi	undled Local S	witching or Sv	ritch Ports.								
		res shall apply to the Unbundled Port/Loop Combination - C											- ' B(/) -				—
		Office and Tandem Switching Usage and Common Transport														 	1
		rst and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ned Combos. For	Currently Co	mpined Combo	s, the nonrecu	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combin	ea sections.	Additional NR	.cs may
		so and are categorized accordingly.								1	1						
		et Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ise Basis, uni	til further notic	е.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')														
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.			40.50										
		Non-Design		1	UEP91		12.59										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Non-Design		2	UEP91		14.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Non-Design (Park)		3	UEP91		21.62										
UNE		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design		1	UEP91		18.63										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		21.24										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP91		32.71										
UNE		op Rate		.			40.00										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.80										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	12.47										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	19.83										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.84										
		2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP91	UECS2	19.45										—
H.,,,,		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92										
	E Po	rts es (Except North Carolina and Sout Carolina)		-													⊢—
All					LIEDO4	LIEDVA	4.70	22.44	45.05	0.45	2.04	-		33.67	7.88		⊢—
		2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP91	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		⊢—
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		Area			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
					UEP91	UEPTH	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPYM	1.79	20.44	15.25	8.45	2.04			33.67	7.88		
\vdash		Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEF91	UEPTIVI	1.79	22.14	15.25	8.45	3.91		 	33.67	7.88	-	
		2-wire voice Grade Port, Diff Serving wire Center - 800 Service Term - Basic Local Area		1	UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91	1	1	33.67	7.88		1
\vdash		Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	OLF91	UEP1Z	1.79	22.14	15.25	8.45	3.91			33.07	7.88		
	ľ	2-vvire voice Grade Port terminated in on Megalink or equivalent. - Basic Local Area		1	UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91	1	1	33.67	7.88		1
\vdash	1			+	UEF91	UEPTS	1.79	22.14	15.25	8.45	3.91		-	33.67	7.88		
		2-Wire Voice Grade Port Terminated on 800 Service Term -		1	LIEDO1	UEPY2	4 70	00.44	45.05	0.45	2.01	1	1	22.07	7.88		1
L		Basic Local Area and Florida Only		-	UEP91	UEPTZ	1.79	22.14	15.25	8.45	3.91	 		33.67	7.88	 	
Geo		2-Wire Voice Grade Port (Centrex)		-	UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
			-	1								-	ļ			 	
\vdash		2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP91	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1	-	-	UEP91	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	LIEDO1	LIEDLINA	4 70	00.44	45.05	0.45	2.01	1	1	20.07	7.00		1
	- 1	Center)2	1	1	UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91	l	l	33.67	7.88	1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur																ullet
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
NARS	All Centrex Control Features Offered, per port	<u> </u>		UEP91	UEPVC	0.00			<u> </u>		-				 	\vdash
NARS	1			LIEDOA	LIADOV	0.00	0.00	0.00					00.07	7.00		
	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00					33.67 33.67	7.88		
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00			-		33.67	7.88 7.88		\vdash
Micco	Ilaneous Terminations	1		UEF91	UARUX	0.00	0.00	0.00			1		33.07	7.00		
	Trunk Side	1			+						1					
2-11116	Trunk Side Terminations, each			UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
Intero	ffice Channel Mileage - 2-Wire	1		OLI 31	CLIVAO	11.55	01.31	01.31			-		33.07	7.00		
III.C.O.	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	17.07					1					
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0222										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	1		UEP91	1PQWP	0.62			-							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ														
	Conversion - Currently Combined Switch-As-Is with allowed			LIEDO4	LICACO			0.0400					20.0-	7.00		1
\vdash	changes, per port New Centrex Standard Common Block	 	\vdash	UEP91 UEP91	USAC2 M1ACS	0.00	2.01 659.41	0.3108	 		1		33.67 33.67	7.88 7.88	-	—
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41				-		33.67	7.88		—
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		
UNE-F	P CENTREX - 5ESS (Valid in All States)	1		OLI 01	OILEON	0.00	71.00				-		00.07	7.00		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1					
	Port/Loop Combination Rates (Non-Design)	t			1	1									İ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design	1	1	UEP95		12.59						1				1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		21.62										
LIME F	Port/Loop Combination Rates (Design)	1	3	ULF90	+	21.02					-	-	-	-		
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<u> </u>			+				<u> </u>							
	Design		1	UEP95		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		21.24										

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.147 - 1/0.1 /0.147 - 1/1 - 0 - 1 - D - 1/0 - 1 - 1/0 - 1 - 0 - 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		32.71										
LINE L	poop Rate		3	UEP95	+	32.71			+		1					
OIVE EV	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80			+							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45			İ							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										
	ort Rate															
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	ļ	ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOE	LIEDY"	. ==							~~ ~-			
-+	Area		-	UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88	-	
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	UEP95	UEPYIVI	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		1
	Term - Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	OLF 93	ULF 12	1.75	22.14	13.23	0.45	3.51	1		33.07	7.00		
	- Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	OLI 93	OLI 13	1.73	22.14	10.20	0.40	3.31			33.07	7.00		
	Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & G	A Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
					l											
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching			UEP95	URECS	0.5554			-							
Local	Centrex Intercom Funtionality, per port		1	UEP95	UKECS	0.5554			+		1					
Locari	Local Number Portability (1 per port)			UEP95	LNPCC	0.35			+							
Feature				02.1 00	111 00	0.55			+		-				 	
7 50.001	All Standard Features Offered, per port			UEP95	UEPVF	0.00			†				33.67	7.88	1	1
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69		†				33.67	7.88		İ
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88	1	1
NARS					<u> </u>											
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		ļ
	laneous Terminations		<u> </u>						 							ļ
	Trunk Side		<u> </u>	LIEBOE	OFNE	44.05	04.01	04.01	 				00.00	7.00		ļ
	Trunk Side Terminations, each		ļ	UEP95	CEND6	11.35	61.91	61.91			-		33.67	7.88	ļ	!
4-Wire	Digital (1.544 Megabits)		-	LIEDOE	MALIDA	400.00	00.44	FO 40	 		-		22.07	7.00	-	
	DS1 Circuit Terminations, each DS0 Channels Activated, each		+	UEP95 UEP95	M1HD1 M1HDO	120.80 0.00	89.44 28.71	52.46	 		-		33.67 33.67	7.88 7.88		1
Interef	fice Channel Mileage - 2-Wire		1	055,80	IVITIDU	0.00	20./1		+				33.07	1.88	 	
interor	Interoffice Channel Facilities Termination		†	UEP95	M1GBC	17.07			+		H				 	1
-+	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0222			+		-				 	
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 00		0.0222			 							
	annel Bank Feature Activations			İ	1				†						İ	i e
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP95	1PQWS	0.62			1 1		t				1	1

CATEGORY Feature Ac Feature Ac Slot Feature Ac Different W Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Feature Ac Feature Ac Non-Recurring Ch NRC Conw changes, p New Centr NAR Estab UNE-P CENTREX. 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voic Area 2-Wire Voic Area	RATE ELEMENTS RATE ELEMENTS e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot - nt Wire Center	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc	Incremental Charge - Manual Svc
Feature Ac Feature Ac Slot Feature Ac Different W Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p. New Centr New Centr New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -		Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge -
Feature Ac Feature Ac Slot Feature Ac Different W Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p. New Centr New Centr New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -		Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
Feature Ac Feature Ac Slot Feature Ac Different W Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p. New Centr New Centr New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -		Zone	BCS	USOC			RATES (\$)						l		
Feature Ac Slot Feature Ac Different W. Feature Ac Different W. Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conv changes, p. New Centr New Centr New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 12-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -	m						,								Order vs.
Feature Ac Slot Feature Ac Different W. Feature Ac Different W. Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conv changes, p. New Centr New Centr New Centr NAR Estab UNE-P CENTREX 2-Wire VG Non-Desigi 2-Wire VG Non-Desigi 2-Wire VG Non-Desigi 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 12-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -										l ⁻	p	Electronic-	Electronic-	Order vs. Electronic-	Electronic-
Feature Ac Slot Feature Ac Different W. Feature Ac Different W. Feature Ac Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conv changes, p. New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Ac Slot Feature Ac Different W. Feature Ac Different W. Feature Ac Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conv changes, p. New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -												1st	Add'l	Disc 1st	Disc Add'l
Feature Ac Slot Feature Ac Different W. Feature Ac Different W. Feature Ac Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conv changes, p. New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -		1	i .		_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		L.
Feature Ac Slot Feature Ac Different W. Feature Ac Different W. Feature Ac Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conv changes, p. New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Ac Slot Feature Ac Different W. Feature Ac Different W. Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conv changes, p. New Centr New Centr New Centr NAR Estab UNE-P CENTREX 2-Wire VG Non-Desigi 2-Wire VG Non-Desigi 2-Wire VG Non-Desigi 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 12-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank FX Trunk Side Loop e Activation on D-4 Channel Bank Centrex Loop Slot -															
Slot Feature Ac	e Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW6	0.62								1 1		
Feature Ac Different W Feature Ac Feature Ac Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area																
Different W Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p. New Centre NAR Estable UNE-P CENTREX. 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Loesign 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area				UEP95	1PQW7	0.62								1 1		
Feature Ac Slot Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p New Centre NAR Estab UNEP CENTREX 2-Wire VG Conv Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	nt Wire Center															
Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p New Centre New Centre NAR Estaba UNE-P CENTREX. 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Loop Rate 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area				UEP95	1PQWP	0.62								1 1		
Feature Ac Slot Feature Ac Slot Feature Ac Non-Recurring Ch NRC Conw changes, p New Centre New Centre NAR Estaba UNE-P CENTREX. 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Loop Rate 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area																
Slot Feature Ac Non-Recurring Ch NRC Conv changes, p New Centrr New Centrr New Centrr New Centrr New Centrr New Centrr New Centrr New Centrr New Centrr New Centrr New Centre Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Centre VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62								1 1		
Feature Ac Non-Recurring Ch NRC Conw changes, p New Centre New Centre New Centre New Centre New Centre New Centre New Centre NaR Estab UNE-P CENTREX. 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic	e Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
Non-Recurring Ch NRC Conw changes, p New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre New Centre Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area				UEP95	1PQWQ	0.62								1 1		
NRC Conw changes, p. New Centr New Centr New Centr NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	e Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
changes, p New Centre New Centre New Centre NAR Estab UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cd 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic	Charges (NRC) Associated with UNE-P Centrex															
New Centrr New Centrr New Centrr NAR Estab UNE-P CENTREX. 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area	conversion Currently Combined Switch-As-Is with allowed													ı		
New Centrn NAR Estab UNE-P CENTREX. 2-Wire VG Loop/2 UNE Port/Loop CC 2-Wire VG Non-Design 2-Wire VG Non-Design UNE Port/Loop CC 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	es, per port	<u> </u>	<u></u>	UEP95	USAC2		2.01	0.3108	L				33.67	7.88		
NAR Estab UNE-P CENTREX. 2-Wire VG Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area	entrex Standard Common Block			UEP95	M1ACS	0.00	659.41						33.67	7.88		
UNE-P CENTREX 2-Wire VG Loop/2 UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 4-Rea 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic	entrex Customized Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88		
2-Wire VG Loop/2 UNE Port/Loop CC 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area	stablishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
UNE Port/Loop Cc 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic	EX - DMS100 (Valid in All States)															
2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area	pp/2-Wire Voice Grade Port (Centrex) Combo															
Non-Design 2-Wire VG Non-Design 2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area	p Combination Rates (Non-Design)															
2-Wire VG Non-Design 2-Wire VG Non-Design UNE Port/Loop Cc 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-												1 1		
Non-Design 2-Wire VG Non-Design UNE Port/Loop Cc 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic			1	UEP9D		12.59										
2-Wire VG Non-Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voi 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-												1 1		
Non-Design UNE Port/Loop CC			2	UEP9D		14.26										
UNE Port/Loop Co 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic UNE Port Rate ALL STATES 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-												1 1		
2-Wire VG Design 2-Wire VG Design 2-Wire VG Design 2-Wire Voi 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area			3	UEP9D		21.62								ullet		
Design 2-Wire VG Design 2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 4-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area	p Combination Rates (Design)													ullet		
2-Wire VG Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1												1 1		
Design 2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic			1	UEP9D		18.63								ullet		
2-Wire VG Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 4-Wire Voic 2-Wire Voic 2-Wire Voic 4-rea 2-Wire Voic Area 2-Wire Voic	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-												1 1		
Design UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic UNE POT Rate ALL STATES 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic			2	UEP9D		21.24										
UNE Loop Rate 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic UNE Port Rate ALL STATES 2-Wire Voic 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-												1 1		
2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 4-Wire Voic 2-Wire Voic 4-Wire Voic			3	UEP9D		32.71										
2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 4-rea 2-Wire Voic 4-rea 2-Wire Voic 4-rea 2-Wire Voic 4-rea		-	<u> </u>													
2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic UNE Port Rate ALL STATES 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area	Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	10.80										
2-Wire Voic 2-Wire Voic UNE Port Rate ALL STATES 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic	Voice Grade Loop (SL 1) - Zone 2	+	2	UEP9D	UECS1	12.47					ļ			\vdash		
2-Wire Voic 2-Wire Voic UNE Port Rate ALL STATES 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 4-Wire Voic Area 4-Wire Voic Area 4-Wire Voic Area	Voice Grade Loop (SL 1) - Zone 3	+	3	UEP9D	UECS1	19.83								\vdash		
2-Wire Voic UNE POT Rate ALL STATES 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 4-Wire Voic Area 4-Wire Voic Area 4-Wire Voic Area	Voice Grade Loop (SL 2) - Zone 1	+	1	UEP9D	UECS2	16.84					ļ			\vdash		
UNE Port Rate ALL STATES 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area Area Area Area	Voice Grade Loop (SL 2) - Zone 2	 	2	UEP9D	UECS2	19.45					ļ			\vdash		
ALL STATES 2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area Area	Voice Grade Loop (SL 2) - Zone 3	 	3	UEP9D	UECS2	30.92					ļ			\vdash		
2-Wire Voic 2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area		+	1	_	+									\vdash		
2-Wire Voic Area 2-Wire Voic Area 2-Wire Voic Area	Voice Crade Dort (Contray) Desir Level Asse	+	1	LIEDOD	UEPYA	4.70	00.44	45.05	0.45	0.04			33.67	7.88		
Area 2-Wire Void Area 2-Wire Void Area Area	Voice Grade Port (Centrex) Basic Local Area Voice Grade Port (Centrex 800 termination)Basic Local	 	+	UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91	ļ		33.67	7.88		
2-Wire Void Area 2-Wire Void Area	voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	LIEDYD	4 70	00.44	45.05	0.45	2.04			20.07	7.00	J	
Area 2-Wire Void Area	Voice Crade Bort (Centray / EBC BCET/OB-sis 1 1	+	1	UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
2-Wire Void	Voice Grade Port (Centrex / EBS-PSET)3Basic Local		1	UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		
Area	Voice Grade Port (Centrey / EDC ME000)2Peois Level	+	1	OEPAD	UEPTC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Voice Grade Port (Centrex / EBS-M5009)3Basic Local		1	UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88	J	
0 \\/: \/-:-		+	1	OEFSD	UEPTU	1.79	22.14	15.25	8.45	3.91			33.0/	7.88		
2-vvire void	Voice Grade Port (Centrey / EDC ME200\\2 Decis I see!		1	UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		
	Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	+	+	OFLAD	UEFTE	1.79	22.14	15.25	0.45	3.91			33.07	1.08	-	
Area			1	UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		
	Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1	OLLAD	UEPIF	1.79	22.14	15.25	0.45	3.91	 		33.07	1.08		
	Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1	1								ı	ı	l			
Area				LIEBOD	LIEDVO	1 70	22.44	15.05	0 45	2.04			22.07	700	1	
Area	Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Voice Grade Port (Centrex / EBS-M5112))3 Basic Local													İ		
Area	Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D UEP9D	UEPYG UEPYT	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91			33.67	7.88 7.88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
			1		+		Nonre	curring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			LIEDOD	LIEDVA/	4.70	00.44	15.25	8.45	2.04			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.79	22.14			3.91						
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Area			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		-	UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		-
	Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Basic Local Area			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & C	GA Only												00.01			
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
 	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	 	├	UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91	 	ļ	33.67	7.88		
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	 	├	UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91	 	ļ	33.67	7.88		
 	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	 	├	UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91	 	ļ	33.67	7.88		
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	ļ	!	UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91	-	ļ	33.67	7.88		├
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)	-	-	UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91	1	-	33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	l		LIEDOD	LIEDLBA/	4 70	00.44	45.05	0.45	2.01			20.07	7.00		1
	Indication)3	 	├	UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91	 	ļ	33.67	7.88		
\vdash	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	 	├	UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91	 	ļ	33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	1	LIEDOD	LIEDUM	4 70	20.11	45.05	0.45	2.04		1	22.27	7.00		1
	2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	-	1	UEP9D UEP9D	UEPHM UEPHO	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	 		33.67 33.67	7.88 7.88		
	= 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		†					.5.20	5.40	0.01			33.07			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1

UNBUNDI	.ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
<u> </u>											Svc Order	Svc Order	Incremental		Incremental	Incremental
1											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intent									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
1															DISC ISL	DISC Add I
						Dee	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	<u> </u>		UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			-						I			l			l
	Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t		UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feat																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	454.69						33.67	7.88		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NAR																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		
	ellaneous Terminations															
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	11.35										
4-Wi	re Digital (1.544 Megabits)				<u> </u>											
	DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activiated per Channel	ļ		UEP9D	M1HDO	0.00	28.71						33.67	7.88		
Inter	office Channel Mileage - 2-Wire					4= 0=										
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile		—	UEP9D	M1GBM	0.0222					-	-		-		-
	ure Activations (DS0) Centrex Loops on Channelized DS1 Services	ce	—		1						-	-		-		-
D4 C	Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	—	UEP9D	1PQWS	0.62			1	-	 	-	-	 		
	reature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP9D	IPQW5	0.62										
. 1	Footure Activation on D.4 Charact Back EV line Cide I are Cide			LIEDOD	1PQW6	0.62						1				1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	—	UEP9D	IPQVVb	0.62			1	-	 	-	-	 		
				LIEDOD	100/47	0.00										
	Slot	1		UEP9D	1PQW7	0.62			1		-					-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
+-	Different wire Center	1		UEP9D	IPQWP	0.62					-					
. 1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						1				1
+	Feature Activation on D-4 Channel Bank Trivate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	—	OLFAD	IFQVVV	0.62			1		-					-
. 1				UEP9D	1PQWQ	0.62						1				1
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	 	-	UEP9D UEP9D	1PQWQ 1PQWA	0.62			1	-	-		-	-		-
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	 	—	OLFAD	IFQVVA	0.62			1	-	-		-	-		-
	NRC Conversion Currently Combined Switch-As-Is with allowed	1			+				1		-					-
14011				UEP9D	USAC2		2.01	0.3108				1	33.67	7.88		1
14011	changes per pert			IUEF9U	IUSAUZ		∠.01	0.3108	1	l	1	1				
14011	changes, per port	1				0.00	CEO 44		1				22.67	7 00		
14011	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		
1401						0.00 0.00 0.00	659.41 659.41 71.88						33.67 33.67 33.67	7.88 7.88 7.88		

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
		1				1					Svc Order	Svc Order	Incremental			Incrementa
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
DATECON	TATE ELEMENTO	m	20110	500	0000			πατεσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
			1		1		Nonre	curring	Nonrecurring	Disconnect	1		220	Rates(\$)		
			1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Note	2 - Regures Interoffice Channel Mileage		+		+	+	FIISL	Auu i	FIISL	Auu i	SOMEC	JOIVIAIN	JOWAN	JOWAN	JOWAN	SOWAN
	3 - Requires Specific Customer Premises Equipment		1		1						1					
	CENTREX PORT/LOOP COMBINATIONS - MARKET RATES	-	+		+						-	-				
	rket Rates are applied where BellSouth is not required by FCC	ond/or	State C	ommission rule to n	rovido Unhi	ndled Lees Cu	itahina ar Cu	toh Dorto			-					
						Indied Local Sw	ntening or 5w	iten Ports.								
	curring Charges for all Standard Centrex and Centrex Conrol Fo					75.74 - 5 - 11 5 -	4 11 1- 1				. for UNIT 6	 	0			
	d Office and Tandem Switching Usage and Common Transport															
	e first and additional Port nonrecurring charges apply to Not C	urrentiy	Comb	inea Compos. For	Currently Co	mbinea Combo	s, the nonrect	urring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ea sections. A	Additional NK	Cs may
	also and are categorized accordingly.							•								
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<u>()</u>														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	ļ	1		1						1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		1					1	1	1				
	Non-Design	<u> </u>	1	UEP91		24.80										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	Щ_	2	UEP91	<u> </u>	26.47			<u></u>	<u></u>				L		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						•									
	Non-Design		3	UEP91		33.83										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo										İ					
	Design		1	UEP91		30.84										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		1											
	Design		2	UEP91		33.45										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	OLI 01	1	00.40										
	Design		3	UEP91		44.92										
LINE	Loop Rate		-	OLI 31	+	77.32					†					
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP91	UECS1	10.80					-	-				
	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	2	UEP91	UECS1	12.47					-	-				
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	3	UEP91	UECS1	19.83					-	-				
			1		UECS1											
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91		16.84					ļ					
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92										
UNE F					1											
All St	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
. [2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	I	1							1	1	1				
	Area	ļ	1	UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	I	1		1					1	1	1				
	Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1			1					l		l				
	Center)2 Basic Local Area	<u> </u>	<u> </u>	UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00		<u> </u>	33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
I	Term - Basic Local Area	<u>L_</u>	<u></u>	UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00	<u></u>	<u></u>	33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:			1		90.00	45.00	20.00	10.00		1	33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	14.00	90.00									
				UEP91	UEPY9	14.00	90.00									
	- Basic Local Area			UEP91 UEP91	UEPY9 UEPY2	14.00			20.00	10.00			33.67	7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area						90.00	45.00	20.00	10.00			33.67	7.88		
Georg	Basic Local Area Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only			UEP91	UEPY2	14.00	90.00	45.00								
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex)			UEP91 UEP91	UEPY2 UEPHA	14.00	90.00	45.00 45.00	20.00	10.00			33.67	7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB	14.00 14.00 14.00	90.00 90.00 90.00	45.00 45.00 45.00	20.00 20.00	10.00 10.00			33.67 33.67	7.88 7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91 UEP91	UEPY2 UEPHA	14.00	90.00	45.00 45.00	20.00	10.00			33.67	7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91 UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB UEPHH	14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00	45.00 45.00 45.00 45.00	20.00 20.00 20.00	10.00 10.00 10.00			33.67 33.67 33.67	7.88 7.88 7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex From diff Serving Wire Center)2			UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB	14.00 14.00 14.00	90.00 90.00 90.00	45.00 45.00 45.00	20.00 20.00	10.00 10.00			33.67 33.67	7.88 7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91 UEP91 UEP91 UEP91	UEPHA UEPHB UEPHH UEPHM	14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	45.00 45.00 45.00 45.00	20.00 20.00 20.00 20.00	10.00 10.00 10.00 10.00			33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex From diff Serving Wire Center)2			UEP91 UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB UEPHH	14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00	45.00 45.00 45.00 45.00	20.00 20.00 20.00	10.00 10.00 10.00			33.67 33.67 33.67	7.88 7.88 7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB UEPHH UEPHM UEPHM	14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	45.00 45.00 45.00 45.00 45.00	20.00 20.00 20.00 20.00 20.00	10.00 10.00 10.00 10.00			33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88		
Georg	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPHA UEPHB UEPHH UEPHH UEPHM UEPHZ	14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	45.00 45.00 45.00 45.00 45.00 45.00	20.00 20.00 20.00 20.00 20.00 20.00	10.00 10.00 10.00 10.00 10.00			33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88		
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area gia and Florida Only 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB UEPHH UEPHM UEPHM	14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	45.00 45.00 45.00 45.00 45.00	20.00 20.00 20.00 20.00 20.00	10.00 10.00 10.00 10.00			33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88		

UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-			+	1	Nonrec	urring	Nonrecurring Di	isconnoct		l	088	Rates(\$)		l
-			-	-		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ocal N	umber Portability						FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
 	ocai it	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
F	eature				OLI 01	LIVI OO	0.00										
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
N	ARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Outdial		L	UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		
		aneous Terminations	!	—		1											
2.	-wire	Γ runk Side Trunk Side Terminations, each	+	—	UEP91	CENA6	44.05	61.91	04.04	 				33.67	7.88	-	
le le	toroff	ce Channel Mileage - 2-Wire	╂		UEF91	CEINAO	11.35	01.91	61.91				-	33.67	7.88		
 "	reioil	Interoffice Channel Facilities Termination - Voice Grade	 	 	UEP91	M1GBC	17.07			 			 		 	 	
+	-	Interoffice Channel mileage, per mile or fraction of mile	 		UEP91	M1GBM	0.0222			 			-				
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		0_101	.vii ODIVI	5.0222						 				
		nnel Bank Feature Activations	Ī														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
		•															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.62										
		Francis Asil alice of D. A.Ohannal Bard Billian Live Laur Old			LIEDO4	4001401	0.00										
-		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62										
—	-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
N	on-Re	curring Charges (NRC) Associated with UNE-P Centrex			OLI 31	II QWA	0.02										
I	1	Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		2.01	0.3108					33.67	7.88		
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41						33.67	7.88		
		New Centrex Customized Common Block		i i	UEP91	M1ACC	0.00	659.41						33.67	7.88		
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		
		NAR Establishment Charge, Per Occasion		$ldsymbol{oxed}$	UEP91	URECA	0.00	71.88						33.67	7.88		
		CENTREX - 5ESS (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo	.	—													
U	NE Po	rt/Loop Combination Rates (Non-Design)	₩	-		+							-		-	-	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Desian	1	1	UEP95		24.80										
+		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	'	ULF 90	+	24.80										
		Non-Design	1	2	UEP95		26.47						1				
+		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	-	02.00	1	20.47										
		Non-Design	1	3	UEP95		33.83						1				
U	NE Po	rt/Loop Combination Rates (Design)													1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-							i i							
		Design		1	UEP95		30.84								<u> </u>	<u> </u>	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
\vdash		Design	ļ	2	UEP95	1	33.45						ļ				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1										1				
<u> </u>		Design	.	3	UEP95		44.92										
U	NE LO	op Rate	 		LIEDOE	LIECC1	40.00						 		 	 	
+		2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1 2	UEP95 UEP95	UECS1	10.80 12.47			 					-	-	
+		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP95 UEP95	UECS1 UECS1	19.83										
+	-+	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP95	UECS1	16.84			 					l	l	
+		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP95	UECS2	19.45			 					l	l	
		2 11110 10100 Grade Loop (OL 2) - 20116 2	<u> </u>		OL1 30	OLOUZ	10.40			<u> </u>			L		l	l	

INDUNDE	D NETWORK ELEMENTS - Georgia			1							1 -			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
1			-				Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92	11131	Addi	11130	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAN	COMPAR
UNE F	Port Rate		Ť	02. 00	02002	00.02										
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							4= 00						=		
_	Term - Basic Local Area		-	UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDVO	14.00	00.00	45.00	20.00	40.00			33.67	7.88		
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		-	UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Basic Local Area		1	UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
FI & 4	GA Only		 	OFL 20	ULF 12	14.00	90.00	45.00	20.00	10.00	H		33.07	7.68	 	\vdash
11200	2-Wire Voice Grade Port (Centrex)		1	UEP95	UEPHA	14.00	90.00	45.00	20.00	10.00	†		33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
Local	Number Portability			LIEDOE	LNDOO	0.05										
Featu	Local Number Portability (1 per port)		1	UEP95	LNPCC	0.35					-					
reatu	All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	0.00					1		33.67	7.88		
	All Select Features Offered, per port		1	UEP95	UEPVS	0.00	454.69						33.67	7.88		
_	All Centrex Control Features Offered, per port		1	UEP95	UEPVC	0.00	404.00						33.67	7.88		
NARS					1000											
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		
	llaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		
4-Wire	e Digital (1.544 Megabits)					100.00		=0.10								
	DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
1	DS0 Channels Activated, each		-	UEP95	M1HDO	0.00	28.71						33.67	7.88		
Intero	ffice Channel Mileage - 2-Wire		1	UEP95	M1GBC	17.07										
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBC M1GBM	0.0222					-					
Fastu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	 	OFL 20	INITODINI	0.0222					H			 	 	
	annel Bank Feature Activations		 	 	1						 			 	 	
27 311	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62					†				1	†
	Same and a remaining barn control book					5.02			1					İ	İ	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			1										1	1	
	Slot		1	UEP95	1PQW7	0.62										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -						İ		İ							
	Different Wire Center	1	Ī	UEP95	1PQWP	0.62					1			I	I	I
	Different Wife Center															

UNBUNE	DLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	oit: B
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
0.175005		DATE EL EMENTO	Interi	-	200	11000			DATEO (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	(Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash						+	1	Nonrec	urring	Nonrecurring	Disconnect	1	l	OSS	Rates(\$)		
\vdash	_					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	=	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				+ -		11130	Auu i	THOU	Addi	JOINEC	JONAN	JONAN	JOINAIN	JOHIAN	JOINAIN
		Slot			UEP95	1PQWQ	0.62										
\vdash	_	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62					-					
Nc		curring Charges (NRC) Associated with UNE-P Centrex			OLI 33	II QWA	0.02										
		NRC Conversion Currently Combined Switch-As-Is with allowed				+	+					†	1				
		changes, per port			UEP95	USAC2		2.01	0.3108					33.67	7.88		
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41	0.0100					33.67	7.88		
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
UN		CENTREX - DMS100 (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)				1	İ										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			1	i										
		Non-Design		1	UEP9D		24.80										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
		Non-Design		2	UEP9D		26.47						1				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		33.83										
UN	NE Po	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		30.84										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		33.45										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		44.92										
UN		op Rate															
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.80										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47										
\sqcup		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	19.83										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.84										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	19.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92										
		rt Rate															
AL	LSI	ATES			LIEBAR		44.00		4= 00		10.00						
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
\vdash		Area			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00	-		33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-	-	OLFBD	OLF 10	14.00	90.00	45.00	20.00	10.00	 	 	33.07	1.08		
		2-wire voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		 	OLI 3D	OLFID	14.00	90.00	40.00	20.00	10.00			33.07	1.00		
		Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
+		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	-		021 00	JE: 12	17.00	30.00	40.00	20.00	10.00	-	-	55.07	7.00		
		Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			00		14.00	55.55	-10.00	20.00	10.00			55.57	7.50		
		Area			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	\dashv	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		t			50	55.00	.0.00	20.00	.5.00			55.07			
		Area		1	UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			-	† †									1		
		Area		1	UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
	T	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local									1						
		Area		1	UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				1											
		Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local				1											
		Area	<u></u>		UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
1 1		Indication))3 Basic Local Area	<u></u>	<u> </u>	UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00	<u></u>	<u></u>	33.67	7.88		

UNBUNDL	.ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			(+)			per LSR	perLSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonred	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3				+		11130	Addi	11130	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD	OLI 10	14.00	50.00	40.00	20.00	10.00	†	1	00.07	7.00		
	2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			02. 02	02	1 1100	00.00	10.00	20.00	10.00	†	1	00.01	7.00		
	Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			02.02	02 0	1 1100	00.00	10.00	20.00	10.00			00.01	7.00		
	Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			OLI OD	OLI II	14.00	50.00	40.00	20.00	10.00			00.07	7.00		
	Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			02.02	02 Q	1 1100	00.00	10.00	20.00	10.00			00.01	7.00		
	Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1	М	00	J	14.00	33.30	-10.00	20.00	10.00			55.57	7.50		
	Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	 		J. JD	221 10	14.00	33.00	40.00	20.00	10.00	1		55.07	7.00		
	Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI 3D	OLI 14	14.00	30.00	45.00	20.00	10.00			33.07	7.00		
	Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OLI 3D	OLI 13	14.00	30.00	45.00	20.00	10.00	1		33.07	7.00		
	Basic Local Area			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLF3D	OLF 10	14.00	90.00	45.00	20.00	10.00	1		33.07	7.00		
	Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
 	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLFBD	OLF 17	14.00	90.00	45.00	20.00	10.00			33.07	7.00		
	Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 3D	OLI 12	14.00	30.00	45.00	20.00	10.00			33.07	7.00		
	Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
 	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLFBD	OLF 19	14.00	90.00	45.00	20.00	10.00			33.07	7.00		
	Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
FI &	GA Only			OLI 3D	OLI 12	14.00	30.00	45.00	20.00	10.00	1		33.07	7.00		
1.50	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 666 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	14.00	90.00	45.00	20.00	10.00	†	1	33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-W5112)3	 		UEP9D	UEPHG	14.00	90.00	45.00	20.00	10.00		 	33.67	7.88		—
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	 		UEP9D	UEPHU	14.00	90.00	45.00	20.00	10.00	<u> </u>	 	33.67	7.88		—
	2-Wire Voice Grade Fort (Centrex / EBS-M5216)3	 		UEP9D	UEPHV	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		
	2-Wire Voice Grade Fort (Centrex / EBS-M5316)3	 		UEP9D	UEPH3	14.00	90.00	45.00	20.00	10.00		 	33.67	7.88		—
	2-Wire Voice Grade Port (Centrex / EB3-W3310)3	 		UEP9D	UEPHH	14.00	90.00	45.00	20.00	10.00		 	33.67	7.88		—
	2-Wire Voice Grade Port (Centrex With Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	 		OL1 3D	5211111	14.00	30.00	45.00	20.00	10.00		 	35.07	7.00		—
	Indication)3	1		UEP9D	UEPHW	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		1
 	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	 	\vdash	UEP9D	UEPHJ	14.00	90.00	45.00	20.00	10.00	H		33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	 		J. JD	021110	14.00	33.00	40.00	20.00	10.00	1		55.07	7.00		
	2	1		UEP9D	UEPHM	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	1		UEP9D	UEPHO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		1		00	320	14.00	33.30	70.00	20.00	10.00			55.57	7.50		t
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1		UEP9D	UEPHP	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1		UEP9D	UEPHQ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		l .				00	55.00	.0.00	20.00				30.07			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1		UEP9D	UEPHR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
		i			2=::::		55.56	.0.50	20.00	.0.50			55.57			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1		UEP9D	UEPHS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
		l .					22,00	.5.00		. 5.00			22.07			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	1		UEP9D	UEPH4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
							22,00				1		22.07	1.00		
	1	ı	ı l	UEP9D	UEPH5	14.00	90.00	45.00	20.00	10.00	1	l	33.67	7.88		1

MRONDFI	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•		Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Term			OLI 3D	OLITIZ	14.00	30.00	45.00	20.00	10.00	1		33.07	7.00		+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										1
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	454.00									
	All Select Features Offered, per port		-	UEP9D	UEPVS	0.00	454.69				1		33.67	7.88		
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00					-			-		
NAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00			-		33.67	7.88		
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00			 		33.67	7.88	-	+
_	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00			1		33.67	7.88		
Misce	ellaneous Terminations		-	OLI 3D	DAROX	0.00	0.00	0.00					33.07	7.00		+
	e Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	11.35					İ					
4-Wir	e Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71						33.67	7.88		
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0222										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1												I	1
	Slot		<u> </u>	UEP9D	1PQW7	0.62								-	 	₩
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
	changes, per port New Centrex Standard Common Block		-	UEP9D UEP9D	M1ACS	0.00	659.41	0.3108					33.67	7.88	 	+
	New Centrex Standard Common Block New Centrex Customized Common Block		 	UEP9D	M1ACS	0.00	659.41				 		33.67	7.88	 	+
_	NAR Establishment Charge, Per Occasion		-	UEP9D	URECA	0.00	71.88				1		33.67	7.88	+	+
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD		\vdash	OLI 3D	UNLUA	0.00	11.00						33.07	1.00	 	+
	2 - Required Port for Centrex Control III TAESS, 5ESS & EWSD		-								 			 	t	+
	3 - Requires Specific Customer Premises Equipment		-			1					 					+
Note:	3 - Requires Specific Customer Premises Equinment															

UNB	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Manage		N	. D'				D-1(A)		
-	+		-	-			Rec	Nonred			Disconnect	201150	SOMAN		Rates(\$)	SOMAN	SOMAN
-	+							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	71 . 17							NE 7 T.		· · · · · · · · · · · · · · · · · · ·						M - 1 - 24 -	l
		one" shown in the sections for stand-alone loops or loops as				ograpnically	Deaveraged U	NE Zones. To	view Geograpi	nically Deaver	aged UNE Zon	e Designatio	ons by Cent	rai Office, refe	er to internet	website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m									1	1	1	
OPER		L SUPPORT SYSTEMS											<u> </u>				
		(1) Electronic Service Order: CLEC should contact its contract															is rate
-		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per t				in this cate	gory reflects the	e cnarge tnat v	would be billed	to a CLEC on	ce electronic o	ordering cap	pabilities co	me on-line to	r that element	. Otnerwise,	tne manuai
-	orderir	ng charge, SOMAN, will be applied to a CLECs bill when it sub	omits an	LSK	o BellSouth.	SOMAN				0.99	ı	1	1	1	ı	1	
	+-	Manual Service Order Charge, per LSR, Disconnect Only (KY) Electronic OSS Charge, per LSR, submitted via BST's OSS	-	-		SOIVIAIN				0.99		 					
		interactive interfaces (Regional)		1		SOMEC		3.50									
LINE S	FRVICE	DATE ADVANCEMENT CHARGE		-		OOWILO		3.30									
O.V.		The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as annli	cable.					1	1				
				1		с ас арр	1					1	1				
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1.												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU	NDLED I	EXCHANGE ACCESS LOOP		Ì							İ			l		l	
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65		7.86				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	1	Premise			UEANL	URETL		8.33	0.83		ļ	ļ	7.86				
<u> </u>	1	Loop Testing - Basic 1st Half Hour		<u> </u>	UEANL	URET1		46.88	46.88			ļ	7.86				
	1	Loop Testing - Basic Additional Half Hour		ļ	UEANL	URETA		24.16	24.16			1	7.86	 		 	
		CLEC to CLEC Conversion Charge Without Outside Dispatch		1	LIFANII	LIDEWO		45.70					7.00				
<u> </u>	1	(UVL-SL1)			UEANL	UREWO		15.78	8.94				7.86				
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		1	UEANL	UEANM		13.49	13.49								
—	+	providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop)	-	-	UEANL	UEANIO		9.00	9.00		-	 	-	-	1	-	
	1	Iwanuai Order Coordination for OVL-SLTS (per 100p)	1	l	ULAINL	UEAIVIU	1	9.00	9.00		1	1	1	l	l	ı	

Version 1Q03: 02/28/03

UNBU	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: B
5.450	.,,,,,,,	July Element o Homony										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lesten!									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc ist	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE	Unbundled COPPER LOOP	<u> </u>		1150	115001	10.50	44.00		05.01			=				
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	!	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65		7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65		7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86				
		Premise			UEQ	URETL		8.33	0.83				7.86				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	1	1	ULQ	UKLIL		0.33	0.03	1			7.00				
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
-	†	Unbundled Copper Loop, Non-Design Copper Loop, billing for	†	 	0_0	3001410		3.00	3.00	1		†	-				
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
	1	Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		46.88	46.88	1		İ	7.86		İ		
	1	Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		24.16	24.16	1		İ	7.86		İ		
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
L	<u></u>	(UCL-ND)	<u> </u>		UEQ	UREWO		14.27	7.43	<u> </u>		<u> </u>	7.86	<u> </u>		<u> </u>	<u> </u>
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			LIEBOD LIEBOD	LIEADO	45.04	40.00	00.57	00.05	7.05		7.00				
		Zone 2	-	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65		7.86				
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEFSK UEFSB	UEALS	31.11	40.00	22.57	20.03	7.05		7.00				
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		7.86				
UNRUN	IDI ED E	EXCHANGE ACCESS LOOP			OLI OK OLI OD	OLADO	31.11	40.00	22.51	20.03	7.00		7.00				
ONDO		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
L	<u></u>	Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88	<u> </u>	7.86	<u> </u>		<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		7.86	<u> </u>			<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l	1											
		Battery Signaling - Zone 1	ļ	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	47	404.00	04.00	70.00	44.00		7.00				
-		Battery Signaling - Zone 2	_	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86				
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	3	UEA	UEAR2	33.22	134.89	04.07	70.05	44.00	1	7.00				
-	-	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	3	UEA	OCOSL	33.22	134.89 23.01	81.87	73.65	14.88	-	7.86				
-	-	CLEC to CLEC Conversion Charge without outside dispatch	 	 	UEA	UREWO		23.01 87.72	36.36	1		-	7.86		 		
-	H	Loop Tagging - Service Level 2 (SL2)	1	 	UEA	URETL		11.21	1.10	1	 		7.86		 		
-	4-WIRF	E ANALOG VOICE GRADE LOOP	t		0=/1	JILIL		11.21	1.10	 			1.00		 		
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86				
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66		7.86		İ		
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36		18.66	İ	7.86				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01		1							
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				7.86				
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86				
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86	_			
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									

UNBUND	LED NI	ETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—								N		T N1	B'				D - ((A)		
—				-			Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates(\$)	0011411	001111
	CLE	EC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDN	UREWO		First 91.63	Add'I 44.16	First	Add'l	SOMEC	7.86	SOMAN	SOMAN	SOMAN	SOMAN
2.10		iversal Digital Channel (UDC) COMPATIBLE LOOP			UDIN	UKEWU		91.03	44.10	-			7.00				
2-1		rire Universal Digital Channel (UDC) Compatible Loop - Zone								 							
	1	The Offiversal Digital Chairner (ODC) Compatible 2009 - 2011e		1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-W	/ire Universal Digital Channel (UDC) Compatible Loop - Zone		<u> </u>	000	ODOZX	10.44	140.77	00.02	71.00	10.00		7.00				
	2	ino omironodi bigitali omalino (ebb) compatibio 200p 20110		2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				
	2-W	fire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	, , , ,		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				
	CLE	C to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.63	44.16				7.86				
2-V		YMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		ire Unbundled ADSL Loop including manual service inquiry															
		cility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				
		fire Unbundled ADSL Loop including manual service inquiry		_		LIALOY		, , , , _	====								
		cility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86		ļ		
		fire Unbundled ADSL Loop including manual service inquiry					40.00										
\vdash		cility reservation - Zone 3 er Coordination for Specified Conversion Time (per LSR)		3	UAL UAL	UAL2X OCOSL	12.87	141.98 23.01	79.73	69.02	11.47		7.86				
				<u> </u>	UAL	UCUSL		23.01		-							
		lity reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				
		Fire Unbundled ADSL Loop without manual service inquiry &		-	UAL	UALZVV	10.02	121.10	09.00	09.09	11.54		7.00				
		lity reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				
		ire Unbundled ADSL Loop without manual service inquiry &		-	O/ (L	O7 ILZ VV	11.70	121.10	00.00	00.00	11.04		7.00				
		lity reservation - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
		er Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
		C to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40				7.86				
2-V		SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
		ire Unbundled HDSL Loop including manual service inquiry															
		cility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54		7.86				
		rire Unbundled HDSL Loop including manual service inquiry		_													
\vdash		cility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54		7.86				
		fire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	10.61	454.54	00.00	00.00	11.54		7.00				
\vdash		cility reservation - Zone 3 er Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10.61	151.54 23.01	89.29	69.09	11.54		7.86				
		fire Unbundled HDSL Loop without manual service inquiry			OTIL	OCOSL		23.01		-							
		facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86				
		Fire Unbundled HDSL Loop without manual service inquiry		-	J	JIILLIV	0.70	100.74	70.00	00.00	11.04		7.50				
		facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86				
		ire Unbundled HDSL Loop without manual service inquiry															
		facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54	<u> </u>	7.86				
		er Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		C to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				7.86				-
4-V		H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		rire Unbundled HDSL Loop including manual service inquiry		l .		[I							
		facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		7.86				
		fire Unbundled HDSL Loop including manual service inquiry		_			45.00	405 7-	100 50	74.6-	44.00		7.00				
\vdash		facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69	-	7.86		-		
		fire Unbundled HDSL Loop including manual service inquiry facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69		7.86				
\vdash		er Coordination for Specified Conversion Time (per LSR)		٥	UHL	OCOSL	10.98	23.01	123.50	74.95	14.69	-	1.80				
 		fire Unbundled HDSL Loop without manual service inquiry		 	OT IL	OUUSL		23.01		 					1		
		facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
		rice Unbundled HDSL Loop without manual service inquiry		† †		3.12.11	.0.00				.0.00		50				
		facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7.86				
		rire Unbundled HDSL Loop without manual service inquiry							-								
	and	facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		7.86		<u> </u>		
		er Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		C to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				7.86				
4-V		1 DIGITAL LOOP															
	4-W	/ire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	İ	7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL UREWO		23.01 101.09	43.04								
4-WIDE	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	-	USL	UKEWU		101.09	43.04			-					
4-4411	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	ļ	2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66	1	7.86				
\vdash	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDL UDL	UDL56 OCOSL	36.37	157.81 23.01	106.06	78.91	18.66		7.86				
 	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66	 	7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	†	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66	 	7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				7.86				
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short including manual service		-	UCL	UCLPB	10.02	140.95	76.70	69.09	11.54		7.00				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		7.86				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Short without manual service		4	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86				
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service		1	UCL	UCLPVV	10.82	120.15	67.97	69.09	11.54		7.80				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short without manual service					-										
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.				110101	04.04	440.05	70.70	00.00	44.54		7.00				
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL2L	24.91	140.95	78.70	69.09	11.54		7.86				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		_	002	00222	00.01	1 10.00	10.10	00.00	11.01		7.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	69.95	140.95	78.70	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - without manual service				1101014	04.04	100.15	07.07	00.00	44.54		7.00				
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - without manual service		1	UCL	UCL2W	24.91	120.15	67.97	69.09	11.54		7.86				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	36.94	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - without manual service		_	002	002211	00.01	120.10	00.	00.00	11.01		7.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch				LIBEMO		07.00	40.40				7.00				
4-WIDE	(UCL-Des) E COPPER LOOP			UCL	UREWO		97.23	42.48				7.86				
4-441KE	4-Wire Copper Loop/Short - including manual service inquiry								 							
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry		_		110: 10		4=0.0.									
\vdash	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	 	3	UCL UCL	UCL4S UCLMC	28.10	170.31 9.00	108.06 9.00	74.95	14.69	1	7.86				
	4-Wire Copper Loop/Short - without manual service inquiry and	1		UUL	UCLIVIC		9.00	5.00								
	facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				
·					-		1						•	•	•	

UNBUNDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring			l .		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				i l
 	facility reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and			UCL	UCL4VV	17.30	149.52	97.33	74.95	14.69		7.80				
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	ļ	1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				1
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	-		OCL	OCL4L	43.70	170.51	100.00	74.55	14.03		7.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	UCL4O	46.91	149.52	07.00	74.95	14.69		7.86				1
—	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.	-	1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				—
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.		<u> </u>	002	002.0	.00	110.02	07.00	7 1.00	1 11.00		7.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	171.34	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48				7.86				1
LOOP MODIFI				UCL	UREWU		97.23	42.48				7.80				
1			1	UAL, UHL, UCL,												
				UEQ, ULS, UEA,												1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												1
\vdash	pair less than or equal to 18k ft	ļ		UEPSB	ULM2L		9.24	9.24				7.86				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS, UEQ	ULM2G		342.24	342.24				7.86				1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	-		OCL, OLO, OLQ	OLIVIZO		342.24	342.24				7.00				—
	less than or equal to 18K ft			UHL, UCL, UEA	ULM4L		9.24	9.24				7.86				1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft			UCL	ULM4G		342.24	342.24				7.86				
				UAL, UHL, UCL, UEQ. ULS. UEA.												1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												1
	per unbundled loop			UEPSB	ULMBT		10.47	10.47				7.86				1
SUB-LOOPS																
Sub-L	oop Distribution				1											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL	USBSA		207.91	207.91				7.86				1
	l l			OLANE	ООВОА		207.91	207.51				7.00				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		12.50	12.50				7.86				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	- 1		UEANL	USBSC		80.87	80.87				7.86				—
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		45.04	45.04				7.86				1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>		ULAINL	03030		45.04	45.04				7.00				
	Zone 1	- 1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	I	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	١,	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				1
 	ZUITE 3		3	OLAINL	UODINZ	14.82	85.03	39.05	59.81	7.90	 	7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								į l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1											
	Zone 1	ļ	1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				1
\Box	ZUITE Z	<u> </u>		OLAINL	UODIN4	8.03	102.31	56.32	ხე.24	10.88	1	7.86		L		

CATEORY RATE ELEMENTS Interest Zone BCS USOC RATES (8) Section December Decembe	UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: B
ATE ELEMENTS RATE ELEMENTS RATE STATES (1) Dec 9 SC 9 SC 9 SC 9 SC 9 SC 9 SC 9 SC 9 S	ONDONDE	RETWORK ELEMENTS ROMAGKY	1									Svc Order	Svc Order				Incremental
## BCS USOC ## PATE ILEMENTS ## BCS USOC ## PATE ILEMENTS ## BCS USOC ## PATE ILEMENTS ## BCS USOC ##												1					Charge -
CATEGORY RATE ELEMENTS To Does Cate Use Cate Use Cate Use Cate Use Cate Ca			Intori														Manual Svc
Best control Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1	-				Order vs.
1			m									per Lore	per Lore				Electronic-
Sub-Lacy Distribution Per 4-Wire Analog View Grade Loop 2 Sub-Mile Sub-Lacy Distribution Per 4-Wire Analog View Grade Loop 2 Sub-Mile Sub-Mile Sub-Lacy Distribution Per 4-Wire Analog View Grade Loop 2 Sub-Mile Sub-Lacy Distribution Per 4-Wire Analog View Grade Loop 2 Sub-Mile Sub-Lacy Distribution Per 4-Wire Analog View Grade Loop 3 Sub-Mile Sub-Mile Sub-Lacy Distribution Per 4-Wire Analog View Grade Loop 3 Sub-Lacy Distribution Per 4-Wire Analog View Grade Loop 3 Sub-Lacy Distribution Per 4-Wire Analog View Grade Distribution																	Disc Add'l
Section Sect																D130 131	DISC Add I
Secretary Secr							Rec										
2							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Over Coordination for Unboundled Sub-Loops, per sub-loop part ULANIL USBNC 2.07 (8.5) 3.00 5.00 7.00 7.86																	
Sub-Loop 2-Wire Interhanding Network Codas (MC)		Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86				
Sub-Loop 2-Vivin Introduction National Color (Controlled Sub-Loop) and sub-Loop (Part Sub-Loop) and s																	
Order Confernation for Unbounded Sub-Loops per sub-loop pair					-					=0.01			=				
Sub-Loop - After introducting Network Cable (INC) USBMA 4.98 7.96 9.00 1 0.524 10.88 7.76		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86				
Sub-Loop - After introducting Network Cable (INC) USBMA 4.98 7.96 9.00 1 0.524 10.88 7.76		Order Coordination for Habrardtad Carb Lanca and arch land aria			LIFANI	LICDMC		0.00	0.00								
Order Coordination for Unbounded Sub-Loops Destination - Zinca 1 U.E.A.M. U.SBMC 5.44 0.00 0.00 5.518 7.90 7.66 1.00				-			4.09			65.24	10.00	1	7 96		-	-	
2 Wine Copper Unbundled Subt-Loop Bertifotion - Zone 2 1 1 UFF		Sub-Loop 4-Wile Intrabuliding Network Cable (INC)	-	-	OLANL	USBK4	4.90	70.49	30.31	03.24	10.00	1	7.00		-	-	
2 Wine Copper Urbannelle Statu Long Destroation - Zone 2 1 2 UEF		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIEANI	LISBMC		9.00	9.00								
2 Wine Copper Ubbundled SubL-opp Dilifestion - Zone 2 1 2 DEF UCSSX 7.06 86.03 30.05 59.81 7.90 7.86				1			5 45			59.81	7 90	1	7 86		1		
2 Wire Copper Influential Stub-Loop Distribution - Zone 3 1 3 UEF UCSXX 9.67 80.03 30.05 59.81 7.90 7.66	1		Ιi	2										i	1	1	
Order Coordination for Unbundled Sub-Loops, per Sub-loop pair UEF					UEF			85.03									
A Vive Copper Unburded Sub-Loop Destination - Zone 1 1 UEF UCSAX 7,06 102,31 56,32 65,24 10,88 7,86 14 Vive Copper Unburded Sub-Loop Destination - Zone 3 1 3 UEF UCSAX 8,66 20,23 56,32 65,24 10,88 7,86 14 Vive Copper Unburded Sub-Loop Destination - Zone 3 1 3 UEF UCSAX 8,66 102,31 56,32 65,24 10,88 7,86 10 Vive Copper Unburded Sub-Loop Destination - Zone 3 1 3 UEF UCSAX 19,40 102,31 56,32 65,24 10,88 7,86 10 Vive Copper Unburded Sub-Loop Destination - Zone 3 Vive Copper Unburded Sub-Loop Destination - Zone 3 Vive Copper Unburded Sub-Loop Part Vive Copper Unburded Sub-Loop Destination - Zone 3 Vive Copper Unburded Sub-Loop Destination - Zone 2 Vive Copper Unburded Su	1		1								,,,		1	İ	1	1	
A Wire Copper Unburdied Sub-Loop Distribution - Zone 2 1 2 UEF UCSAX 8.66 102.31 56.32 66.24 10.88 7.86		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
A Wive Copper Unbundled Stuh-Loop Distribution - Zone 3		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86	ĺ			
District Coordination for Unboundled Sub-Loops, per sub-loop pair UFF USBMC 9.00 9.			- 1														
Unburided Network Terminating Wire (UNTW) UENTW		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86				
Unburided Network Terminating Wire (UNTW) UENTW																	
Unbundled Network Terminating Wire (UNTNV) per Pair UENTW UENTP					UEF	USBMC		9.00	9.00								
Network Interface Device (NID) - 1-2 lines	Unbu																
Network Interface Device (NID) 1-12 lines					UENTW	UENPP	0.53	23.51	23.51				7.86				
Network Interface Device (Tots) Content 2 W UENTW UNDG	Netwo				LIENTAL	LINIDAO		70.50	10.47				7.00				
Network Interface Device Cross Connect - 2 W				-													
Network interface Device Cross Connect - 4W				-						1		-			-	-	
SUB-LOOPS Sub-top Feeder DSD Set-up per Cross Box location - CLEC UEA USBFW 207.91				-						1		1			-	-	
Sub-Loop Feeder UEA	SUB-LOOPS	Network interface Device 01033 Conflect - 444			OLIVIV	ONDO		0.50	0.50			-	7.00				
USLF-eader, DSD Set-up per Cross Box location - CLEC UEA UDN LOCL_UDL_UDC USBFW 20.791 7.86 1.50 1		oop Feeder								1							
Distribution Facility set-up					UEA.												
USL Feeder - DSO Set-up per Cross Box location - per 25 pair set-up USA USBFX 12.50 12.50 7.86						USBFW		207.91					7.86				
USL Feeder DSI Set-up at DSX location, per DSI termination USL USBFZ 527,98 11,32 7,86					UEA,												
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice 1 UEA		set-up			UDN,UCL,UDL,UDC	USBFX		12.50	12.50				7.86				
Grade - Zone 1		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		527.98	11.32				7.86				
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice 2 UEA																	
Grade - Zone 2				1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86				
Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 UEA USBFA 19.53 114.83 64.61 72.34 17.21 7.86 Order Coordination for Specified Conversion Time, per LSR UEA OCOSL 23.01				_		l											
Voice Grade - Zone 3				2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				
Order Coordination for Specified Conversion Time, per LSR						LIODEA	40.50	444.00	04.04	70.04	47.04		7.00				
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Carde - Zone 1	-+		!	3			19.53		64.61	72.34	17.21	-	7.86		 	 	-
Grade - Zone 1	-+		 	-	OLA	UUUSL		∠3.01		1			-	 	 	+	
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice 2 UEA	1		1	1	UFA	USBER	7.67	114 83	64 61	72 34	17 21		7 86		1	1	
Grade - Zone 2			 	_	02/1	2001 0	7.07	114.03	04.01	12.34	17.21	-	7.00		t	t	
Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	1		1	2	UEA	USBFB	9,70	114,83	64.61	72.34	17.21		7,86		I	I	
Grade - Zone 3	- 		1	Ė			50		231	1				İ	1	1	
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	I		<u></u>	3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86	<u> </u>	<u> </u>	<u> </u>	
Voice Grade - Zone 1					UEA	OCOSL		23.01									
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2																	
Voice Grade - Zone 2				1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86				
Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse 3 UEA	1		1	_	l	l	_								I	I	
Battery, Voice Grade - Zone 3	\longrightarrow		ļ	2	UEA	USBFC	9.70	114.83	64.61	72.34	17.21	-	7.86	ļ	-	-	
Order Coordination For Specified Conversion Time, per LSR	1		1	_	LIEA	LICDEO	10.50	444.00	04.61	70.01	47.01		7.00		I	I	
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			-	3			19.53		64.61	/2.34	17.21	1	7.86	 	1	1	
Grade - Zone 1	-+		!	-	UEA	OCOSE		23.01		1		-	-		 	 	-
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1		1	1	LIEΔ	LISBED	22.92	131 72	70 00	81 92	51 56		7.96		I	I	
	- 		 		OLA	ט וטטט	22.02	101.73	13.30	01.02	31.30	-	7.00	 	t	 	
I I IGrade - Zone 2 2 IUEA IUSBED 27.24 131.73 79.98 81.82 51.56 7.86	1	Grade - Zone 2	1	2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86		I	I	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23.01									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	16.95	131.79	80.04	74.16	16.60		7.86	ļ	L	L	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	28.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	62.57	125.43	73.68	81.82	21.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	87.71	125.43	73.68	81.82	21.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	273.33	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.01									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	4.25	105.31	53.57	71.16	13.61		7.86				.
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	OCOSL	44.00	23.01	=0.00	== .0	10.00						ļ
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	11.33	125.55	73.80	77.12	16.86		7.86				ļ
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	10.18	125.55	73.80	77.12	16.86		7.86				ļ
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	10.32	125.55	73.80	77.12	16.86		7.86				ļ
	Order Coordination For Specified Conversion Time, per LSR		_	UCL	OCOSL	00.70	23.01	70.00	04.00	04.50	1	7.86				-
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	20.78 26.41	125.43	73.68	81.82	21.56						-
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL UDL	USBFN	23.10	125.43 125.43	73.68 73.68	81.82 81.82	21.56 21.56		7.86 7.86				
			3	UDL	USBFIN	23.10	125.43	73.08	81.82	21.56	-	7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		<u> </u>	ODL	USBFU	20.78	120.43	13.08	01.02	21.30	 	7.00	t	t	t	
	Zone 2		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86	I	I	I	
+	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				000,0	20.71	123.43	75.00	01.02	21.30		7.00	 	t	t	
	Zone 3		3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56		7.86	I	I	I	
	Order Coordination For Specified Time Conversion, per LSR		۲	UDL	OCOSL	20.10	23.01	70.00	01.02	21.50		7.00	<u> </u>	<u> </u>	<u> </u>	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				00000		20.01						<u> </u>	<u> </u>	<u> </u>	
	Zone 1		1	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86	1	1	1	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		Ė	-				. 5.00	202	00	1		1	1	1	1
	Zone 2		2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56		7.86	1	1	1	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -						1_0110									
	Zone 3		3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86	1	1	1	
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.01									
SUB-LOOPS									†							
Sub-L	pop Feeder								<u> </u>							
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15.38										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	Ī		UE3	USBF1	346.30	3,402.59	407.14	160.86	91.19		7.86				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	Ī		UDLSX	1L5SL	15.38										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	372.80	3,402.59	407.14	160.86	91.19		7.86				
UNBUNDLED	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	460.27	359.34	359.34			ļ	7.86				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	86.95	149.72	149.72				7.86				

UNBUNI	DLED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
CATEGOR	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86				
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
LINE OTH	Interface ER, PROVISIONING ONLY - NO RATE			UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86				
ONE OTHE	NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00				1	-				
+	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00					-				
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U	UNECN	0.00	0.00									
LINE OTH	ER, PROVISIONING ONLY - NO RATE			EINIW	UNECIN	0.00	0.00				-	-				
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
+	Unbundled DS1 Loop - Superframe Format Option - no rate				CCOSF	0.00	0.00				1	1				
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	PACITY UNBUNDLED LOCAL LOOP															
NC	OTE: minimum billing period of three months for DS3/STS-1 Local L High Capacity Unbundled Local Loop - DS3 - Per Mile per	_oop		LIEO	41.5115	0.05										
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	9.25										
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86				
+	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	9.25						_				
LOOP MA				UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
[Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
	QUENCY SPECTRUM															
	NE SHARING												ļ			
LII			l		III 0D.	400.00	670.0-		050.5-		<u> </u>				ļ	
LII	PLITTERS-CENTRAL OFFICE BASED					198.83	379.05	0.00	358.55	0.00	1	7.86	l	1	1	
LII	Line Sharing Splitter, per System 96 Line Capacity				ULSDA		270.05	0.00	250 55	0.00	1	7.00	i e			
LII	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05 377.71	0.00	358.55	0.00		7.86				
LII	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	I		ULS ULS	ULSDB ULSD8		377.71	0.00	357.29	0.00		7.86				
LII SF	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		FRIM	ULS ULS ULS	ULSDB	49.71										

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec per LSR M p	Svc Order Submitted Charge - Manual Svg Per LSR Clectronic-1st	Charge - c Manual Svc Order vs.	Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.
Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) ULS ULSDS Rec First Add'I First Add'I SOMEC S 32.90 16.43	OS	1	Disc 1st	Electronic- Disc Add'l
Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) ULS ULSDS 32.90 16.43		S Rates(\$)		
Rearrangement(BST Owned Splitter) ULS ULSDS 32.90 16.43	SOMAN SOMAN	SOMAN	SOMAN	SOMAN
	7.86		1	
	7.00	+	 	
Rearrangement/DLEC Owned Splitter) ULS ULSCS 32.90 16.43	7.86		1	
Line Sharing - per Line Activation (DLEC owned Splitter) I ULS ULSCC 0.61 47.44 19.31 20.67 12.74	7.86	1		
LINE SPLITTING LINE SPLITTING			<u> </u>	
END USER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter I UEPSR UEPSB UREOS 0.61			<u> </u>	
Line Splitting - per line activation DLEC owned splitter I UEPSR UEPSB UREOS 0.61 UEPSR UEPSB UREOS 0.61 37.02 21.10 9.87	7.86	+	 	
Line Splitting - per line activation BST owned - virtual I UEPSR UEPSB UREBV 0.61 37.02 21.10 9.87	7.86	+		\vdash
REMOTE SITE HIGH FREQUENCY SPECTRUM		+		
SPLITTERS-REMOTE SITE				
Remote Site Line Share BellSouth Owned Splitter, 24 Port I ULS ULSRB 38.55 114.83 0.00 84.55 0.00	7.86			
Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation I ULS ULSTG 95.65 0.00 67.87 0.00	7.00		1	1
Installa Description 1 DLS DUSTO 95.65 0.00 67.87 0.00	7.86	+	 	
Remote Site Line Share Line Activation for End User Served at		+		\vdash
RS, BST Splitter I ULS ULSRC 0.61 37.16 21.28 20.17 9.90	7.86		1	
RS Line Share Line Activation for End User served at RS, CLEC				
Splitter I ULS ULSTC 0.61 37.16 21.28 20.17 9.90	7.86		<u> </u>	
Remote Site Line Share Subsequent Activity-RS BST Owned	7.86			
Remote Site Line Share Subsequent Activity-RS CLEC Owned Splitter I ULS ULSTS 49.16 17.83	7.86			
UNBUNDLED DEDICATED TRANSPORT	1.00	+		
NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT				
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1	
Per Mile per month U1TVX 1L5XX 0.01 Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		+	 	
	7.86		1	
Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		+		
Rev Bat Per Mile per month U1TVX 1L5XX 0.01				
Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			1	
Facility Termination	7.86		<u> </u>	
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month U1TVX 1L5XX 0.01			1	
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		+		
- Facility Termination U1TVX U1TV4 25.86 47.34 31.78 22.77 8.75	7.86		<u> </u>	
Interoffice Channel - Dedicated Transport - 56 kbps - per mile				
per month U1TDX 1L5XX 0.0115 Interoffice Channel - Dedicated Transport - 56 kbps - Facility			 	
	7.86		1	
Interoffice Channel - Dedicated Transport - 64 kbps - per mile	7.00	+		
per month U1TDX 1L5XX 0.0115				
Interoffice Channel - Dedicated Transport - 64 kbps - Facility				
Termination	7.86		 '	 _
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 1L5XX 0.23				
Interoffice Channel - Dedicated Tranport - DS1 - Facility		+		
Termination U1TD1 U1TF1 96.04 105.52 98.46 23.09 20.49	7.86		<u> </u>	'
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				
month U1TD3 1L5XX 4.97	$\overline{}$	+	 	├ ──
Untereffice Channel Dedicated Transport DS2 Facility	I	1	1	
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month IIITD3 IIT	7.86	1	II .	
Termination per month	7.86	+	 	
Termination per month U1TD3 U1TF3 1,175.15 335.40 219.24 89.57 87.75	7.86			

3.1201	IDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: B
	.5	HEITIGHT ELLINEITIO Heitucky		1		T	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Inten!									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
\sqcup							Rec	Nonrec		Nonrecurring					Rates(\$)		
<u> </u>								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CHANNEL - DEDICATED TRANSPORT	L	<u> </u>													
r		OCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ng perio	d = bel				205 70	40.00	40.70	4.00		7.00				
\vdash		ocal Channel - Dedicated - 2-Wire Voice Grade ocal Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX ULDVX	ULDV2 ULDR2	18.57 18.57	265.78 265.78	46.96 46.96	46.79 46.79	4.98 4.98	 	7.86 7.86				
\vdash		ocal Channel - Dedicated - 2-Wire Voice Grade Rev Bat		1	ULDVX	ULDV4	19.86	266.48	47.65	46.79	5.73		7.86				
+		ocal Channel - Dedicated - 4-Wile Voice Grade		1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07	<u> </u>	7.86				
\vdash		ocal Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
		ocal Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
		ocal Channel - Dedicated - DS3 - Per Mile per month		Ť	ULDD3	1L5NC	8.74					İ					
		ocal Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
		ocal Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.74										
		ocal Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
DARK FI									· · · · · · · · · · · · · · · · · · ·								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction									-			I	I	l	l
$\sqcup \sqcup$		hereof per month - Local Channel			UDF	1L5DC	47.01					<u> </u>					ļ
\vdash		NRC Dark Fiber - Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67	ļ	7.86				ļ
		Oark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.505											
\vdash		Thereof per month - Interoffice Channel			UDF	1L5DF	30.74	700.50	100.07	077.07	044.07		7.00				
\vdash		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		732.53	192.67	377.27	241.67		7.86				
		Oark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	41.501	47.04										
\vdash		Thereof per month - Local Loop NRC Dark Fiber - Local Loop		<u> </u>	UDF	1L5DL UDFL4	47.01	732.53	192.67	377.27	241.67		7.86				
9VV AC(EN DIGIT SCREENING		1	UDF	UDFL4		732.53	192.67	311.21	241.67		7.86				
OAA ACC		XXX Access Ten Digit Screening, Per Call	-		OHD	1	0.0006478					1	1				
+		XXX Access Ten Digit Screening, Fer Call			OLID		0.0000470										
		Number Reserved			OHD	N8R1X		4.14	0.70				7.86				
		XXX Access Ten Digit Screening, Per 8XX No. Established W/O			0.15	11011171			0.70			İ	7.00				
		POTS Translations			OHD			8.78	1.18	7.08	0.86		7.86				
	8	XXX Access Ten Digit Screening, Per 8XX No. Established With															
	P	POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86		7.86				
	8	XXX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		4.14	2.07				7.86				
		XXX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				7.86				
\vdash		XXX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86				
		XXX Access Ten Digit Screening, Call Handling and Destination			0.15												
\vdash		Features			OHD	N8FDX	0.0000470	4.14	4.14				7.86				
\vdash		XXX Access Ten Digit Screening w/ 8FL No. Delivery, XXX Access Ten Digit Screening, w/ POTS No. Delivery,		├	OHD OHD	+	0.0006478 0.0006478			 		-	-				
I INE IN		TION DATA BASE ACCESS (LIDB)	-	-	טו וט	+	0.0006478					1	-	1	1	1	-
CHAE HAL		IDB Common Transport Per Query	H		OQT	1	0.000023			 		1	H	l	l	l	
+		IDB Common Transport Fer Query IDB Validation Per Query	-		OQU	+	0.000023			 		 	-				
\vdash		IDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0107022	55.12		67.59			7.86				
SIGNALI			l		,	1 2/1		55.12		555							
		CCS7 Signaling Connection, Per 56 Kbps Facility	1		UDB	TPP++	20.71	43.56	43.56	22.45	22.45	1		l	l	l	l
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39					İ					
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
		CCS7 Signaling Connection, Per link (B link) (also known as D															l
\sqcup		ink)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
\sqcup		CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000164										
\vdash		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08					ļ					
		CCS7 Signaling Point Code, per Originating Point Code			LIDD	00480		40.00	40.00	50.0	F0 **		7.00				
\vdash		Establishment or Change, per STP affected	-	-	UDB	CCAPO		46.02	46.02	56.43	56.43	 	7.86	 	 	 	
1 1		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43		7.86				
1 1	i L	-stabilishment of Change, Fel Stp Affected	-	 	סטט	CCAPD		40.02	46.02	56.43	56.43	}	7.86	 	 	 	
F911 SE	RVICE																
E911 SE		ocal Channel - Dedicated - 2-wr Voice Grade				+	18.57	265.78	46.96	46.79	4.98		7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	001111	0011411
	Intereffice Transport Dedicated 2 wr Voice Crede Der Facility						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					29.11	47.34	31.78	22.77	8.75		7.86				
 	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07		7.86				
 	Local Channel - Dedicated - DS1 - Zone 2					43.39	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07		7.86				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.23			****							
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20.49		7.86				
CALLING NAM	E (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For Non DB Owners - Service Establishment			OQV	ļ		25.34	25.34	23.30	23.30		7.86				ļ
1 1	CNAM For DB Owners - Service Provisioning With Point Code			001			. =									
\vdash	Establishment		<u> </u>	OQV	ļ		1,591.54	1,177.08	431.95	317.61		7.86				_
	CNAM For Non DB Owners - Service Provisioning With Point			001/			F 40 40	000 7:	400.00	017.01		7.00				
 	Code Establishment CNAM for DB Owners, Per Query		<u> </u>	OQV OQV		0.0010348	546.40	393.74	438.93	317.61		7.86				<u> </u>
	CNAM for Non DB Owners, Per Query CNAM for Non DB Owners, Per Query		<u> </u>	OQV	1	0.0010348					-					
	CNAM (Non-Databs Owner), NRC, applies when using the			OQV		0.0010346										
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00				7.86				
LNP Query Se			<u> </u>	OQV	ODDON		000.00	000.00			1	7.00				
	LNP Charge Per query		1			0.0008695										
	LNP Service Establishment Manual						13.82	13.82	12.71	12.71		7.86				
	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD ORE	RATOR SERVICES		<u> </u>		1	0.20					-					
INWARD OF LI	Inward Operator Services - Verification, Per Call		1			1.00					1					1
	Inward Operator Services - Verification and Emergency Interrupt		<u> </u>			1.00					1					
	- Per Call					1.95										
BRANDING - C	PERATOR CALL PROCESSING															
Facility	based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				7.86				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		500.00	500.00				7.86				
UNEP																
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				7.86				
	Loading of Custom Branded OA Announcement per shelf/NAV						500.00	F00 00				7.00				
I India	per OCN		<u> </u>		 		500.00	500.00			-	7.86		-		
Unbrai	Inding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)	-	 		1		1,200.00	1,200,00			-	7.86		-	-	
DIRECTORY A	SSISTANCE SERVICES	H	t		1		1,200.00	1,200.00			H	7.00		 	l	
	TORY ASSISTANCE ACCESS SERVICE		1		<u> </u>							 		 		
520	Directory Assistance Access Service Calls, Charge Per Call	t	 		1	0.275					<u> </u>			1		—
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)	1		i	5.2.0								İ	İ	
	Directory Assistance Call Completion Access Service (DACC),		1		İ									İ	l	
1 1	Per Call Attempt					0.10						1				
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)									·						
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										ļ
BRANDING - D	IRECTORY ASSISTANCE		<u> </u>		ļ									ļ	ļ	<u> </u>
Facility	Based CLEC	1	1		1				<u> </u>		1				<u> </u>	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				7.86				1
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				7.86				
UNEP				7 4 4 1 1	OBNEO		1,170.00	1,170.00				7.00				
ONE	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				7.86				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				7.86				
Unbra	nding via OLNS for UNEP CLEC						,									
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				7.86				
	Loading of DA per Switch per OCN						16.00	16.00				7.86				
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.53	93.53	15.58	15.58		7.86				
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86				I
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95		7.86				
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34		7.86				
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85		7.86				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				7.86				
	Query NRC, per query			SRC		0.0037502										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93		7.86				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		7.86				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		7.86				1
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88		7.86				
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86				1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4608										
AIN - RELISO	DUTH AIN TOOLKIT SERVICE	 	-		1	0.4008	-				1					
AIN - BELLOU	AIN Toolkit Service - Service Establishment Charge, Per State,		t		†											
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93		7.86				
	AIN Toolkit Service - Training Session, Per Customer	1			BAPVX		8,436.93	8,436.93			İ	7.86				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		7.86				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay	İ			BAPTD		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		8.64	8.64	10.03	10.03		7.86				
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		51.01	51.01	18.50	18.50		7.86				
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		51.01	51.01	18.50	18.50		7.86				i
	DN, Feature Code AlN Toolkit Service - Query Charge, Per Query				BAPTF	0.0549207	51.01	51.01	18.50	18.50		7.86				
 	AIN Toolkit Service - Query Charge, Fer Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		t		†	0.0343207										
	Subscription, Per Node, Per Query					0.0066492										,

HNDI	INDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: B
UNDU	INDLE	D NETWORK ELEMENTS - Kentucky		1	1	1						00	00				
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															, !
		Account, Per 100 Kilobytes					0.07										1
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08		7.86				1
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															1
		Subscription			CAM	BAPLS	3.26	9.56	9.56				7.86				1
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
		Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86				ł
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															i
		Service Subscription			CAM	BAPES	0.11	9.56	9.56				7.86				ł
ENHAN	ICED EX	(TENDED LINK (EELs)		1		i -			2.30		İ	i	1				
		The monthly recurring and non-recurring charges below will a	apply a	nd the	Switch-As-Is Charge	will not app	ly for EELs pro	visioned as '	Ordinarily Com	bined' Networ	k Elements.						
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	he non-	recurri	ng charges below w	ill apply for	EELs provision	ed as ' Curren	tly Combined'	Network Elem	ents.	İ					
		Minimum billing is one month for DS1 and below and three m				III appiy ioi i	p. c		,		1		1				
		VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT															
	Z-VVIIVE	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	LICOLI	T IN	ANOI OKT (EEE)												
		Combination - Zone 1		4	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				í
-	1	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		<u>'</u>	UNCVA	ULALZ	12.07	123.22	00.40	39.09	7.04	-	7.00				
		Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				í
-	-				UNCVA	UEALZ	17.40	125.22	00.40	39.09	7.04		7.00				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			1110101		00.00	405.00	00.40	50.00	7.04		7.00				ł
-	-	Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 104											ł
		per month			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combination - Facility															ł
		Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
		DS1 Channelization System Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															í
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				l
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															i T
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				ł
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															i T
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				í
		Voice Grade COCI - DS1 to DS0 Channel System combination -															i
		per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				í
		Nonrecurring Currently Combined Network Elements Switch -As-					0.02	• • • • • • • • • • • • • • • • • • • •									
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				ł
	4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		1		3.50	5.50			i e					í
	1	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				 											1
		Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				1
H	t	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	—	-	5.101/1	C L / 1L T	23.20	120.22	00.40	33.03	7.04	t e	7.00				
1	1	Transport Combination - Zone 2	1	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84	I	7.86				1
-	 	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		F _	0110 1/	OLALT	54.25	120.22	00.40	33.03	7.04	+	7.00				
		Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				1
—	 	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	-	014047	OLAL#	00.00	120.22	00.40	59.09	7.04	 	7.00				
1	1	Per Month			UNC1X	1L5XX	0.19					1	1				1
—	 		-	+	ONCIA	ILOAA	0.19					-	-				
1	1	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	1	LINICAV	LIATEA	70.00	404.04	400.50	50.70	20.00	I	7.00				1
-	-	Month		-	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	.	7.86				——
1	1	Channelization - Channel System DS1 to DS0 combination Per	1	1		l						I					1
		Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				-
1	1	Voice Grade COCI - DS1 to DS0 Channel System combination -				l						1	1				1
L		per month		<u> </u>	UNCVX	1D1VG	0.62	6.71	4.84				7.86				ļ
1	1	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1		l					1	I	1				1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				ļ
		Additional 4-Wire Analog Voice Grade Loop in same DS1											1				
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
		Additional 4-Wire Analog Voice Grade Loop in same DS1		1							l		l				
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84	1	7.86				ł

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<u> </u>			Rec	Nonrec First		Nonrecurring First		SOMEC	001111		Rates(\$)	SOMAN	SOMAN
 	Voice Grade COCI - DS1 to DS0 Channel System combination -		1		1		FIRST	Add'l	FIRST	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUWAN
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRI	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTER	DEFICE	TRANSPORT (EEL)	-	-										
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice					=::00			33.33							
	Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	UNCDA	ODLSO	30.37	125.22	00.40	39.09	7.04		7.00				
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per	-	-	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
 	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDLOO	27.59	125.22	60.48	59.69	7.84		7.80				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-			CHODA	10100	1.02	0.71	4.04				7.00				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRI	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	<u> </u>	CHODA	ODLOT	27.00	120.22	00.40	00.00	7.04		7.00				
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	LINODY	UDL64	36.37	105.00	00.40	50.00	7.04		7.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	ļ		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	1	<u>'</u>	UNCDX	UDL04	27.59	125.22	60.46	59.69	7.04		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System	-	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	 	7.86				
1 1	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				,
	Nonrecurring Currently Combined Network Elements Switch -As-	i		-												
	Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	<u>⊧ROFFI</u>	CE TRA	ANSPORT (EEL)	1						 					
	Transport - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2	<u> </u>	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97	L	7.86				

Svc Order Svc Order Submitted Submitted Charge -	UNBUND	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	oit: B
ANTERLEMENTS BATE ELEMENTS Basel				1								Svc Order	Svc Order				Incremental
RATE BLEMENTS Married																	
Color Colo			Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
Part Part	CATEGOR	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Perf Perf																	
Part Part															Add'l		Disc Add'l
ACTIVITIES TO POSITION OF CONTROLOGICA SID DESTINATIONS 3 UNCX 95,000 210,70 114,90 65,90 17,97 7,86																	
### 4/WIRD ST DIGITAL CENTRAL CONTROL STATE OF THE MEDICAL STATE OF THE STATE OF TH							Rec										
Transport - 2006-20 10 10 10 10 10 10 10		LINE BOLDING OF THE POLICE OF				ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interesting Transport Decisional - Dist controllarior - Facility					LINIOAY	1101.77	007.70	040.70	444.00	00.00	47.07		7.00				
Per Note			1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	-	7.86				
					LINICAV	41.577	0.40										
Termination Per Nome	-		1	-	UNCIA	ILSAA	0.19										
Noncecuring Currently Correlated National Fill (No. 1) No. 1)					LINC1V	LIATEA	70.02	101 24	122.52	56.72	22.22		7 96				
ISCHARGE LOCATION	 			 	UNCIA	01111	19.02	101.24	123.33	30.72	22.32		7.00				
### CSS DRTALE EXPENSED LOOP WITH DESIGNATE DISTANSPORT (EEL)					LINC1X	LINCCC		8 98	8 98	11 17	11 17		7.86				
First DSTLLOOP IN DSS Interoffice Transport Combination - Zone 1	4-V		FROFFI	CF TR/		011000		0.30	0.30	11.17	11.17		7.00				
1	H-1-		<u> </u>	1		1											
First DSILLoop in DSS Interoffice Transport Combination - Zone 2 2 NRC1X USUX 114.10 210.70 114.60 63.96 17.97 7.96 First DSI Interoffice Transport Combination - Zone 3 3 USC1X USUX 297.75 210.70 114.60 63.96 17.97 7.96 MitherClina Transport Dedicated - DSS combination - Per Mite Put Murch Interoffice Transport Dedicated - DSS combination - Per Mite Put Murch Interoffice Transport Dedicated - DSS combination - Per Mite Put Murch Interoffice Transport Dedicated - DSS combination - Per Mite Put Murch Interoffice Transport Dedicated - DSS - Facility Termination per more Interoffice Transport Dedicated - DSS - Facility Termination per more Interoffice Transport Dedicated - DSS - Facility Termination per more Interoffice Transport Combination - Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice Transport Interoffice		1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
2 UNCICK USUXX USUXX 14.10 210.70 114.60 63.96 17.97 7.86		First DS1Loop in DS3 Interoffice Transport Combination - Zone	1				22			22.00			50				
First DST-Loop in DSS Interdifice Transport Combination - Zone 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 7.76 1 14.6		2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
3 MACKIX USLXX 297.76 210.70 114.60 63.96 17.97 7.86		First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	1		1				1	,	İ			l		
Per Month		3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
Interoffice Transport - Oedicated - 253 - Facility Termination per on the control of the contr		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
month			<u></u>	<u> </u>	UNC3X	1L5XX	4.09			<u> </u>							
OSS 10 OSS 1 Channel System contribution per month UNCX M33 198.20 115.64 56.53 15.12 5.30 7.86		Interoffice Transport - Dedicated - DS3 - Facility Termination per															
DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 11.80 6.71 4.84 7.86		month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
Additional DSI Judge in DSI Interoffice Transport Combination - 1 UNC1X USLXX 88.47 210.70 114.60 63.96 17.97 7.86 Additional DSI Interoffice Transport Combination - 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97 7.86 Additional DSI Judge in DSI Interoffice Transport Combination - 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97 7.86 Additional DSI Interoffice Transport Combination per month											5.30						
Zone 1					UNC1X	UC1D1	11.80	6.71	4.84				7.86				
Additional DSI Loop in DS3 Interdentine Transport Combination																	
Zone 2				1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
Additional DST Loop in DSS Interface Transport Combination - 200 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 7.86 DSS Interface Unit (DST LOCI) combination per month UNC1X UC1D1 11.80 6.71 4.84 17.86 1.0NCCC 8.98 8.98 11.17 11.17 7.86 1.0NCCC 8.99 8.98 11.17 11.17 7.86 1.0NCCC 8.99 8.98 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 11.17 11.17 7.86 1.0NCCC 8.99 8.99 7.84 7.89 1.0NCCC 8.99 8.99 7.84 7.89 1.0NCCC 8.99 8.99 7.84 7.89 1.0NCCC 8.99 8.99 7.84 7.89 1.0NCCC 8.99 8.99 9.90 9.90 9.90 9.90 9.90 9.90																	
Zone 3				2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
DS3 Interface Unit (DS1 COCI) combination per month UNCIX UCID1 11.80 6.71 4.84 7.86					LINIOAY	1101.77	007.70	040.70	444.00	00.00	47.07		7.00				
Nonrecuring Currently Combined Network Elements Switch -As- UNC3X			1	3						63.96	17.97	-					
Interoffice Transport - Dedicated - 2-Wire Volce Grade month of the Per Month Interoffice Transport UNCX UTV2 USA	-		1	1	UNCIX	OCIDI	11.80	0.71	4.84			-	7.86				
Z-WIREY LODG ENADE EXTENDED LOOP! 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL.)					LINICOV	LINICCC		0.00	0.00	11 17	11 17		7.06				
2-WireVC Loop used with 2-wire VG Interoffice Transport 1 UNCVX UEAL2 12.67 125.22 60.48 59.69 7.84 7.86	2.1/		TEDAE	ICE TO		UNCCC		0.90	0.90	11.17	11.17		7.00				
Combination - Zone 1	2-4		I	ICE IN	ANGFORT (EEL)	+											
2-WireVG Loop used with 2-wire VG Interoffice Transport 2 UNCVX				1	LINCVX	LIEAL 2	12 67	125 22	60.48	59 69	7 84		7.86				
Combination - Zone 2			1	+ -	ONOVA	OLITE	12.01	120.22	00.40	00.00	7.04		7.00				
2-WireVG Loop used with 2-wire VG Interoffice Transport 3 UNCVX UEAL2 33.22 125.22 60.48 59.69 7.84 7.86				2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
Combination - Zone 3			1			1											
Mile Per Month UNCVX 1L5XX 0.01				3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month UNCVX																	
Combination - Facility Termination per month UNCVX U1TV2 23.95 98.09 53.67 56.31 22.42 7.86 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCVX UNCCC 8.98 8.98 11.17 11.17 7.86				<u></u>	UNCVX	1L5XX	0.01			<u> </u>		<u> </u>	<u> </u>				
Nonrecurring Currently Combined Network Elements Switch -As- UNCVX UNCCC 8.98 8.98 11.17 11.17 7.86		Interoffice Transport - Dedicated - 2- Wire Voice Grade															
Is Charge	oxdot		1	1	UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
4-WireVC Loop used with 4-wire VG Interoffice Transport 1 UNCVX			-														
4-WireVG Loop used with 4-wire VG Interoffice Transport 1 UNCVX			<u> </u>	<u> </u>		UNCCC		8.98	8.98	11.17	11.17		7.86		ļ		
Combination - Zone 1	4-V		TEROFF	ICE TR	ANSPORT (EEL)	1				ļ							
4-WireVG Loop used with 4-wire VG Interoffice Transport 2 UNCVX				1 .													
Combination - Zone 2	\vdash		1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86		 		
4-WireVG Loop used with 4-wire VG Interoffice Transport 2				_	LINICVA	LIEAL 4	24.05	405.00	00.40	50.00	7.04		7.00				
Combination - Zone 3	\vdash		1		UNCVA	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month UNCVX U1TV4 21.28 98.09 53.67 56.31 22.42 7.86 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCVX UNCCC 8.98 8.98 11.17 11.17 7.86 INCOMPART OF TRANSPORT (EEL) High Capacity Unbundled Local Loop - DS3 combination - Per		· · · · · · · · · · · · · · · · · · ·		2	LINCVY	LIEALA	95.00	125.22	60.49	50.60	704		7.00				
Mile Per Month UNCVX 1L5XX 0.01 Interoffice Transport - Dedicated - 4- Wire Voice Grade Combination - Facility Termination per month UNCVX U1TV4 21.28 98.09 53.67 56.31 22.42 7.86 Combination - Facility Termination per month UNCVX U1TV4 21.28 98.09 53.67 56.31 22.42 7.86 Combination - Per UNCVX UNCC 8.98 8.98 11.17 11.17 7.86 Combination - Per UNCVX UNCC 8.98 8.98 11.17 11.17 7.86 Combination - Per UNCVX UNCC 8.98 8.98 11.17 11.17 11.17 7.86 Combination - Per UNCVX UNCC 8.98 8.98 11.17 11.17 11.17 7.86 Combination - Per UNCVX UNCC 8.98 8.98 11.17 11.17 11.17 11.17 7.86 Combination - Per UNCVX UNCC 8.98 8.98 11.17 1	\vdash		 	- 3	OINCVA	UEAL4	00.06	125.22	00.48	59.69	1.84	-	1.00				
Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month UNCVX U1TV4 21.28 98.09 53.67 56.31 22.42 7.86 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNCVX UNCCC 8.98 8.98 11.17 11.17 7.86 DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) High Capacity Unbundled Local Loop - DS3 combination - Per					UNCVX	1I 5XX	0.01										
combination - Facility Termination per month UNCVX U1TV4 21.28 98.09 53.67 56.31 22.42 7.86 Nonrecurring Currently Combined Network Elements Switch -As- Scharge UNCVX UNCCC 8.98 8.98 11.17 11.17 7.86 UNCVX UNCCC 8.98 8.98 11.17 11.17 7.86 High Capacity Unbundled Local Loop - DS3 combination - Per	\vdash		 	t	014047	ILUAA	0.01			 			-				
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) High Capacity Unbundled Local Loop - DS3 combination - Per				1	UNCVX	U1TV4	21 28	98.09	53.67	56.31	22 42		7 86				
Is Charge UNCVX UNCCC 8.98 8.98 11.17 11.17 7.86 DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) High Capacity Unbundled Local Loop - DS3 combination - Per			-	1			220	00.00	55.07	55.61							
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL) High Capacity Unbundled Local Loop - DS3 combination - Per					UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
High Capacity Unbundled Local Loop - DS3 combination - Per	DS		CE TRA	NSPOR				2.00	2.00	1		İ	50		İ		
					. ,												
				1	UNC3X	1L5ND	9.25					1	1				

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky											_		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	High County Halandia Hallandia Book Hall		_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - DS3 combination -			LINICAY	LIEODY	000 01	007.00	4.47.60	20.40	00.6=		7.00	1			
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	308.31 4.09	237.36	147.69	83.43	32.67		7.86	-			
	Interoffice Transport - Dedicated - DS3 - Per Mile per Month Interoffice Transport - Dedicated - DS3 combination - Facility		1	UNCSA	ILSAA	4.09					 		-			
	Termination per per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-			01100/1	0	000.00	000.00	111.00	.0.00	20.00		7.00	t			†
	Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month			UNCSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86	1			
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			OINCOV	UDLOI	320.51	231.36	147.09	83.43	32.07	}	7.86				
	per month			UNCSX	1L5XX	4.09							1			
	Interoffice Transport - Dedicated - STS1 combination - Facility				. 20,01	00			†				1			
	Termination per month	L	L	UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86		<u> </u>	<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINGNIX	1141.00	40.44	405.00	00.40	50.00	7.04		7.00				
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86	-			
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONONA	UILZX	25.00	120.22	00.40	33.03	7.04		7.00				
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination -															
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86	-			
	combination - per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONONA	OCTOA	2.04	0.71	4.04				7.00	<u> </u>			
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				-
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
-	Nonrecurring Currently Combined Network Elements Switch -As-			OINOINA	JUTUA	2.04	0.71	4.64	+		 	7.00	 			
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T													
	First DS1 Loop in STS1 Interoffice Transport Combination -			. ,		i	i									
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination -			LINIOAN	1101.307	444.5	040 ==	444.00	00.55	47.00		7.00	I			
	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97	1	7.86	 	-		
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			5.1017	30277	231.10	210.70	114.00	05.50	17.37	1	7.00	†			
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30	ļ	7.86	ļ			
	DS3 Interface Unit (DS1 COCI) combination per month		-	UNC1X	UC1D1	11.80	6.71	4.84				7.86	 			
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		+	ONUTA	JJLAA	00.47	210.70	114.00	03.30	17.97	 	7.00	 			

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
\longrightarrow						Rec	Nonrec		Nonrecurring					Rates(\$)		
	A LIST of DOMESTIC OTOM Liver (for Transport Or other)				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
-+	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X	UC1D1	11.80	6.71	4.84	63.96	17.97	1	7.86				
-+	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIA	OCIDI	11.00	0.71	4.04			1	7.00				
	Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANSI		0.1000		0.00	0.00			i e	7.00				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport										1					
	Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport				Ī —	ı 7			I							
	Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	<u> </u>	7.86		ļ		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINICDY	11.5]							
$\!\!\!\!+\!\!\!\!-$	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDX	1L5XX	0.01			-		 	1		-		
	Facility Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
-+	Nonrecurring Currently Combined Network Elements Switch -As-		t	0.1007	01100	11.25	30.09	55.07	50.51	22.42	1	7.00				
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANSI		1						i e					
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			, ,							1					
	Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	41.500/	0.04										
	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		<u> </u>	UNCDX	1L5XX	0.01					-	-				
	Facility Termination			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	OTTDO	17.25	90.09	33.07	30.31	22.42	1	7.00				
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
ADDITIONAL	NETWORK ELEMENTS			0.10271	0.1000		0.00	0.00			1	1.00				
Whe	n used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
	n used as ordinarily combined network elements in All States, the					As Is Charge o	does not.									
Nonr	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)								ļ			
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOVAY	LINICOS		2.22	0.00				7.00				
-+	Is Charge - 2 wire/4-Wire VG		-	UNCVX	UNCCC		8.98	8.98	11.17	11.17	 	7.86	 	-		-
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
-+	Nonrecurring Currently Combined Network Elements Switch -As-		 	0.1007	514000		0.30	0.90	11.17	11.17	<u> </u>	7.00	 	 		
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-				1		5.50	3.30			1		İ			
	Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
NOT	: Local Channel - Dedicated Transport - minimum billing period	l - Belo	w DS3:													
	Local Channel - Dedicated - 2-Wire Voice Grade		_	UNCVX	ULDV2	18.57	265.78	46.96	46.79	4.98	<u> </u>	7.86				
	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 per month Zone 1		4	UNCVX UNC1X	ULDV4 ULDF1	19.86 40.46	266.48 209.60	47.65 176.51	47.54 30.21	5.73 21.07		7.86 7.86	-			
-+	Local Channel - Dedicated - DS1 per month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X UNC1X	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86			-	
-+	Local Channel - Dedicated - DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	164.50	209.60	176.51	30.21	21.07	<u> </u>	7.86	 	 		
-+	Local Channel - Dedicated - DS3 - Per Mile per month		,	UNC3X	1L5NC	8.74	203.00	170.51	50.21	21.07	l	7.00	1	1		
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86		İ		
			l	UNCSX	1L5NC	8.74						1	ĺ	1		
-	Local Channel - Dedicated - STS-1- Per Mile per month										1		1			
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
	Local Channel - Dedicated - STS-1 - Facility Termination Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,		543.24		338.08	173.00	120.42						
	Local Channel - Dedicated - STS-1 - Facility Termination	ı			ULDFS NRCCC	543.24	551.38 65.04	338.08	173.00	120.42		7.86				

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Submitted Charge - Charg Manual Svc Order Submitted Submitted Charge -	Evhik	Exhibit: B	Fvh	nment: 2	Attach												JNBUNDLED NETWORK ELEMENTS - Kentucky	UNRUNDI
CATEGORY RATE ELEMENTS Interiment In						Svc Order	Svc Order							1		1	SABORDELD RETWORK ELLWICKTO - Renducky	CHOUNDL
Name				Charge -		II .										1		
CATEGORY RATE ELEMENTS Mile Zone BCS USOC RATES (5) Per LSR Per LSR Colder vs. Order vs. Colder vs																lustau!		
Rec Nonrecurring Nonrecurring Disconnect Same Color Add				Order vs.		,				RATES (\$)			USOC	BCS	Zone		CATEGORY RATE ELEMENTS	CATEGORY
NOTE: minimum billing period is one month for DSI to DSG Channel System and interfaces NOTE: minimum billing period is one month for DSI to DSG Channel System and interfaces NOTE: minimum billing period is one month for DSI to DSG Channel System and interfaces NOTE: minimum billing period is one month for DSI to DSG Channel System and interfaces NOTE: minimum billing period is one month for DSI to DSG Channel System and interfaces NOTE: minimum billing period is one month for DSI to DSG Channel System (with the higher incent connected to a collection in the same SWC) per month NOTE: minimum billing period is one month for DSI to DSG Channel System (with the higher incent connected to a collection in the same SWC) per month NOTE: minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same SWC period minimum billing period is one month of the same same SWC period minimum billing period is one month of the same same SWC period period is one same same SWC period period is one same same SWC period period is one same same SWC period period in the same SWC period period is one same same same SWC period pe						per Lore	per Lore									m		
MAINTELEERS				Add'l														
MULTIPLEXERS	2.00 .00	2.007.																
MUTTIPLEXERS NOTE: minimum billing period is one month for DS1 to DS0 Channel System and interfaces												Rec						
NOTE: minimum Billing period is one month for DS1 to DS0 Channel System and interfaces	N SOMAN	SOMAN SOM	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First		-					
NOTE: minimum billing period is three months for DS3 to DS1 Channel System and interfaces	\longrightarrow			+									-			Cuetem		
DS1 to DS0 Channel System (with the higher-level connected to a collocation in the same SWC) per month UXTD1 MO1 113.33 101.40 71.60 13.79 13.04 7.86	++			+		 							+					
Sociological in the same SWC) per month UNTD1 MQ1 113.33 101.40 71.60 13.79 13.04 7.86	++			+		 							+	l interraces	em and	liei əysi	DS1 to DS0 Channel System (with the higher-level connected to	NOI
D31 to D30 Channel System (used to channelize a D51 Local Channel System (used to channelize a D51 to D30 Channel System (used to channelize a D51 to D30 Channel System (used to channelize a D51 to D30 Channel System (used to channelize a D51 to D30 Channel System (used to channelize a D51 to D30 Channel System (used to D31 Local Channel to D31 Local Channel to D31 Local Channel to D31 Local Channel System (used to Local Channel to D31 Local Channel System (used to Local Channel to D31 Local Channel System (used Local Channel to D31 Local Channel System (used Local Channel to D33 Local Channel System (used Local Channel to D33 Local Channel System (used Local Channel to D33 Local Channel to D33 Local Channel to D33 Local Channel to D33 Local Channel to D33 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D34 Local Channel to D35 Channel System (used to Local Channel to D35 Channel System (used to Local Channel to D35 Channel System (used to Local Channel to D35 Channel System (used to Local Channel to D35 Channel System (used to Local Channel to D35 Local Channel to D35 Channel System (used to Local Channel to D35					'	7.86		13.04	13 79	71 60	101 40	113 33	MO1	LIXTD1				
Channel per month District OSD Channel System (used to channelize a DS1 U1D1 MO1 113.33 101.40 71.60 13.79 13.04 7.86 DSI to DSD Channel System per UD1 U1D1 MO1 113.33 101.40 71.60 13.79 13.04 7.86 DSI Channel System per UD2 U1D1 U1D1 U1D2 U1D2 U1D2 U1D3	-			+		7.00		10.04	10.70	71.00	101.40	110.00	IVIQ I	OXID1				
DST to DSD Channel System (used to channelize a DST Interfedice Channel) per month U1TD1 MO1 113.33 101.40 71.60 13.79 13.04 7.86					'	7.86		13.04	13.79	71.60	101.40	113.33	MQ1	ULDD1				
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64bb; upced for a Local Local to a channel system - per month (2-4-64bb; upced for connection to a channel system - per month (2-4-64bb; upced for connection to a channel system - per month (2-4-64bb; upced for connection to a channel system - per month (2-4-64bb; upced for connection to a channel system - per month used for connection to a channel system - per month used for connection to a channel system - per month used for connection to a channel system - per month used for connection to a channel system - per month used for connection to a channel system - per month used for connection to a channel system - per month used for a Local Local Local Channel in the same SWC as collocation Voice Grade COCI - 105 to DSO Channel System - per month used for a Local																	DS1 to DS0 Channel System (used to channelize a DS1	
month (2.4-8idsb) used for a Local Loop					'	7.86		13.04	13.79	71.60	101.40	113.33	MQ1	U1TD1			Interoffice Channel) per month	
OCU-DP COCI (data) - DSI to DSI Channel System - per month (2.4-64kb) used for connection to a channelized DSI Local Channel in the same SWC as collocation U1TUD 101DD 1.32 10.07 7.08 7.86					1													
month (2.4-64kbs) used for connection to a channelized DS1 Local Channel In the same SWC as collocation U1TUD 101DD 1.32 10.07 7.08 7.86					<u> </u>	7.86				7.08	10.07	1.32	1D1DD	UDL				
Local Channel in the same SWC as collocation U1TUD 101DD 1,32 10,07 7,08 7,86					1 '													
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop UDN					1 '	7.00				7.00	40.0-	4.00	40400	LATUD		1		
month for a Local Loop UDN	+	-		↓		7.86				7.08	10.07	1.32	טטוטו	UTTUD	\vdash	 		
2-wire ISDN COCI (RRTIP) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel I U1TUB					1 '	7.00				7.00	10.07	204	LIC1CA	LIDN		1		
month used for connection to a channelized DS1 Local Channel nith easine SWC as collocation UTUB UC1CA 2.84 10.07 7.08 7.86	+	+		+		7.86	-		 	7.08	10.07	∠.84	UCTCA	אועט	\vdash	1		
In the same SWC as collocation					'													
Voice Grade COCI - DSI to DSO Channel System - per month used for a Local Loop UEA 1D1VG 0.6228 10.07 7.08 7.86 7.86 10.07 7.08 7.86 10.07 7.08 7.86 10.07 7.08 7.86 10.07 7.08					'	7 86				7.08	10.07	2 84	UC1CA	LITUR				
Used for a Local Loop	+			+ +		7.00				7.00	10.01	2.01	00.07.	01102				
Voice Grade COCI - DSI to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation in the same SWC as collocation in the same SWC as collocation in the same SWC as collocation in the same SWC per month					'	7.86				7.08	10.07	0.6228	1D1VG	UEA				
Same SWC as collocation U1TUC 1D1VG 0.6228 10.07 7.08 7.86																		
DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month DS3 to DS1 Channel System (used to channelize a DS3 Local Channel) per month DS3 to DS1 Channel System (used to channelize a DS3 Local Channel) per month DS3 to DS1 Channel System (used to channelize a DS3 Local Channel) per month DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month DS3 to DS1 Channel System (wised to channelize a STS-1 Local Channel) per month DUTS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 STS-1 to DS1 Channel System (used to channelize a STS-1 Local Channel) per month DS1 Channel System (used to channelize a STS-1 Local Channel) per month ULDS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 STS-1 to DS1 Channel System (used to channelize a STS-1 Local Channel) per month UITS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 STS-1 to DS1 Channel System (used to channelize a STS-1 Local Channel) per month UITS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 DS1 COCI used with Loop per month UITS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 DS1 COCI used with Loop per month UITS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 DS1 COCI used with Loop per month UITUA UC1D1 11.80 10.07 7.08 7.08 7.86 DS1 COCI used with Interoffice Channel per month UITUA UC1D1 11.80 10.07 7.08 7.86 DS1 COCI used with Interoffice Channel per month UITUA UC1D1 11.80 10.07 7.08 7.368 81.82 21.56 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 2 UNC1X USBFG 62.57 125.43 73.68 81.82 21.56 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 2 UNC1X USBFG 62.57 125.43 73.68 81.82 21.56 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs					'												used for connection to a channelized DS1 Local Channel in the	
a collocation in the same SWC) per month						7.86				7.08	10.07	0.6228	1D1VG	U1TUC				
DS3 to DS1 Channel System (used to channelize a DS3 Local Channel) per month					'													
Channel per month	\longrightarrow				ļ!	7.86		48.59	50.16	118.62	199.23	158.20	MQ3	UXTD3				
DS3 to DS1 Channel System (used to channelize a DS3 U1TD3 MQ3 158.20 199.23 118.62 50.16 48.59 7.86					'	7.00		40.50	50.40	440.00	400.00	450.00	1400	LII DD2				
Interoffice Channel per month	++			+		7.86		48.59	50.16	118.62	199.23	158.20	IVIQ3	ULDD3				
STS-1 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month					'	7.86		18 50	50.16	118 62	100 23	158 20	MO3	LI4TD3				
to a collocation in the same SWC) per month UXTS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 STS-1 to DS1 Channel System (used to channelize a STS-1 Local Channel) per month ULDS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 STS-1 to DS1 Channel System (used to channelize a STS-1 Interoffice Channel) per month UITS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86 DS1 COCI (used with Loop per month USL UC1D1 11.80 10.07 7.08 7.86 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UITUA UC1D1 11.80 10.07 7.08 7.86 DS1 COCI used with Interoffice Channel per month UITD1 UC1D1 11.80 10.07 7.08 7.86 DS1 COCI used with Interoffice Channel per month UITD1 UC1D1 11.80 10.07 7.08 7.86 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 1 UNC1X USBFG 62.57 125.43 73.68 81.82 21.56 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 2 UNC1X USBFG 87.71 125.43 73.68 81.82 21.56 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 3 UNC1X USBFG 273.33 125.43 73.68 81.82 21.56 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs	+			+		7.00		40.00	30.10	110.02	199.25	130.20	IVIQO	01103				
STS-1 to DS1 Channel System (used to channelize a STS-1 Local Channel) per month ULDS1 MQ3 158.20 199.23 118.62 50.16 48.59 7.86					'	7.86		48.59	50.16	118.62	199.23	158.20	MQ3	UXTS1				
STS-1 to DS1 Channel System (used to channelize a STS-1 Interoffice Channel) per month																		
Interoffice Channel) per month					'	7.86		48.59	50.16	118.62	199.23	158.20	MQ3	ULDS1			Local Channel) per month	
DS1 COCI used with Loop per month																		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month								48.59	50.16									
Channel in the same SWC as collocation) per month	\bot					7.86				7.08	10.07	11.80	UC1D1	USL	$oxed{oxed}$			
DS1 COCI used with Interoffice Channel per month					1 '	7.00				7.00	40.0-	44.00	LICAD4	LIATUA				
Sub-Loop Feeder Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	\longrightarrow			+			-								$\vdash \vdash$!		
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	++			+		7.86			-	7.08	10.07	11.80	UCTDT	וטווטו		-		Cı,L
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	+			+	\vdash	1	-	21.56	81.82	73.68	125 //3	62 57	LISBEG	LINC1X	1	1		oub.
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 3 UNC1X USBFG 273.33 125.43 73.68 81.82 21.56 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES)	+			+	\vdash	1	†									l		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES)	+			+ +														
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES)	+			1				50					1			i e		UNBUNDLE
2-WIRE VOICE GRADE LINE PORT RATES (RES)																	Exchange Ports	Exch
										3	g retail USOCs	e ordered usin	will need to b	he desired features	k TN, th	KY, LA 8		
Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRL 1.49 3.74 3.63 2.23 2.13 7.86																		2-WI
	\bot					7.86		2.13	2.23	3.63	3.74	1.49	UEPRL	UEPSR	$oxed{oxed}$		Exchange Ports - 2-Wire Analog Line Port- Res.	
				1	1 '		1									1		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 7.86	+			↓		7.86		2.13	2.23	3.63	3.74	1.49	UEPRC	UEPSR	\vdash	 	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPRO 1.49 3.74 3.63 2.23 2.13 7.86					1 '	7.00		0.40	2.22	2.62	274	4 40	LIEDRO	LIEDOD		1	Evolungo Porto - 2 Wire Apoles Line Port outgoing anti-	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPRO 1.49 3.74 3.63 2.23 2.13 7.86 Exchange Ports - 2-Wire VG unbundled KY extended local	+			+		7.86		2.13	2.23	3.03	3.14	1.49	UEPKU	ULFOR	\vdash	 		
dialing parity Port with Caller ID - Res. UEPRM 1.49 3.74 3.63 2.23 2.13 7.86					1 '	7.86		2 12	2 23	3.63	3.7/	1 40	UEPRM	LIEPSR		1		
Uraning Parity Polit with California 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	+	+		+		7.00	†	2.13	2.23	5.05	5.74	1.73	OLI AIVI	021 010		1		
					1 '	7.86		2.13	2.23	3.63	3.74	1.49	UEPAP	UEPSR				
Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan							Ì									İ	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan	
without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13 7.86				1	1 '	7.86	1	2.13	2.23	3.63	3.74	1.49	UEPWE	UEPSR		1		

NRONDLE	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ		+	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDDT	4.40	2.74	2.02	2.22	0.40		7.00				
	Capability Subsequent Activity		-	UEPSR UEPSR	UEPRT USASC	1.49 0.00	3.74 0.00	3.63 0.00	2.23	2.13		7.86 7.86			-	-
FEAT			1	OLFSK	USASC	0.00	0.00	0.00	1		1	7.00			1	1
I EAT	All Available Vertical Features		1	UEPSR	UEPVF	0.00	0.00	0.00				7.86			-	
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
	Evebongo Porto, 2 Wire Apolog Line Port outgoing and	1		LIEDED	UEPBO	1.49	3.74	3.63	2.23	2.13		7.00			I	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled KY extended local	-	1	UEPSB	DEARO	1.49	3.74	3.63	2.23	2.13	-	7.86	1		 	-
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86			1	
	Exhange Ports - 2-Wire VG unbundled incoming only port with	1	t	02	52. 5111	1.40	5.74	0.00	2.20	2.10	t	7.00	1		†	†
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan				1				1							
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13		7.86				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13		7.86				
FFAT	Subsequent Activity		1	UEPSB	USASC	0.00	0.00	0.00	-			7.86			1	-
FEAT	URES All Available Vertical Features		1	UEPSB	UEPVF	0.00	0.00	0.00			-	7.86			-	-
EXCH	ANGE PORT RATES (DID & PBX)		1	OLI OD	OLI VI	0.00	0.00	0.00				7.00			-	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89		7.86				
ĺ	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Ports		ļ	UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Vice Unbundled 2-Way PBX Usage Port		-	UEPSP UEPSP	UEPXA UEPXB	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		-	UEPSP	UEPXB	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89		7.86 7.86			-	-
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89	1	7.86			1	1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	OLI OI	OLI AD	1.40	00.00	10.17	10.00	0.00		7.00				
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86			1	
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area	İ			1	-										İ
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86	<u> </u>		<u> </u>	
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port		1	UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86			ļ	
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling			LIEDOD	LIEDY!	4.40	00.05	10.1=	45.00	0.00		7.00			1	
	Port Without LUD 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	1	UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89	1	7.86	-		 	
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		7.86			1	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	 	021 01	JLI AL	1.49	39.03	10.17	13.30	0.09	 	1.00	1		 	
	Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		7.86			1	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	i		-	1				1	2.30			1		1	1
	Discount Room Calling Port	<u></u>		UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89	<u> </u>	7.86			<u> </u>	<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		7.86				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				7.86				
FEAT		ļ	1	HEDOD HESSE	LIED) (E	2.00	2.00				1		ļ			<u> </u>
EVO	All Available Vertical Features	-	₩	UEPSP UEPSE	UEPVF	0.00	0.00	0.00			1	7.86	-		1	-
EXCH	ANGE PORT RATES (COIN) Exchange Ports - Coin Port	-	1		+	1.49	3.74	3.63	2.23	2.13		7.86			 	-
l ocal	Switching Features offered with Port	-	+		+ -	1.49	3.74	3.03	2.23	2.13		1.00			 	\vdash
	: Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to o	ircuit switche	d voice and/or	circuit switche	ed data transm	nission by B-Ch	annels assoc	iated with 2	wire ISDN r	orts.		t	
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	Exchange port - 4-wire ISDN trunk port -all available features				T											
1	included	l	1		UEPEX	101.60	188.36	95.15	61.92	22.67		7.86			I	I

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: B
CHECKEL			l I								Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	l	
			-			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED I	LOCAL EXCHANGE SWITCHING(PORTS)		1		†			7144		71001	0020					
	ANGE PORT RATES															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		7.86				
1 1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															1
\vdash	capability			UEPDD	UEPDD U1PMA	74.77	164.86	77.74	60.69	3.86 14.17		7.86				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered			UEPTX UEPSX UEPTX UEPSX	UEPVF	13.46 0.00	60.60 0.00	50.67 0.00	32.83	14.17		7.86				
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage						ission by B-Ch	annels associ	iated with 2	-wire ISDN r	orts.			
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00				i -		i .		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBUN	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			LIED) (D		1.10	0.71									
 	Unbundled Remote Call Forwarding Service, Area Calling, Res	-	├	UEPVR	UERAC	1.49	3.74	3.63	 		1	7.86		-		\vdash
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.49	3.74	3.63				7.86				1
	Unbundled Remote Call Forwarding Service, InterLATA - Res		<u> </u>	UEPVR	UERTE	1.49	3.74	3.63				7.86				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		1	UEPVR	UERTR	1.49	3.74	3.63	t			7.86				
Non-Re	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10				7.86				
	Unbundled Remote Call Forwarding Service - Conversion with			LIED) (D	110400		0.40	0.40								1
LINDIA	allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus		<u> </u>	UEPVR	USACC		0.10	0.10	1							
UNBUI	NDLED REMOTE CALL FORWARDING - Bus		<u> </u>													\vdash
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63				7.86				1
							Ţ									
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63				7.86				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.49	3.74	3.63				7.86				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.49	3.74	3.63				7.86				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63				7.86				1
Non-Re	ecurring			UEPVB	UERVJ	1.49	3.74	3.03	 			7.00				
Non it	Unbundled Remote Call Forwarding Service - Conversion -		1													
	Switch-as-is			UEPVB	USAC2		0.10	0.10				7.86				1
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
	LOCAL SWITCHING, PORT USAGE															
End Of	ffice Switching (Port Usage) End Office Switching Function, Per MOU	-	ļ			0.0011971			1							
	End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU		1			0.0011971										\vdash
Tander	m Switching (Port Usage) (Local or Access Tandem)		1			0.0002112										
	Tandem Switching Function Per MOU					0.000194										
	Tandem Trunk Port - Shared, Per MOU					0.0002416										
Comm	on Transport															
	Common Transport - Per Mile, Per MOU					0.000003										
LINDINDI ED I	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES	-	 		1	0.0007466			 		-	1				\vdash
	Based Rates are applied where BellSouth is required by FCC at	nd/or St	ate Co	l mmission rule to pro	vide Unhun	dled Local Swi	tching or Swite	h Ports	 		-	-				\vdash
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit.	 				
End Of	ffice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	e Port section of the	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except	for UNE Coi					
The fire	st and additional Port nonrecurring charges apply to Not Curr															
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			-				· · · · ·								
UNE P	ort/Loop Combination Rates		<u> </u>													\Box
	2-Wire VG Loop/Port Combo - Zone 1	.	1			10.79			 		ļ		-	.	-	\vdash
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3			15.52 31.74			 		1	-	-	-	1	\vdash
UNFI	oop Rates		- 3			31.74			+							\vdash
15.72 2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			<u> </u>					1		\vdash
			•	•					•	•		•			•	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: B
					1						Svc Order	Svc Order	Incremental		Incremental	
ĺ											Submitted	Submitted		Charge -	Charge -	Charge -
ĺ		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ĺ		- ""									P =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
ĺ													1st	Add'l	Disc 1st	Disc Add'l
\sqsubseteq						Rec	Nonrec		Nonrecurring					Rates(\$)		
\sqsubseteq							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\sqsubseteq	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37										
\sqsubseteq	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-Wir	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67		7.86				
\vdash	2-Wire voice unbundled port with Caller ID - res	ļ		UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67		7.86				
\vdash	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67		7.86				ļ
1 1	2-Wire voice Grade unbundled Kentucky extended local dialing															
\vdash	parity port with Caller ID - res	ļ		UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		7.86				
1 1	2-Wire voice unbundles res, low usage line port with Caller ID															
$\vdash \vdash \vdash$	(LUM)	-	1	UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86	 	 	-	├
1	2-Wire Voice Unbundled Kentucky Residence Dialing Plan		1	LIEDDY	LIEDWY =						1					
$\vdash \vdash \vdash$	without Caller ID	-	1	UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86	 	 	-	├
1	2-Wire voice unbundled Low Usage Line Port without Caller ID		1	LIEDDY	LIEDDT		04.00	45 10		0.00	1	7.00				
	Capability	_	-	UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67	1	7.86				
FEAT	TURES	1	<u> </u>	LIEDDY	LIED) (E						-					
	All Features Offered	-	1	UEPRX	UEPVF	0.00	0.00	0.00	<u> </u>		<u> </u>	7.86	 	 	-	├
LOCA	AL NUMBER PORTABILITY	ļ	-	HEDDY	LNDOV	0.05					1					-
L	Local Number Portability (1 per port)	ļ		UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														
1 1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
\vdash	Switch-as-is	ļ		UEPRX	USAC2		0.10	0.10				7.86				
1 1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
	Switch with change	ļ		UEPRX	USACC		0.10	0.10				7.86				
ADDI	ITIONAL NRCs	1														
1 1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEBBY												
0.14	Activity	ļ	-	UEPRX	USAS2	0.00	0.00	0.00			1	7.86				-
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	ļ	-		+ +						1					-
UNE	Port/Loop Combination Rates		_		+	10.70										
	2-Wire VG Loop/Port Combo - Zone 1	ļ	1		+ +	10.79					1					-
	2-Wire VG Loop/Port Combo - Zone 2	 	2		+	15.52					-					
	2-Wire VG Loop/Port Combo - Zone 3	 	3		+	31.74					-					
UNE	Loop Rates	1	1	UEPBX	LIEDLY	0.04					-					
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	9.64 14.37					 					
\vdash		1	3	UEPBX	UEPLX	30.59					-					
0.146	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	30.59					-					
Z-VVII	re Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	 	 	UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67	1	7.86	-	-	-	
\vdash	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 	 	UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67	1	7.86	-	-	-	
\vdash	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	 	-	UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86	-	-	-	
\vdash	2-Wire voice dribdridled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing	 	1	OLI DA	OLFBO	1.15	21.29	15.49	2.00	2.07	 	7.00				
1	parity port with Caller ID - bus		1	UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67	1	7.86				
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus	 	 	UEPBX	UEPBNI UEPB1	1.15	21.29	15.49	2.85	2.67	1	7.86	 	 	 	
	2-Wire Voice Unbundled Kentucky Business Dialing Plan	t	 	OLI DA	OL1 D1	1.13	21.29	15.49	2.03	2.07	 	7.00	 	 	 	
1	without Caller ID		1	UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67	1	7.86				
	2-Wire voice unbundled Incoming Only Port without Caller ID	t	 	521 D/	JE1 111	1.13	21.29	15.45	2.00	2.07	 	1.00	 	 	 	
1	Capability		1	UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67	1	7.86				
LOC	AL NUMBER PORTABILITY	 	 	OLI DA	OLI DL	1.13	21.29	15.45	2.03	2.07		7.00				
1200	Local Number Portability (1 per port)	t	 	UEPBX	LNPCX	0.35					†	 	 	 		
FFΔ	FURES	t	 	521 D/		0.55			 		 	 	 	 	 	
	All Features Offered	t	 	UEPBX	UEPVF	0.00	0.00	0.00			†	7.86	 	 		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	t		J	0.00	0.00	0.00			1	7.00	 	 	 	†
1.514	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l –	t	1	1											
1 1	Switch-as-is			UEPBX	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	+	t		1		50	5.10			1		 	 	 	†
1	Switch with change		1	UEPBX	USACC	J	0.10	0.10			1	7.86				
ADD	TIONAL NRCs	t -		52. D/(20,100		0.10	5.10				7.00				†
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	t	 	1						1		 	 	 	†
		1	1	1	1				ı	I	1	1	l	ı	l	1
[]	Activity			UEPBX	USAS2		0.00	0.00			I	7.86				

UNBI	JNDLFI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
			1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE PO	ort/Loop Combination Rates		1			10.70										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2		+	10.79 15.52										
		2-Wire VG Loop/Port Combo - Zone 3	-	3		_	31.74					1	-				
-	LINE L	pop Rates	<u> </u>	3		_	31.74						1		1	1	
		2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPRG	UEPLX	9.64					-					
		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	14.37					1	1		1		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)	1														
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res	<u></u>	L	UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67	<u></u>	7.86		<u> </u>	L	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				7.86				
	FEATU																
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED								ļ							
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -													1	1	
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				7.86				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91				7.86				
	ADDITI	ONAL NRCs		-		_											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0.00	0.00	0.00				7.86				
-		Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	-		UEPRG	USAS2	0.00	0.00	0.00	1			7.86		-	-	
		Group						7.86	7.86				7.86				
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+		7.00	7.00			1	7.00				
		ort/Loop Combination Rates	<u> </u>	-								-					
	0.1.2.1	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
1																	
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86		L	L	
		Line Side Unbundled Outward PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86		L	L	
	ļ	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67		7.86		1	1	
	\vdash	2-Wire Voice Unbundled PBX LD Terminal Ports	!	<u> </u>	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67		7.86		ļ	ļ	
⊢	—	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<u> </u>	ļ	UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67	-	7.86		-	-	
<u> </u>	-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	!	<u> </u>	UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67		7.86		 	 	
<u> </u>	-	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	!	<u> </u>	UEPPX UEPPX	UEPXC	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67		7.86 7.86		 	 	
-	\vdash		 	<u> </u>	UEPPA	UEPXD	1.15	21.29	15.49	2.85	2.67	1	7.86		 	 	
1		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	1	1	UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67		7.86		I	I	
	1	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area	 	 	OLFFA	UEFAE	1.15	21.29	15.49	2.85	2.07	 	7.86		 	 	
		Calling Port without LUD	1	1	UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67		7.86		I	I	
—		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	 	-	UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67	—	7.86		t	t	
-		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port	1	l —	UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67	 	7.86		I	I	
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port	†			22.74.	0	220	.0.40	2.00	2.07				1	1	
		without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67		7.86		1	1	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1							1							
		Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86		1	1	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ														
		Room Calling Port	<u></u>	L	UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67	<u></u>	7.86		<u> </u>	L	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port	<u> </u>		UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86		<u> </u>		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
						Dee	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
i						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				7.86				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				7.86				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				7.86				
ADDI.	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	LIEAGO	0.00	0.00	0.00				7.00				
\vdash	Subsequent Activity Change/Pearrange Multiline Hunt	1	-	UEPPX	USAS2	0.00	0.00	0.00			1	7.86	-			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86				7.86				
2 14/15	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR) DT			+		7.00	7.00			 	7.00				+
	Port/Loop Combination Rates	I .	!		+				 		1		l		l	
O.V.E.	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+ -	10.79					1					
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										†
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										†
UNE	Loop Rates		Ť								İ					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	30.59										
2-Wir	e Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI GO	OLITAN	1.10	21.23	13.43	2.00	2.07	1	7.00				
	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward with Operator Screening and Blocking:						220	.5.76	2.50	2.57			İ		İ	
	011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86				
1 1	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67		7.86			İ	
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67		7.86				
ADDI:	TIONAL UNE COIN PORT/LOOP (RC)	†	†	00	52. 510	1.10	21.20	10.40	2.00	2.01	1	7.00				
1.20	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00			İ		İ	1
LOCA	L NUMBER PORTABILITY					-			1							
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10				7.86				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00	<u> </u>			7.86				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (RES)				•		•						
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90					l					L

Svc Order Svc Order Submitted Submitted Submitted Charge - Charge	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
ATT BLEMENTS ATT BLEMENTS AND	CHI-CHI-LL					T I						Svc Order	Svc Order				Incremental
ATT CLEAR OF THE LEMENTS March 1 March 2																	
ATTECH AT			Intori											_			
Part Part	CATEGORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)								
Note 1			m									po. 2011	po. 2011				
Part																	
William Company Comp																Disc 1st	Disc Add I
29/06 NG Local Characterior Composition 2 2 1 1 1 1 1 1 1 1							Rec										
SWIN DVS LogDIT Principal Control - 2004 3 3 3 3 3 4 5 4 5 5 5 5 5 5 5								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Month Company Compan																	
EVER YORK Grade Loop (1922, 7-20re 1 1 LEFFE L				3			34.45										
A-Wite Votes Grant Long (Stat.) - Zero 2 2 (EPFR SEPT 17.65	UNE LO					115050	40.00										
2-We vand closed Long CBI 200 a. 3 6-PPR UICC2 31.22			-	1													
Description Description												-					
2-Wire vace untunded port - residence UPPR UP	2 Wire		-	3	UEPFR	UECF2	33.22										
2-Wire voto unbundled port with Califor ID - res	Z-Wife		1		LIEDED	LIEDDI	1 22	129.06	6/ 11	61.02	0.07		7 96				
2-We voice disease underliked port outgoing only - res Capter			1														
2-We was Grade urbundled Kenucky sectored local dailing party port with Caller D UEPPR UEPAP 1.23 128.06 64.11 61.92 9.97 7.96	 			-													
Design part with Califor ID - res 2-Vive voice unbrundled rest, low usage line port with Califor ID			†		<u> </u>	JL: 1(0	1.23	120.30	04.11	01.32	3.31	-	1.00				
2-Wire vote unbundles res, low usage line port with Caller D UEPPR UEPA			1		UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97		7.86				
CLUM Comment							5	.20.00	011	552	0.07					İ	
2-Wine Votor Unburdent Gemindery Residence Dellang Plans					UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97		7.86				
Webout Caller ID		1 - 7				1	5				2.3.					İ	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPPR					UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97		7.86				
Termination	INTER	OFFICE TRANSPORT															
Interdifice Transport - Dedicated - 2 Wire Vicio Grade - Per Mile UEPFR LLSXX 0.0095		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
FRATURES UEPFR UEPFR UEPFR O.00		Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
REATURES		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
All Features Offered UEPFR UEPFR UEPFR USAC UEPFR UE					UEPFR	1L5XX	0.0095										
COCAL NUMBER PORTABILITY	FEATU	IRES															
Local Number Proteility (1 per part)					UEPFR	UEPVF	0.00	0.00	0.00				7.86				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	LOCAL																
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port USACZ 9.03 1.87 7.86					UEPFR	LNPCX	0.35										
Combination - Conversion - Switch-as-is UEPFR USACZ 9.03 1.87 7.86	NONRE																
2-Wire Loop / Dedicated ID Transport / 2 Wire Line Port USACC 9.03 1.87 7.86																	
Combination - Conversion - Switch-With-Change UEFFR USACC 9.03 1.87 7.86					UEPFR	USAC2		9.03	1.87				7.86				
WINE POLICE COPY ZWIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)					LIEDED	110400		0.00	4.07				7.00				
WIKE Port/Loop Combination Rates	2 WIDE			ODT (USACC		9.03	1.87			-	7.86				
2-Wire VL Loop/I/O Tranport/Port Combo - Zone 2			LINE	JORT (503)	+	-										
2-Wire VG Loop/IO Transport/Port Combo - Zone 2 2 18.68 34.45	UNLF			1		+	13.90			1							
2-Wire Voice Grade Loop (SL2) - Zone 1	 					+				1							
UNE Loop Rates						+ -											
2-Wire Voice Grade Loop (SL2) - Zone 1	UNF L			Ŭ			04.40										
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFB UECF2 17.45	10.112.21			1	UEPFB	UECF2	12.67										
2-Wire Voice Grade Line Port (Bus) 3 UEPFB UECF2 33.22			1	2								İ				l	
2-Wire Voice Grade Line Port (Bus)			İ	3	UEPFB	UECF2	33.22										
2-Wire voice unbundled port without Caller ID - bus UEPFB UEPBL 1.23 128.96 64.11 61.92 9.97 7.86	2-Wire																
2-Wire voice unbundled port outgoing only - bus UEPFB UEPBO 1.23 128.96 64.11 61.92 9.97 7.86		2-Wire voice unbundled port without Caller ID - bus						128.96	64.11								
2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus Dept.																	
Parity port with Caller ID - bus					UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97		7.86				
2-Wire voice unbundled incoming only port with Caller ID - Bus UEPFB UEPB1 1.23 128.96 64.11 61.92 9.97 7.86																l	
2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID UEPFB UEPWF 1.23 128.96 64.11 61.92 9.97 7.86																	
Without Caller ID			ļ		UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97		7.86				
LOCAL NUMBER PORTABILITY					LIEDED	LIEDA:		,									
Local Number Portability (1 per port)	1.004		!		NELLR	UEPWF	1.23	128.96	64.11	61.92	9.97		7.86				
INTEROFFICE TRANSPORT	LOCAL		 	-	UEDED	LNDCY	2.05									 	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	INTER		-		UEPFB	LINPUX	0.35										
Termination	INTER		 	<u> </u>		+	+					-				 	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile UEPFB 1L5XX 0.0095 UEPFB 1L5XX 0.0095 UEPFB UEPFB UEPFF 0.00 0.00 0.00 0.00 7.86 UEPFB UEPFB UEPFF 0.00 0.00 UEPFFF UEPFFF UEPFFF UEPFFF UEPFFFF UEPFFF U					LIEDER	111T\/2	23.05	98 00	53 67	56 21	22.42		7 96				
or Fraction Mile UEPFB 1L5XX 0.0095 Image: Control of the control	 		1		CLIID	J11 VZ	23.93	30.09	55.07	50.51	22.42		1.00			l	
FEATURES LEPFB UEPVF 0.00 0.00 7.86 7.86					LIEPER	11.5XX	0 0095	J									
All Features Offered UEPFB UEPVF 0.00 0.00 0.00 7.86	FFATI		†		02110	ILONA	3.0033					-					
	LATO				UEPFB	UEPVF	0.00	0.00	0.00				7.86				
	NONRE						2.30	2.00	2.00				50				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87				7.86				1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
	Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87				7.86				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates		4			13.90										
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 2		+	18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45			 							
UNE L	oop Rates		Ť			00					1					
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22				·						
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
				LIEDED	LIEDES			=0.5=								1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		-	UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73		7.86				—
\vdash	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus		-	UEPFP UEPFP	UEPPO UEPP1	1.23 1.23	164.27 164.27	78.65 78.65	75.05 75.05	8.73 8.73	-	7.86 7.86				——
	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73	-	7.86				——
	2-Wire Voice Unbundled 1-BX LD Terminal Torts 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73	1	7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73		7.86				1
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															1
	Calling Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73	-	7.86				
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73		7.86				l .
\vdash	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLFIF	OLFAU	1.23	104.21	70.03	73.03	0.73		7.00				
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73		7.86				i .
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								10.00							
	Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73		7.86				l .
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73		7.86				
LOCAL	NUMBER PORTABILITY			LIEDED	LNPCP	0.45	0.00	0.00								+
INTED	Local Number Portability (1 per port) OFFICE TRANSPORT			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										 					
	Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				1
 	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1	20.00	55.55	33.31	55.51	+_	1					
<u> </u>	or Fraction Mile			UEPFP	1L5XX	0.0095			<u> </u>		<u></u>		<u> </u>			L
FEATU	IRES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				7.86				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110400		0.00	4.6=				7.00				ĺ
\vdash	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		9.03	1.87	 		-	7.86				
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87				7.86				i i
UNBUNDI FD	PORT/LOOP COMBINATIONS - COST BASED RATES			OLI I I	00/100	+	9.03	1.07			-	1.00				
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT				 					<u> </u>					
	ort/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08		•		· · · · ·						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			41.85										
UNE L	oop Rates										1					

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
		Intori										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										p	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
\vdash	0.00		.	LIEDDY			10.07	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX		UECD1	12.67						7.86				
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17.45						7.86				
LINE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 Port Rate		3	UEPPX		UECD1	33.22						7.86				
UNE	Exchange Ports - 2-Wire DID Port	-		UEPPX		UEPD1	8.63	336.11	27.75	132.37	9.31	-	7.86				
NONE	RECURRING CHARGES - CURRENTLY COMBINED			ULFFA		OLFDI	0.03	330.11	21.13	132.37	9.31		7.00				
INOIN	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87				7.86				
ADDI	FIONAL NRCs			021170		00/110		7.00				1	7.00		1		
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25				7.86				
Telep	hone Number/Trunk Group Establisment Charges					1		-									
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				7.86				
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				7.86				
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		25.69										
—	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	1	UEPPB	UEPPR		25.69					-					
	UNE Zone 2		2	UEPPB	UEPPR		31.92										
H	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLFFB	ULFFR		31.92					1			1		
	UNE Zone 3		3	UEPPB	UEPPR		50.21										
UNF	Loop Rates		Ŭ	OLITE	OLITIK		00.21					1			1		
10.112	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10						7.86				
															t		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33						7.86				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63						7.86				
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86				
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port														1		
—	Combination - Conversion	ļ		UEPPB	UEPPR	USACB	0.00	22.77	17.00				7.86		ļ		
	TIONAL NRCs	<u> </u>				!				ļ		-			-		
LOCA	L NUMBER PORTABILITY	 	-	HEDDO	HEDDE	LNDCY	0.05	0.00	0.00	1					 		
B C''	Local Number Portability (1 per port) ANNEL USER PROFILE ACCESS:	 	-	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	1					 		-
B-CH.	CVS/CSD (DMS/5ESS)	1	 	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1					 		
	CVS (EWSD)	 	 	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00						 		
	CSD CSD	†		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	1		 			I		
В-СН	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. &	TN)	22.10	JE. 1 IX	3.000	0.00	0.00	0.00	1		 			I		
	CVS/CSD (DMS/5ESS)	, -, -,		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00						1		
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00						1		
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE					ļ											
	Interoffice Channel mileage each, including first mile and			l		l					_				I		
\vdash	facilities termination	ļ			UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75		7.86		1		
<u> </u>	Interoffice Channel mileage each, additional mile	(UEPPB	UEPPR	M1GNM	0.01	0.00	0.00				7.86		ļ		
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	PORT				!				ļ		-			-		
UNE	Port/Loop Combination Rates	 	-			 				1					 		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			170.06								I		
oxdot	Zone 1			UEPPP		l	170.06					1			1		

ONBONDLE	D NETWORK ELEMENTS - Kentucky			T							1_	-		ment: 2	+	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	LIEDDD		407.70										
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP		197.70					.					-
	Zone 3		3	UEPPP		381.35										
UNE	oop Rates		-	OLITI		301.33					†					
OIL E	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86.47					i e	7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	114.10					İ	7.86				1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	297.76						7.86				
UNE P	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				ļ
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			HEDDD	LICACD	0.00	04.70	C4 07				7.00				
ADDIT	Combination - Conversion -Switch-as-is		-	UEPPP	USACP	0.00	81.70	61.37			ļ	7.86				-
ADDII	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		 		+						1			 	 	+
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54					7.86				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI	110711		0.04				i e	7.00				
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71				7.86				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -										İ					
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41				7.86				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00			ļ					_
	Digital Data		1	UEPPP UEPPP	PR71D PR71E	0.00	0.00	0.00			1					
Now	Inward Data		1	UEPPP	PR/1E	0.00	0.00	0.00			.					.
New 0	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48					7.86				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48					7.86				+
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48				†	7.86				
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								ļ
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP UEPPP	1LN1A	96.27 0.23	105.52	98.46	23.09	20.49	ļ	7.86				
4 WID	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1	UEPPP	1LN1B	0.23					.					.
	Port/Loop Combination Rates		1		+						<u> </u>			-	1	
0.12	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	147.99					1				1	t
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10						7.86				ļ
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76						7.86				_
UNE P	Port Rate 4-Wire DDITS Digital Trunk Port		├	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98	-	7.86			1	
NOND	ECURRING CHARGES - CURRENTLY COMBINED		-	UEPDC	ווטטטו	61.52	780.03	3/0.52	176.19	16.98	-	7.86	-		-	+
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1		+						<u> </u>			-	1	
	- Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86				
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				33.134		52.54	70.70				7.00			1	
	- Conversion with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination							-								1
	- Conversion with Change - Trunk	L	L	UEPDC	USAWB		92.84	46.70	<u> </u>		<u></u>	7.86		<u> </u>		<u> </u>
ADDIT	TONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
1	Subsequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA		15.09	15.09				7.86		l		<u> </u>

BUNDLED N	NETWORK ELEMENTS - Kentucky													ment: 2	1	bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	nannel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86				
4-V	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
Act	tivation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				
4-V	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	tivation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86				
4-V	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	tivation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				7.86				
	8 ZERO SUBSTITUTION															
B82	ZS -Superframe Format			UEPDC	CCOSF		0.00	730.00				7.86				
B82	ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	730.00				7.86				
	Mark Inversion															
	/II -Superframe Format			UEPDC	MCOSF		0.00	0.00								
AM	/II - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone	Number/Trunk Group Establisment Charges															
Tel	lephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00				7.86				
	lephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00				7.86				
Tel	lephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00				7.86				
DIE	D Numbers for each Group of 20 DID Numbers		ĺ	UEPDC	ND4	0.00	0.00	0.00				7.86				
DIE	D Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00	0.00	0.00				7.86		Î		
Res	serve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				7.86		Î		
	eserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				7.86		Î		
Dedicated	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
Inte	eroffice Channel Mileage - Fixed rate 0-8 miles (Facilities													Î		
Ter	rmination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				
	ŕ		ĺ													
Inte	eroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
Inte	eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities													Î		
	rmination)			UEPDC	1LNO2	0.00	0.00	0.00								
Inte	eroffice Channel Mileage - Additional rate per mile - 9-25				1											
mil				UEPDC	1LNOB	0.45	0.00	0.00								
Inte	eroffice Channel Mileage - Fixed rate 25+ miles (Facilities		ĺ													
Ter	rmination)			UEPDC	1LNO3	0.00	0.00	0.00								
	,				1											
Inte	eroffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
Loc	cal Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	entral Office Termininating Point			UEPDC	CTG	0.00										
	S1 LOOP WITH CHANNELIZATION WITH PORT															
System is	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
Each Syste	em can have up to 24 combinations of rates depending on	type ar	d num	ber of ports used												
UNE DS1 L				·												
4-V	Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00						Î		
4-V	Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00						Î		
4-V	Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
UNE DSO	Channelization Capacities (D4 Channel Bank Configuration	ıs)														
	DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	111.16	0.00	0.00				7.86				
	DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00				7.86				
96	DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00				7.86				
144	4 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00				7.86				
192	2 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00			İ	7.86	İ			
	0 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,111.60	0.00	0.00				7.86				
	8 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00			İ	7.86	İ			
	4 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00				7.86	ĺ	ĺ		
	0 DS0 Channel Capacity - 1 per 20 DS1s		i –	UEPMG	VUM4O	2,223.20	0.00	0.00	†		1	7.86	İ	İ	İ	
	6 DS0 Channel Capacity -1 per 24 DS1s		i –	UEPMG	VUM57	2,667.84	0.00	0.00	†		1	7.86	İ	İ	İ	
	2 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,112.48	0.00	0.00	†			7.86	İ	İ	t	
	rring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chanr						2.30	†		1		İ	İ	İ	
	m System configuration is One (1) DS1, One (1) D4 Channel								1		i	i	İ	İ	1	T T
	of this configuration functioning as one are considered Ad								 		1	1	1	1	1	-

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	NRC - Conversion (Currently Combined) with or without				+		FIISt	Auu i	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24				7.86				
	n Additions at End User Locations Where 4-Wire DS1 Loop with				oination Curre	ntly Exists and										
New (N	lot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	от гор	8 MSA	i's	+				-				-			
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77		7.86				
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent								ĺ							
	Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				7.86				
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	730.00				7.86				İ
Alterna	ate Mark Inversion (AMI)			UEFING	CCOEF	0.00	0.00	730.00				7.00	<u> </u>			
7.1.0	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00	†				t			
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		7.86				İ
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		7.86	 			
	EINE GIGE GRANAR CHAINCIECUT EXTITUTIVI ON EUGINGSS			OLITA	OLI OX	1.10	0.00	0.00	0.00	0.00		7.00				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		7.86				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															l
	(AL, KY, LA, MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00		7.86				İ
	Unbundled Exchange Ports, 2-Wire Channelized – Combination			UEFFA	UEPCT	1.15	0.00	0.00	0.00	0.00		7.00	 			
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															İ
	Service)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	Kentucky Only – Calling Plan			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00		7.86				——
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00		7.86				İ
Featur	e Activations - Unbundled Loop Concentration			OLITA	OLI OW	1.15	0.00	0.00	0.00	0.00		7.00				
1 2 2 2 2 2 2	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15		7.86				
	Feature (Service) Activation for each Trunk Port Terminated in															l
Tolonh	D4 Bank one Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54		7.86	1			
reiepn	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00	 			7.86				
1	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				7.86				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	<u> </u>			7.86				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				7.86				
11	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	 		ļ	7.86				
Local	Number Portability Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00					<u> </u>			
FFATI	IRES - Vertical and Optional			ULFFA	LINFUF	3.15	0.00	0.00	 							
	Switching Features Offered with Line Side Ports Only					1										
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - Co								dlad Bort costi	n of this Date	Evhibit		-			1
	Office and Tandem Switching Usage and Common Transport											oin Port/I	on Combinat	ions.		
	first and additional Port nonrecurring charges apply to Not Cu														Additional NR	Cs mav
apply a	also and are categorized accordingly.	•			•		•	5 300				3	,			,
	ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual C	ase Basis, unt	il further notice	9.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)				1						 					<u> </u>
UNE P	orgeop combination rates (Non-Design)		<u> </u>						ı		<u> </u>	I	1	L		

Version 1Q03: 02/28/03 Page 169 of 420

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
04750001/	DATE EL EMENTO	Interi	-	D00				DATEO (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						11130	Addi	11130	дии	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Non-Design		1	UEP91		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design ,		2	UEP91		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		31.74										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
\vdash	Design		2	UEP91	1	18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91		34.37					1					
LIME	Design Loop Rate		3	UEF91	+	34.37										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64					-	7.86				
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37			 			7.86		 		
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	3	UEP91	UECS1	30.59						7.86		 		
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	33.22						7.86				
UNE F																
All St	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				l											
	Center)2 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOA	LIEDV7	4.45	04.00	45.40	0.05	0.07		7.00				
———	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLF91	OLF 19	1.13	21.25	13.49	2.00	2.07		7.00				
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AI.K	Y, LA, MS, & TN Only			OLI 91	OLI 12	1.10	21.23	10.40	2.03	2.07		7.00				
7.2,10	2-Wire Voice Grade Port (Centrex)		†	UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86		İ		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67	İ	7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67	İ	7.86		İ		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			-									-			
	Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86		ļ		
	2-Wire Voice Grade Port Terminated on 800 Service Term		ļ	UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67	ļ	7.86		ļ		
Local	Switching Control Intersem Funtionality per part		-	LIED04	LIBECC	0.0070					-	7.00		 		
I ac-I	Centrex Intercom Funtionality, per port Number Portability		-	UEP91	URECS	0.8873						7.86		 		
Local	Local Number Portability (1 per port)		-	UEP91	LNPCC	0.35					-	-				
Featu				OLF31	LINFOU	0.33			 					 		
i catu	All Standard Features Offered, per port		†	UEP91	UEPVF	0.00					†	7.86				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86		1		
NARS				-	1	2.23								İ		
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				7.86				
Misce	ellaneous Terminations															

	ETWORK ELEMENTS - Kentucky	1											Attachi			bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	•	Charge -	Charge -	Charge -
OATE OODY	DATE EL EMENTO	Interi	-	D00	11000			DATEO (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Trunk	k Side															
	k Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86				
	Channel Mileage - 2-Wire															
	office Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29.11						7.86				i
	office Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.01						7.86				
	ivations (DS0) Centrex Loops on Channelized DS1 Service	e														
	Bank Feature Activations			LIEBO4	400040	0.00						7.00				
Featt	ure Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62						7.86				
Foot	ura Activation on D. 4 Channal Bank EV line Cida Laan Clat			UEP91	1PQW6	0.62						7.86				ı l
	ure Activation on D-4 Channel Bank FX line Side Loop Slot ure Activation on D-4 Channel Bank FX Trunk Side Loop	1	\vdash	OLF91	IFUVVO	0.62	+				1	7.80				
Slot		1		UEP91	1PQW7	0.62	1					7.86				ı l
	ure Activation on D-4 Channel Bank Centrex Loop Slot -			02.01		0.02	1					7.50				$\overline{}$
	erent Wire Center	1		UEP91	1PQWP	0.62	l					7.86				, l
		i			1						İ					
Feati	ure Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62						7.86				i l
Feati	ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
Slot				UEP91	1PQWQ	0.62						7.86				1
	ure Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62						7.86				i
	ing Charges (NRC) Associated with UNE-P Centrex															
	version - Currently Combined Switch-As-Is with allowed															ı l
	nges, per port			UEP91	USAC2		0.102	0.102				7.86				\vdash
	version of Existing Centrex Common Block Centrex Standard Common Block			UEP91 UEP91	USACN M1ACS	0.00	18.95 669.80	8.32 78.32	111.05	13.27		7.86				
	Centrex Standard Common Block Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27	-	7.86				
	ondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27		7.86				
	Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75	70.32	13.21	13.21		7.86				
	TREX - 5ESS (Valid in All States)			OLI 01	ORLOR	0.00	12.10					7.00				
	.oop/2-Wire Voice Grade Port (Centrex) Combo															
	pop Combination Rates (Non-Design)															
2-Wir	ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	-Design		1	UEP95		10.79										
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ı l
	-Design		2	UEP95	\perp	15.52										
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOS		04.74										i l
	-Design pop Combination Rates (Design)		3	UEP95	+	31.74										
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											$\overline{}$
Desig			1	UEP95		13.82										ı l
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i –	H		1	.0.02	1									
Desig		1	2	UEP95	1	18.60	l									,]
2-Wir	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				T		İ									
Desig			3	UEP95		34.37										
UNE Loop R																
	ire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64						7.86				
	ire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP95	UECS1	14.37						7.86				
	ire Voice Grade Loop (SL 1) - Zone 3 ire Voice Grade Loop (SL 2) - Zone 1	-	3	UEP95 UEP95	UECS1 UECS2	30.59 12.67						7.86 7.86		-		
	ire Voice Grade Loop (SL 2) - Zone 1	 	2	UEP95	UECS2	17.45	+				-	7.86				
	ire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22	+					7.86				
UNE Port Ra				02. 00	32002	00.22	1					7.50				
All States					1		i									
	ire Voice Grade Port (Centrex) Basic Local Area	i		UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67	İ	7.86				i
	ire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wir	ire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Area				UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	ire Voice Grade Port (Centrex from diff Serving Wire	1						4=								, l
Cente	ter)2 Basic Local Area	l		UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				

ONRONDLED	NETWORK ELEMENTS - Kentucky			ı							1_			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBOE	LIEDV7	4.45	04.00	45.40	0.05	0.07		7.00				
	Term - Basic Local Area		ļ	UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67	-	7.86				
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				L
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area LA, MS, SC, & TN Only		ļ	UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67	-	7.86				
				UEP95	UEPQA	1 15	24.20	1E 10	2.85	2.67	 	7.06				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		ļ	UEP95	UEPQA	1.15 1.15	21.29 21.29	15.49 15.49	2.85	2.67	-	7.86 7.86				
											-					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67	-	7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				İ
2	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
T	Term		-	UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				-
2	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local Sw																
C	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873						7.86				
Local Nu	umber Portability															
L	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features	5															
А	All Standard Features Offered, per port			UEP95	UEPVF	0.00						7.86				
А	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66					7.86				
Α	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				7.86				
L	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86				
	neous Terminations															
	runk Side															
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				<u> </u>
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, each	ļ	ļ	UEP95	M1HDO	0.00	15.09					7.86	ļ		ļ	
	ce Channel Mileage - 2-Wire	ļ	<u> </u>		1											
	nteroffice Channel Facilities Termination	ļ	<u> </u>	UEP95	M1GBC	29.11					ļ	7.86			ļ	<u> </u>
	nteroffice Channel mileage, per mile or fraction of mile	l	<u> </u>	UEP95	M1GBM	0.01						7.86				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>		+								ļ		ļ	
	anel Bank Feature Activations	ļ	<u> </u>	LIEBOE	400000	2.00					-					
IF	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ	<u> </u>	UEP95	1PQWS	0.62					-	7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62						7.86				<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW7	0.62						7.86				1
F	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center		-	UEP95	1PQWP	0.62						7.86				$\vdash \vdash$
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		-	UEP95	1PQWV	0.62						7.86				
S	Slot			UEP95	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62						7.86				
	curring Charges (NRC) Associated with UNE-P Centrex															
N	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port		<u></u>	UEP95	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32				7.86				
N	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
N	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75					7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
ļ							Namana		Name and a summittee of	Dianamant					2.00 .01	
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
UNE-P	CENTREX - DMS100 (Valid in All States)				+		FIISt	Addi	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		1	UEP9D		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 9D	+	13.32										
	Non-Design		3	UEP9D		31.74										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 3D		13.02										
	Design		2	UEP9D		18.60										<u>. </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D	1	34.37										
UNE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22						7.86				
	ort Rate															
ALL ST																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86				1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86				ı
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYU				2.85	2.67		7.86				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local					1.15	21.29	15.49								
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		-	UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67		7.86				
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86				

Proceedings	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	oit: B
No. State				Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
No. State			1			+ -		Nonred	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
Solver Vision Grade Per (Connecedities SVPC-EBS-6000L-2 DEPTO 11-16 21-29 15-69 2.66 2.67 7.66			1			+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Basic Loss Area 15-09 15-09 2.69 2.67 7.66		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2. 3	1						71441		71001	0020	00			00	00
Beals Local Page					UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86				
Best Local Area Average Averag					UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67		7.86				
Renct Local Assa		Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		7.86				
Seate Locar Area		Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67		7.86				
Basic Local Area					UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67		7.86				
Basic Local Area		Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86				
Term UEPPD UEPPZ 1.15 21.29 15.49 2.85 2.67 7.86		Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				
Basic Local Area UEPPO UEPY9 1.15 21.29 15.49 2.86 2.67 7.86 2.67		Term			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
Local Area UEP90 UEP72 1.16 21.29 15.49 2.85 2.67 7.86		Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
2-Winr Volce Grade Port (Centrex) UEPOD UEPOB 1.15 21.29 15.49 2.85 2.67 7.86		Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex (BO) termination)	AL, KY		<u> </u>	1	LIEDOD	LIEDO:		2.2-			2	1					
2-Wire Voice Grade Port (Centrex / EBS-RSET)3			1	1								1		 	 		
2-Wire Voice Grade Port (Centrex / EBS-M6509)3			1	1								1		 	 		
2-Wire Voice Grade Port (Centrex / EBS-M55103)	\vdash		1	1								-		-	-		
2-Wire Voice Grade Port (Centrex / EBS-M6312)3 UEPDD UEPCF 1.15 21.28 15.49 2.85 2.67 7.86	 		 	1										 	 		
2-Wire Voice Grade Port (Centrex / EBS-M503(3)			 									-					
2-Wire Voice Grade Port (Centrex / EBS-M5008)3			i –											İ	İ		
2-Wire Voice Grade Port (Centrex/EBS-MS209)3			i –											İ	İ		
2-Wire Voice Grade Port (Centrex (EBS-MS316))					UEP9D	UEPQU	1.15		15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex with Caller ID) 3-Wire Voice Grade Port (Centrex/Galler ID/Meg Witg Lamp Indication)3 4-Wire Voice Grade Port (Centrex/Meg Witg Lamp Indication)3 5-Wire Voice Grade Port (Centrex/Meg Witg Lamp Indication)3 5-Wire Voice Grade Port (Centrex/Meg Witg Lamp Indication)3 5-Wire Voice Grade Port (Centrex/Meg Witg Lamp Indication)3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 5-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 5-Wire Voice Grade																	
2-Wire Voice Grade Port (Centrex/Caller IDMsg Wig Lamp UEP9D UEPQW 1.15 21.29 15.49 2.85 2.67 7.86																	
Indication/3				$oxed{oxed}$	UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/Mgr Wtg Lamp Indication)3		,				I I				l _	_						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 UEP9D UEP0D 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS09)2, 3 UEP9D UEPQD 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS09)2, 3 UEP9D UEPQD 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS09)2, 3 UEP9D UEPQD 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS112)2, 3 UEP9D UEPQD 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS312)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS08)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS08)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS08)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS08)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS08)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS016)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS016)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS016)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS016)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86	\vdash		.	1										 	.		
Pepp UEPQM 1.15 21.29 15.49 2.85 2.67 7.86	\vdash		 	1	UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 UEP9D UEPQD 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5012)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5012)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1		22-vviile voice Grade Fort (Centrex from diff Serving vviile Center)	1		LIEP9D	LIEDOM	1 15	21 20	15 /0	2.95	267		7 96				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M509)2, 3 UEP9D UEPQQ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-Sc99)2, 3 UEP9D UEPQQ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port termina	 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSFT)2 3	 	1								 		 	 		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ4 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ6 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQ2 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.15 21.29 15.49 2.85 2.67 7.86			1			1	0	220	.0.10	2.50	2.57	l					
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQG 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQT 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQT 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1		UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ4 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				-
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
Term					UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				
					UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
		O Miss Vaige Conds Book towning to U.S. A Mary Pales			LIEDOD	LIEDOS		04.00	45.40	0.5-	0.6-		7.00				
	\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	1	1	UEP9D UEP9D	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86	 	!		

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
		,										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local S	Switching			LIEDAD		0.00=0						=				
-		Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0.8873					1	7.86				
-	Local N	lumber Portability			LIEDAD	LNIDOO	0.05										
-	F 1	Local Number Portability (1 per port)		-	UEP9D	LNPCC	0.35					1					
_	Feature				LIEDOD	UEPVF	0.00					-	7.00				
_		All Standard Features Offered, per port All Select Features Offered, per port		-	UEP9D UEP9D	UEPVF	0.00	405.66				-	7.86 7.86				
		All Centrex Control Features Offered, per port			UEP9D	UEPVS	0.00	405.00				 	7.86				
_	NARS	All Centrex Control Features Offered, per port		-	UEP9D	UEFVC	0.00					-	7.00				
-	NANO	Unbundled Network Access Register - Combination	-	-	UEP9D	UARCX	0.00	0.00	0.00	ļ		ł	7.86		-		
		Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	 	 	UEP9D UEP9D	UAR1X	0.00	0.00	0.00	1		1	7.86	1	+	1	
\vdash		Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	H	 	UEP9D	UAROX	0.00	0.00	0.00			 	7.86	 	 	 	
	Miscell	aneous Terminations	†	†	02100	5,1107	0.00	0.00	0.00	1		1	7.00		I	 	
		Trunk Side	†	†		1				1		1	 		I	 	
		Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30	1	7.86	i	t	i	
	4-Wire	Digital (1.544 Megabits)		t	02			02.10	.0.02	52.10	0.00			i	1	i	
		DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86	İ	1	İ	
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09				İ	7.86				
	Interoff	ice Channel Mileage - 2-Wire				1						İ					
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11					İ	7.86				
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01						7.86				
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations												ĺ			
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62						7.86	ĺ			
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62						7.86				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.62						7.86				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.62						7.86				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOD	400040	0.00						7.00				
		Slot		-	UEP9D UEP9D	1PQWQ 1PQWA	0.62 0.62					1	7.86 7.86				
	Non De	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62					-	7.86				
H	NON-RE	Curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed		-		+				1				-			
		changes, per port			UEP9D	USAC2		0.102	0.102				7.86		1		
		Conversion of existing Centrex Common Block, each	-	1	UEP9D	USACN		18.95	8.32			 	7.86		+		
\vdash		New Centrex Standard Common Block	-		UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27	 	7.86	 	t	 	
		New Centrex Standard Common Block	-	 	UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86		+		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75	70.02	111.00	10.27		7.86		<u> </u>		
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		t	02		3.00	. 2.70						i	1	i	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		t		1								i	1	i	
		ort/Loop Combination Rates (Non-Design)				1								İ	t	İ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		15.52						L		<u> </u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		31.74					ļ					
	UNE Po	prt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1												1		
		Design		1	UEP9E	1	13.82							ļ	ļ	ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	l										I		
		Design		2	UEP9E	1	18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													1		
\vdash		Design		3	UEP9E	1	34.37					1					
	UNE LO	pop Rate		<u> </u>								l	l	<u> </u>	L	<u> </u>	

NDUNDLE	D NETWORK ELEMENTS - Kentucky										1 -			ment: 2	1	bit: B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Increment Charge Manual S Order vs
		m									per Lok	per LSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22						7.86				
	ort Rate															
AL, FL	, KY, LA, MS, & TN only			LIEDAE	115574		01.00	1= 10								
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
-	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67	1	7.86				
Local	Switching			02.02	02. Q2	0	21120	10.10	2.00	2.07		7.00				
	Centrex Intercom Funtionality, per port		1	UEP9E	URECS	0.8873						7.86				
Local	Number Portability															
	Local Number Portability (1 per port)		1	UEP9E	LNPCC	0.35						7.86				
Featur	res															
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	llaneous Terminations															
2-Wire	Trunk Side	ļ	<u> </u>	LIEDOE	OFNES		20.1-		=0.15							-
A 1877	Trunk Side Terminations, each	 	├	UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30	1	7.86		 	1	1
4-wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each	-	<u> </u>	UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86	-	7.86		-	1	
	DS0 Channel Activated Per Channel	-	-	UEP9E	M1HD0	0.00	15.09	11.74	60.69	3.86		7.86		-	 	-
Interes	ffice Channel Mileage - 2-Wire	 	├	OEFSE	MILLIDO	0.00	15.09					7.80		 		
milero	Interoffice Channel Facilities Termination	 	 	UEP9E	M1GBC	29.11					H	7.86		 	1	
-	Interoffice Channel mileage, per mile or fraction of mile	 	 	UEP9E	M1GBM	0.01					H	7.86		 	1	t
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	 	0_1 0L	IVITODIVI	0.01					-	7.00		 	1	-
Featur											-					
	annel Bank Feature Activations		ı						I							
	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86				

UNBU	NDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—						+ +		Nonrec	rurring	Nonrecurring	Disconnect			OSS	Rates(\$)	1	l
\vdash						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		Feature Activation on D-4 Channel Bank FX Trunk Side Loop						11130	Addi	1 1130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Slot			UEP9E	1PQW7	0.62						7.86				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.62						7.86				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62						7.86				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9E	1PQWQ	0.62						7.86				
<u> </u>		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62						7.86				
\vdash	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex				+							-				
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.102	0.102				7.86			I	
$\vdash \vdash \vdash$		Conversion of Existing Centrex Common Block, each	1		UEP9E UEP9E	USACN		18.95	8.32	1		 	7.00	 	 	 	
$\vdash \vdash$		New Centrex Standard Common Block	-		UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27	-	7.86	 	 	 	
\vdash		New Centrex Customized Common Block	t		UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27	t	7.86	1	1	†	
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75	. 0.02		.5.27		7.86	İ	İ	1	
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)												ĺ	ĺ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP93		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
\vdash	LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP93	+	31.74										
\vdash	UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+						-				-	
		Design		1	UEP93		13.82										
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 33	+	10.02										
		Design		2	UEP93		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		34.37										
	UNE Lo	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59			ļ				ļ	ļ	1	
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67			-						-	
$\vdash \vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 2	.	2	UEP93	UECS2 UECS2	17.45			1	-			.	.	 	
$\vdash \vdash \vdash$	UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UEUSZ	33.22			+						-	
		LA, MS, & TN only	H			+ -				1	 	H		 	 	t	
\vdash	α ⊑ , κι,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86			-	
\vdash		2-Wire Voice Grade Port (Centrex) Basic Educat Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l			02. 17.	1.15	21.20	10.40	2.55	2.57	1	7.00	1	1	1	
		Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86			I	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area	<u></u>		UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86	<u> </u>	<u> </u>		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
igsquare		Center)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
7		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l	1 7								1	1	_	
$\vdash \vdash$		Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86			ļ	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOS	LIEDYO		04.00	45 **	0.0-	0.0-		7.00			1	
$\vdash \vdash \vdash$		Basic Local Area Wire Voice Grade Port Terminated on 800 Service Term -		-	UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86			-	
		2-wire voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86			I	1
$\vdash \vdash$		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49		2.67		7.86	 	 	 	
\vdash		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86	 	 	 	
\vdash		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	t		UEP93	UEPQH	1.15	21.29	15.49		2.67	t	7.86	1	1	†	
		2-Wire Voice Grade Port (Centrex With Salies 12)1					5	220	.0.10	2.50	2.57			İ	İ	1	
1 1		Center)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86			1	

ADOIADEL	D NETWORK ELEMENTS - Kentucky													ment: 2		ibit: B
													Incremental		Incremental	
												Submitted	Charge -	Charge -	Charge -	Charge
		Interi	l_								Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						11130	Auu	1 1130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
																1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873						7.86				
Local	Number Portability															
Foot	Local Number Portability (1 per port)		1	UEP93	LNPCC	0.35			—						-	
Featur			1	UEP93	UEPVF	0.00			 			7.86		.	 	+
	All Standard Features Offered, per port All Centrex Control Features Offered, per port		1	UEP93 UEP93	UEPVF	0.00						7.86		-		+
NARS			-	UEP93	UEPVC	0.00						7.86				+
INAKS	Unbundled Network Access Register - Combination		-	UEP93	UARCX	0.00	0.00	0.00								+
-	Unbundled Network Access Register - Unbundled Network Access Register - Indial		1	UEP93	UAR1X	0.00	0.00	0.00							-	+
	Unbundled Network Access Register - Indiai		 	UEP93	UAROX	0.00	0.00	0.00	-					1		+
Misce	Ilaneous Terminations		1	OLI 33	DAROX	0.00	0.00	0.00								+
	Trunk Side														1	
	Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86			1	
4-Wire	Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09					7.86				1
Intero	ffice Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Termination			UEP93	M1GBC	29.11						7.86				1
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01						7.86				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		1	UEP93	1PQW7	0.62						7.86			L	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				45045				1						1	
	Different Wire Center		1	UEP93	1PQWP	0.62						7.86			-	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop		+	UEP93	TPQVVV	0.62						7.86			-	+
	Slot			UEP93	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP93	1PQWA	0.62			-			7.86			-	+
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			02.00		0.02						7.00			1	
1.0711	NRC Conversion Currently Combined Switch-As-Is with allowed		1	1										i	1	†
	changes, per port			UEP93	USAC2		0.102	0.102	1			7.86			1	
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32			İ	7.86		İ	1	1
	New Centrex Standard Common Block		1	UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					7.86				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD							·								
	2 - Requres Interoffice Channel Mileage															
Note 2	3 - Requires Specific Customer Premises Equipment															

UNBL	NDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		DATE EL EMENTO	Interi	-	D00				DATEO (6)			Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	one" shown in the sections for stand-alone loops or loops as	•			ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.htı	n												
OPER/		SUPPORT SYSTEMS									<u> </u>		<u> </u>	<u> </u>	L		
		(1) Electronic Service Order: CLEC should contact its contract															s rate
-		is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill															ly For
		elements that cannot be ordered electronically at present per t															
		ng charge, SOMAN, will be applied to a CLECs bill when it sub				III tillo cate	gory reflects th	e charge that t	would be bille	a to a occoo	ice electronic (ruering cap	abilities co	ille on-line io	tilat elemen	Otherwise,	tile illalitaal
	J. 201111	Electronic OSS Charge, per LSR, submitted via BST's OSS															
1		interactive interfaces (Regional)				SOMEC		3.50		I				I	I		
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL, UENTW, UDN,												
					UEA. UHL. ULC.												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX.												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LINIBLI	IDI ED E	Day			U1TUB, U1TUA	SDASP		200.00									
ONBU		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		\vdash			<u> </u>			 	+	-	-	 	 	-	
\vdash	Z-4411	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87	 	<u> </u>		15.20	 	 		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	23.33	36.54	16.87	—	†		15.20	—	—		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87	1	İ		15.20	1			
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User										Ì	1				
		Premise			UEANL	URETL		8.33	0.83	<u> </u>			15.20	<u> </u>	<u> </u>	<u> </u>	
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17				15.20				
		Loop Testing - Basic Additional Half Hour		\vdash	UEANL	URETA		19.28	19.28				15.20	ļ	ļ		
		CLEC to CLEC Conversion Charge Without Outside Dispatch			LIFANI	LIDEWO		45	0.00	I			45.00	I	I		
-	-	(UVL-SL1)		\vdash	UEANL	UREWO		15.75	8.93	 	-	-	15.20	1	1		
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04	1				1	1		
-		Manual Order Coordination for UVL-SL1s (per loop)		\vdash	UEANL	UEANIO	 	7.92	7.92	 	<u> </u>			 	 		
	†	Order Coordination for Specified Conversion Time for UVL-SL1		\vdash	OE/ 111L	CL/ UVIO		1.32	1.32	†	1	†	†	†	†	1	
		(per LSR)			UEANL	OCOSL		17.56	17.56	1				1	1		
		,															

Version 1Q03: 02/28/03

UNBUI	NDLE	D NETWORK ELEMENTS - Louisiana											Attachi	ment: 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				ļ			Rec	Nonrec		Nonrecurring Disconnec		T		Rates(\$)		
<u> </u>	0.14/10/	Halama Ha LOOPPER LOOP						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
H - P	2-WIRE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60		+	15.20				
-		2 Wire Unbundled Copper Loop - Non-Designed Zone 1	-		UEQ	UEQ2X	14.32	35.27	15.60	 		15.20				
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-		UEQ	UEQ2X	16.87	35.27	15.60	 		15.20				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		ٽ	OLG	OLGEX	10.07	00.27	10.00		+	10.20				
		Premise			UEQ	URETL		8.33	0.83			15.20				ĺ
		Order Coordination 2 Wire Unbundled Copper Loop - Non-														
		Designed (per loop)			UEQ	USBMC		7.92	7.92							ĺ
		Unbundled Copper Loop, Non-Design Copper Loop, billing for														
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.04	13.04							
\vdash		Loop Testing - Basic 1st Half Hour		<u> </u>	UEQ	URET1		33.17	33.17		_	15.20				
\vdash		Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		19.28	19.28		_	15.20			.	-
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			LIEO	LIBENA		14.05	7.40			45.00				1
HINDHIN	DI ED 5	(UCL-ND) EXCHANGE ACCESS LOOP		-	UEQ	UREWO		14.25	7.42		+	15.20			-	-
		ANALOG VOICE GRADE LOOP		 		+					-	1			 	
H	_ *****	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+						l			1	
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87			15.20				1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-								1						
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87			15.20				ĺ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-														
		Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87			15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-														ĺ
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87			15.20				ـــــــ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					40.40					4= 00				ĺ
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87		-	15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87			15.20				ĺ
UNRUN	DI ED E	EXCHANGE ACCESS LOOP		3	UEFSK UEFSB	UEABS	40.43	30.54	10.07		+	15.20				
		ANALOG VOICE GRADE LOOP				+					+					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								1						
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72			15.20				ĺ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72			15.20				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														ĺ
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72			15.20				
\vdash		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56								——
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72			15.20				1
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	OLA	ULAKZ	14.93	102.10	05.72		-	15.20			 	
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72			15.20				1
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				02,	20.00	102.10	00.72			10.20			1	
		Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72		1	15.20				1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30			15.20				
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10			15.20				
\coprod	4-WIRE	ANALOG VOICE GRADE LOOP				1									ļ	
\vdash		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	30.81	127.40	91.02		_	15.20				
$\vdash \vdash$		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02		_	15.20			.	-
\vdash		4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	60.39	127.40 17.56	91.02		+	15.20			-	
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	-	 	UEA	UREWO		17.56 87.59	36.30		+	15.20			 	
 	2-WIRF	SISDN DIGITAL GRADE LOOP		 	OLA	ONLVVO		07.59	30.30		+	15.20			 	
H	_ *****	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96		+	15.20				<u> </u>
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96			15.20			1	
		2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	65.18	113.34	76.96			15.20				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56								
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09			15.20				
	2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP														

NBUNDL	ED NETWORK ELEMENTS - Louisiana												ment: 2	1	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnect				Rates(\$)		
						1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	•													
	1		1	UDC	UDC2X	22.09	113.34	76.96			15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	·		UDC	LIDCOV	25.00	440.04	70.00			15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	35.28	113.34	76.96		+	15.20	-	-	-	.
	2-vviie Oniversai Digital Charmel (ODC) Compatible Loop - Zone	'l	3	UDC	UDC2X	65.18	113.34	76.96			15.20				
	CLEC to CLEC Conversion Charge without outside dispatch	1	-	UDC	UREWO	05.10	91.49	44.09		1	15.20				
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOF		OKEWO		01.40	44.00		1	10.20		1		1
	2 Wire Unbundled ADSL Loop including manual service inquiry	1			+					1	1		1		1
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36			15.20				
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36			15.20	I	I	I	1
	2 Wire Unbundled ADSL Loop including manual service inquiry				İ										
	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36			15.20	<u> </u>	<u> </u>	<u> </u>	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56								
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02			15.20				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_												
	facility reservaton - Zone 2	ļ	2	UAL	UAL2W	14.09	92.83	56.02			15.20				
	2 Wire Unbundled ADSL Loop without manual service inquiry &			l				==							
_	facility reservaton - Zone 3	-	3	UAL	UAL2W	15.75	92.83	56.02		1	15.20				1
_	Order Coordination for Specified Conversion Time (per LSR)	1	1	UAL	OCOSL UREWO		17.56 86.07	40.34		-	15.20				-
2-W/IE	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIDIE	LOOP	UAL	UREVVO		86.07	40.34		+	15.20	-	-	-	-
2-4411	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOF		+				 	1	1	-	-	-	1
	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77			15.20				
_	2 Wire Unbundled HDSL Loop including manual service inquiry	1	<u>'</u>	OFFE	OTILZX	5.75	120.00	70.77		1	13.20				1
	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77			15.20				
	2 Wire Unbundled HDSL Loop including manual service inquiry		_	0.12	OT ILLY	11.02	120.00			1	10.20		1		
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56			1					
	2 Wire Unbundled HDSL Loop without manual service inquiry	1													
	and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43			15.20				
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43			15.20				
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56	40.04			45.00				
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch	A TIDI E	1.000	UHL	UREWO		86.00	40.34		1	15.20				
4-1/11	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP		+					+	-	-	-	-	-
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54			15.20				
-	4-Wire Unbundled HDSL Loop including manual service inquiry	1	'	UNL	UHL4X	10.24	155.26	104.54		1	15.20	1	1	1	
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153,26	104.54			15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	-	OTTE	OTILHA	10.00	100.20	104.04		1	10.20				†
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54			15.20				
	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		17.56		1	1					i e
	4-Wire Unbundled HDSL Loop without manual service inquiry									1					1
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20			15.20	I	I	I	1
	4-Wire Unbundled HDSL Loop without manual service inquiry				İ										
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20		<u> </u>	15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3	1	3	UHL	UHL4W	17.34	129.00	92.20		1	15.20				ļ
	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		17.56			1					1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34		1	15.20		ļ	ļ	ļ
4-WIF	RE DS1 DIGITAL LOOP	1	_	1101	110170	05.70	045.10	450.00		1	45.00	-	-	-	1
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	85.70	245.16	152.98		1	15.20 15.20	ļ			!
	4-Wire DS1 Digital Loop - Zone 2	1	2	LICI	USLXX	194.96	245.16	152.98							

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring D					Rates(\$)		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		17.56 100.93	42.98				15.20				
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OOL	OKEWO		100.95	42.30				13.20				
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	ļ		UDL	UDL56	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48				15.20				
 	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL UDL	OCOSL UDL64	30.99	17.56 121.86	85.48	 			15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	†	2	UDL	UDL64	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67				15.20				
2-WIF	RE Unbundled COPPER LOOP	ļ														
	2-Wire Unbundled Copper Loop/Short including manual service			UCL	UCLPB	12.29	116.18	67.46				45.00				
	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short including manual service		1	UCL	UCLPB	12.29	116.18	67.46				15.20				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46				15.20				
	2 Wire Unbundled Copper Loop/Short including manual service			002	OOL! B	14.00	110.10	07.40				10.20				
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1	ļ	1	UCL	UCLPW	12.29	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Short without manual service		2		LIOI DIA	44.00	04.00	55.40				45.00				
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLPW	14.09	91.92	55.12				15.20				
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	10.70	7.92	7.92				10.20				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.21	116.18	67.46				15.20				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24.98	116.18	67.46				15.20				
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	39.57	116.18	67.46				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	33.37	7.92	7.92				13.20				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
 	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	39.37	7.92	7.92				13.20				
	CLEC to CLEC Conversion Charge without outside dispatch			002	COLIVIO		7.02	7.02								
	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
4-WIF	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1	ļ	1	UCL	UCL4S	22.27	139.69	90.96				15.20				
	4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	UCL4S	19.05	120.60	00.00				15 00				
 	and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry	1		UCL	UCL45	18.95	139.69	90.96	 			15.20				
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		7.92	7.92								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63				15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and		2	UCL	1101 414	40.0=	445 40	70.00				45.00				
\Box	facility reservation - Zone 2	L		UCL	UCL4W	18.95	115.43	78.63			l	15.20				

UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	
													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and				 		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SUMAN	SOWAN	SOWAN
	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96				15.20				[
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		<u>'</u>		OOLTE	20.17	100.00	30.50				10.20				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90.96				15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62.93	139.69	90.96				15.20				[
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	02.93	7.92	7.92				13.20				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	UCL4O	26.17	115.43	78.63				15.20				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	28.47	115.43	78.63				15.20				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3	ļ	3	UCL	UCL4O	62.93	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch	-		UCL	UCLMC		7.92	7.92								
	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				[
LOOP MODIFI	CATION															
				UAL, UHL, UCL, UEQ. ULS. UEA.												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00				15.20				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS, UEQ	ULM2G		0.00	0.00				15.20				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				LILAMAI		0.00	0.00				45.00				Ĭ
	less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		UHL, UCL, UEA	ULM4L		0.00	0.00				15.20				
	pair greater than 18k ft			UCL	ULM4G		0.00	0.00				15.20				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15				15.20				
SUB-LOOPS	oop Distribution	-			+											
Sub-Li	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		t		1											
	Up	- 1		UEANL	USBSA		144.09	144.09				15.20				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		10.99	10.99				15.20				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	١,		UEANL	USBSC		86.16	86.16				15.20				Ĭ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>														
	Set-Up	I		UEANL	USBSD		27.13	27.13				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.57	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	12.75	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	21.45	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					44.55	====	40				48.65				
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	11.76	76.75	42.92				15.20				
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92				15.20				
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92				15.20				<u> </u>

UNRU	INDI FI	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	nit: B
0.400		TETTORIX ELLINERTO - Louisiana		I								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
071120			m		200	0000			1011 = 0 (4)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									71441		71441	0020					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.91	51.48	17.65				15.20				
		Cab 200p 2 11110 Intrabananing Notificing Cabic (Into)			02/11/2	005.12	2.01	011.10	11.00	 			10.20				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	6.58	57.54	23.71	 			15.20				
		Cub Loop 4 Vine intrabalianing Network Cubic (into)	-		OL7 II VL	OODICT	0.00	01.04	20.71	 			10.20				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.26	63.89	30.06	-			15.20				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-i-	2	UEF	UCS2X	10.07	63.89	30.06	-			15.20				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF	UCS2X	12.70	63.89	30.06	-			15.20				
—	†	2 This sappor officialistica our book bistribution - 2016 3			0_1	5002A	12.70	00.09	30.00				10.20				
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		7.92	7.92			1					, ,
—	 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS4X	8.03	76.75	42.92	 			15.20		 		
-		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-i	2	UEF	UCS4X	10.71	76.75	42.92				15.20				
—	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS4X	6.08	76.75	42.92	+		-	15.20		1		
	1	4 Wife Copper Oribunaled Sub-Loop Distribution - Zone 3		3	UEF	UC34A	0.00	70.75	42.92	+			15.20				
1	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		7.92	7.92			1					
	Unhun	dled Network Terminating Wire (UNTW)		-	OLI	USBIVIC	-	1.52	1.52			-					
	Olibuli	Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0.3454	14.72	14.72			-	15.20				
-	Notwor	k Interface Device (NID)		-	UENTV	UEINFF	0.3434	14.72	14.72			-	15.20				
-	Networ	Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	-	42.26	27.83			-	15.20				
-	-	Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	-	62.86	48.43			-	15.20				
_	-	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		-	UENTW	UNDC2		5.73	5.73	-			15.20				
-	-	Network Interface Device Cross Connect - 2 W		-	UENTW	UNDC4		5.73	5.73	_			15.20				
SUB-L	OORE	Network interface Device Cross Connect - 4vv		-	UEINTVV	UNDC4	-	5.73	5.73			-	15.20				
30B-L		l pop Feeder		-			-					-					
-	Sub-Lo	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		-	UEA,		-					-					
		Distribution Facility set-up			UDN,UCL,UDL,UDC	I ICDE///		144.09					15.20				
-	-	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		-	UEA,	USBI W	-	144.05				-	13.20				
		set-up			UDN,UCL,UDL,UDC	USBFX		10.99	10.99				15.20				
-	-	USL Feeder DS1 Set-up at DSX location, per DS1 termination		-	USL	USBFZ	-	568.98	11.30			-	15.20				
	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			USL	USBFZ		300.90	11.30	+			15.20				
		Grade - Zone 1		1	UEA	USBFA	8.71	89.81	54.35				15.20				1
-	-			<u> </u>	UEA	USBFA	0.71	09.01	54.55	_			15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		2	UEA	USBFA	13.64	89.81	54.35				15.20				1
-	1	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			ULA	USBEA	13.04	09.81	34.35	+ +		-	15.20		-		
	1	Voice Grade - Zone 3		3	UEA	USBFA	30.21	89.81	54.35			1	15.20				ı
-	1	Order Coordination for Specified Conversion Time, per LSR		3	UEA	OCOSL	30.21	17.56	34.35	+			15.20				
-	1	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	OLA	OOOOL		17.50		+		-					
	1	Grade - Zone 1		1	UEA	USBFB	8.71	89.81	54.35			1	15.20				
-	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		- ' -	ULA	USBED	0.71	09.81	54.35	+		-	15.20				
	1	Grade - Zone 2		2	UEA	USBFB	13.64	89.81	54.35			1	15.20				
-	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			ULA	USBED	13.04	18.80	34.35	+			15.20				
	1	Grade - Zone 3		3	UEA	USBFB	30.21	89.81	54.35			1	15.20				
-	-	Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	30.21	17.56	54.35	+			15.20		-		
—	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		 	OLA	JUUJL		17.30		+		-			1		
		Voice Grade - Zone 1		1	UEA	USBFC	8.71	89.81	54.35	1			15.20				
-	-	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		- '-	OLA	CODIC	0.71	09.01	34.35	+			15.20		-		
	1	Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35			1	15.20				
-	-			-	ULA	USBFU	13.04	89.81	54.35	+			15.∠0		-		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		3	UEA	USBFC	20.04	90.04	E4 05	1			15.00				
—	-	Battery, Voice Grade - Zone 3		3			30.21	89.81	54.35	 			15.20				
	├	Order Coordination For Specified Conversion Time, per LSR		-	UEA	OCOSL		17.56				-			-		
	1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		1		LICDED	04.4.	400.00	07.61			1	45.00				ı
-	├	Grade - Zone 1		1	UEA	USBFD	21.44	103.69	67.31			-	15.20		-		
	1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		2	UEA	LICRED	04.00	400.00	07.04			1	45.00				
<u> </u>	-	Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31	 			15.20				
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31	1			15.20				
	<u> </u>	Graue - ZUITE 3		J	ULA	USBFD	42.84	103.69	07.31			L	15.20		<u> </u>		

ONBONDER	D NETWORK ELEMENTS - Louisiana									10.0.	To		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Svc Orde Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconn				Rates(\$)		
						1100	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56								
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	LICDEE	04.44	402.00	67.04			45.00				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		-	UEA	USBFE	21.44	103.69	67.31			15.20				
	Grade - Zone 2		2	UEA	USBFE	24.66	103.69	67.31			15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	CODIL	24.00	103.03	07.51			13.20				
	Grade - Zone 3		3	UEA	USBFE	42.84	103.69	67.31			15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56								
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	15.44	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.32	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	44.57	102.58	66.20			15.20				
	Order Coordination For Specified Conversion Time, Per LSR		L.	UDN	OCOSL		17.56				4 =			ļ	ļ
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	15.44	102.58	66.20			15.20			-	-
\longrightarrow	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC UDC	USBFS USBFS	23.32 44.57	102.58 102.58	66.20 66.20			15.20 15.20	-		 	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.38	98.15	61.77		+	15.20	 		 	
<u> </u>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	167.83	98.15	61.77			15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	469.87	98.15	61.77			15.20			t	1
	Order Coordination For Specified Conversion Time, Per LSR		Ť	USL	OCOSL		17.56							t	1
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.96	81.36	44.98			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone														
	2		2	UCL	USBFH	4.97	81.36	44.98			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone														
	3		3	UCL	USBFH	3.99	81.36	44.98			15.20				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56								
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	15.68	98.07	61.69			15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.68	98.07	61.69			15.20			1	-
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR		3	UCL UCL	USBFJ OCOSL	6.39	98.07 17.56	61.69		-	15.20			-	-
-	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	22.61	98.15	61.77			15.20			1	1
<u> </u>	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.87	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	24.25	98.15	61.77			15.20			t	1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -														
	Zone 1		1	UDL	USBFO	22.61	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -														
	Zone 2		2	UDL	USBFO	22.87	98.15	61.77			15.20	ļ			
1	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_											1	1
	Zone 3		3	UDL	USBFO	24.25	98.15	61.77			15.20	 	ļ	 	
\longrightarrow	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		17.56				+	-		 	
1	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	22.61	98.15	61.77			15.20			I	I
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	OODI F	22.01	30.13	01.77		<u> </u>	13.20			t	†
	Zone 2		2	UDL	USBFP	22.87	98.15	61.77			15.20			I	I
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_				22.10			1	15.20			1	1
	Zone 3		3	UDL	USBFP	24.25	98.15	61.77			15.20			1	1
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17.56								
SUB-LOOPS															
Sub-L	oop Feeder														
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	17.00	0.000.55	100			4=			ļ	ļ
	Sub Loop Feeder - DS3 - Facility Termination Per Month		-	UE3	USBF1	368.44	3,397.56	406.56			15.20	 	 	 	
	Sub Loop Feeder – STS-1 – Per Mile Per Month Sub Loop Feeder - STS-1 - Facility Termination Per Month	-	-	UDLSX UDLSX	1L5SL USBF7	17.00 395.92	3,397.56	406.56		-	15.20		-	 	
UNBUNDI ED	LOOP CONCENTRATION			ODLOA	USBF /	393.9Z	3,387.30	400.36		_	15.20	1		 	
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	374.26	316.00	316.00		<u> </u>	15.20			t	
- 	Unbundled Loop Concentration - System A (17006)			ULC	UCT8B	53.40	131.67	131.67		<u> </u>	15.20	1		†	†
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	412.08	316.00	316.00			15.20			1	1
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.98	131.67	131.67			15.20				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.12	61.46	44.74			15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana			·						· · · · · · · · · · · · · · · · · · ·			Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			LIDAL	ULCC1	8.12	10.23	10.18				45.00				
	Unbundled Loop Concentration - UDC Loop Interface (Brite			UDN	ULCCT	8.12	10.23	10.18				15.20			 	-
	Card)			UDC	ULCCU	8.12	10.23	10.18				15.20				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18				15.20				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery					40.00	40.00									
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	12.07	10.23	10.18				15.20			-	
	(Specials Card)			UEA	ULCC4	7.20	10.23	10.18				15.20				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.19	10.23	10.18				15.20			1	<u> </u>
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	10.67	10.23	10.18				15.20				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop					40.0-	40.00	40.10				45.00				
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	10.67	10.23	10.18		-	-	15.20				
	Interface			UDL	ULCC6	10.67	10.23	10.18				15.20				
UNE OTHER, I	PROVISIONING ONLY - NO RATE			ODE	02000	10.07	10.20	10.10				10.20			1	<u> </u>
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Halandia I Control Nove Brooks and Called No Both			UEANL,UEF,UEQ,U	LINEON	0.00	0.00									
LINE OTHER I	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00			-					-	-
ONE OTHER, I	ROVISIONING ONET - NO RATE														<u> </u>	
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									.
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00								<u> </u>	+
	Unbundled DS1 Loop - Expanded Superframe Format option -			002		0.00	0.00								t	
	no rate			USL	CCOEF	0.00	0.00									
	TY UNBUNDLED LOCAL LOOP															
NOTE:	minimum billing period of three months for DS3/STS-1 Local	Loop														ļ
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	40.04										
	High Capacity Unbundled Local Loop - DS3 - Facility			UE3	ILDIND	10.04									 	-
	Termination per month			UE3	UE3PX	362.34	438.46	256.30				15.20				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
LOOP MAKE-U	Termination per month			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP MAKE-	Loop Makeup - Preordering Without Reservation, per working or														-	
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility															1
	queried (Manual).		<u></u>	UMK	UMKLP	<u> </u>	24.70	24.70								
	NCY SPECTRUM															
	HARING			ļ										ļ	1	
SPLIT	TERS-CENTRAL OFFICE BASED				LII OD :					1		4= 00				
	Line Sharing Splitter, per System 96 Line Capacity		<u> </u>	ULS	ULSDA ULSDB	187.17 46.79	183.33 183.33	0.00		1	ļ	15.20 15.20		-	1	
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSDB ULSD8	46.79 15.59	183.33	0.00		1	1	15.20 15.20			 	+
	Line Sharing Splitter, Fer System, 6 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	- 1		OLO .	OLODO	10.09	100.33	0.00				13.20			 	+
	deactivation (per LSOD)			ULS	ULSDG		83.98	0.00				15.20				
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM								İ			1		
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	17.97	10.29				15.20				1

JNBUNDL	ED NETWORK ELEMENTS - Louisiana				_								ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring Disconnect				Rates(\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing - per Subsequent Activity per Line			0											
$\!\!\!+\!\!\!-$	Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95		-	15.20				
	Line Sharing - per Subsequent Activity per Line			ULS	ULSCS		15.91	7.95			15.20				
$\longrightarrow \longmapsto$	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)		1	ULS	ULSCS	0.61	47.44	19.31	+	+	15.20				
LINE	SPLITTING	'	1	ULS	ULSCC	0.61	47.44	19.31	 	1	15.20				
	USER ORDERING-CENTRAL OFFICE BASED				+				 	+	1		1		
LIND	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			 	+	-				
	Line Splitting - per line activation BST owned - physical	H		UEPSR UEPSB	UREBP	0.61	17.97	10.29	 	+	15.20		1		
-+	Line Splitting - per line activation BST owned - virtual	i i		UEPSR UEPSB	UREBV	0.61	17.97	10.29	 		15.20				
DEM	OTE SITE HIGH FREQUENCY SPECTRUM	-		OLI OK OLI OD	OKLDV	0.01	17.57	10.23	 		13.20				
	TTERS-REMOTE SITE	l	t -		+				 	1					
	Remote Site Line Share BellSouth Owned Splitter, 24 Port	-	l	ULS	ULSRB	40.12	115.24	0.00		1	15.20	i	i		
-+	Remote Site Line Share Cable Pair Activation CLEC Owned at	<u> </u>	t			.02	7.0.24	3.30		1	.0.20	1	1		
	RS and Deactivation	Li		ULS	ULSTG		96.00	0.00	1		15.20				
FND	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	MAKA	REMOT				50.00	0.00	†		10.20				
	Remote Site Line Share Line Activation for End User Served at	1	T 3 .		T					İ		i	i	i	
	RS, BST Splitter	l i		ULS	ULSRC	0.61	36.97	21.17			15.20				
	RS Line Share Line Activation for End User served at RS, CLEC								 	1					
	Splitter	l 1		ULS	ULSTC	0.61	36.97	21.17			15.20				
	Remote Site Line Share Subsequent Activity-RS BST Owned								1						
	Splitter	l i		ULS	ULSRS		49.08	17.80			15.20				
	Remote Site Line Share Subsequent Activity-RS CLEC Owned								1 1						
	Splitter	1		ULS	ULSTS		49.08	17.80			15.20				
UNBUNDLER	D DEDICATED TRANSPORT														
NOTE	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billir	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths								
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -														
	Per Mile per month			U1TVX	1L5XX	0.013									
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -														
	Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62			15.20				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade														
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.013									
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat														
	Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62			15.20				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	ł													
	Per Mile per month			U1TVX	1L5XX	0.013									
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade														
	- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62			15.20				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile														
	per month			U1TDX	1L5XX	0.013			.						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility				====										
	Termination			U1TDX	U1TD5	15.61	39.37	26.62	.		15.20				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				41 = 204										
	per month			U1TDX	1L5XX	0.013				-					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATEDO	45.04	00.07	00.00			45.00				
	Termination			U1TDX	U1TD6	15.61	39.37	26.62		-	15.20				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l		U1TD1	1L5XX	0.2652									
	month	1	!	ועווטו	ILOAA	0.2002				+	-			-	
	month							79.44			15.20		1	1	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATOA	LIATEA	70 47	96.60								
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	70.47	86.69	79.44	 	1	10.20				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						86.69	79.44			10.20				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD1 U1TD3	U1TF1 1L5XX	70.47 6.04	86.69	79.44			10.20				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	6.04									
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month						270.69	158.05			15.20				
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3 U1TD3	1L5XX U1TF3	6.04 850.45									
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	1L5XX	6.04									

CATEGORY			1	l	1	1					Core Conden					
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring Disc	connect			oss	Rates(\$)	1	
						Rec	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOC#	L CHANNEL - DEDICATED TRANSPORT															
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ng perio	d = be	low DS3=one month	n, DS3/STS-1	=four months								Î		
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	18.32	187.51	32.21				15.20				1
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	19.41	187.94	32.63				15.20				1
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				1
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				1
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				1
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.82										1
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	469.44	438.46	256.30				15.20				†
	Local Channel - Dedicated - STS-1- Per Mile per month	i	İ	ULDS1	1L5NC	7.82										1
$\overline{}$	Local Channel - Dedicated - STS-1 - Facility Termination	1		ULDS1	ULDFS	457.22	438.46	256.30				15.20		İ	İ	<u> </u>
DARK FIBER					1									İ	1	<u> </u>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<u> </u>	t		1									1	1	
	Thereof per month - Local Channel	1		UDF	1L5DC	52.23									I	1
-+	NRC Dark Fiber - Local Channel	1		UDF	UDFC4	02.20	620.60	133.88		-		15.20		i	t	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI	001 04		020.00	100.00				10.20				
	Thereof per month - Interoffice Channel			UDF	1L5DF	25.28										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	25.20	620.60	133.88				15.20				-
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI	001 14		020.00	133.00				13.20				-
	Thereof per month - Local Loop			UDF	1L5DL	52.23										
	NRC Dark Fiber - Local Loop	-	-	UDF	UDFL4	32.23	620.60	133.88				15.20		-	-	
OVY ACCECE	TEN DIGIT SCREENING		-	UDF	UDFL4		620.60	133.88		-		15.20				
BAA ACCESS			-	OHD	+	0.0006387				-						
	8XX Access Ten Digit Screening, Per Call	-	-	OHD	1	0.0006387										+
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OUD	NODAY		0.54	0.40				45.00				
	Number Reserved			OHD	N8R1X		2.51	0.43				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			0.15								4= 00				
	POTS Translations			OHD			5.77	0.78				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.77	0.78				15.20				
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.51	1.26				15.20				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68				15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43				15.20				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.51					15.20				
		l														1
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query	L	L	OHD	1	0.0006387	<u> </u>						<u> </u>		<u> </u>	<u> </u>
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
I	query	<u></u>		OHD	1	0.0006387	<u> </u>		<u> </u>						<u> </u>	<u> </u>
LINE INFORM	NATION DATA BASE ACCESS (LIDB)													Î		
	LIDB Common Transport Per Query			OQT		0.0000221	İ			i						
	LIDB Validation Per Query	i	İ	OQU		0.0135077										1
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		33.33					15.20		ĺ	1	1
SIGNALING (,												1
1	CCS7 Signaling Termination, Per STP Port	1		UDB	PT8SX	147.60								İ	İ	<u> </u>
$\overline{}$	CCS7 Signaling Usage, Per TCAP Message	i –	1	UDB		0.000064								İ	1	1
-+	CCS7 Signaling Connection, Per link (A link)	<u> </u>	t	UDB	TPP++	15.77	34.50	34.50				15.20		1	1	
-+	CCS7 Signaling Connection, Per link (8 link) (also known as D	1			1		550	350		-		.0.20		i	t	
	link)	1	1	UDB	TPP++	15.77	34.50	34.50				15.20		l	I	1
-+	CCS7 Signaling Usage, Per ISUP Message	l -	 	UDB	1	0.000016	04.00	54.50		+		10.20		 	 	
-+	CCS7 Signaling Usage Surrogate, per link per LATA		-	UDB	STU56	732.10								 	 	+
-+-	CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	1		000	31030	132.10				+				1	+	+
	Establishment or Change, per STP affected	1	1	UDB	CCAPO		28.17	28.17				15.20		l	I	I
-+	CCS7 Signaling Point Code, per Destination Point Code	-	1	טטט	CCAPO	-	20.17	20.17				15.20		-		+
	Establishment or Change, Per Stp Affected	1	1	UDB	CCAPD		28.17	28.17				15.20		l	I	1
E911 SERVIC		 	 	טטט	COAPD	1	20.17	20.17				15.20		 	 	+
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				1	18.32	187.51	32.21				15.20		ļ		+

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2	1	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Boo	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21				15.20				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															ĺ
	Termination					22.60	39.36	26.62				15.20				
	Local Channel - Dedicated - DS1 - Zone 1				+	39.18	172.34	149.27 149.27				15.20				
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3		<u> </u>		+	121.58 70.02	172.34 172.34	149.27			-	15.20 15.20			-	
	Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>		+	0.2652	172.34	149.27	 		-	15.20			-	-
	Interoffice Transport - Dedicated - D31 Fer Mile				+	0.2032			1		1				1	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	1			1	70.47	86.69	79.44				15.20			I	1
CALLING NAM	E (CNAM) SERVICE	 			1	70.47	55.55	7 5.44				10.20		1	<u> </u>	
	CNAM For DB Owners - Service Establishment	i e		OQV	1		22.29		1			15.20	İ	İ	1	
	CNAM For Non DB Owners - Service Establishment	i e		OQV	1		22.29		1			15.20	İ	İ	1	
	CNAM For DB Owners - Service Provisioning With Point Code	1			1							1	l	İ	1	
	Establishment	1		OQV	1		962.22	711.64				15.20			I	1
	CNAM For Non DB Owners - Service Provisioning With Point						İ									
	Code Establishment			OQV			332.43	238.05				15.20				
	CNAM for DB Owners, Per Query			OQV		0.0010217										
	CNAM for Non DB Owners, Per Query			OQV		0.0010217										
LNP Query Ser																
	LNP Charge Per query			OQV		0.0008559										
	LNP Service Establishment Manual						12.16					15.20				
	LNP Service Provisioning with Point Code Establishment						576.33	294.43				15.20				L
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
	PERATOR CALL PROCESSING															
Facility	based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.20				
UNEP (ļ	L					W 000				4 =				
 	Recording of Custom Branded OA Announcement	<u> </u>					7,000.00	7,000.00				15.20				├
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.20				
	ding via OLNS for UNEP CLEC	ļ												ļ	1	1
	Loading of OA per OCN (Regional)	ļ					1,200.00	1,200.00				15.20		ļ	1	
	SSISTANCE SERVICES		<u> </u>		+										-	├
	TORY ASSISTANCE ACCESS SERVICE	 	-		+	0.075							 	.	 	
	Directory Assistance Access Service Calls, Charge Per Call TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	JACC)			+	0.275			 		1	-	-		 	
	Directory Assistance Call Completion Access Service (DACC),	JACC)				0.40										
	Per Call Attempt SSISTANCE SERVICES		├		+	0.10	-				-			-	 	
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	-	-		+				 						 	
DIREC	Directory Assistance Data Base Service (Dads)	 			+	0.04	+		1		H		l	 	t	
	Directory Assistance Data Base Service, per month	 			DBSOF	150.00	+				-			 	 	
<u> </u>	IRECTORY ASSISTANCE	—	 		20001	100.00			+		 	 		 	 	\vdash

IINRI	INDI FI	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: B
ONBO	NULL	NETWORK ELEMENTS - Louisiana		1			1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonne		Namaanuuin	. Diacommont			000	Detec(f)		
-						+	Rec	Nonrec First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-	Facility	Based CLEC				+		FIISL	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWIAN	SOWAN	SUMAN
	Lucinty	Recording and Provisioning of DA Custom Branded															
		Announcement			AMT	CBADA		3,000.00	3,000.00				15.20				ı
		Loading of Custom Branded Announcement per Switch per															
		OCN			AMT	CBADC		1,170.00	1,170.00				15.20				
	UNEP (
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.20				
		Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.20				ı l
	Unbran	ding via OLNS for UNEP CLEC				-		1,170.00	1,170.00				15.20				
	Ulibrai	Loading of DA per OCN (1 OCN per Order)				+		420.00	420.00				15.20				
		Loading of DA per Switch per OCN						16.00	16.00				15.20				
SELEC	TIVE RO														1		1
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch		<u> </u>		USRCR		82.25	82.25				15.20	ļ	ļ		
VIRTU	AL COLI	OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOD	\/E41.0	0.0000	44.04	44.40	0.00	0.00		45.00				ı l
DUVEI	AL COL	Splitting		1	UEPSR, UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
FHISI	I COI	Physical Collocation-2 Wire Cross Connects (Loop) for Line		<u> </u>													
		Splitting			UEPSR, UEPSB	PE1LS	0.0318	11.94	11.46				15.20				ı l
AIN SE	LECTIV	E CARRIER ROUTING			02. 01., 02. 02	1 2 1 2 0	0.00.0	11.01					10.20				
		Regional Service Establishment			UEBIB	SRCEC		100,209.33					15.20				
		End Office Establishment			UEBIB	SRCEO		164.29	164.29				15.20				
		Query NRC, per query			UEBIB		0.0030293										
AIN - B	ELLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,				04405		00.00	00.00				45.00				ı l
		Initial Setup		1	A1N	CAMSE		38.30	38.30				15.20				
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60				15.20				ı
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60				15.20				
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		33.99	33.99				15.20				i l
		AIN SMS Access Service - Security Card, Per User ID Code,															1
		Initial or Replacement			A1N	CAMRC		41.39	41.39				15.20				
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0022										
\vdash	-	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per	-	 		+	0.5795						-				
1		Minute		1			0.8104						1				1
AIN - R	ELLSO	JTH AIN TOOLKIT SERVICE		†			0.0104										
		AIN Toolkit Service - Service Establishment Charge, Per State,		t										İ			
		Initial Setup			CAM	BAPSC		38.30	38.30				15.20	<u> </u>			
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10				15.20				
1		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L											, 7
-		DN, Term. Attempt		<u> </u>		BAPTT		7.60	7.60				15.20				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.60	7.60				15.20				1
-	1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		DAF ID		00.1	1.00				15.20	 	 		$\overline{}$
1		DN, Off-Hook Immediate		1		BAPTM		7.60	7.60				15.20				ı
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		t										İ			
		DN, 10-Digit PODP				BAPTO		33.47	33.47				15.20	<u> </u>			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP		<u> </u>		BAPTC		33.47	33.47				15.20	ļ	ļ		
1		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1													1
<u> </u>	-	DN, Feature Code		!		BAPTF	0.0500440	33.47	33.47				15.20				
-		AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		-			0.0536446							-			
		Subscription, Per Node, Per Query					0.006569						1				ı l
	L	oupsorption, rei Noue, rei Quely		1	l	1	0.000009			l	l	1	l	l	1		

LIND	IINDI E	D NETWORK ELEMENTS - Louisiana												Attack	ment: 2	Fulcil	bit: B
UND	UNDLE	D NETWORK ELEMENTS - Louisiana		1		1						Cur Onden	Cur Ouden				
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec			Manual Svc	Manual Svc	Manual Svc
OAIL	OOKI	KATE EEEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	1	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.06										ı l
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				ı
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															1
		Subscription			CAM	BAPLS	2.80	8.41	8.41				15.20				
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															ı l
	-	Subscription		ļ	CAM	BAPDS	8.20	7.60	7.60				15.20				
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															i l
ENILLA	NOED E	Service Subscription KTENDED LINK (EELs)		1	CAM	BAPES	0.09	8.41	8.41				15.20				
ENHA		The monthly recurring and non-recurring charges below will	annlı a	nd the	Cuitab As Is Charge	l will not onn	ly for EEL o pr	visioned so !	Ordinarily Can	bined! Networ	k Flomente						
-	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	appiy a	-recurri	ng charges below w	ill apply for	FFI e provision	od as ' Curren	tly Combined'	Network Flem	ente						
-		Minimum billing is one month for DS1 and below and three m				І арріу ісі і	LLLS PIOVISION	ed as Guiren	try Combined	INCLWOIR LICIN	ento.						
		VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT															
	2 ****	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport		- JE 11													
1	1	Combination - Zone 1	1	1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				ı l
	1	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed						<u> </u>									
		Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				ı l
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
		Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				i l
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.2652										ı
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
		DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96				15.20				
	-	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		ļ	UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1							4= 00				4= 00				i
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	1110101	115410	05.05	04.04	45.00				45.00				i
-	+	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				i
-	+	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVA	UEALZ	50.46	94.21	45.09				15.20				
		per month			UNCVX	1D1VG	0.6497	5.91	4.26								i
\vdash	+	Nonrecurring Currently Combined Network Elements Switch -As-	-	 	OINOVA	פאומו	0.0497	5.91	4.20		 				 		
	1	Is Charge	1		UNC1X	UNCCC		5.43	5.43				15.20				, ,
	4-WIRI	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		2.1000		0.70	5.40		1		10.20		1		(
	1	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		Ι	(,						İ			İ	İ		í T
		Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				1
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															1
		Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20			<u></u>	
1		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice												I			, <u> </u>
L	1	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
1		Interoffice Transport - Dedicated - DS1 combination - Per Mile															, T
<u> </u>	1	Per Month			UNC1X	1L5XX	0.2652				ļ				ļ		
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINIOAY	LIATE?							4-0-				ı
├	1	Month		1	UNC1X	U1TF1	70.47	143.58	103.88				15.20	 	ļ		
		Channelization - Channel System DS1 to DS0 combination Per			LINICAV	NO4	405.00	50.07	40.00								ı
\vdash	+	Month		1	UNC1X	MQ1	105.09	59.97	12.96		-			-	 		
1	1	Voice Grade COCI - DS1 to DS0 Channel System combination -	1		UNCVX	1D1VG	0.6497	5.91	4.26				1				1
-	+	per month Additional 4-Wire Analog Voice Grade Loop in same DS1		 	UNCVA	אועו	0.6497	5.91	4.26			-					
1	1	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				1
-	+	Additional 4-Wire Analog Voice Grade Loop in same DS1	-	-	OIVOVA	OLAL4	30.01	94.21	45.09		-	-	15.20	 	1		
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				, ,
	1	Additional 4-Wire Analog Voice Grade Loop in same DS1			5.10VA	OL/ ILT	30.32	34.21	45.09			-	10.20		 		-
1	1	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				, !
ь		Transport Combination Lone C			1	1	00.00	V-1.4 I	70.00		L	L	10.20	·	1		

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					Rates(\$)		001111
	Voice Grade COCI - DS1 to DS0 Channel System combination -	1			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per month			UNCVX	1D1VG	0.6497	5.91	4.26								i
	Nonrecurring Currently Combined Network Elements Switch -As	-														
4 10/	Is Charge IRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	UNC1X	UNCCC		5.43	5.43				15.20				
4-10	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL)	1											
	Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				i
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
-	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1	2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per			ONOTA	01111	70.47	140.00	103.00				13.20				
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCDX	1D1DD	1.38	5.04	4.26								i
-	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	1	<u> </u>	UNCDX	טטוטו	1.38	5.91	4.20								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															1
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				i l
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															i
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				i l
4-W	IRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE				3.43	3.43				13.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-	1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				i
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_			00.70	0.1.2.1	10.00				10.20				
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652										ł
	Interoffice Transport - Dedicated - DS1 combination - Facility	1		ONOTA	TESTON	0.2032										
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	MQ1	105.09	59.97	40.00		·						i
	OCU-DP COCI (data) - DS1 to DS0 Channel System	-	<u> </u>	UNCIA	IVIQT	105.09	59.97	12.96								
	combination - per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
\vdash	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	1	1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As	+	l -			1.00	0.01	7.20								
	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.43	5.43				15.20				
4-W	IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	EROFFI	CE TRA	NSPORT (EEL)	+											
	Transport - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		Ì													
	Transport - Zone 2	1	2	UNC1X	USLXX	194.96	169.22	100.89				15.20		l		

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana			•							1		ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre		Nonrecurring Disconnect				Rates(\$)		
						1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_												
	Transport - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89			15.20				ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88			15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43			15.20				
4-WID	IS Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	DOEEL	CE TD/		UNCCC		5.43	5.43		+	15.20				-
4-4411	First DS1Loop in DS3 Interoffice Transport Combination - Zone	KOFFI	L	NOFORT (EEL)						1	1				1
	1		1	UNC1X	USLXX	85.70	169.22	100.89			15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		<u> </u>		00200	55.70	100.22	100.00		1	10.20	1			
	2		2	UNC1X	USLXX	194.96	169.22	100.89			15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89			15.20				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile														
	Per Month			UNC3X	1L5XX	6.04									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	850.45	296.68	121.16			15.20				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	201.48	107.05	48.07							
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26							ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89			15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89			15.20				
	DS3 Interface Unit (DS1 COCI) combination per month		Ŭ	UNC1X	UC1D1	11.78	5.91	4.26			10.20				
	Nonrecurring Currently Combined Network Elements Switch -As-									1	†				
	Is Charge			UNC3X	UNCCC		5.43	5.43			15.20				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)											
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09			15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09			15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport														
	Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09		4	15.20				ļ
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.013									
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75			15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-				I										
	Is Charge			UNCVX	UNCCC		5.43	5.43			15.20				ļ
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	⊾KOFF	ICE TR	ANSPORT (EEL)	+					+	ļ	 	 	-	
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09			15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09			15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09			15.20				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75			15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-				UNCCC	15.01									
DS3 E	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	UNCVX T (EEL)	UNCCC		5.43	5.43		+	15.20				
2002	High Capacity Unbundled Local Loop - DS3 combination - Per		J. 010	,,	1					1		İ			†
	Mile per month			UNC3X	1L5ND	10.04									

CATEGORY RATE ELEMENTS Many Zone BCS USCO RATE (S) Section Company	UNBUNE	DLED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
ACTIONY RATE ELEMENTS Bridge ROS ROS ROS ROS ROS RATES (I) ROS RATES (I) ROS RATES (I) ROS RATES (I) ROS ROS ROS ROS ROS ROS ROS RO	0.1.2011.2												Svc Order	Svc Order				Incremental
ACCOUNT OF THE PRINCIPLE OF THE PRINCIPL													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc				Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
Part Part	CATEGOR	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
Page Page																		Electronic-
Page Page																Add'l		Disc Add'l
Part Capacity Unbounded Local Local Code Part Part April Part April SOMEN SO																		
High Capacity Unknowled Load Load - DSS commission								Rec										
Facility Termination per material UNCOX USEPX 262.34 188.45 122.51									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interestive Transport - Designater - DSS - Park May per records UNICOX 1,50X 5,04						LINGOV	LIEODY	000.04	100.45	105.51								
Intercitive Transport - Debicated - CRS combination - Facility Debicated	-	-							188.45	125.51								
Temmoration pare per month		-				UNC3X	ILDAX	6.04										
Notice countries Contribution Network Elements Servich - Net NATION N						LINICOV	LIATES	950.45	206.69	101.16				15 20				
Scriptor Scriptor	 					UNUSA	01113	030.43	290.00	121.10	1			13.20		1		
STST GOSTAL CATEGOED LOOP WITH DECORATED STST INTEROPFICE TRANSPORT (EEL)						LINC3X	LINCCC		5.43	5.43				15 20				
Night Cipsorty Unburded Local Loop - STSI combination - Per Mile per exercish UNCEX LEAND 10.04	ST			FICE TE	RANSP		011000		0.40	0.40				10.20				
Mean part mouth Mean part mouth Mean part mouth Mean part mouth Mean part mouth Mean part part Mean part part part Mean part part part part part part part part	T		High Capacity Unbundled Local Loop - STS1 combination - Per		1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,												
Facility Termination per month DNGSX DUST 37:456 188.45 12:551						UNCSX	1L5ND	10.04										
Steederfies Transport - Decicated - STST combination - Fee Mile INCSX 11,55X 6,04 Incending - Transport - Decicated - STST combination - Feeling INCSX 11,55X 11,55X 11,55X 11,55X 11,55X Incending - Incending - Steederfies - Feeling INCSX INCS																1		
Dear month			Facility Termination per month	<u></u>	<u></u>	UNCSX	UDLS1	374.56	188.45	125.51	<u> </u>				<u> </u>			
Interestities Transport - Desticated - STSTS contribution - Facility UNCSX UTITES 880.19 296.68 121.16 15.20 125.00										-			1					
Termination per month						UNCSX	1L5XX	6.04										
Noncecuring Currently Combined Network Elements Switch - Age Lendon Combination Lendon																		
SCANGE SCHARGE LONG XYENDED LOOP WITH DSI INTEROFFICE TRANSPORT (EEL) LONG X	\vdash					UNCSX	U1TFS	830.19	296.68	121.16	1			15.20		ļ		
Additional 2-wies ISDN Loop in a Both Interoffice Combination 1 UNCNX			Nonrecurring Currently Combined Network Elements Switch -As-															
First 2-Wire ISIN Loop in a DSI Interoffice Combination 1 UNCNX					Ļ	UNCSX	UNCCC		5.43	5.43				15.20				
Transport_Zone 1 UNCNX U12X 22.09 94.21 45.09 15.20	2-1	WIRE		KI (EEL)		1											
First 2-Wire ISON Loop in a DS1 Interoffice Combination 2 UNCNX						LINIONIV	LIALOV	22.00	04.04	45.00				45.00				
Transport - Zone 2					-	UNCINA	UTLZX	22.09	94.21	45.09				15.20				
First 2-Wire ISDN Loop in a DS1 Interoffice Combination					2	LINCNIY	1141.27	25.20	04.21	45.00				15.20				
Transport - Zone 3	—					ONONA	OTLZX	33.20	34.21	45.05	1			13.20				
Interoffice Transport - Dedicated - DSI combination - Per Mile UNC1X U1TF1 T0.47 143.58 103.88 15.20					3	LINCNX	1111 2X	65.18	94 21	45.09				15 20				
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X					Ŭ				04.21	40.00				10.20				
Termination per month																		
Channelization - Channel System DS1 to DS0 combination - per month						UNC1X	U1TF1	70.47	143.58	103.88				15.20				
2-wire ISDN COCI (BRITE) - D81 to D90 Channel System			Channelization - Channel System DS1 to DS0 combination -															
Combination - per month			per month			UNC1X	MQ1	105.09	59.97	12.96								
Additional 2-wire ISDN Loop in same DS1 Interoffice Transport 1 UNCNX U1L2X 22.09 94.21 45.09 15.20			2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
Combination - Zone 1						UNCNX	UC1CA	2.96	5.91	4.26								
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 WNCNX U1L2X 65.18 94.21 45.09 15.20 15.20 15.20 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 WNCNX U1L2X 65.18 94.21 45.09 15.20 15.20 WNCNX U1L2X 65.18 94.21 45.09 15.20 15.20 WNCNX U1L2X 65.18 94.21 45.09 15.20 WNCNX U1L2X 65.18 94.21 45.09 15.20 WNCNX U1L2X Expert Spring																		
Combination - Zone 2					1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 3 UNCNX						Liniani					1		1	4= 6-				
Combination - Zone 3	\vdash				2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System					2	LINCNY	1111.2	GE 40	04.24	45.00			1	15.00				
Combintation- per month	+			-	3	OINCINA	UILZX	81.60	94.21	45.09	+		-	15.∠0			-	
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X						LINCNX	LIC1CA	2 06	5 01	1 26								
Scharge	+				 	OINOINA	UCICA	2.90	5.91	4.20	+ +		 	 		 		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)						UNC1X	UNCCC		5.43	5.43			1	15.20				
First DS1 Loop in STS1 Interoffice Transport Combination - 1 UNC1X	4-\	WIRE		TEROF	FICE T				50	3.10	† †				İ	İ		
Zone 1						,,					1				İ			
First DS1 Loop in STS1 Interoffice Transport Combination - 2 UNC1X					1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
First DS1 Loop in STS1 Interoffice Transport Combination -																		
Zone 3			Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month UNCSX 1L5XX 6.04		П													I			-
Per Month UNCSX 1L5XX 6.04	$\perp \perp$				3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
Interoffice Transport - Dedicated - STS1 combination - Facility Termination																		
Termination	\vdash					UNCSX	1L5XX	6.04			1							
STS1 to DS1 Channel System conbination per month						LINCOV	LIATEC	000.40	200 20	404.40	1		1	45.00				
DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination - Additional DS1Loop in STS1 Interoffice Transport Combination - I UNC1X UC1D1 1.1.78 5.91 4.26 1.00.89 15.20	\vdash				-						+ +		ļ	15.20	 	 		
Additional DS1Loop in STS1 Interoffice Transport Combination - 20ne 1 UNC1X USLXX 85.70 169.22 100.89 15.20 15.20	\vdash		DS2 Interface Unit (DS1 COCI) combination per month		-						1		-					
Zone 1	\vdash		Additional DS1I on in STS1 Intereffice Transport Combination	 	 	OINCIA	OCIDI	11.78	5.91	4.26	+ +				 	 		
Additional DS1Loop in STS1 Interoffice Transport Combination -					1	UNC1X	USI XX	85.70	169 22	100.80				15 20				'
	\vdash			†	+ '-	5.101/	30277	00.70	100.22	100.09	† †		 	10.20				
T T TABLE 2 TO THE A TOTAL TO THE TOTAL A TOTA			Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89	1		1	15.20				

JNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Name	RATES (\$)	Nonrecurring	Diagonal		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
_					+	Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in STS1 Interoffice Transport Combination -						11131	Addi	11131	Addi	CONILC	JOINAIN	JOWAN	JONIAN	JOINAIN	JOHAN
	Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	-FICE I	RANS	PORT (EEL)	+											
	Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
+	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			ONODA	ODLOG	30.33	34.21	40.00				13.20				
	Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				I											
	Per Mile			UNCDX	1L5XX	0.013										ļ
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINCDY	LIATOS	45.04	70.00	44 75			1	45.00				
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	15.61	72.60	41.75				15.20				
	Is Charge			UNCDX	UNCCC		5.43	5.43			1	15.20				
4-WIR	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS		014000		3.43	3.43				13.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			(===,	1											
	Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.013										
	Facility Termination			UNCDX	U1TD6	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-							_								
	Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge of	does not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43				15.20				
-	Nonrecurring Currently Combined Network Elements Switch -As-			OINOVA	DINCCC		ე.43	5.43				15.20			 	1
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-				1									l	İ	Ì
	Is Charge - DS1			UNC1X	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	LINIOGO							,				
NOTE	Is Charge - STS1	I - Dala	w Dea	UNCSX	UNCCC	r months	5.43	5.43				15.20				
NOTE	Local Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade	ı - Beio	พ บอง:	UNCVX	ULDV2	18.32	187.51	32.21								1
	Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 4-Wire Voice Grade			UNCVX	ULDV4	19.41	187.94	32.63			 					1
	Local Channel - Dedicated - Ville Voice Clade Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	39.18	172.34	149.27				15.20			1	
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	70.02	172.34	149.27	•	· · · · · ·		15.20				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7.82									ļ	
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	469.44	438.46	256.30				15.20				1
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination		<u> </u>	UNCSX UNCSX	1L5NC ULDFS	7.82 457.22	438.46	256.30			-			-	-	ļ
Ontio	Local Channel - Dedicated - STS-1 - Facility Termination and Features & Functions:			OINCOX	ULDF5	457.22	438.46	256.30			-			-		1
JUPHO	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	+	-					 			l	 	

UNRIII	NDI FI	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: B
31400	10000	7 RET WORK LEEMENTO - Louisiana	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
071120			m		200				= (4)			per LSR	per LSR		Electronic-	Electronic-	
														Electronic-			Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		50.05					15.20				
	MULTIF	PLEXERS															
	NOTE:	minimum billing period is one month for DS1 to DS0 Channel	Systen	n and i	nterfaces												
	NOTE: I	minimum billing period is three months for DS3 to DS1 Chan	nel Syst	em and	d interfaces												
		DS1 to DS0 Channel System (with the higher-level connected to															
		a collocation in the same SWC) per month			UXTD1	MQ1	105.09	88.41	60.76				15.20				
		DS1 to DS0 Channel System (used to channelize a DS1 Local															
		Channel) per month			ULDD1	MQ1	105.09	88.41	60.76				15.20				
		DS1 to DS0 Channel System (used to channelize a DS1															
		Interoffice Channel) per month			U1TD1	MQ1	105.09	88.41	60.76				15.20				
1 T		OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1														
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58				15.20				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per	l								-				l		-
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58				15.20				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58				15.20				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58				15.20				
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58				15.20				
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58				15.20				
		DS3 to DS1 Channel System (with the higher level connected to						4=0.00									
		a collocation in the same SWC) per month			UXTD3	MQ3	201.48	172.99	91.25				15.20				
		DS3 to DS1 Channel System (used to channelize a DS3 Local															
		Channel) per month			ULDD3	MQ3	201.48	172.99	91.25				15.20				
		DS3 to DS1 Channel System (used to channelize a DS3			LIATEDO												
		Interoffice Channel per month		-	U1TD3	MQ3											
		STS-1 to DS1 Channel System (with the higher level connected			LIVTO4	MQ3	201.48	470.00	04.05				45.00				
-		to a collocation in the same SWC) per month	-	-	UXTS1	IVIQ3	201.48	172.99	91.25				15.20				
		STS-1 to DS1 Channel System (used to channelize a STS-1			LII DO4	MQ3	204.40	470.00	04.05				45.00				
\vdash		Local Channel) per month STS-1 to DS1 Channel System (used to channelize a STS-1	-	-	ULDS1	IVIQ3	201.48	172.99	91.25			-	15.20		-		
		Interoffice Channel) per month	1		U1TS1	MQ3	201.48	172.99	91.25				15.20				
 	-	DS1 COCI used with Loop per month	-	1	USL	UC1D1	11.78	6.39	4.58	1		 	13.20				
\vdash		DS1 COCI (used for connection to a channelized DS1 Local	<u> </u>	 	001	55151	11.76	0.39	7.50	1							
		Channel in the same SWC as collocation) per month	1		U1TUA	UC1D1	11.78	6.39	4.58								
\vdash		DS1 COCI used with Interoffice Channel per month	 		U1TD1	UC1D1	11.78	6.39	4.58			-					
		op Feeder	l		0.101	30.01	11.70	0.05	4.30	1		 					
\vdash		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	 	1	UNC1X	USBFG	55.38	98.15	61.77	 							
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	l	2	UNC1X	USBFG	167.83	98.15	61.77	1		 					
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1		UNC1X	USBFG	469.87	98.15	61.77	1					 		
UNBUN	DLED L	OCAL EXCHANGE SWITCHING(PORTS)	†	Ť			.00.07	556	J7	1					i		
	Exchan	ge Ports	1			1									l		
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usin	g retail USOCs	3								
		VOICE GRADE LINE PORT RATES (RES)		, -													
		Exchange Ports - 2-Wire Analog Line Port- Res.		1	UEPSR	UEPRL	1.52	2.31	2.21	†			15.20				
		-															
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	1	1	UEPSR	UEPRC	1.52	2.31	2.21				15.20				
			Ì														
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u> </u>	<u></u>	UEPSR	UEPRO	1.52	2.31	2.21	<u> </u>		<u></u>	15.20				
		Exchange Ports - 2-Wire VG unbundled LA extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21				15.20				
1 T		Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus	1			7									I		
		with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21				15.20				

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
_							Rec	Nonred		Nonrecurring					Rates(\$)		
_								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	LIEDAD	4.50	0.04	0.04				45.00				
-		with Caller ID (LUM)		-	UEPSR	UEPAP	1.52	2.31	2.21				15.20				
		Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan			LIEDOD	LIEDWO	4.50	0.04	0.04				45.00				I
-		without Caller ID Exchange Ports - 2-Wire VG Louisiana Residence Area Plus		-	UEPSR	UEPWG	1.52	2.31	2.21				15.20				
		without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21				15.20				I
		2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21			-	15.20				
		Capability			UEPSR	UEPRT	1.52	2.31	2.21				15.20				I
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	-		1	15.20				
	FEATU				OLFSK	USASC	0.00	0.00	0.00	-		1	13.20				
	FLATO	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00	 		1	15.20				
	2-WIRF	E VOICE GRADE LINE PORT RATES (BUS)	 	1	0_1 010	JL: VI	0.00	0.00	0.00	t	 	<u> </u>	10.20				
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -	l -			+ -				<u> </u>							
		Bus	1		UEPSB	UEPBL	1.52	2.31	2.21	I			15.20				ı
		Exchange Ports - 2-Wire VG unbundled Line Port with	1		- "	1		2.51		t	 			 	i		
		unbundled port with Caller+E484 ID - Bus.	1		UEPSB	UEPBC	1.52	2.31	2.21	I			15.20				ı
		and and out that canonic to the back			02.05	02. 50	1.02	2.01					10.20				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21				15.20				I
		Exchange Ports - 2-Wire VG unbundled LA extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21				15.20				I
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21				15.20				I
		Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
		Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				I
		Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan															
		without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21				15.20				I
		Exchange Ports - 2-Wire Voice Louisiana Business Area Calling															<u> </u>
		Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21				15.20				· '
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.52	2.31	2.21				15.20				l
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.20				
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				15.20				
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42				15.20				
—		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	ļ	!	UEPSP	UEPPC	1.52	30.37	14.42	-	 	-	15.20	-	ļ		
-		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	 	├	UEPSP	UEPPO	1.52 1.52	30.37	14.42	 	-	 	15.20	-	 		
\vdash		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus	 	-	UEPSP UEPSP	UEPP1 UEPLD	1.52 1.52	30.37 30.37	14.42 14.42	 	-	1	15.20 15.20	-	 		
\vdash		2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port	!	+	UEPSP	UEPLD UEPL2	1.52	30.37	14.42	 		-	15.20			-	
\vdash		2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports	 	-	UEPSP	UEPL2	1.52	30.37	14.42	 		 	15.20	 	 		
\vdash		2-Wire Voice Unbundled 2-Way PBX Usage Port	 		UEPSP	UEPLD	1.52	30.37	14.42	t	 	H	15.20	l	 		
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42	t		-	15.20		 		
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 		UEPSP	UEPXC	1.52	30.37	14.42	t	 	H	15.20	l	 		
\vdash		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42	t		-	15.20		 		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	1	0_1 01	JLI ND	1.02	50.57	17.72	t	 	<u> </u>	10.20				
		Capable Port	1	1	UEPSP	UEPXE	1.52	30.37	14.42	I			15.20				ı
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	i	t	- " -			33.51	12	†	i			i	i		
		Callling Port	1	1	UEPSP	UEPXK	1.52	30.37	14.42	I			15.20				ı
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1		1				İ					İ		
		Administrative Calling Port	1	1	UEPSP	UEPXL	1.52	30.37	14.42	I			15.20				ı
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port	1		UEPSP	UEPXM	1.52	30.37	14.42	I			15.20				ı
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	Ì														
		Discount Room Calling Port	<u> </u>	Ш.	UEPSP	UEPXO	1.52	30.37	14.42	<u> </u>	<u> </u>	<u> </u>	15.20	<u> </u>	<u> </u>		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
		Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42				15.20				
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.20				

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana													ment: 2	Exhi	bit: B
							<u> </u>					Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	_	Nonre	curring	Nonrecurring	g Disconnect	İ		oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	URES							71001		71441	0020	00				
1.241	All Available Vertical Features	-	-	UEPSP UEPSE	UEPVF	0.00	0.00	0.00			1	15.20			1	
EVC	ANGE PORT RATES (COIN)		-	OLF OF OLF OL	OLF VI	0.00	0.00	0.00		 	1	13.20		 	1	
EXCI	Exchange Ports - Coin Port					1.52	2.31	2.21			<u> </u>	15.20				
		L														
	: Transmission/usage charges associated with POTS circuit st													L		
	: Access to B Channel or D Channel Packet capabilities will be	availak	le onl	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	de Request/	New Business	s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)															
EXCH	ANGE PORT RATES															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29	115.85	18.20				15.20				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
i I	capability	1	1	UEPDD	UEPDD	68.47	196.18	92.92		I	I	15.20	l	I		1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	10.07	70.76	51.46		1	İ	15.20			1	
	All Features Offered	 	 	UEPTX UEPSX	UEPVF	0.00	0.00	0.00		t	1	10.20	i	1	1	1
NOTE	: Transmission/usage charges associated with POTS circuit so	witched								hannala acces	iotod with 2	wire ICDM	a o miso		1	
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availat	le onl							etermined via t	he Bona Fig	de Request/	New Business	s Request Pro	ocess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	94.82	197.92	98.62				15.20				
UNBU	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	<i>'</i>														
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21				15.20				
									1		1			1		
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21				15.20				
	Unbundled Remote Call Forwarding Service, InterLATA - Res	-	-	UEPVR	UERTE	1.52	2.31	2.21			1	15.20			1	
—	Unbundled Remote Call Forwarding Service, IntraLATA - Res		-	UEPVR	UERTR	1.52	2.31	2.21		 	1	15.20		 	1	
N				UEFVR	UEKIK	1.52	2.31	2.21			<u> </u>	15.20				
Non-	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10				15.20				
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	INDLED REMOTE CALL FORWARDING - Bus															
											ĺ					
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.52	2.31	2.21				15.20				
	Chibanaloa Nomoto Cam Formaraning Cornect, Filoa Caming Bac			02. 15	02.00	1.02	2.01				1	.0.20		1		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21				15.20				
											<u> </u>					
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21				15.20				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21				15.20				
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21				15.20				
Non-F	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
1 1	Switch-as-is	l	l	UEPVB	USAC2		0.10	0.10		I	1	15.20	1			1
	Unbundled Remote Call Forwarding Service - Conversion with															
1 1	allowed change (PIC and LPIC)	l	l	UEPVB	USACC		0.10	0.10		I	1	I	1			1
UNBUNDI ED	LOCAL SWITCHING, PORT USAGE	 	-		3000		0.10	0.10	†	t	 	 	 	t	 	
	Office Switching (Port Usage)	 	 		 				 	 	 	 	-	 	 	
Ena C		 	 		 	0.001868			 	 	-	!	 	1	1	-
\vdash	End Office Switching Function, Per MOU	├	Ь——	-	}				1	+	 	!	1	1	}	l
\vdash	End Office Trunk Port - Shared, Per MOU	L	Ь——			0.00018			ļ		ļ					
Tande	em Switching (Port Usage) (Local or Access Tandem)								1		ļ					
	Tandem Switching Function Per MOU					0.0001067										
	Tandem Trunk Port - Shared, Per MOU					0.000222										
Comn	non Transport															
	Common Transport - Per Mile, Per MOU	Ì				0.0000032					1		İ			
	Common Transport - Facilities Termination Per MOU	i	i			0.0003748			İ		İ	ĺ	İ			İ
UNBUNDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES	 	 		1	2.23007.10			1	t	1	l .	i	1		
	Based Rates are applied where BellSouth is required by FCC at	ad/or C4	ata Ca	nmission rulo to pre	vido Unbern	dlad Lacal Swit	tching or Swit	sh Dorte	1	+	1	 	 	 	 	
									ad Dant *****	af this Dat -	l Sala i la id	-	-	1	 	
	res shall apply to the Unbundled Port/Loop Combination - Cos											<u> </u>		1	ļ	
End C	Office and Tandem Switching Usage and Common Transport Us	sage rat	es ın tl	ne Port section of th	ıs rate exhibi	t shall apply to	all combinati	ons of loop/po	ort network elei	ments except	or UNE Coi	n Port/Loop	Combination	ns.		
	rst and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	a Combos. For Cur	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	III be those ide	ntified in the N	onrecurring	- Currently	Combined s	ections.		
I2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	I	I	I	1	I			1	1	1	1	l .	1	1	l

Version 1Q03: 02/28/03 Page 198 of 420

UNBUNI	DLE	NETWORK ELEMENTS - Louisiana										T -		ment: 2		bit: B
CATEGOR	₹Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring Disconne				Rates(\$)		
							1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN		rt/Loop Combination Rates														
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13									
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75									
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62									
Ur		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39			 	+				-	-
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26			 	+			1		
2-1		Voice Grade Line Port Rates (Res)		3	OLFKA	OLFLX	40.20								1	1
2-		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08			15.20			-	
		2-Wire voice unbundled port vith Caller ID - res		<u> </u>	UEPRX	UEPRC	1.36	38.85	19.08			15.20			<u> </u>	<u> </u>
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08			15.20		i	1	1
		2-Wire voice Grade unbundled Louisiana extended local dialing										10.00				
		parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08			15.20				
		(RUL)			UEPRX	UEPAG	1.36	38.85	19.08			15.20				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36	38.85	19.08			15.20				
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08			15.20				
		2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08			15.20				
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.36	38.85	19.08			15.20				
FE	EATU															
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00			15.20				
LC		NUMBER PORTABILITY														
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35									
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED														
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
		Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		0.10	0.10			15.20				
		Switch with change			UEPRX	USACC		0.10	0.10			15.20				
ΑI		ONAL NRCs			-											
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00			15.20				
2-1		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			02.100	00/102	0.00	0.00	0.00			10.20				
		ort/Loop Combination Rates														
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13									
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75								20.00	
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62									
UN		op Rates														
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77									
_		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22.39							ļ	1	1
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26					ļ			ļ	
2-1		Voice Grade Line Port (Bus)		<u> </u>	LIEDDY	LIEDE!	1.00	00.0=	10.00		_	45.00		-	 	
		2-Wire voice unbundled port without Caller ID - bus		-	UEPBX UEPBX	UEPBL UEPBC	1.36 1.36	38.85 38.85	19.08 19.08		_	15.20 15.20			 	
		2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	-	 	UEPBX	UEPBO	1.36	38.85	19.08			15.20			 	
		2-Wire voice Grade unbundled Louisiana extended local dialing			-											
		parity port with Caller ID - bus		L	UEPBX	UEPAX	1.36	38.85	19.08			15.20			L	L
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.36	38.85	19.08			15.20				
		2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08			15.20				
		2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08			15.20				
		2-Wire voice unbundled Louisiana Business Area Calling Port without Caller ID Capability			UEPBX	UEPBA	1.36	38.85	19.08			15.20				

CATEGORY RATE ELEMENTS Use BCS	UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: B
## CATE PLEMENTS March Mar	0.1.2011.2.2										Svc Order	Svc Order				Incremental
## CATEGORY RATE ELEMENTS Top BOS BOS BUSCO FATES Description Conduct via											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Column C	_		Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Bestronic Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Page Page													Electronic-	Electronic-	Electronic-	Electronic-
Comparison Com													1st	Add'l	Disc 1st	Disc Add'l
Comparison Com							I	Nonrec	urring	Nonrecurring Disconne	ct C		OSS	Rates(\$)		I
Control Cont							Rec					SOMAN			SOMAN	SOMAN
Dept. Dept		2-Wire voice unbundled Incoming Only Port without Caller ID														
					UEPBX	UEPBE	1.36	38.85	19.08			15.20				
FATURES	LOCAL															
All Fearmer Offered	FFAT		ļ		UEPBX	LNPCX	0.35									
NONECOURRING CHARGES (NRCG) - CURRENTLY COMBINED	FEATU		<u> </u>		LIEDDY	LIEDVE	0.00	0.00	0.00			15.20				
2-Wine Vote Grade Loop / Line Port Combination - Conversion Senting - Conversion Sent	NONRI		1	-	OLFBA	OLF VI	0.00	0.00	0.00			13.20				
Switz-loads USACC	I Coluit															
Section with change					UEPBX	USAC2		0.10	0.10			15.20				
ADDITIONAL NRCs Committed Compiline Fort Combination - Subsequent UEPIX USAS2			-													
2-Wine Votos Grade Loop Lune Prot Confination - Subsequent UEPRX			ļ	ļ	UEPBX	USACC		0.10	0.10			15.20				
Activity Color GRADE LOP WITH 2-WIRE LINE PORT (RES. PDX)	ADDIT		.	<u> </u>		+										
2-WINE VOICE GRADE LOOP WITH 2-WINE LUNE PORT (RES - PBX)					LIEDBY	116460		0.00	0.00			15 20				
UNE Logo Combination Rates	2-WID		1	 	OLPDA	USASZ		0.00	0.00	+ + + - + +	-	15.20	-	-		1
2-Wise Vol LoughProt Control - Zona 2			1	-		+										
2-Wire Vot LoopProt Contho - Zena 2 2 2.375 3 48,000 3 4	ONET			1			13.13									
UNIVER_Cop Rates Care Ca				2			23.75									
EVINO Votor Grade Loop (St. 1) - Zone 1		2-Wire VG Loop/Port Combo - Zone 3		3			49.62									
2-Wire Votos Grade Loop (St. 1) - Zene 2 2. UEPRG UEPLX 42.36	UNE L															
2-Wire Vote Grade Loop (St.) - Zone 3 3 LEPRG LEPIX 48.26			ļ													
2-Wire Voloe Grade Line Port Rates (RES - PBX)			ļ													
2-Wire VGU Debundled Combination 2-Way PBX Trunk Port - Res UEPRG	2-Wire		<u> </u>	3	UEPRG	UEPLX	48.26									
Res	2-1116		1	-		+										
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB					UEPRG	UEPRD	1.36	66.91	31.29			15.20				
FEATURES	LOCAL	NUMBER PORTABILITY														
MINFECURING CHARGE (NRCs) - CURRENTLY COMBINED UEPRG UEPVF 0.00					UEPRG	LNPCP	3.15	0.00	0.00			15.20				
NONRECURRING CHARGES (INRCs) - CURRENTLY COMBINED	FEATU															
Conversion - Switch-As-Is	NONE		ļ		UEPRG	UEPVF	0.00	0.00	0.00			15.20				
Conversion - Switch-As-Is	NONKI		<u> </u>			+										
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPRG USACC 7.68 1.85 1.85 1.80					UEPRG	USAC2		7 68	1 85			15 20				
Conversion - Switch with Change					021.110	00/102		7.00	1.00			10.20				
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group 15.20					UEPRG	USACC		7.68	1.85			15.20				
Subsequent Activity	ADDIT															
PRX Subsequent Activity - Change/Rearrange Multiline Hunt Group T.11																
Group 7,11 7,11 15,20			ļ		UEPRG	USAS2	0.00	0.00	0.00			15.20				
2-Wire Voice Grade Loop With 2-Wire Line Port (Bus - PBX)								7 1 1	7 1 1		1	15.20				
UNE Port/Loop Combination Rates	2-WIRE		 	 		+		7.11	7.11		+	15.20				
2-Wire VG Loop/Port Combo - Zone 1			<u> </u>	t										1		
2-Wire VG Loop/Port Combo - Zone 2 2 23.75 2-Wire VG Loop/Port Combo - Zone 3 3 49.62 3.75 3 49.62 3.75 3 49.62		2-Wire VG Loop/Port Combo - Zone 1		1												
UNE Loop Rates		2-Wire VG Loop/Port Combo - Zone 2					23.75									
2-Wire Voice Grade Loop (SL 1) - Zone 1				3			49.62									
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 22.39	UNE L		-	-	LIEDDY	LIEDLY	44 7-			 	_					
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 48.26 2-Wire Voice Grade Line Port Rates (BUS - PBX) UEPPX UEPPC 1.36 66.91 31.29 15.20 UEPPX UEPP	\vdash		 							 	_	1				
2-Wire Voice Grade Line Port Rates (BUS - PBX)	\vdash		1	_						 	-	}				
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	2-Wire		1	<u> </u>		02. 2/	70.20					1	1	1		1
Line Side Unbundled Outward PBX Trunk Port - Bus	1 1 1 1 1	1	1	i i									İ			İ
Line Side Unbundled Incoming PBX Trunk Port - Bus			<u> </u>										<u> </u>			<u> </u>
2-Wire Voice Unbundled 2-Way Combination PBX Louisiana UEPPX UEPL2 1.36 66.91 31.29 15.20 15.20 2-Wire Voice Unbundled PBX LD Terminal Ports UEPPX UEPLD 1.36 66.91 31.29 15.20 15																
Calling Port UEPPX UEPL2 1.36 66.91 31.29 15.20 15.20 2-Wire Voice Unbundled PBX LD Terminal Ports UEPPX UEPLD 1.36 66.91 31.29 15.20 15.20 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPX 1.36 66.91 31.29 15.20 15.20			ļ	<u> </u>	UEPPX	UEPP1	1.36	66.91	31.29			15.20				
2-Wire Voice Unbundled PBX LD Terminal Ports UEPPX UEPLD 1.36 66.91 31.29 15.20 15.20			1		LIEDDY	LIEDLO	4.00	00.04	24.00			45.00				
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPX 1.36 66.91 31.29 15.20	\vdash		1	 						+ + + - + +	_		-	-		
			 	 												
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	 	UEPPX	UEPXB	1.36	66.91	31.29	 		15.20	1	1		

NARONDE	ED NETWORK ELEMENTS - Louisiana													ment: 2	1	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sy Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ	LIEBBY .	UEDVO.		First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-		UEPPX UEPPX	UEPXC UEPXD	1.36 1.36	66.91 66.91	31.29 31.29				15.20				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPAD	1.30	00.91	31.29			-	15.20				
	Capable Port			UEPPX	UEPXE	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port			UEPPX	UEPXK	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29			İ	15.20				
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		 	UEPPX	UEPXS	1.36	66.91	31.29	 			15.20			-	
LOC	AL NUMBER PORTABILITY			OLI I X	OLI XO	1.00	00.01	01.20			1	10.20				1
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	†			15.20			t	
FEAT	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.68	1.85				15.20				
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.11	7.11				15.20				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT.					7.11	7.11				13.20			-	
	Port/Loop Combination Rates	ì	1								1				1	1
	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	13.13										İ
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26				· · · · · · · · · · · · · · · · · · ·						
2-Wii	re Voice Grade Line Ports (COIN)															<u> </u>
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08			<u> </u>	15.20				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08				15.20				
+	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
_	1+DDD, 011+, and Local (AL, KY, LA, MS)	-	├	UEPCO	UEPCN UEPNA	1.36 1.36	38.85	19.08 19.08	 		1	15.20			 	
_	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only) 2-Wire Coin Outward Smartline with 900/976 (Louisiana only)	 	 	UEPCO UEPCO	UEPNA	1.36 1.36	38.85 38.85	19.08	 		-	15.20 15.20			-	}
	ITIONAL UNE COIN PORT/LOOP (RC)		 	OLI-CO	OLFOD	1.30	30.03	13.00	 			13.20			 	
				1	1 1				1 1		1				1	1

NBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
TEGORY		Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge Manual S Order vs Electroni Disc Add
		-				Rec	Nonrec First	urring Add'l		g Disconnect Add'l	COMEC	COMAN		Rates(\$)	COMAN	SOMAN
1.00	L CAL NUMBER PORTABILITY	+	1		+		FIRST	Addi	First	Add I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 100	Local Number Portability (1 per port)	1	<u> </u>	UEPCO	LNPCX	0.35				+	+				1	
NO	NRECURRING CHARGES - CURRENTLY COMBINED	1	1	OLI CO	LIVI OX	0.55				+	+					†
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-								+	1				1	1
	Switch-as-is			UEPCO	USAC2		0.10	0.10				15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change			UEPCO	USACC		0.10	0.10				15.20				
ADI	DITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	<u> </u>	<u> </u>	UEPCO	USAS2		0.00	0.00				15.20				
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (RES)						1	1					
UNE	Port/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	+	1		+	16.45			-	+	1			-	 	1
+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2		+ -	26.87	-		 	+	+	1		 	 	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		+	51.98				+	†				†	1
UNE	E Loop Rates	1	Ť		1	01.00				1	†				1	
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50.46										
2-W	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93				15.20				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93		1		15.20				
_	2-Wire voice unbundled port outgoing only - res	ļ		UEPFR	UEPRO	1.52	104.41	67.93				15.20				
	2-Wire voice Grade unbundled Louisiana extended local dialing			LIEDED	LIEDAG	4.50	404.44	07.00				45.00				
-	parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res	-	1	UEPFR	UEPAS	1.52	104.41	67.93		+	1	15.20			-	
	(RUL)			UEPFR	UEPAG	1.52	104.41	67.93				15.20				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1.52	104.41	67.93				15.20				
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93		1		15.20				
INT	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	1	UEPFK	01172	22.00	39.30	20.02		+	+	15.20			-	
	or Fraction Mile			UEPFR	1L5XX	0.013										
FFA	ATURES	1	1	OLITIK	TESAX	0.013				+	+					1
1	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00		1	1	15.20			t	1
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81				15.20				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED			0.01	4.00		1		45.00			1	
2 144	Combination - Conversion - Switch-With-Change IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	I ELINE:	ODT /	UEPFR BUEY	USACC		8.24	1.81		+	1	15.20			 	-
	E Port/Loop Combination Rates	LLINE	OKI (+					+	+	-		 	 	1
OINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		+	16.45				+	†				†	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2		_	26.87				 	†	1			†	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		1	51.98				1					1	1
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93		•								
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFB	UECF2	50.46				1					1	ļ
2-W	lire Voice Grade Line Port (Bus)	 	1	LIEDED	LIEDE	1.50	404.41	07.00	-	+	1	45.00		-	 	
+	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	+	-	UEPFB UEPFB	UEPBL UEPBC	1.52 1.52	104.41 104.41	67.93 67.93	-	+	1	15.20 15.20			 	
- 1	Z-vviie voice unbundled poit with Caller + E484 ID - DUS	1	1	UEPFB	UEPBC	1.52	104.41	67.93	 	1	1	15.20		 	!	ļ

UNBL	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: B
3.150		- III III EEEIIEII O EGGIGIGIG										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			In terms									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	Disc Add'l
														1st	Add'l	DISC 1St	DISC Add I
			i –				B	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
			i				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Alabama extended local dialing	i							İ							
		parity port with Caller ID - bus			UEPFB	UEPAW											
		2-Wire voice Grade unbundled Louisiana extended local dialing												Î	Î		
		parity port with Caller ID - bus			UEPFB	UEPAX	1.52	104.41	67.93				15.20				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.52	104.41	67.93				15.20	Î	Î		
		2-Wire voice unbundled Louisiana Bus Area Calling Port with												Î	Î		
		Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93				15.20				
		2-Wire Voice Unbundled Louisiana Business Dialing Plan												Î	Î		
		without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93				15.20				
	LOCAL	NUMBER PORTABILITY												Î	Î		
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35							ĺ			
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
1	1	Termination	1	1	UEPFB	U1TV2	22.60	39.36	26.62			1	15.20				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFB	1L5XX	0.013										
	FEATU	IRES												Î	Î		
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.20	Î	Î		
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	i							İ							
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	i							İ							
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81				15.20				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port												Î	Î		
		Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81				15.20				
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)												Î	Î		
	UNE P	ort/Loop Combination Rates												ĺ			
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.52	132.47	82.14				15.20				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.52	132.47	82.14				15.20				
		Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPFP	UEPP1	1.52	132.47	82.14				15.20				
	1	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	1	1		1 7				Ι Τ		1					
		Calling Port	ļ	1	UEPFP	UEPL2	1.52	132.47	82.14				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Ports	ļ	1	UEPFP	UEPLD	1.52	132.47	82.14				15.20				
L		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	ļ	1	UEPFP	UEPXA	1.52	132.47	82.14			ļ	15.20	ļ	ļ		
L		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ	1	UEPFP	UEPXB	1.52	132.47	82.14			ļ	15.20	ļ	ļ		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ	1	UEPFP	UEPXC	1.52	132.47	82.14				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPFP	UEPXD	1.52	132.47	82.14				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				1											
L		Capable Port	ļ	1	UEPFP	UEPXE	1.52	132.47	82.14			ļ	15.20	ļ	ļ		
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1														
L		Calling Port	ļ	1	UEPFP	UEPXK	1.52	132.47	82.14			ļ	15.20	ļ	ļ		
1	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1								1					
L		Administrative Calling Port	ļ	1	UEPFP	UEPXL	1.52	132.47	82.14				15.20				
1	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	l	1						1					
L		Room Calling Port	ļ	1	UEPFP	UEPXM	1.52	132.47	82.14				15.20	ļ			
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		l	1											
		Discount Room Calling Port	ļ	1	UEPFP	UEPXO	1.52	132.47	82.14				15.20				
1	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	1	1								1					
		Discount Calling Port	ļ	1	UEPFP	UEPXP	1.52	132.47	82.14				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	1	UEPFP	UEPXS	1.52	132.47	82.14				15.20	ļ			
	LOCAL	NUMBER PORTABILITY	ļ	1									ļ				
		Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEPFP	LNPCP	3.15	0.00	0.00	I		<u> </u>	15.20	ļ	ļ		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	oit: B
										Svc Orde	Svc Order	Incremental	Incremental		Incremental
										Submitted		_	Charge -	Charge -	Charge -
OATE OODY	DATE ELEMENTO	Interi	-	D00				DATEO (6)		Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
		1				D.,	Nonrec	urring	Nonrecurring Disconne	ct	1	oss	Rates(\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														
	Termination			UEPFP	U1TV2	22.60	39.36	26.62			15.20				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	1L5XX	0.040									
EE V	or Fraction Mile TURES	1	<u> </u>	UEPFP	ILSXX	0.013				+	+				
1.5	All Features Offered	1	1	UEPFP	UEPVF	0.00	0.00	0.00			15.20				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.00	0.00								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81			15.20				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
LINE INDIE	Combination - Conversion - Switch with change	ļ		UEPFP	USACC		8.24	1.81			15.20				
	D PORT/LOOP COMBINATIONS - COST BASED RATES RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	(PORT	 		+	1			 	-	+				
	Port/Loop Combination Rates	I	 								1	 			
0.42	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.20									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			33.62									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			58.73									
UNE	Loop Rates														
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93					15.20				
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	ļ	2	UEPPX	UECD1	25.35					15.20				
LINE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 Port Rate	<u> </u>	3	UEPPX	UECD1	50.46					15.20				
UNE	Exchange Ports - 2-Wire DID Port	1	<u> </u>	UEPPX	UEPD1	8.27	217.95	83.92		+	15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	1	OLITA	OLI DI	0.21	217.00	00.02			10.20				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -														
	Switch-as-is			UEPPX	USAC1		7.10	1.81			15.20				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion														
<u> </u>	with BellSouth Allowable Changes	ļ		UEPPX	USA1C		7.10	1.81			15.20				
ADD	ITIONAL NRCs 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ	ļ	UEPPX	USAS1		26.01	26.01			15.20				
Tolo	phone Number/Trunk Group Establisment Charges	1	<u> </u>	UEPPX	USAST		26.01	26.01		+	15.20				
1010	DID Trunk Termination (One Per Port)	1	1	UEPPX	NDT	0.00	0.00	0.00			15.20				
	Additional DID Numbers for each Group of 20 DID Numbers	1	1	UEPPX	ND4	0.00	0.00	0.00			15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00			15.20				
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00			15.20				
	Reserve DID Numbers	ļ		UEPPX	NDV	0.00	0.00	0.00			15.20				
LOC	AL NUMBER PORTABILITY			LIEDDY	LNDCD	2.45	0.00	0.00							
2-38/1	Local Number Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE GIDI	POPT	UEPPX	LNPCP	3.15	0.00	0.00	 	-	+				
	Port/Loop Combination Rates	INC SIDI	I		+					+	+				
10.45	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	t		1						1				
	UNE Zone 1		1	UEPPB UEPPR	2	27.48			<u> </u>		<u> </u>				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				1										
\vdash	UNE Zone 2	ļ	2	UEPPB UEPPR		40.34						ļ	ļ		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB UEPPR		70.00									
LINE	UNE Zone 3 Loop Rates	<u> </u>	3	UEPPB UEPPR	+	70.99					+				
JONE	2-Wire ISDN Digital Grade Loop - UNE Zone 1	 	1	UEPPB UEPPR	USL2X	19.09					15.20	 			
		<u> </u>	t	52.12 S2.11K							10.20	1	1		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	<u> </u>	2	UEPPB UEPPR		31.95					15.20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	62.60		-			15.20				
UNE	Port Rate				<u> </u>										
1.00	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>	<u> </u>	UEPPB UEPPR	UEPPB	8.39	184.10	128.42			15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	 	-							-	1				
	2-wire ISDN Digital Grade Loop / 2-wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0.00	37.40	26.23			15.20				
ADD	ITIONAL NRCs	t	†	SELLE OFFICE	30,100	0.00	57.40	20.23			10.20				
	AL NUMBER PORTABILITY	1	t		1						1				

ONROND	LED NETWORK ELEMENTS - Louisiana														ment: 2	1	ibit: B
												Svc Order				Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	Y RATE ELEMENTS	m	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								Ī
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								ĺ
B-C	CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS	SC,MS, 8	k TN)														Ī
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								Ī
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								1
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			İ					1
USE	ER TERMINAL PROFILE					1											1
1202	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1		1				1	1
VFF	RTICAL FEATURES	1	1	1 2		1	2.00	2.00	2.00	1		1				1	
	All Vertical Features - One per Channel B User Profile	1	1	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				†
INT	TEROFFICE CHANNEL MILEAGE	1	1	1		1	5.50	5.50	3.30				.0.20			†	
1.741	Interoffice Channel mileage each, including first mile and	1	1	† 		1						t				 	
	facilities termination			LIEDDR	UEPPR	M1GNC	22.613	39.36	26.62				15.20				
-	Interoffice Channel mileage each, additional mile	_	+		UEPPR	M1GNM	0.013	0.00	0.00	 			15.20				+
4-10/	VIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUI	IK DODT	+	OLFFB	ULFFR	IVITGINIVI	0.013	0.00	0.00			1	13.20				
	E Port/Loop Combination Rates	NK FUKT	+	1		1						-					-
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	_	+	1		1						-					-
	Zone 1		1	UEPPP			400.50										
			1	UEPPP		-	180.52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						=-										
	Zone 2		2	UEPPP			289.78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						=======================================										
	Zone 3		3	UEPPP			586.76										
UNE	E Loop Rates		—			1101.45	0.5.50						4= 00				
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94						15.20				
UNE	E Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	94.82	443.08	251.60				15.20				
NOI	NRECURRING CHARGES - CURRENTLY COMBINED																1
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	115.63	76.29				15.20				
ADI	DITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.48					15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)		Ш.	UEPPP		PR7TO		11.18	11.18	<u> </u>			15.20			<u> </u>	L
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers		Ш.	UEPPP		PR7ZT		22.35	22.35	<u> </u>			15.20			<u> </u>	L
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INT	ERFACE (Provsioning Only)	T .															1
	Voice/Data	1	1	UEPPP		PR71V	0.00	0.00	0.00	1						1	1
	Digital Data	1	1	UEPPP		PR71D	0.00	0.00	0.00								f T
	Inward Data	1	1	UEPPP		PR71E	0.00	0.00	0.00	1						1	
New	w or Additional "B" Channel	1	1	1		1											f T
	New or Additional - Voice/Data B Channel	1	1	UEPPP		PR7BV	0.00	14.11		1		1	15.20			1	
	New or Additional - Digital Data B Channel	1	1	UEPPP		PR7BF	0.00	14.11		1		1	15.20			1	
	New or Additional Inward Data B Channel	1	1	UEPPP		PR7BD	0.00	14.11				1	15.20			1	
CAI	LL TYPES	1	1	1		122	5.50			1		1	.5.25			1	
- JAL	Inward	1	1	UEPPP		PR7C1	0.00	0.00	0.00	 		1				†	
	Outward	+	+	UEPPP		PR7CO	0.00	0.00	0.00	 		1				 	
	Two-way	+	+	UEPPP		PR7CC	0.00	0.00	0.00	 		H				 	
Into	eroffice Channel Mileage	+	+	JLI'FF		111700	0.00	0.00	0.00			1				 	\vdash
inte	Fixed Each Including First Mile	+	+	UEPPP		1LN1A	70.7352	86.69	79.44	 		 	15.20			 	
-	Each Airline-Fractional Additional Mile	+	+	UEPPP		1LN1B	0.2652	00.09	13.44	 		 	15.20			 	
	VIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		+	ULTET		ILIVID	0.2032			 		1				1	+

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
ļ							Manage		I					D-1(A)		
-			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
LINE D	I ort/Loop Combination Rates						FIISL	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
UNLF	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		263.43						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41						15.20				
UNE Lo	pop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
UNE Po	ort Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.47	441.34	245.90				15.20				
NONRE	ECURRING CHARGES - CURRENTLY COMBINED				1											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLFDC	USAC4		123.73	05.00			1	13.20				
	- Conversion with DS1 Changes	1		UEPDC	USAWA		125.75	65.08				15.20				,
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 00	20/11/1		120.70	00.00				10.20				
	- Conversion with Change - Trunk			UEPDC	USAWB		125.75	65.08				15.20				
ADDITI	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															ı
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		44.00	44.00				45.00				
—	Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTC		14.06	14.06				15.20				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITO		14.00	14.00				13.20				
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				1
Alterna	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
T-11	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
relepn	one Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group		<u> </u>	UEPDC	UDTGX	0.00					-	15.20				
 	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGX	0.00						15.20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS	l Digita	Loop	with 4-Wire DDITS	Trunk Port											,
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1		LIEBBO	41 NG											,
	Termination)	-	├	UEPDC	1LNO1	70.47	86.69	79.44			-	15.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0.2652	0.00	0.00								,
	Interoffice Channel Mileage - Additional rate per fille - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			021 00	ILINOA	0.2002	0.00	0.00			-					
	Termination)	1		UEPDC	1LNO2	0.00	0.00	0.00								,
	Interoffice Channel Mileage - Additional rate per mile - 9-25		†			2.00	2.00	2.00								
	miles	1		UEPDC	1LNOB	0.2652	0.00	0.00								.
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		1			1											,
\vdash	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.2652	0.00	0.00	0.00							
 	Local Number Portability, per DS0 Activated Central Office Termininating Point	 		UEPDC UEPDC	LNPCP CTG	3.15 0.00	0.00	0.00	0.00		1	-	-	-		
A_WIDE	E DS1 LOOP WITH CHANNELIZATION WITH PORT	1	-	OLPDO	010	0.00	-			 	 	1	 	 		
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	-		1				 	 	H		l	l		
- Joseph	Do. 200p; I by onaimor barns, and up to 24 I catale Act		1		1	l l			L	L		L	L	L		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Each	System can have up to 24 combinations of rates depending or	n type ar	nd num	ber of ports used												
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00		Î		15.20		Î		
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00		Î		15.20		Î		
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)			Ī					Î				Î		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00		Î		15.20		Î		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00		Î		15.20		Î		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s	1	İ	UEPMG	VUM19	778.80	0.00	0.00	İ			15.20				l
	240 DS0 Channel Capacity - 1 per 10 DS1s	1	İ	UEPMG	VUM2O	973.50	0.00	0.00	İ			15.20				l
	288 DS0 Channel Capacity - 1 per 12 DS1s	1		UEPMG	VUM28	1,168.20	0.00	0.00	İ	İ		15.20		İ		İ
	384 DS0 Channel Capacity - 1 per 16 DS1s	t		UEPMG	VUM38	1,557.60	0.00	0.00	†	i		15.20		i		i
	480 DS0 Channel Capacity - 1 per 20 DS1s	†	t	UEPMG	VUM4O	1,947.00	0.00	0.00	1	1		15.20		1		
	576 DS0 Channel Capacity -1 per 24 DS1s	†	t	UEPMG	VUM57	2,336,40	0.00	0.00	1	1		15.20		1		
	672 DS0 Channel Capacity - 1 per 28 DS1s	<u>† </u>		UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	eliztio					0.00				10.20				
	nimum System configuration is One (1) DS1, One (1) D4 Channe						0.0									
	ples of this configuration functioning as one are considered A										 					
muiti	NRC - Conversion (Currently Combined) with or without	I	1 1110 111	ininiani system con	Inguration is	oountea.					 					
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12				15.20				
Svete	em Additions at End User Locations Where 4-Wire DS1 Loop w	ith Chan	nelizat					0.12				13.20				
	(Not Currently Combined) in all states, except in Density Zone				T Carre	LAISTE GITTE	'									
iten (1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	T	1 11107		+											
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	715.54	467.54				15.20				
Rinol	ar 8 Zero Substitution	+		OLFIVIG	VOIVID4	0.00	713.54	407.34				13.20				
Біроі	Clear Channel Capability Format, superframe - Subsequent	1			+											
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format - Extended Superframe -	+		OLI WO	00001	0.00	0.00	005.00				13.20				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				
Alton	nate Mark Inversion (AMI)	+	-	UEFIVIG	CCOEF	0.00	0.00	605.00			-	15.20				
Aiteri		+	-	UEPMG	MCOSF	0.00	0.00	0.00			-	-				
	Superframe Format Extended Superframe Format	-	-	UEPMG	MCOPO	0.00	0.00	0.00								
			Dont	UEPIVIG	IVICOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelizat	on with	rort		1				 	 	ļ	-		 		
Excha	ange Ports	 	-		1				 	 	ļ	-		 		
	Live Ottle Overhington Observation I DDV Total Science			LIEDDY	LIEDOV		0.00	0.00		0.00		45.00				
\vdash	Line Side Combination Channelized PBX Trunk Port - Business	1		UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20				
\vdash	Line Side Outward Channelized PBX Trunk Port - Business	1		UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00		15.20				
	L	1	1	l	l		_		l .	_	1	l		l		1
\vdash	Line Side Inward Only Channelized PBX Trunk Port without DID	1		UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				
\vdash	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	ļ		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20		ļ		ļ
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	1	1		1				I		1	I		l		1
	(AL, KY, LA, MS, & TN)(Conversion from Network Access	1	1		1				I		1	I		l		1
	Service)	1		UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service)	<u>L</u>		UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00		15.20				<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	Louisiana Only – Calling Plan	<u></u>		UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00	<u></u>	15.20		<u> </u>		<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized - Two Way -						j									
	Louisiana Only – Calling Plan			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00	1	15.20				1
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4	1			1					ĺ				ĺ		1
	Bank			UEPPX	1PQWM	0.6497	25.36	13.40	I		1	15.20				1
	Feature (Service) Activation for each Trunk Port Terminated in	1	İ						İ							l
										1	1		1	1	1	ı
	D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				
Telep		1		UEPPX	1PQWU	0.6497	78.05	18.40				15.20				

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana			•									ment: 2		bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Discon				Rates(\$)	0011411	001111
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	First 0.00	Add'I 0.00	First Add	I SOMEC	SOMAN 15.20	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00			15.20				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00			15.20				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			15.20				
	Local N	Number Portability														
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
		RES - Vertical and Optional														
		Switching Features Offered with Line Side Ports Only			HEDDY	UEPVF	0.00	0.00	0.00			45.00				
INIDIIN		All Features Available PORT LOOP COMBINATIONS - MARKET RATES		-	UEPPX	UEPVF	0.00	0.00	0.00			15.20				
		Rates shall apply where BellSouth is not required to provide	unhund	lled lo	al ewitching or ewit	ch norte ner	FCC and/or St	ate Commissio	n rules			1				
		cludes:	annull	130 100	an owntoning of swii	lon porto per	. Co and/or ot	001111113310	ii iales.			†	—			
		dled port/loop combinations that are Currently Combined or N	lot Cur	rently (Combined in Zone 1	of the Top 8	MSAS in BellS	outh's region f	or end users	with 4 or more DS0 equ	valent lines.		1			
	The To	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, Mia	mi); G/	(Atlanta); LA (New	Orleans); NO	(Greensboro-	Winston Salem	-Highpoint/Ch	narlotte-Gastonia-Rock I	lill); TN (Nashvi					
		uth currently is developing the billing capability to mechanica								ng charges for not curre	ntly combined i	n FL and NC	. In the interi	m where Bell	South cannot	bill Market
		BellSouth shall bill the rates in the Cost-Based section preced			the Market Rates and	d reserves th	e right to true-	up the billing o	lifference.							
		arket Rate for unbundled ports includes all available features i														
		fice and Tandem Switching Usage and Common Transport Us	age rat	es in th	ne Port section of th	is rate exhibi	it shall apply to	all combination	ons of loop/po	ort network elements ex	ept for UNE Co	in Port/Loop	o Combination	ns which have	e a flat rate us	age charge
		: URECU).														
		t Currently Combined scenarios the Nonrecurring charges are	listed	in the F	irst and Additional	NRC column	s for each Port	USOC. For Cu	irrently Comb	ined scenarios, the Non	recurring charg	es are listed	in the NRC - 0	Surrently Con	ibined section	n.
		onal NRCs may apply also and are categorized accordingly.		1								1			1	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		-								1				
	ONL F	2-Wire VG Loop/Port Combo - Zone 1		1		1	25.77					1	1			
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39					+				
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26					1				
		pop Rates		Ť												
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39									
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26									
	2-Wire	Voice Grade Line Port (Res)			UEDDV		1100					4= 00				
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00			15.20				
		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		-	UEPRX UEPRX	UEPRC UEPRO	14.00 14.00	90.00 90.00	90.00			15.20 15.20	-			
		2-Wire voice Grade unbundled Louisiana extended local dialing			OLFKA	OLFKO	14.00	90.00	90.00			13.20	1			
		parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPRX	UEPAS	14.00	90.00	90.00			15.20				
		(RUL) [2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPRX	UEPAG	14.00	90.00	90.00			15.20				
		(AC7)			UEPRX	UEPAH	14.00	90.00	90.00			15.20	I			
		(Not/) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00			15.20				
		2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRT	14.00	90.00	90.00			15.20				
		Canability					17.00	30.00	30.00	1		10.20	 			
		Capability 2-Wire voice unbundled Louisiana Area Plus Port without Caller					14.00	00.00	00.00			15 20				
	I OCAI	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability			UEPRX	UEPRQ	14.00	90.00	90.00			15.20				
	LOCAL	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY					14.00	90.00	90.00			15.20				
	LOCAL	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	UEPRQ		90.00	90.00			15.20				
		2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	UEPRQ		90.00	90.00			15.20				
	FEATU	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES			UEPRX UEPRX	UEPRQ LNPCX	0.35									
	FEATU	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX UEPRX	UEPRQ LNPCX	0.35									
	FEATU	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is change			UEPRX UEPRX UEPRX	UEPRQ LNPCX UEPVF	0.35	0.00	0.00			15.20				
	FEATU	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with change ONAL NRCS			UEPRX UEPRX UEPRX UEPRX	UEPRQ LNPCX UEPVF USAC2	0.35	0.00	0.00			15.20				
	FEATU	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is change			UEPRX UEPRX UEPRX UEPRX	UEPRQ LNPCX UEPVF USAC2	0.35	0.00	0.00			15.20				

Version 1Q03: 02/28/03 Page 208 of 420

UNBUNI	DLE	NETWORK ELEMENTS - Louisiana												ment: 2	1	bit: B
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring Disconnec	:t		oss	Rates(\$)	•	•
	Ì						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	NE Po	ort/Loop Combination Rates										ĺ				
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77					ĺ				
	Ì	2-Wire VG Loop/Port Combo - Zone 2		2			36.39					ĺ				
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26									
UI	NE Lo	oop Rates														
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39									
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26									
2-1		Voice Grade Line Port (Bus)														
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00			15.20				
		2-Wire voice unbundled port with Caller + E484 ID - bus		l –	UEPBX	UEPBC	14.00	90.00	90.00			15.20	1	1	1	1
		2-Wire voice unbundled port with edition 1 2-0-13 bus		t	UEPBX	UEPBO	14.00	90.00	90.00			15.20	1	1	1	1
		2-Wire voice Grade unbundled Louisiana extended local dialing				52. 50	14.00	55.56	55.50		1	10.20	†	t	t	
		parity port with Caller ID - bus			UEPBX	UEPAX	14.00	90.00	90.00			15.20				
		2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	14.00	90.00	90.00			15.20				
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	14.00	90.00	90.00			15.20				
		2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID			UEPBX	UEPWH	14.00	90.00	90.00			15.20				
		2-Wire voice unbundled Louisiana Business Area Calling Port without Caller ID Capability			UEPBX	UEPBA	14.00	90.00	90.00			15.20				
1.0		NUMBER PORTABILITY			OLI DX	OLI DA	14.00	30.00	30.00		_	13.20				
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35				_					
NC		CURRING CHARGES - CURRENTLY COMBINED			OLI DX	LIVI OX	0.55				_					
INC																
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPBX	USAC2		41.50	41.50			15.20				
ΑI		change ONAL NRCs			UEPBX	USACC		41.50	41.50			15.20				
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -										1				
		Subsequent			UEPBX	USAS2		0.00	0.00			15.20				
2-1	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										ĺ				
		ort/Loop Combination Rates														
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77									İ
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39									
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26									
U		oop Rates														
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	11.77				1		İ	İ	İ	
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	22.39									
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	48.26									
2-1		Voice Grade Line Port Rates (RES - PBX)														
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00			15.20				
1.0		NUMBER PORTABILITY		H		520	14.00	55.50	55.56	 	+	10.20	t	t	t	1
-		Local Number Portability (1 per port)	-		UEPRG	LNPCP	3.15				-	 	†	t	t	<u> </u>
NO		CURRING CHARGES - CURRENTLY COMBINED		 	02.10	2.41 01	0.10			 	+	1	<u> </u>	 	 	t
140		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50			15.20				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with														
		Change			UEPRG	USACC		41.50	41.50			15.20	_			
ΑI		ONAL NRCs										<u> </u>	_			
		Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00			15.20				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64			15.20				
2-1		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										1	1	1	1	
		ort/Loop Combination Rates														
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77			1		1	Ì	Ì	1	1

UNBUND	DLED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
0.1.201.12												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring D			·		Rates(\$)		
		1111 1121 112 11 T						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/Port Combo - Zone 2	-	3		_	36.39										
-		2-Wire VG Loop/Port Combo - Zone 3		3		+ -	62.26										
UN		pp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		-1	UEPPX	UEPLX	11.77										
—		2-Wire Voice Grade Loop (SL1) - Zone 1	-	2	UEPPX	UEPLX	22.39										
 		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	48.26			 							
2-V		oice Grade Line Port Rates (BUS - PBX)			OLITA	OLI LX	40.20										
	1	olde Grade Ellie i Gre Rates (BGG i BA)				+											
	lι	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.20				
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				15.20				
		ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															
		Calling Port	<u></u>		UEPPX	UEPL2	14.00					<u></u>	15.20		<u> </u>	<u> </u>	
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															
—		Calling Port			UEPPX	UEPXK	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	44.00	00.00	00.00				45.00				
—		Administrative Calling Port	-	-	UEPPX	UEPXL	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.20				
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	-	UEFFA	UEPAIVI	14.00	90.00	90.00				15.20				
		Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			OLITA	OLI AO	14.00	30.00	30.00	 			13.20				
		Discount Calling Port			UEPPX	UEPXP	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				15.20				
LO		NUMBER PORTABILITY						70.00									
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE	ATUR																
	P	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NO	NREC	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				15.20				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with													l	l	
\vdash		Change	ļ		UEPPX	USACC		41.50	41.50				15.20				
AD	DITIO	NAL NRCs	ļ			4											
	١.	Mine Vales Crede Less (Line Bort Continue)			LIEDDY	LICACO		2.00	0.00				45.00				
\vdash		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	 	-	UEPPX	USAS2		0.00	0.00			 	15.20		 	 	
		2 Wire Loop/Line Side Port Combination - Non feature -	1					0.00	0.00			1	45.00				
\vdash		Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	-		+		0.00	0.00				15.20		-	-	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group	1					14.64	14.64			1	15.20				
2-1/		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT			+ +	+	14.04	14.04			-	10.20				
		t/Loop Combination Rates	T .			+ +	+					-					
		2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	25.77										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	36.39								İ	İ	
		2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		1	62.26								l	l	
UN		pp Rates	l														
		2-Wire Voice Grade Loop (SL1) - Zone 1	l	1	UEPCO	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
2-V	Vire V	oice Grade Line Port Rates (Coin)															
		2-Wire Coin 2-Way without Operator Screening and without													l	l	
	E	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00				15.20				

MRAND	LED	NETWORK ELEMENTS - Louisiana			ı	<u> </u>								ment: 2		ibit: B
ATEGOR'	Υ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred		Nonrecurring Disconnec				Rates(\$)		
						\perp		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,										4= 00				
		900/976, 1+DDD (AL, KY, LA, MS, SC)		-	UEPCO	UEPRA	14.00	90.00	90.00		_	15.20				-
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00			15.20				
	9	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00			15.20				
		2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	14.00	90.00	90.00			15.20				
		2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	14.00	90.00	90.00			15.20				
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00			15.20				
	1	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00			15.20				
LO		NUMBER PORTABILITY					00	22.00	22.00				1	İ		
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									
NO	NRE	CURRING CHARGES - CURRENTLY COMBINED							•							
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50			15.20				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with														
4.5		Change DNAL NRCs			UEPCO	USACC		41.50	41.50			15.20				-
AD	DITIC	JNAL NRCS				+					_		-			-
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00			15.20				
2-V		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (00/102		0.00	0.00			10.20				—
		rt/Loop Combination Rates														
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.93									
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			39.35									
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			64.46									
UN		op Rates														ļ
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.93									
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.35									ļ
2 1/		2-Wire Voice Grade Loop (SL2) - Zone 3 /oice Grade Line Port Rates (Res)		3	UEPFR	UECF2	50.46				-	1				
Z-V		2-Wire voice unbundled port - residence		-	UEPFR	UEPRL	14.00	135.00	90.00	-	+	15.20	-			-
_		2-Wire voice unbundled port vith Caller ID - res			UEPFR	UEPRC	14.00	135.00	90.00		+	15.20				
\dashv		2-Wire voice unbundled port with carrel 15 - res			UEPFR	UEPRO	14.00	135.00	90.00		1	15.20	1	1		
\neg		2-Wire voice Grade unbundled Louisiana extended local dialing														
		parity port with Caller ID - res			UEPFR	UEPAS	14.00	135.00	90.00			15.20				
	(2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPFR	UEPAG	14.00	135.00	90.00			15.20				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	135.00	90.00			15.20				
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID			UEPFR	UEPWG	14.00	135.00	90.00			15.20				
INT		FFICE TRANSPORT														
	ŀ	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	22.60	39.36	26.62			15.20				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.013									
FE	ATUF															
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00			15.20				
LO		NUMBER PORTABILITY			LIEDED	Lung:							1			
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35					ļ	ļ			ļ
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED										<u> </u>				<u> </u>
	(2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81			15.20				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81			15.20				

UNB	UNDLEI	NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: B
											Svc Orde	r Svc Order	Incremental		Incremental	Incremental
											Submitte			Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
	_									T.,						
-	-			-		-	Rec	Nonrec First		Nonrecurring Disconn First Add'		SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
-	2-WIDE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT (BIIG/	+		FIRST	Add'l	First Add'	SOWIEC	SOWAN	SUMAN	SUMAN	SOWAN	SUMAN
		ort/Loop Combination Rates	LINE	I NO	1							+				
-	ONLI	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.93				-	+				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	39.35					+				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			64.46			<u> </u>						
	UNE Lo	op Rates														
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93									
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35									
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46									
	2-Wire	Voice Grade Line Port (Bus)										1				
<u> </u>		2-Wire voice unbundled port without Caller ID - bus	ļ		UEPFB	UEPBL	14.00	135.00	90.00			15.20				
-	+	2-Wire voice unbundled port with Caller + E484 ID - bus	 	-	UEPFB	UEPBC	14.00	135.00	90.00			15.20	-			
—	+	2-Wire voice unbundled port outgoing only - bus	-	<u> </u>	UEPFB	UEPBO	14.00	135.00	90.00			15.20	 	 	-	
1		2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus	1		UEPFB	UEPAW						1				
\vdash	+	2-Wire voice Grade unbundled Louisiana extended local dialing	 		ULFFD	UEFAVV					-	+	 	 		
		parity port with Caller ID - bus			UEPFB	UEPAX	14.00	135.00	90.00			15.20				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	135.00	90.00			15.20				
		2-Wire voice unbundled Louisiana Bus Area Calling Port with			02.75	02. 5.		100.00	00.00			10.20				
		Caller ID (BUC)			UEPFB	UEPAA	14.00	135.00	90.00			15.20				
		2-Wire Voice Unbundled Louisiana Business Dialing Plan														
		without Caller ID			UEPFB	UEPWH	14.00	135.00	90.00			15.20				
		NUMBER PORTABILITY														
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35									
	INTERC	OFFICE TRANSPORT														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	00.00	00.00	00.00			45.00				
-		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	22.60	39.36	26.62			15.20				
		or Fraction Mile			UEPFB	1L5XX	0.013									
	FEATU				OLFIB	TLJAA	0.013					+				
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00			15.20				
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.15	02	0.00	0.00	0.00			10.20				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81			15.20				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81			15.20				
-		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										1				
<u> </u>	UNE Po	ort/Loop Combination Rates	ļ				00.00					1				
 	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	 	1		-	28.93				_	+	.	!	 	
—	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		+	39.35 64.46				_	+			-	
\vdash	UNELO	2-vvire vG Loop/IO Tranport/Port Combo - Zone 3	1	3		+	04.40					+	 	 	 	
—		2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFP	UECF2	14.93					+				
—	+ -	2-Wire Voice Grade Loop (SL2) - Zone 2	l	2	UEPFP	UECF2	25.35					+				
		2-Wire Voice Grade Loop (SL2) - Zone 3	i e	3	UEPFP	UECF2	50.46					1	İ	İ		
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)														
L		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	132.47	82.14			15.20				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	132.47	82.14			15.20				
<u> </u>	\perp	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPFP	UEPP1	14.00	132.47	82.14			15.20				
1		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	1		LIEDED	LIEBLO	44.00	400 17	00.11			45.00				
\vdash	+	Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP UEPFP	UEPL2 UEPLD	14.00 14.00	132.47 132.47	82.14 82.14	 	_	15.20 15.20	-	-		
\vdash	+	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 	-	UEPFP	UEPLD	14.00	132.47	82.14 82.14		_	15.20	 	 	-	
\vdash	+	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPFP	UEPXA	14.00	132.47	82.14			15.20	 	 	 	
\vdash	+	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	132.47	82.14		-	15.20	 	 		
	+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXD	14.00	132.47	82.14			15.20	1	1	1	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1			1						15,20			İ	
		Capable Port	1		UEPFP	UEPXE	14.00	132.47	82.14			15.20				

ONBONE	DLEI	NETWORK ELEMENTS - Louisiana														ment: 2		ibit: B
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	5	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	-				İ			_	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional																
		Calling Port			UEPFP	ι	UEPXK	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy																
		Administrative Calling Port			UEPFP	ι	UEPXL	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy																
		Room Calling Port			UEPFP	l	UEPXM	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				I.		44.00						4= 00				
		Discount Room Calling Port			UEPFP		UEPXO	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			LIEDED	I.	UEDVD.	44.00	100.47	00.44				45.00				
	-	Discount Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP UEPFP		UEPXP UEPXS	14.00 14.00	132.47 132.47	82.14 82.14		-		15.20 15.20				
1.0		NUMBER PORTABILITY		1	UEPFP	- '	UEPAS	14.00	132.47	82.14		-	-	15.20			-	
LO		Local Number Portability (1 per port)		1	UEPFP		LNPCP	3.15	0.00	0.00		1	1	15.20			1	1
INT		DEFICE TRANSPORT		 	JEITE		F141 O1.	3.13	0.00	0.00	 	 	H	13.20		 	t	
1.74		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 	1	+						 	 			1	I	†
		Termination			UEPFP	lı	U1TV2	22.60	39.36	26.62		1		15.20			1	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02			22.00	00.00	20.02				10.20				
		or Fraction Mile			UEPFP	1	1L5XX	0.013										
FE	ATU																	
		All Features Offered			UEPFP	1	UEPVF	0.00	0.00	0.00				15.20				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED																
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
		Combination - Conversion - Switch-as-is			UEPFP	ι	USAC2		8.24	1.81				15.20				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
		Combination - Conversion - Switch with change			UEPFP	ι	USACC		8.24	1.81				15.20				
		ORT/LOOP COMBINATIONS - MARKET BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UN		rt/Loop Combination Rates																ļ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				50.93										
	-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				61.35										ļ
1111		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				86.46				-						
UN		op Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93					-	15.20				+
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35					-	15.20				+
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46				-	1	15.20			-	-
UN		ort Rate		-	OLFFA		OLCDI	30.40						15.20				
0.1		Exchange Ports - 2-Wire DID Port			UEPPX	- 1	UEPD1	36.00	600.00	45.00			1	15.20				†
NO		CURRING CHARGES - CURRENTLY COMBINED				T)		55.55	300.00	.0.00	İ	1		70.20		İ	1	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-As-Is Top 8 MSAs only			UEPPX	l	USAC1		100.00	42.50				15.20				
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
		with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	ι	USA1C		100.00	42.50				15.20				
AD		ONAL NRCs																
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	l	USAS1		45.00	45.00				15.20				
Tel		one Number/Trunk Group Establisment Charges													-			
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00		ļ		15.20			ļ	ļ
		Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX		ND4	0.00	0.00	0.00				15.20			ļ	
		DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPPX		ND5	0.00	0.00	0.00				15.20				_
		Reserve Non-Consecutive DID numbers		-	UEPPX		ND6	0.00	0.00	0.00	-	 		15.20		 	 	
		Reserve DID Numbers		-	UEPPX	1	NDV	0.00	0.00	0.00	-	 	1	15.20		-	 	
LO		NUMBER PORTABILITY	-	+	UEPPX		LNPCP	3.15	0.00	0.00		 	-			-	 	
2 1/		Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDI	DOD1			LINPUP	3.15	0.00	0.00		-					+	
		ort/Loop Combination Rates	AE SIDE	FUR	1											-		
UN		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	 				-	-			 				 	 	
.		UNE Zone 1		1	UEPPB	UEPPR		84.09				1					I	
-	-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	22	J=. 1 1X		04.00				t				 	†	—
		UNE Zone 2		2	UEPPB	UEPPR		96.95				1						

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
							Rec	Nonrec		Nonrecurring Disconne				Rates(\$)		
							Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		127.60									
UNFI	oop Rates		3	OLFFB	ULFFR		127.00				-					
10.112	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09					15.20				
											İ					
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95					15.20				
LINE	2-Wire ISDN Digital Grade Loop - UNE Zone 3 Port Rate		3	UEPPB	UEPPR	USL2X	62.60					15.20				
UNEF	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	525.00	400.00		1	15.20				
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02	OL. T. I.	02.10	00.00	020.00	100.00			10.20				
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port							İ								
H-1	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	230.00	230.00			15.20				
	TONAL NRCS L NUMBER PORTABILITY		-								_	-				
LOCA	Local Number Portability (1 per port)		 	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			-				
B-CHA	ANNEL USER PROFILE ACCESS:			22.10	UL. 1 IX	5/	0.00	0.00	0.00			<u> </u>				
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							
D 011	CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	0.000.0	TNI	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							
B-CHA	CVS/CSD (DMS/5ESS)	C,MS, &	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB		U1UCE	0.00	0.00	0.00							
	CSD			UEPPB	UEPPR		0.00	0.00	0.00							
USER	TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							
VERT	All Vertical Features - One per Channel B User Profile		-	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		_	15.20				
INTER	OFFICE CHANNEL MILEAGE			OLFFB	ULFFR	OLF VI	0.00	0.00	0.00			13.20				
	Interoffice Channel mileage each, including first mile and															
	facilities termination				UEPPR	M1GNC	22.613	39.36	26.62			15.20				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00			15.20				
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK Port/Loop Combination Rates	PORT	-													<u> </u>
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE										1					
	Zone 1		1	UEPPP			935.70									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
\vdash	Zone 2		2	UEPPP			1,044.96					ļ				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	LIEDDD			1 241 04									
line i	Zone 3 .oop Rates	-	3	UEPPP			1,341.94	-			+	1				
O.V.E.E.	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70					15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	_	USL4P	194.96					15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94					15.20				
UNE F	Port Rate		ļ	LIEDOO		LIEDES	050.00	4.450.00	4.450.00			45.00				
NOND	Exchange Ports - 4-Wire ISDN DS1 Port ECURRING CHARGES - CURRENTLY COMBINED		1	UEPPP		UEPPP	850.00	1,150.00	1,150.00		-	15.20				
NONK	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		†									1				
	Combination - Conversion -Switch-As-Is Top 8 MSAs only	L	L	UEPPP		USACP	0.00	950.00	950.00			15.20				
ADDIT	IONAL NRCs															
_	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEBSS		DDZTE										
\vdash	Inward/two way Telephone Numbers (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		-	UEPPP		PR7TF		0.48				15.20				
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18			15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			J		0		11.10	11.70			10.20				
	Subsequent Inward Telephone Numbers	<u> </u>	<u>L</u>	UEPPP		PR7ZT		22.35	22.35			15.20				
LOCA	L NUMBER PORTABILITY															
INTER	Local Number Portability (1 per port)	-	-	UEPPP		LNPCN	1.75					 				
INTER	PFACE (Provsioning Only) Voice/Data		-	UEPPP		PR71V	0.00	0.00	0.00			 				
	VOIOO/Data	L		OLI FF		1 17/17	0.00	0.00	0.00	1		1	l			l

UNBUI	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
0.1.20			I			1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
\vdash	CALL T					22201	2.22										
\vdash		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
\vdash		Outward	├	-	UEPPP	PR7CO	0.00	0.00	0.00			 	-		1	 	
\vdash	ntoreff	Two-way	-	-	UEPPP	PR7CC	0.00	0.00	0.00	-		-			 	 	
\vdash	interoff	fice Channel Mileage Fixed Each Including First Mile	1	-	UEPPP	1LN1A	70.7532	86.69	79.44				15.20				
\vdash		Each Airline-Fractional Additional Mile	1	1	UEPPP	1LN1A	0.2652	00.09	19.44	1		 	15.20		+	+	
\vdash	4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	1	OL: FF	ILINID	0.2052			1		 	 		+	+	
		ort/Loop Combination Rates	 	 		+				1		+			 	 	
\vdash		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	t	1	UEPDC	+	154.17					 	15.20		t	 	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	+	263.43						15.20		<u> </u>	<u> </u>	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41					İ	15.20				
		pop Rates		Ť								İ					
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70					İ	15.20				
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
	UNE Po	ort Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00		15.20				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		125.75	65.08				15.20				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		125.75	65.08				45.00				
-		- Conversion with DST Changes Top 6 MSAs only	1		UEPDC	USAWA		125.75	05.06			1	15.20		-	-	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15.20				
	ADDITI	ONAL NRCs			OLI DO	CONTE		120.70	00.00			†	10.20				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+						1	1		1		
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID	ļ		UEPDC	UDTTC		14.06	14.06]	15.20				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1			1							l		I	I	
\vdash		Activation Per Chan - Inward Trunk with DID	-	ļ	UEPDC	UDTTD		14.06	14.06	ļ			15.20		-	-	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTE		14.06	14.06				15.20		1	1	
\vdash	DIDO: 1	Activation / Chan - 2-Way DID w User Trans	-	-	UEPDC	ODITE		14.06	14.06			 	15.20		 	 	
\vdash		AR 8 ZERO SUBSTITUTION B8ZS -Superframe Format	+	+	UEPDC	CCOSF		0.00	605.00	 		 	15.20	-	 	 	-
\vdash		B8ZS - Extended Superframe Format	 	-	UEPDC	CCOSF		0.00	605.00	1		}	15.20		 	+	
\vdash	Alterna	te Mark Inversion	 		OLFDO	COCEF		0.00	005.00	1		1	15.20		t	t	
\vdash	ciiia	AMI -Superframe Format	t		UEPDC	MCOSF		0.00	0.00			 	-		t	t	
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00						<u> </u>	<u> </u>	
	Telepho	one Number/Trunk Group Establisment Charges	l –			1		0.00	3.30			†			1	1	
		Telephone Number for 2-Way Trunk Group	i –		UEPDC	UDTGX	0.00			†		İ	15.20				
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
		DID Numbers, Establish Trunk Group and Provide First Group															
\sqcup		of 20 DID Numbers	ļ		UEPDC	NDZ	0.00	0.00	0.00]	15.20				
igsquare		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
		DID Numbers, Non- consecutive DID Numbers , Per Number	ļ		UEPDC	ND5	0.00			ļ		ļ	15.20		1	1	
		Reserve Non-Consecutive DID Nos.	<u> </u>	L	UEPDC	ND6	0.00	0.00	0.00			l .	15.20		1	1	L

NARONDFI	ED NETWORK ELEMENTS - Louisiana				1	1								ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Increment Charge - Manual Sv Order vs.
		m									por zon	po. 20.1	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
	ated DS1 (Interoffice Channel Mileage) -		-													
FX/FC	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities													-		-
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			02. 50	12.102	0.2002	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			L												
	tem can have various rate combinations based on type and nur DS1 Loop	mber of	ports	used												
ì	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG UEPMG	VUM96 VUM14	389.40 584.10	0.00	0.00				15.20 15.20				
_	192 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	778.80	0.00	0.00			-	15.20			-	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00				15.20				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00			1	15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	ples of this configuration functioning as one are considered Ac	dd'I afte	r the m	ninimum system co	nfiguration is	counted.										
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				15.20				
	m Additions Where Currently Combined and New (Not Currently	y Comb	oined)	1	+					-					 	
In Dei	nsity Zone 1 Top 8 MSAs	ļ	-	1	+									-	 	
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation -			UEPMG	VUMD4	0.00	900.00	600.00				15.20			1	
Binol	ar 8 Zero Substitution	-	 	OLI IVIO	V GIVID4	0.00	300.00	300.00			 	13.20			†	
	Clear Channel Capability Format, superframe - Subsequent	i e			1					İ					1	
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				
Alterr	nate Mark Inversion (AMI)	i e			1	0.00	5.50	300.00		İ		.0.20			1	
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00		<u> </u>						
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	ange Ports															
- LXOIII									i e		1				1	1
Exone	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00				15.20				

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -			Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Cide Inward Only Channellined DDV Tayah Destroith out DD			UEPPX	UEP1X	44.00	0.00	0.00				45.00				
\vdash	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	14.00 36.00	0.00	0.00				15.20 15.20				
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –		1	OLITA	OLI DIVI	30.00	0.00	0.00				13.20				+
	(AL, KY, LA, MS, & TN)			UEPPX	UEPCY	14.00	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(AL, KY, LA, MS, & TN			UEPPX	UEPCT	14.00	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			HEDDY	LIEBOO	44.00	0.00	0.00	0.00	0.00		45.00				
	Louisiana Only – Calling Plan Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			UEPPX	UEPC2	14.00	0.00	0.00	0.00	0.00		15.20				
	Louisiana Only – Calling Plan			UEPPX	UEPC3	14.00	0.00	0.00	0.00	0.00		15.20				
Feat	ure Activations - Unbundled Loop Concentration			OLITA	OLI OS	14.00	0.00	0.00	0.00	0.00		13.20				1
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.6497	40.00	20.00				15.20				
	Feature (Service) Activation for each Trunk Port Terminated in							-								
<u> </u>	D4 Bank		_	UEPPX	1PQWU	0.6497	110.00	30.00			<u> </u>	15.20				
Tele	phone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)		-	UEPPX	NDT	0.00	0.00	0.00			1	15.20				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				ļ
	Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00				15.20				+
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				
Loca	al Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															ļ
Loca	All Features Offered with Line Side Ports Only All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				ļ
UNBUNDI F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3	1	OLFFA	OLF VI	0.00	0.00	0.00				13.20				+
	ost Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sw	ritch Ports.								
	eatures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					
	nd Office and Tandem Switching Usage and Common Transport															
	ne first and additional Port nonrecurring charges apply to Not Cu	ırrently	Comb	ned Combos. For	Currently Co	mbined Combo	os, the nonrecu	ırring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.		
	itional NRCs may apply also and are categorized accordingly.															
	larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)		otiated	on an Individual Ca	se Basis, un	til further notic	e.									ļ
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo)			 											.
	Port/Loop Combination Rates (Non-Design)		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP91		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		49.62										
LINE	Port/Loop Combination Rates (Design)		3	UEP91	 	49.62										.
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													+
	Design		1	UEP91		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		26.71					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l												
	Design		3	UEP91		48.26										
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77					 	-				
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP91	UECS1	22.39					1		 			
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26					l	<u> </u>	1	1		—
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.93							ĺ			
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50.46										
	Ports		_			ļ					<u> </u>	1				
All S	States (Except North Carolina and Sout Carolina)		<u> </u>						l l		l	L	<u> </u>	l		

	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	ı
						Rec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08				15.20				
AL, KY,	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Fort (Gentlex Horri dail Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPQM	1.36	104.41	67.93				15.20				
	Term			UEP91	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08	1			15.20				
	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
	lumber Portability Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feature				UEP91	LNPCC	0.35										
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial	-		UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00				15.20 15.20				
	Unbundled Network Access Register - Outdial aneous Terminations			UEP91	UAROX	0.00	0.00	0.00				15.20				
	Trunk Side				+				1							
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations	-	\vdash	LIED01	1PQWS	0.0407					ļ	45.00				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91		0.6497						15.20				
\vdash	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-	\vdash	UEP91	1PQW6	0.6497			+			15.20				
	Slot			UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	10000	0.0407						45.00				
\vdash	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	 	\vdash	UEP91 UEP91	1PQWQ 1PQWA	0.6497 0.6497			+ +		-	15.20 15.20				
	ecurring Charges (NRC) Associated with UNE-P Centrex		H	OLI 01	II QVIA	0.0491						13.20				
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10				15.20				

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachi	nent: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecu	ırring	Nonrecurring D	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								L
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40					15.20				ļ
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40		\vdash			15.20				
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31					15.20				ļ
LINE	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				-
	P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+	-										
	Port/Loop Combination Rates (Non-Design)				+				+							
O.K.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+	-										
ı	Non-Design		1	UEP95		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1						1					
ı	Non-Design		2	UEP95		23.75]							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		49.62										
UNE F	Port/Loop Combination Rates (Design)															
i l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
i l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		2	UEP95	\perp	26.71										
i l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOE		54.00										
HINE!	Design		3	UEP95	+	51.82			-		-					
UNE L	_oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										+
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	22.39										
$\overline{}$	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26			 							-
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93			+							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
UNE F	Port Rate								† †							
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08				15.20				
ı	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93				15.20				
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBOE	LIEDV7	4.00	404.44	07.00				45.00				
	Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93				15.20				
ı	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08]			15.20				
$\overline{}$	2-Wire Voice Grade Port Terminated on 800 Service Term -			OFL 20	OLFIS	1.30	30.03	19.08	 			15.20				-
ı	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				
AL. K	Y, LA, MS, SC, & TN Only				J = 12	1.00	00.00	10.00	 			10.20				
,	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08			1	15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.36	104.41	67.93				15.20				<u> </u>
. 1 -	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					\neg	Т		T							
	Term			UEP95	UEPQZ	1.36	104.41	67.93				15.20				<u> </u>
. 1	DAMES VALVE OF THE PROTECTION			LIEDOE	LIEBOO		00.0-	40.00]			45.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08	+			15.20 15.20				
1 00-1	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08	+			15.20				-
Local	Switching Control Intercom Funtionality, per port			UEP95	URECS	0.8577			+			15.20				
Local	Centrex Intercom Funtionality, per port Number Portability			OFL.89	UREUS	0.0077	-		+			15.20				
Local	Local Number Portability (1 per port)			UEP95	LNPCC	0.35			+ +							
				02.00	2141 00	0.00	-		 							
Featur	res															

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ			+		Monroe		Manragurring	Dissennest			000	Potoc/¢\		
		ļ			+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port	1	-	UEP95	UEPVS	0.00	412.25	Addi	FIRST	Addi	SOMEC	15.20	SOWAN	SOWAN	SUMAN	SUMAN
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	412.23		1			15.20				
NARS	All Centrex Control Features Offered, per port	1		OLI 93	OLI VO	0.00					-	13.20				
IVAILO	Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				
Miscel	laneous Terminations	i	i i													
2-Wire	Trunk Side								ĺ							
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
Interof	fice Channel Mileage - 2-Wire			LIEDAS	111000	22.22						15.00				
\vdash	Interoffice Channel Facilities Termination	<u> </u>	1	UEP95	M1GBC	22.60	39.36	26.62			-	15.20		 		
Factor	Interoffice Channel mileage, per mile or fraction of mile		—	UEP95	M1GBM	0.013			 		-					
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	ce			-						-					
D4 Cité	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP95	1PQWS	0.6497			1		1	15.20				
	readure Activation on 5-4 Charmer Bank Centrex Loop Slot	1		OLF 93	IFQWS	0.0497					1	13.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		021 00	11 00000	0.0407						10.20				
	Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.6497						15.20				
<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497						15.20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ			+											
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		0.10	0.40				45.00				
	changes, per port Conversion of Existing Centrex Common Block, each	-	-	UEP95	USACN		36.66	0.10 16.10			-	15.20 15.20				
	New Centrex Standard Common Block	1		UEP95	M1ACS	0.00	680.40	10.10	1		1	15.20				
	New Centrex Customized Common Block	1		UEP95	M1ACC	0.00	680.40				-	15.20				
	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	73.93					15.20				
UNE-P	CENTREX - DMS100 (Valid in All States)					0.00										
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	i e														
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-						-		-						
	Non-Design	ļ	1	UEP9D	1	13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1]			1				
	Non-Design	ļ	2	UEP9D		23.75			ļ							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOD	1]			1				
LINE B	Non-Design		3	UEP9D	1	49.62										
UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	1		+				+		-	-	-		-	
	Design	1	1	UEP9D	1	16.29										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†		021 00	+	10.23			+ +		-	-				
	Design		2	UEP9D	1	26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	t	ΙĪ		1	201								İ		
	Design		3	UEP9D	1	51.82										
UNE L	oop Rate	İ														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP9D	UECS2	25.35			ļ							
	2-Wire Voice Grade Loop (SL 2) - Zone 3	L	3	UEP9D	UECS2	50.46			l l			<u> </u>				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect		I.	oss	Rates(\$)		-
LINE D						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ort Rate TATES				-											
ALL 3	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP9D	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	1.00	00.00	10.00				10.20				
	Area			UEP9D	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.00	00.05	10.00				45.00				1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-		UEP9D	UEPYC	1.36	38.85	19.08				15.20				
	Area			UEP9D	UEPYD	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	-		OLF9D	OLFTI	1.30	30.03	19.00				13.20				
	Area			UEP9D	UEPYG	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	-		OLF9D	OLFTO	1.30	30.03	19.00				13.20				
	Area			UEP9D	UEPYV	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLF9D	OLF III	1.30	30.03	19.00				13.20				
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			02.00	02	1.00		01.00				10.20				
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															1
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	-		UEP9D	UEPYP	1.36	104.41	67.93				15.20				
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93				15.20				.
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			OLF9D	OLF 13	1.30	104.41	07.93				13.20				
	Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLI 3D	OLI 10	1.50	104.41	07.93				13.20				
	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	-	<u> </u>	UEP9D	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08				15.20				ı
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			02. 00	02110	1.50	55.65	10.00				10.20				
	Local Area			UEP9D	UEPY2	1.36	38.85	19.08				15.20				
AL, KY	Y, LA, MS, SC, & TN Only			LIEBAR	UEDC:											
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 	-	UEP9D UEP9D	UEPQA UEPQB	1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3	 	 	UEP9D UEP9D	UEPQB	1.36	38.85	19.08	-			15.20				
	2 TVIIO VOICE CIAGE I OIL (CEILLEA / LDG-FOL I)	<u> </u>	<u> </u>	OE1 3D	טבו עט	1.30	30.03	13.00	L	L	i	10.20		L		

NBUNDLE	D NETWORK ELEMENTS - Louisiana												ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					1	-	Manna		Manuscomina Diagramast					Diac iat	Disc Add I
\longrightarrow						Rec	Nonrec First		Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-+	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.36	38.85	Add'l 19.08	FIRST Add I	SOWIEC	15.20	SOWAN	SOWAN	SUMAN	SUMAN
-+-	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.36	38.85	19.08	+ + +	1	15.20				+
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.36	38.85	19.08	 		15.20				+
-+-	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		-	UEP9D	UEPQG	1.36	38.85	19.08	+ + +	-	15.20				
-+-	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		-	UEP9D	UEPQT	1.36	38.85	19.08	 	 	15.20				+
-+-	2-Wire Voice Grade Fort (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.36	38.85	19.08	 		15.20				+
-+-	2-Wire Voice Grade Port (Centrex / EBS-M5206)3			UEP9D	UEPQV	1.36	38.85	19.08	 		15.20				+
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.36	38.85	19.08	 		15.20				+
	2-Wire Voice Grade Port (Centrex vith Caller ID)		-	UEP9D	UEPQH	1.36	38.85	19.08	 	 	15.20				+
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI OD	OLI QII	1.00	00.00	10.00	 		10.20				+
	Indication)3			UEP9D	UEPQW	1.36	38.85	19.08	1		15.20				1
-+-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	-		UEP9D	UEPQJ	1.36	38.85	19.08	1	 	15.20				
-+	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	-		02100	OL: 00	1.50	30.03	13.00	1	 	10.20				+
	2			UEP9D	UEPQM	1.36	104.41	67.93	1		15.20				1
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93	 		15.20	i	i		†
					S &O	1.00	104.41	07.00	† †		10.20	1	1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93			15.20				
	(1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.36	104.41	67.93			15.20				
	2 1110 10100 01440 1 011 (0011101411101 0110 /220 1101 12/2) 0			02.02	JEI GIL	1.00		01.00			10.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93			15.20				
	(1						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93			15.20				
	, , ,						-		1						†
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104.41	67.93			15.20				
															—
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93			15.20				
	.,,,						-		1						†
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														1
	Term			UEP9D	UEPQZ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08			15.20				
Local	Switching														
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577									
Local	Number Portability														
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35									
Featur															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00					15.20				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25				15.20				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00					15.20				
NARS															
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00			15.20				↓
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00			15.20	ļ	ļ		↓
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00		ļ	15.20		ļ		↓
	llaneous Terminations				1				ļ	ļ		ļ	ļ		
2-Wire	Trunk Side			LUEDAD	I OFFICE				ļ <u> </u>	ļ					
	Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20	1	<u> </u>	15.20				_
4-Wire	Digital (1.544 Megabits)			LIEBOD	MALIDA	00 17	100 10	00.00	 	_	45.00	.	ļ		+
-+-	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62	 	ļ	15.20	-	-		₩
	DS0 Channels Activiated per Channel ffice Channel Mileage - 2-Wire			UEP9D	M1HDO	0.00	14.06		 	1	15.20	ļ	ļ		
1	mice channel Mileage - 2-Wire	1	1					26.62	 		15.20	 	 		+
Intero															
Intero	Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.60	39.36	20.02	+ + + + + + + + + + + + + + + + + + + +		15.20				+
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9D UEP9D	M1GBC M1GBM	22.60 0.013	39.36	20.02			15.20				
Featur	Interoffice Channel Facilities Termination	e					39.36	20.02			15.20				

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	oit: B
-												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			•••											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N.		I NI	B'				D - ((A)		
						_	Rec	Nonrec		Nonrecurring					Rates(\$)		
	+					_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
-	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	IFQW6	0.6497					1	15.20				
		Slot			UEP9D	1PQW7	0.6497						15.20				
-	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	11 0007	0.0407					-	10.20				
		Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.6497						15.20				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
<u> </u>	1	changes, per port		L	UEP9D	USAC2		0.10	0.10	ļ			15.20				
<u> </u>	1	Conversion of existing Centrex Common Block, each		\vdash	UEP9D	USACN		36.66	16.10				15.20				
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
-	+	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
-	LINE D	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo				_											
-		ort/Loop Combination Rates (Non-Design)				+						1					
-	UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
		Non-Design		1	UEP9E		13.13										
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3L	+	10.10										
		Non-Design		2	UEP9E		23.75										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.02		20.70										
		Non-Design		3	UEP9E		49.62										
	UNE P	ort/Loop Combination Rates (Design)															
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9E		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		51.82										
	UNE L	oop Rate			LIEBAE												
—	+	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	11.77								 		
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E UEP9E	UECS1 UECS1	22.39 48.26					-		-		-	
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E UEP9E	UECS1	14.93										
-	+	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9E	UECS2	25.35			 		-					
—	1	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46					 					
	UNE P	ort Rate		Ĭ	0=	02002	55.45										
		, KY, LA, MS, & TN only				1									l		
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
1		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local													l		
<u> </u>	1	Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20		ļ		
1		2-Wire Voice Grade Port (Centrex from diff Serving Wire				I											
<u> </u>	+	Center)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93	 		-	15.20		 		
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDYZ	100	404.41	07.00				45.00				
-	+	Term - Basic Local Area		\vdash	UEP9E	UEPYZ	1.36	104.41	67.93	 		1	15.20		-		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			LIEDOE	UEPY9	1 20	20.05	10.00				15.00				
-	+	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPTS	1.36	38.85	19.08				15.20				
		Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
—	VI KA	/, LA, MS, & TN Only		 	OLFSE	UEF 12	1.30	38.85	19.08				15.∠0		 		
\vdash	AL, KI	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08	 		-	15.20				
—	+	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08				15.20				
	1			1		J. W.	1.00	00.00	10.00			<u> </u>	10.20		·		

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
L			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash			1			+	1	Nonrec	urring	Monrocurring	g Disconnect	-	l	088	Rates(\$)		
\vdash			1	1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1	1	1	UEP9E	UEPQH	1.36	38.85	19.08	11130	Addi	JOHILO	15.20	JONIAN	JONAN	JONAN	JONIAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2			UEP9E	UEPQM	1.36	104.41	67.93				15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08				15.20				
\vdash	Local	Switching	ļ	ļ	UEP9E	URECS	0.8577				1	1			1		
\vdash	Local B	Centrex Intercom Funtionality, per port			UEP9E	UKECS	0.8577					-	-				
\vdash	LUCALI	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35				 	 					
\vdash	Feature		l	 	OL1 3L	E141 00	0.33			1	-	 			-	-	
	. Jacuit	All Standard Features Offered, per port	1	 	UEP9E	UEPVF	0.00			1	†	l	15.20	1	†	†	
		All Select Features Offered, per port	t	t	UEP9E	UEPVS	0.00	412.25			1		15.20	İ	1	1	
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						15.20				
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
		laneous Terminations				\perp											
<u> </u>	2-Wire	Trunk Side				051100							4= 00				
\vdash	4 Wire	Trunk Side Terminations, each Digital (1.544 Megabits)	ļ	ļ	UEP9E	CEND6	8.29	115.85	18.20		1	1	15.20		1		
\vdash	4-vviie	DS1 Circuit Terminations, each	<u> </u>		UEP9E	M1HD1	68.47	196.18	92.92		-	1	15.20		-	-	
\vdash		DS0 Channel Activated Per Channel	1	1	UEP9E	M1HD0	0.00	14.06	92.92		1	1	15.20		1	1	
\vdash	Interof	fice Channel Mileage - 2-Wire	1	1	OLI SL	WITTE	0.00	14.00				1	13.20				
		Interoffice Channel Facilities Termination	1		UEP9E	M1GBC	22.60	39.36	26.62		t	1	15.20		t		
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.013										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497						15.20				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		LIEDOE	400117	6 6 4 6 5				1				I	I	
$\vdash \vdash \vdash$		Slot	1	 	UEP9E	1PQW7	0.6497			1	 	<u> </u>	15.20	-	1	1	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	1		UEP9E	1PQWP	0.6497				I		15.20		I	I	
$\vdash \vdash \vdash$		Dillocalit Aalle Ogliffel	 	 	OLF.9E	IFUVVF	0.0497				+	 	15.20		+	+	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497				1		15.20		1	1	
\vdash		Feature Activation on D-4 Channel Bank Filvate Line Loop Slot	1	 	021 02	11 34 7 7 7	3.0437			1	I	 	10.20		I	I	
		Slot			UEP9E	1PQWQ	0.6497				1		15.20		1	1	
		Feature Activation on D-4 Channel Bank WATS Loop Slot		i –	UEP9E	1PQWA	0.6497						15.20				
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
igsquare		changes, per port	ļ	<u> </u>	UEP9E	USAC2		0.10	0.10			ļ	15.20				
		Conversion of Existing Centrex Common Block, each	ļ	<u> </u>	UEP9E	USACN		36.66	16.10		ļ	ļ	15.20		1	ļ	
igwdot		New Centrex Standard Common Block	!	<u> </u>	UEP9E	M1ACS	0.00	680.40				ļ	15.20		ļ	ļ	
$\vdash \vdash$		New Centrex Customized Common Block	<u> </u>	├	UEP9E UEP9E	M1ACC	0.00	680.40		1	.	<u> </u>	15.20		 	 	
\vdash	LINE P	NAR Establishment Charge, Per Occasion	 	!	UEP9E	URECA	0.00	73.93		1	-	 	15.20	-	 	 	
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	 		+ -					 	 		 	 	+	
		ort/Loop Combination Rates (Non-Design)	 	 	1	+ +				1	 	 	H	l	t	t	
$\vdash \vdash \vdash$	JINE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	 		+ -				1	 	<u> </u>	 	 	 	 	
		Non-Design		1	UEP93		13.13				1				1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	t	Ė		1	10.10			1	1	1	†		1	1	
		Non-Design		2	UEP93		23.75				1				1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		i –													
1 !		Non-Design	1	3	UEP93	i J	49.62	J			I				I	I	

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring D	Disconnect		l	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP93		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOS		54.00										1
LINE	Design oop Rate	-	3	UEP93	+	51.82					-					
ONLL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	l	3	UEP93	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35		· · · · · · · · · · · · · · · · · · ·								
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
	Port Rate															
AL, K	Y, LA, MS, & TN only	 	<u> </u>	UEP93	UEPYA	1.36	38.85	19.08				15.20		 		
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	-		UEP93	UEPYA	1.36	38.85	19.08			-	15.20				
	Area			UEP93	UEPYB	1.36	38.85	19.08				15.20				1
 	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI 33	OLI ID	1.50	30.03	13.00				13.20				
	Area			UEP93	UEPYH	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEBOO	LIEDVO	4.00	00.05	40.00				45.00				1
\vdash	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	-		UEP93	UEPY9	1.36	38.85	19.08			-	15.20				
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				1
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2			UEP93	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	LIEDOS	LIEDO7	4.00	404 **	07.00				45.60				ı
\vdash	Term	-	1	UEP93	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP93	UEPQ9	1.36	38.85	19.08				15.20				ı
 	2-Wire Voice Grade Port terminated in on Megalink of equivalent	 	 	UEP93	UEPQ2	1.36	38.85	19.08			 	15.20		 		
Local	Switching	t	t				33.55	.0.50				.0.20				
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featur			<u> </u>	LIEDAS												
\vdash	All Standard Features Offered, per port	!	├	UEP93	UEPVF	0.00						15.20				
NARS	All Centrex Control Features Offered, per port	1	 	UEP93	UEPVC	0.00			 		-	15.20		1		
IVARS	Unbundled Network Access Register - Combination	1	 	UEP93	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial	t	 	UEP93	UAR1X	0.00	0.00	0.00	 		t	15.20		1		
	Unbundled Network Access Register - Outdial	l		UEP93	UAROX	0.00	0.00	0.00				15.20				
	Ilaneous Terminations															
2-Wire	Trunk Side							•								
	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20				15.20				-
4-Wire	e Digital (1.544 Megabits)	ļ	<u> </u>	LIEDAS												1
\vdash	DS1 Circuit Terminations, each	 	<u> </u>	UEP93	M1HD1	68.47	196.18	92.92				15.20		 		
Interes	DS0 Channels Activated, Per Channel ffice Channel Mileage - 2-Wire	 	 	UEP93	M1HDO	0.00	14.06		 		 	15.20				
intero	Interoffice Channel Facilities Termination	 	 	UEP93	M1GBC	22.60	39.36	26.62				15.20				
 	Interoffice Channel mileage, per mile or fraction of mile	 	 	UEP93	M1GBM	0.013	33.30	20.02			-	10.20				
$\overline{}$	Interestina oriented milioago, por milio di madilon di milio		1	021 00	.VII O DIVI	0.013									l	

HINDHINDI D	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: B
UNBUNDLE	D NETWORK ELEMENTS - Louisiana		1	ı	1						Cur Onden	Cur Ouden	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurrin	g Disconnect		l	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497				Ī		15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.6497						15.20				
1 1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.0407						45.00				
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	-	+	UEP93	IPQWV	0.6497				1	-	15.20				-
	Slot			UEP93	1PQWQ	0.6497						15.20				
 	Feature Activation on D-4 Channel Bank WATS Loop Slot	H	†	UEP93	1PQWQ	0.6497			 	 		15.20		 		
Non-P	Recurring Charges (NRC) Associated with UNE-P Centrex	-		021 00	71 9777	0.0437				 		10.20		 		
INOTI-N	NRC Conversion Currently Combined Switch-As-Is with allowed	†	†		1	1				1	-	 		 		
	changes, per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93			Ī		15.20				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	3 - Requires Specific Customer Premises Equipment															
	CENTREX PORT/LOOP COMBINATIONS - MARKET RATES	L	<u> </u>	<u> </u>	<u> </u>	<u> </u>										
	ket Rates are applied where BellSouth is not required by FCC					indled Local Sw	itching or Sw	tch Ports.								
	curring Charges for all Standard Centrex and Centrex Conrol For I Office and Tandem Switching Usage and Common Transport					ibit aball annlu	ta all assetina	tions of loom!			4 for UNIT C	l Sain Dant/La	C			
	first and additional Port nonrecurring charges apply to Not C															
	onal NRCs may apply also and are categorized accordingly.	urrentiy	Comb	inea Combos. For	Currently Co	ilibilied Collibo	s, the nomect	irring charges	Shall be those	e identined in t	ne Nonrecu	iring - Curre	entry Combine	eu sections.		
	P CENTREX - 1AESS - (Valid in AL.FL.GA.KY.LA.MS.&TN only	Λ			1	1			1	1	1	1		1		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
UNE F	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		25.77										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		36.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>	Non-Design		3	UEP91		62.26						ļ		ļ		
UNE F	Port/Loop Combination Rates (Design)	1	.		 					1						
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDO4		20.00						1				
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP91	+	28.93			-	+				 		
	Design		2	UEP91		39.35										
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		OFLAI	+	38.33				+	-	 		 		
	Design		3	UEP91		64.46						1				
UNF I	oop Rate		Ť	02. 01	1	04.40				1						
10.12	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77			İ	İ				İ		
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39			İ	İ				İ		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35							_		_	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50.46										
UNE F																
All Sta	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	50.00	25.00		<u> </u>		15.20		ļ		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDO4	LIEDY'S		== ==					4-0-				
	Area		L	UEP91	UEPYB	14.00	50.00	25.00		1		15.20				

Version 1Q03: 02/28/03 Page 226 of 420

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC ISI	DISC Add I
						Dan	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	14.00	50.00	25.00				15.20				
AL,	KY, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	14.00	50.00	25.00				15.20				
1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	14.00	50.00	25.00				15.20				
1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	14.00	50.00	25.00				15.20				
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1											
1	Center)2			UEP91	UEPQM	14.00	135.00	90.00		1		15.20		1		
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1											
	Term			UEP91	UEPQZ	14.00	135.00	90.00				15.20				
												İ				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	50.00	25.00				15.20				
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Loca	al Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feat	ures															
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NAR	S															
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				15.20				
	cellaneous Terminations															
2-Wi	ire Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
Inter	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>	<u></u>	UEP91	1PQW6	0.6497				<u> </u>		15.20	<u></u>			<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		<u> </u>	UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	<u> </u>	<u></u>	UEP91	1PQWP	0.6497						15.20	<u> </u>			<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	<u></u>	UEP91	1PQWV	0.6497						15.20	<u> </u>			<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1											I			l
	Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port	<u> </u>	<u> </u>	UEP91	USAC2		0.10	0.10		L		15.20	<u> </u>	<u> </u>		<u> </u>
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40		1	1	1	15.20	I	1		ı — —

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
	+	-	1		+	1	Nonrec	urring	Nonrecurring Disco	onnect			220	Rates(\$)		
			1			Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Secondary Block, per Block		1	UEP91	M2CC1	0.00	79.31	Addi	11130 7	luu i	JOINEO	15.20	JOINAIN	JOINAIN	JOINAIN	JOINAIN
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				
UNE-	P CENTREX - 5ESS (Valid in All States)		1													
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP95		25.77										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		36.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design (2)		3	UEP95		62.26										
UNE	Port/Loop Combination Rates (Design)	+	1		+				 					-		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP95		28.93										
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	\vdash	+ '	OFL.82	+	20.93			 							
	Design		2	UEP95		39.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33		33.33										
	Design		3	UEP95		64.46										
UNE	Loop Rate		Ť	02. 00		00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
	Port Rate		ļ													
All S						44.00	=0.00					4= 00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP95	UEPYA	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	-	 	UEP95	UEPYB	14.00	50.00	25.00	-			15.20				
	Area			UEP95	UEPYH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OLF 95	OLFIII	14.00	30.00	25.00				13.20				
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 00	02		100.00	00.00				10.20				
	Term - Basic Local Area			UEP95	UEPYZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area		1	UEP95	UEPY2	14.00	50.00	25.00				15.20				
AL, F	(Y, LA, MS, SC, & TN Only	ļ			1				 							
\vdash	2-Wire Voice Grade Port (Centrex)	<u> </u>	1	UEP95	UEPQA	14.00	50.00	25.00				15.20		ļ		
\vdash	2-Wire Voice Grade Port (Centrex 800 termination)	 	1	UEP95	UEPQB	14.00	50.00	25.00	 			15.20		 		
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	1	UEP95	UEPQH	14.00	50.00	25.00	 			15.20				
	2-wire voice Grade Port (Centrex from diff Serving wire Center)2	1	1	UEP95	UEPQM	14.00	135.00	90.00				15.20				
 	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	1	OFL 20	ULF QIVI	14.00	135.00	90.00	 	-		15.20		l		
	Term			UEP95	UEPQZ	14.00	135.00	90.00				15.20				
	·····		1		52. QZ	14.00	700.00	30.00	 			10.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term	1	1	UEP95	UEPQ2	14.00	50.00	25.00				15.20		l		
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu		ļ			1				 							
\vdash	All Standard Features Offered, per port	<u> </u>	1	UEP95	UEPVF	0.00	/10.00					15.20				
\vdash	All Select Features Offered, per port	 	1	UEP95	UEPVS	0.00	412.25		 			15.20		 		
NARS	All Centrex Control Features Offered, per port	+	1	UEP95	UEPVC	0.00			 			15.20		-		
NAK	?	<u> </u>												L		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhil	oit: B
										Svc Ore	er Svc Order		Incremental		Incremental
										Submit	ed Submitted	Charge -	Charge -	Charge -	Charge -
		Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LS	R per LSR	Order vs.	Order vs.	Order vs.	Order vs.
										_	1	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
					_		Newses		Manusannina Diasan	4		220	Detec(f)		
					-	Rec	Nonrec First	Add'l	Nonrecurring Discon		SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	FIISL AUC	II SOIVIE	15.20	SOWAN	SOWAN	SOWAN	SUMAN
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00			15.20				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00			15.20				
Miscel	Ilaneous Terminations										10.00				
2-Wire	Trunk Side														
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20			15.20				
4-Wire	Digital (1.544 Megabits)														
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92			15.20				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06				15.20				
Intero	ffice Channel Mileage - 2-Wire			LIEBAE							15.00				
	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.60	39.36	26.62			15.20				
Footur	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	M1GBM	0.013					_				
	annel Bank Feature Activations	i i			+						+	-			
D 4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497					15.20				
	1 Catalo Notivation on B 4 Chamie Bank Control Ecop Clot			021 00	ii Qwo	0.0401					10.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497					15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop														
	Slot			UEP95	1PQW7	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -														
	Different Wire Center			UEP95	1PQWP	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOE	4001440	0.0407					45.00				
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.6497 0.6497					15.20 15.20	-			
Non-P	Recurring Charges (NRC) Associated with UNE-P Centrex			UEP95	IFQWA	0.6497					15.20	1			
INOII-IX	NRC Conversion Currently Combined Switch-As-Is with allowed				+		+				-				
	changes, per port			UEP95	USAC2		0.10	0.10			15.20				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10			15.20				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40				15.20				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40				15.20				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93				15.20				
	CENTREX - DMS100 (Valid in All States)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo										_				
UNE P	Port/Loop Combination Rates (Non-Design)				-						_	-			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP9D		25.77									
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 3D	+	25.11	-				+		1		
	Non-Design		2	UEP9D		36.39	l					1			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	55.55	İ					1	İ		
	Non-Design	<u></u>	3	UEP9D	<u> </u>	62.26						L	<u> </u>		
UNE P	Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1													
	Design		1	UEP9D		28.93						1	ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		22.25	l					I			
\vdash	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	+	39.35					-	 			
	Design		3	UEP9D		64.46	l					I			
UNFI	oop Rate	-	-	021 00	+	07.70	+			_	+	 	 		
0.1.2	2-Wire Voice Grade Loop (SL 1) - Zone 1	l	1	UEP9D	UECS1	11.77	1				1	1	1		
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39	1								
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	48.26									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35									
<u> </u>	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46						ļ			
	Port Rate						-					-			
ALL S	TATES 2-Wire Voice Grade Port (Centrex) Basic Local Area	-		UEP9D	UEPYA	14.00	50.00	25.00			15.20	 	 		
	2-vvire voice Grade Port (Centrex) Basic Local Afea			UEF9D	UEPTA	14.00	50.00	∠5.00			15.20	1	L		

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex Wirt Carlet ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	14.00	50.00	25.00				15.20				
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex/rise) Wig Earlip Indication))3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	14.00	50.00	25.00				15.20				
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYQ	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYR	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	14.00	135.00	90.00				15.20				
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	14.00	135.00	90.00				15.20				
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	14.00	50.00	25.00				15.20				
AL, K	Local Area Y, LA, MS, SC, & TN Only			UEP9D	UEPY2	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	14.00	50.00	25.00				15.20				
\vdash	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9D	UEPQB	14.00	50.00	25.00	-			15.20				
\vdash	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3	-	-	UEP9D UEP9D	UEPQC UEPQD	14.00 14.00	50.00 50.00	25.00 25.00	 			15.20 15.20				
 	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQD	14.00	50.00	25.00	 			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3	†	†	UEP9D	UEPQF	14.00	50.00	25.00	I		-	15.20				

NBUNDLE	D NETWORK ELEMENTS - Louisiana			•							1			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						I	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	14.00	50.00	25.00	1			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						== ==		1							
	Indication)3			UEP9D	UEPQW	14.00	50.00	25.00	-		ļ	15.20				
	2-Wire Voice Grade Port (Centrey/Msg Wtg Lamp Indication)3		<u> </u>	UEP9D	UEPQJ	14.00	50.00	25.00	-		.	15.20				
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		t	UEP9D	UEPQO	14.00	135.00	90.00	 		†	15.20				
				00	52. 30	14.00	700.00	33.30				10.20			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	14.00	135.00	90.00				15.20				
									1							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14.00	135.00	90.00	\vdash			15.20				
									1							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14.00	135.00	90.00	-		ļ	15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14.00	135.00	90.00	1			15.20				
	2-Wile Voice Grade Port (CertifeXullier SWC /EBS-W5206)2, 3		1	UEP9D	UEPQS	14.00	135.00	90.00			-	15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14.00	135.00	90.00	1			15.20				
	2 THE VOICE STAGET OF (CENTERNAME) CVVC/EBS MOZTOJE, C			OLI OD	OLI QU	14.00	100.00	50.00	1		1	10.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	14.00	135.00	90.00	1			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						İ									
	Term			UEP9D	UEPQZ	14.00	135.00	90.00				15.20				
									1							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	14.00	50.00	25.00			ļ	15.20				
Local	Switching			UEP9D	URECS	0.8577			-		ļ					
Local	Centrex Intercom Funtionality, per port		<u> </u>	UEP9D	URECS	0.8577			-		+					
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			+		1					
Featur				OLI 3D	LIVI CC	0.55	-		 		1					
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	İ					15.20			İ	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25				Ì	15.20			ĺ	
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						15.20				
NARS								· · · · ·		· · · · ·						
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	↓			15.20				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0.00	0.00	0.00				15.20				
	laneous Terminations		-		+ +				 		ļ				 	
2-wire	Trunk Side Trunk Side Terminations, each		+	UEP9D	CEND6	8.29	115.85	18.20	+		 	15.20	-	-		
4-Wire	Digital (1.544 Megabits)		!	OLFBD	OLINDO	0.29	110.00	10.20	 		1	15.20			 	
7-11116	DS1 Circuit Terminations, each		t	UEP9D	M1HD1	68.47	196.18	98.62	 		†	15.20				
-	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06	00.02	 			15.20			1	
Interof	fice Channel Mileage - 2-Wire			-	1 1						Ì					
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.013										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е						•		•						
D4 Cha	nnel Bank Feature Activations				\bot				\vdash							
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP9D	1PQWS	0.6497					ļ	15.20				
			1		1,50,00		l					1				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP9D	1PQW6	0.6497					<u> </u>	15.20			l	

ONRONDL	ED NETWORK ELEMENTS - Louisiana			1							I			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				45014											
-	Slot			UEP9D	1PQW7	0.6497					1	15.20			1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
	Emolesia Trille Collida			02. 05		0.0.0.						10.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497					ļ	15.20				ļ
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex										1				1	
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10				15.20			1	
- 	Conversion of existing Centrex Common Block, each	-	 	UEP9D	USACN		36.66	16.10			†	15.20			 	+
- 	New Centrex Standard Common Block	-		UEP9D	M1ACS	0.00	680.40	10.10			 	15.20			t	+
	New Centrex Customized Common Block		†	UEP9D	M1ACC	0.00	680.40				1	15.20			I	1
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93				†	15.20			t	
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		25.77										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		36.39										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		00.00										
LINE	Non-Design Port/Loop Combination Rates (Design)		3	UEP9E		62.26					.	-			-	_
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1				1	-
	Design		1	UEP9E		28.93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 02		20.00					i e					
	Design		2	UEP9E		39.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		64.46										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26					ļ					ļ
+	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2	UEP9E UEP9E	UECS2 UECS2	14.93 25.35					-		-	-	 	+
-	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46									+	
line	Port Rate			021 02	02002	30.40					†				t	†
	L, KY, LA, MS, & TN only														†	
1 .2, .	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	14.00	50.00	25.00				15.20			1	1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area		<u> </u>	UEP9E	UEPYH	14.00	50.00	25.00			ļ	15.20			ļ	↓
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVAA	44.00	405.00	00.00				45.60			1	
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP9E	UEPYM	14.00	135.00	90.00			ļ	15.20			1	-
	Term - Basic Local Area			UEP9E	UEPYZ	14.00	135.00	90.00				15.20			I	
- 	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	 	OLI DL	ULFIZ	14.00	133.00	50.00			†	13.20			 	+
1	- Basic Local Area			UEP9E	UEPY9	14.00	50.00	25.00				15.20			I	
	2-Wire Voice Grade Port Terminated on 800 Service Term -				1 1 0		33.55	20.00				.0.20			1	1
1	Basic Local Area			UEP9E	UEPY2	14.00	50.00	25.00				15.20			I	
AL, F	(Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	14.00	50.00	25.00		•		15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14.00	50.00	25.00				15.20				
I	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	14.00	50.00	25.00			<u> </u>	15.20				

UNBUN	NDLE	D NETWORK ELEMENTS - Louisiana												ment: 2		ibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring Disconnec				Rates(\$)		
							Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire														
		Center)2			UEP9E	UEPQM	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														
		Term			UEP9E	UEPQZ	14.00	135.00	90.00			15.20				1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	14.00	50.00	25.00		_	15.20				
		Switching			LIEDOE	LIDEOO	0.0577									
		Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.8577									
- "					UEP9E	LNDCC	0.35			 		-				-
	Feature	Local Number Portability (1 per port)		 	OCFSE	LNPCC	0.35			 	+	 	 	 		
		All Standard Features Offered, per port		†	UEP9E	UEPVF	0.00				+	15.20	t	 		
-		All Select Features Offered, per port		†	UEP9E	UEPVS	0.00	412.25			+	15.20	t	 		
-+		All Centrex Control Features Offered, per port		\vdash	UEP9E	UEPVC	0.00	712.23		 	+	15.20	 	 		
١,	NARS	rai Schilox Control i Gatales Chelea, pel port			OLI OL	OLI VO	0.00			 	+	13.20	t	 		
- '		Unbundled Network Access Register - Combination		†	UEP9E	UARCX	0.00	0.00	0.00	 		 	I			†
-		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00			1				
-		Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0.00	0.00	0.00	 						1
-		aneous Terminations		1	OLI OL	O/WYO/Y	0.00	0.00	0.00	 						1
		Trunk Side				1						1				1
- f		Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20			15.20				
4		Digital (1.544 Megabits)			02. 02	02.120	0.20	110.00	10.20			10.20				
		DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92			15.20				
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06				15.20				
		fice Channel Mileage - 2-Wire														
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.60	39.36	26.62	1		15.20				1
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.013			İ						1
F	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	е							İ						1
- 1	D4 Cha	nnel Bank Feature Activations								İ		ĺ		Î		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497					15.20				
																ĺ
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497					15.20				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop														1
		Slot			UEP9E	1PQW7	0.6497					15.20				
T		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			<u> </u>	1							_			
		Different Wire Center			UEP9E	1PQWP	0.6497					15.20				
													I			
		Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9E	1PQWV	0.6497			 	_	15.20	ļ			
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop														
		Slot		-	UEP9E	1PQWQ	0.6497				-	15.20	 	 		
		Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP9E	1PQWA	0.6497			 	+	15.20	 	 		-
		PRC Conversion Currently Combined Switch-As-Is with allowed		-		+					_	<u> </u>	 			
					UEP9E	USAC2		0.40	0.10			15.20	I			
		changes, per port Conversion of Existing Centrex Common Block, each		 	UEP9E UEP9E	USAC2 USACN		0.10 36.66	16.10	 	+	15.20	+	 		
-		New Centrex Standard Common Block		†	UEP9E	M1ACS	0.00	680.40	10.10		+	15.20	t	 		
-+		New Centrex Standard Common Block			UEP9E	M1ACC	0.00	680.40		 	+	15.20	 	 		
-+		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93		 	+	15.20	 	 		
- 1		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		†		5.1.25/1	0.00	70.00		 		10.20	I			
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1						1	1	i		
		ort/Loop Combination Rates (Non-Design)				1 1							t	İ		†
- 1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			ĺ	1							1	İ		1
		Non-Design		1	UEP93		25.77						I			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												1		
		Non-Design		2	UEP93		36.36						1			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														1
		Non-Design		3	UEP93		62.26			1						
- 1	INF Po	ort/Loop Combination Rates (Design)		Ì						1		ĺ		İ		1

JNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring D					Rates(\$)		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design		1	UEP93		28.93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		39.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		64.46										
UNE L	oop Rate		4	LIEDOS	115004	44.77										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93 UEP93	UECS1 UECS1	22.36 48.26			 		-					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS1	14.93					 					
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP93	UECS2	25.35			+		 	 				+
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	50.46			 							
UNE P	Port Rate		J	02. 00	02002	55.40			 							
	Y, LA, MS, & TN only		†													
,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	14.00	50.00	25.00	 			15.20				1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP93	UEPY9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	14.00	50.00	25.00				15.20				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	50.00	25.00				15.20				
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		!	UEP93	UEPQ9	14.00	50.00	25.00	 		1	15.20				
Local	Switching	-		021 00	JL1 42	17.00	30.00	25.00	 		 	10.20				
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577			 							
Local	Number Portability					,			 							1
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featur	res															
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						15.20				
NARS																<u> </u>
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				15.20				↓
	Unbundled Network Access Register - Indial		ļ	UEP93	UAR1X	0.00	0.00	0.00				15.20				
BAT	Unbundled Network Access Register - Outdial		₩	UEP93	UAROX	0.00	0.00	0.00	 		ļ	15.20				
	Ilaneous Terminations Trunk Side	-	+		+				 		 	-	-	-	-	
Z-VVIF6	Trunk Side Trunk Side Terminations, each		1	UEP93	CEND6	8.27	115.85	18.20	 		<u> </u>	15.20				
4-Wire	e Digital (1.544 Megabits)	-	 	OL1 33	OLINDO	0.21	110.00	10.20	+		 	13.20				+
	DS1 Circuit Terminations, each		 	UEP93	M1HD1	68.47	196.18	92.92	 		1	15.20				
	DS0 Channels Activated, Per Channel		†	UEP93	M1HDO	0.00	14.06	02.02	 		1	15.20				
Intero	ffice Channel Mileage - 2-Wire		†	00		0.50	00					.0.20				
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62				15.20				1
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										1
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	Ì		1						1	i				1

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Ch	annel Bank Feature Activations														ĺ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20			ĺ	
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93					15.20				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment	l	1	I		1					I	1		ĺ		I

LINIDI	INIBI E	D NETWORK ELEMENTO MICH.															
UNB	UNDLE	D NETWORK ELEMENTS - Mississippi		1			1					I	I		ment: 2		bit: B
												I .	I .	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	2007	DATE ELEMENTS	Interi	7	BCS	USOC			DATEC (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	3OR Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonred	curring	Nonrecurring	a Disconnect	+	I .	OSS	Rates(\$)	I.	I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	1								71441		71441	0020					
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograpi	nically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
		vww.interconnection.bellsouth.com/become a clec/html/inter	-			og.upou,			Goog.ap.	200	.goa oo	- 200.ga	,	000,			
OPER		L SUPPORT SYSTEMS	I	1							1	1	1	1	1	I	I
OI LIK		(1) Electronic Service Order: CLEC should contact its contract	ct negot	tiator if	it prefers the state s	pecific elect	ronic service o	rdering charge	es as ordered b	v the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	s rate
		is the BellSouth regional electronic service ordering charge.															.0
		(2) Any element that can be ordered electronically will be bill															lv. For
		elements that cannot be ordered electronically at present per t															
		ng charge, SOMAN, will be applied to a CLECs bill when it sub					g,										
		Manual Service Order Charge, per LSR, Disconnect Only (MS)		1		SOMAN				1.97		I	I				
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)	<u></u>	L		SOMEC	<u> </u>	3.50			<u> </u>	<u></u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F0	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3. ULD12.												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
1	1				ULDVX, UNC1X,		[
					UNC3X, UNCDX,												
1	1				UNCNX, UNCSX,		[
1	1				UNCVX, UNLD1,		[
1	1				UNLD3, UXTD1,		[
		L			UXTD3, UXTS1,												
	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	00405	[
LINIBLE	NDI ED I	Day			U1TUB, U1TUA	SDASP		200.00				ļ	ļ				
ONRO		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		-			 					-	-	-	-		
-	Z-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25	 	15.75				
	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25	}	15.75	 	 	 	
\vdash	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	H		UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25	1	15.75	 	 	l	l
	+	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	H		UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25	1	15.75	 	 	l	l
-	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	<u> </u>	O = / 11 11 =	J L / 11_C	40.00	31.32	17.55	20.40	5.25	 	10.73	 	 		
1	1	Premise			UEANL	URETL		8.33	0.83				15.75				
	1	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00		1		15.75	1	1		
	1	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97					15.75	İ	İ		
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92				15.75	İ	İ		
	1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1								İ		T	İ	İ	l	l
1	1	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	•			•													

Version 1Q03: 02/28/03 Page 236 of 420

UNBU	NDLE	NETWORK ELEMENTS - Mississippi													ment: 2		ibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
igspace								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1				0000		40.40									
	2 14/105	(per LSR)			UEANL	OCOSL		18.19	18.19			ļ					
└		Unbundled COPPER LOOP			LIFO	LIEGOV	44.04	00.50	10.10	00.00	1.10		45.75				
\vdash		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- !		UEQ	UEQ2X	11.01 11.51	36.53	16.16	22.66	4.42	1	15.75				
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ UEQ	UEQ2X UEQ2X	11.57	36.53 36.53	16.16 16.16	22.66 22.66	4.42 4.42	 	15.75 15.75				
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 2 Wire Unbundled Copper Loop - Non-Designed - Zone 4			UEQ	UEQ2X UEQ2X	13.10	36.53	16.16	22.66	4.42	 	15.75				
\vdash		Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	4	UEQ	UEQZX	13.10	30.33	10.10	22.00	4.42	1	15.75		-		
i		Premise			UEQ	URETL		8.33	0.83				15.75				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-			LIEO	LIODAGO		0.00	0.00								
		Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	USBMC		8.20	8.20								
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51						1		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36					15.75				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97					15.75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42				15.75				
		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
i		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25		15.75				
		Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 4 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25		15.75				
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25		15.75				
UNBUNI	DLED E	XCHANGE ACCESS LOOP															
;	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														ĺ	
\vdash		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
i		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19						İ	t	İ	i e
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	18.75	405.00	68.28	50.00	10.37		15.75				
\vdash		Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAKZ	18.75	105.96	08.28	52.82	10.37		15./5				
		Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	ļ	15.75				
		Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10	ļ			15.75		ļ		ļ
																	1
	4-WIRE	ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64	0020	15.75			00	
	4-Wire Analog Voice Grade Loop - Zone 4			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				i
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									i
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				i
2-WIF	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN UDN	U1L2X U1L2X	37.34 59.18	117.61	79.92 79.92	52.82 52.82	10.37		15.75 15.75				
	2-Wire ISDN Digital Grade Loop - Zone 4 Order Coordination For Specified Conversion Time (per LSR)	-	4	UDN	OCOSL	59.18	117.61 18.19	79.92	52.82	10.37		15.75				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07				15.75				
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP	t		0011	OT NEW YOU		31.70	77.07	 		†	10.70	1	1		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1			1				1					İ		i
	1	1	1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75				ı
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	l									Ì			1		1
	2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				ı
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															ı
	3		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															í
	4		4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				
0.14	CLEC to CLEC Conversion Charge without outside dispatch *	NATIDI F	1.000	UDC	UREWO		91.46	44.07				15.75				
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP 2 Wire Unbundled ADSL Loop including manual service inquiry	AHBLE	LOOP	1					-			-				
	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75				i
h + + + + + + + + + + + + + + + + + + +	2 Wire Unbundled ADSL Loop including manual service inquiry		<u>'</u>	UAL	UALZX	11.11	121.21	70.01	30.36	7.55		13.73				
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75				i
	2 Wire Unbundled ADSL Loop including manual service inquiry			07.12	O/ LEZ/		121127		00.00	7.00		10.70				
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75				i
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		15.75				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															ł
	facility reservation - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	44.47	00.45	58.03	50.38	7.93		45.75				í
-	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &	-		UAL	UALZVV	11.47	96.15	58.03	50.38	7.93		15.75				
	facility reservation - Zone 3	1	3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				ı
	2 Wire Unbundled ADSL Loop without manual service inquiry &	†	-	U- 1L	U, 112 V V	11.74	30.13	30.03	30.36	1.33	†	10.70				(
	facility reservation - Zone 4	1	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				ı
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19			3-2	İ		1	ĺ		1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33				15.75				
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP					· · · · ·		•						
	2 Wire Unbundled HDSL Loop including manual service inquiry	1		l	I 7											1
	& facility reservation - Zone 1	ļ	1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75		ļ		
	2 Wire Unbundled HDSL Loop including manual service inquiry		_				,	=0.5-	====							ı
\vdash	& facility reservation - Zone 2	-	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93	-	15.75	-	 		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93	1	15.75				l .
 	2 Wire Unbundled HDSL Loop including manual service inquiry	1	3	OI IL	UI ILZA	9.07	129.98	19.02	50.38	1.93	-	15.75	 	 		1
	& facility reservation - Zone 4	1	4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93	1	15.75				l .
	Order Coordination for Specified Conversion Time (per LSR)		_	UHL	OCOSL	10.40	18.19	70.02	55.56	7.55		10.70				(
	2 Wire Unbundled HDSL Loop without manual service inquiry	1							1		İ		l	İ		í
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				ł .
i i	2 Wire Unbundled HDSL Loop without manual service inquiry															i
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
_	2 Wire Unbundled HDSL Loop without manual service inquiry	1		l	I 7											1
\vdash	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75	ļ			 '
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				ı
	and facility reservation - Zone 4	<u> </u>	4	UTIL	UHLZVV	10.46	104.86	00.74	50.38	7.93	L	15.75	l	L		ų.

CATEGORY RATE ELEMENTS Interior Interior Inte	Svc Order Increment Submitted Charge - Manually Manual Sv per LSR Order vs. Electronic 1st	Charge - Manual Svc Order vs. Electronic- Add'l SS Rates(\$)	Incremental Charge -	it: B Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (5) Elect prof LSR	Manually per LSR Manual Sylorder vs. Electronic 1st SOMAN SOMAN 15.75 15.75 15.75 15.75 15.75 15.75	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Interi Zone BCS USOC RATES (8) Elec per LSR	Manually per LSR Manual Sylorder vs. Electronic 1st SOMAN SOMAN 15.75 15.75 15.75 15.75 15.75 15.75	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY NATERLEMENTS Date BUS DSU	Electronic 1st OS	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l
Order Coordination for Specified Conversion Time (per LSF)	Electronic 1st OS	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l
Order Coordination for Specified Conversion Time (per LSR)	1st OS SOMAN SOMAN 15.75 15.75 15.75 15.75 15.75	Add'I SS Rates(\$)		
Order Coordination for Specified Conversion Time (per LSR)	15.75 15.75 15.75 15.75 15.75	SS Rates(\$)		
Order Coordination for Specified Conversion Time (per LSR)	SOMAN SOMAN		SOMAN	SOMAN
Order Coordination for Specified Conversion Time (per LSR)	15.75 15.75 15.75 15.75 15.75	SOMAN	SOMAN	SOMAN
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33	15.75 15.75 15.75 15.75 15.75			
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL), COMPATIBLE LOOP	15.75 15.75 15.75 15.75 15.75			
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 UHL	15.75 15.75 15.75			
Additive reservation - Zone 1	15.75 15.75 15.75			
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 2 UHL	15.75 15.75 15.75			
Advire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 UHL UHLAW 13.43 158.74 108.28 56.72 10.68	15.75 15.75			
4-Wire Dribundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 3 UHL UHLAX 15.59 158.74 108.28 56.72 10.68 1	15.75 15.75			
and facility reservation - Zone 3	15.75 15.75			_
Authority reservation Zone Authority Corporation	15.75			
Order Coordination for Specified Conversion Time (per LSR)	15.75			
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2				
and facility reservation - Zone 1				
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2				
and facility reservation - Zone 2	15.75			
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	15.75			
and facility reservation - Zone 3	ı	_		
## A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 ## UHL UHL4W 14.46 133.62 95.50 56.72 10.88 Order Coordination for Specified Conversion Time (per LSR) UHL UREWO 85.98 40.33	45.75			
A	15.75			
Order Coordination for Specified Conversion Time (per LSR)	45.75			
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33	15.75	_	1	
A-Wire DS1 Digital Loop - Zone 1	15.75	+	-	
4-Wire DS1 Digital Loop - Zone 1	15.75	-	-	
4-Wire DS1 Digital Loop - Zone 2 2 USL	15.75		1	
4-Wire DS1 Digital Loop - Zone 3 3 USL	15.75			
4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 10.0p 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 UDL UDL56 40.76 126	15.75		+	
Order Coordination for Specified Conversion Time (per LSR)	15.75			
4-WiRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				
4 Wire Unbundled Digital 19.2 Kbps 1 UDL UDL19 27.44 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Coop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75			
4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 6 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19 18.19			Ī	
4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75			
4 Wire Unbundled Digital 19.2 Kbps 4 UDL UDL19 32.25 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75	-	 	
Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19	15.75	+	+	
	15.75	+	1	
4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.44 126.53 88.85 60.68 14.64	15.75	+	 	
4 Wire Unburdled Digital Loop 64 Kbps - Zone 2	15.75	+	+	
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 40.76 126.53 88.85 60.68 14.64	15.75		1	
4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 4 UDL UDL64 32.25 126.53 88.85 60.68 14.64	15.75	1	1	
Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19		Ì	İ	
CLEC to CLEC Conversion Charge without outside dispatch UDL UREWO 101.94 49.66	15.75		1	
2-WIRE Unbundled COPPER LOOP				
2-Wire Unbundled Copper Loop/Short including manual service				
inquiry & facility reservation - Zone 1 1 UCL UCLPB 11.11 120.34 69.87 50.38 7.93	15.75			
2-Wire Unbundled Copper Loop/Short including manual service				
inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.47 120.34 69.87 50.38 7.93	15.75		ļ	
2 Wire Unbundled Copper Loop/Short including manual service				
inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.74 120.34 69.87 50.38 7.93	15.75	-	_	
2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 4 UCI UCI PB 12.69 120.34 69.87 50.38 7.93				
1 002 001 12:00 12:00 10	45.75	+	+	
Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 8.20 8.20 2-Wire Unbundled Copper Loop/Short without manual service	15.75	+	-	
2-vvire Unbundled Copper Loop/short without manual service Inquiry and facility reservation - Zone 1 I UCL UCLPW 11.11 95.21 57.09 50.38 7.93	15.75			
Iniquiry and racing reservation - Zone 1 UCL UCLPW 11.11 95.21 57.09 50.38 7.93 1.94 1.11 1.		+	 	
inquiry and facility reservation - Zone 2 UCL UCLPW 11.47 95.21 57.09 50.38 7.93	15.75		1	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates(\$)		
	O Milian I lank and land Common I com/Ch and anish as demonstration	-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
—	inquiry and facility reservation - Zone 3		3	UCL	UCLPVV	11.74	95.21	57.09	50.38	7.93	-	15.75				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCLMC	12.09	8.20	8.20		7.55	1	13.73				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			OCL	UCLIVIC		0.20	0.20								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	001	OOLEL	20.20	120.04	00.01	00.00	7.00	1	10.70				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 4	<u></u>	4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93	<u></u>	15.75	<u> </u>	<u> </u>		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service															
\vdash	inquiry and facility reservation - Zone 4		4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		05.04	42.40				15.75				
4 10/1	(UCL-Des) RE COPPER LOOP			UCL	UREWO		95.21	42.40			-	15.75				
4-441	4-Wire Copper Loop/Short - including manual service inquiry		-		+											
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry		<u> </u>	001	OOL TO	17.00	144.00	J4.22	00.72	10.00	-	10.70				
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry			002	002.0	10.01		0	00.12	10.00		10.10				
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75		ļ		
	4-Wire Copper Loop/Short - without manual service inquiry and	1		l <u>.</u> .	1							1				
\vdash	facility reservation - Zone 2	ļ	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75		ļ		
	4-Wire Copper Loop/Short - without manual service inquiry and		_		1101 (11)											
\vdash	facility reservation - Zone 3	!	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75	 	 		
	4-Wire Copper Loop/Short - without manual service inquiry and		4	UCL	LICL 4VA	24.22	110.50	01 44	FG 70	10.00		15 75				
	facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)	1	4	UCL	UCL4W UCLMC	21.33	119.56 8.20	81.44 8.20	56.72	10.68	1	15.75	-			
\vdash	4-Wire Unbundled Copper Loop/Long - includes manual svc.	 	-	UUL	UCLIVIC		0.20	0.20				 				
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
 	4-Wire Unbundled Copper Loop/Long - includes manual svc.	 	+	OOL	OOL4L	J4.72	144.00	34.∠∠	30.72	10.00		13.73		 		
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	†	<u> </u>		00272	01.41	144.00	U-1.22	00.72	10.00	 	10.70				
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	1	Ť					V		11.30			l	İ		
	inquiry and facility reservation - Zone 4	1	4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75	<u> </u>			
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2	ļ	2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.	1			Ι 🗔											
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75		l		

UNBUND	LED	NETWORK ELEMENTS - Mississippi													ment: 2		ibit: B
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec		curring		g Disconnect				Rates(\$)		-
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled Copper Loop/Long - without manual service		١,		1101.40	400.00	440.50	04.44	56.72	40.00		45.75				
	-	inquiry and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)		4	UCL UCL	UCL4O UCLMC	106.06	119.56 8.20	81.44 8.20	56.72	10.68	.	15.75	-			
		CLEC to CLEC Conversion Charge without outside dispatch		-	UCL	UCLIVIC		0.20	0.20			-	-	-			
		(UCL-Des)			UCL	UREWO		95.21	42.40				15.75				
LOOP MOI	DIFIC				002	O.K.E.V.O		00.21	12.10				10.70	t			
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57				15.75				
	\neg	Unbundled Loop Modification, Removal of Load Coils - 2 wire			OLI OD	CLIVIZE		02.01	02.07				10.70				1
		greater than 18k ft			UCL, ULS, UEQ	ULM2G	<u> </u>	171.49	171.49	<u> </u>	<u> </u>		15.75		<u> </u>	<u> </u>	<u> </u>
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL, UEA	ULM4L		32.57	32.57				15.75				
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		pair greater than 18k ft			UCL	ULM4G		171.49	171.49	1		ļ	15.75				<u> </u>
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59				15.75				
SUB-LOOF		op Distribution				+								-			
Su		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	ı		UEANL	USBSA		259.69					15.75				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	_		UEANL	USBSB		22.77					15.75				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		178.47					15.75				
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		56.39					15.75				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	Ι	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
İ		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20				15.75				
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71	ļ	15.75	ļ			ļ
		Order Coordination for Habundled Cub Lases asset to a second			LIEANI	LICDMO		0.00	0.00					1			
-+		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL UEANL	USBMC USBR4	4.40	8.20 59.60	8.20 24.55	51.27	9.35	-	15.75	<u> </u>			
+		Gub-Loop 4-vviile intrabuliumg retwork Gable (INC)	- 1		OLAINL	JJDK4	4.40	09.60	24.00	51.27	9.35		15.75	 			+
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1		UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75	l			<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	hit: B
ONDO	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTS IMPOSOSIPPI					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to at									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14		6.71		15.75				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45		9.35		15.75				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Unbur	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55					15.75				
	Netwo	rk Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90				15.75				
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36				15.75				
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94	1	ĺ		15.75				
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94				15.75				
SUB-LO	OOPS																
	Sub-L	pop Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		259.69					15.75				
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
		set-up			UDN,UCL,UDL,UDC	USBFX		22.77	22.77				15.75				
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		534.46	11.30		Î		15.75				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
		Grade - Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
		Grade - Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
		Voice Grade - Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,															
		Voice Grade - Zone 4		4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51		15.75				
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.19									
		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
		Grade - Zone 1		1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
		Grade - Zone 2		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
		Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
		Grade - Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.19									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,													1]
		Voice Grade - Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1	1	<u> </u>										_		
		Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				
	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1	1								1			I		
		Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75		ļ		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			l										1]
		Voice Grade - Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75		ļ		
		Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UEA	OCOSL		18.19		ļ					.		
	1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1	l .	l	l	[[1			I		
		Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1	_								1			I		
		Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75		.		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		_											1		
		Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75		_		
	1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1	١.					=0			1			I		
		Grade - Zone 4		4	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75		_		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19			l				1		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Boo	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start Loop - Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	14.60	106.46	68.78	55.58	13.13	ļ	15.75	!	!	-	-
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	18.78	106.46	68.78	55.58	13.13	ļ	15.75	 	 	-	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	25.47 41.41	106.46	68.78	55.58	13.13	1	15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4 Order Coordination For Specified Conversion Time, Per LSR		4	UDN UDN	OCOSL	41.41	106.46 18.19	68.78	55.58	13.13	ļ	15.75	 	 	 	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.60	106.46	68.78	55.58	13.13	 	15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	14.60	106.46	68.78	55.58	13.13	}	15.75	 	 	 	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	25.47	106.46	68.78	55.58	13.13	1	15.75		1	1	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	41.41	106.46	68.78	55.58	13.13	1	15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	55.19	101.97	64.29	63.68	17.64	1	15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3		USBFG	183.66	101.97	64.29	63.68	17.64	İ	15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4		USBFG	430.04	101.97	64.29	63.68	17.64	†	15.75				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1	UCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	5.21	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	4.40	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4		4	UCL	USBFH	3.63	84.27	46.59	53.14	10.70		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.49	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4		4	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.89	101.97	64.29	63.68	17.64	ļ	15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	25.11	101.97	64.29	63.68	17.64	ļ	15.75	 	.	-	-
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	30.84 41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	USBFN		101.97	64.29	63.68	17.64		15.75				
	Zone 1 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				
	Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -					25.11	101.97	64.29		17.64		15.75				
	Zone 3 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		3	UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75	ļ	ļ	ļ	
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	UDL	OCOSL	00.00	18.19	04.00	00.00	47.04		45.75				
	Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				
	Zone 3 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				
	Zone 4 Order Coordination For Specified Conversion Time, per LSR		4	UDL UDL	USBFP OCOSL	41.05	101.97 18.19	64.29	63.68	17.64		15.75				-
SUB-LOOPS	The second secon		†		1				† †		1		†	i	i	t

CATEGORY RATE ELEMENTS Sub-Loop Feeder Sub Loop Feeder - DS3 - Per Mile Per Month	1	teri m Z	one	BCS	USOC								Incremental	Incremental	Incremental	Incremental
Sub Loop Feeder - DS3 - Per Mile Per Month					0000			RATES (\$)			Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Sub Loop Feeder - DS3 - Per Mile Per Month						Rec	Nonred		Nonrecurring					Rates(\$)		
Sub Loop Feeder - DS3 - Per Mile Per Month							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		_	UEO		41.501	40.00										├
		+	UE3		1L5SL USBF1	18.88 349.41	3,396.56	406.45	157.96	89.54	 	15.75				
Sub Loop Feeder - DS3 - Facility Termination Pe Sub Loop Feeder - STS-1 - Per Mile Per Month	I WOTTET	i l	UDLSX	(1L5SL	18.88	3,390.30	400.43	137.90	05.54	1	13.73				
Sub Loop Feeder - STS-1 - Facility Termination	Per Month	i l	UDLSX		USBF7	376.07	3,396.56	406.45	157.96	89.54	1	15.75				
UNBUNDLED LOOP CONCENTRATION				-		0.0.0	0,000.00									
Unbundled Loop Concentration - System A (TRO	08)		ULC		UCT8A	36367	327.30	327.30				15.75				
Unbundled Loop Concentration - System B (TRO			ULC		UCT8B	47.56	136.37	136.37				15.75				
Unbundled Loop Concentration - System A (TR3			ULC		UCT3A	397.35	327.30	327.30				15.75				
Unbundled Loop Concentration - System B (TR3			ULC		UCT3B	80.15	136.37	136.37	47.04			15.75				
Unbundled Loop Concentration - DS1 Loop Intel		_	ULC		UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				
Unbundled Loop Concentration - ISDN Loop Inte Card)	,		UDN		ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
Unbundled Loop Concentration - UDC Loop Inte Card)	face (Brite		UDC		ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
Unbundled Loop Concentration2 Wire Voice-L	oop Start or															
Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice -	Reverse Battery		UEA		ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Lo	on Interface		UEA		ULCCR	10.66	10.60	10.54	5.56	5.53	-	15.75				
(Specials Card)	Jop Interface		UEA		ULCC4	6.36	10.60	10.54	5.56	5.53		15.75				
Unbundled Loop Concentration - TEST CIRCUIT			ULC		UCTTC	31.07	10.60	10.54	5.56	5.53		15.75				
Unbundled Loop Concentration - Digital 19.2 Kb Interface	os Data Loop		UDL		ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				
Unbundled Loop Concentration - Digital 56 Kbps	Data Loop															
Interface Unbundled Loop Concentration - Digital 64 Kbps	Data Loop	-	UDL		ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				
Interface			UDL		ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				
UNE OTHER, PROVISIONING ONLY - NO RATE	e e	_	LIENITA		LINIDDY	0.00	0.00									——
NID - Dispatch and Service Order for NID installa UNTW Circuit Id Establishment, Provisioning On		-	UENTW UENTW		UNDBX UENCE	0.00	0.00									
ONTW Circuit to Establishment, Flovisioning On	y - No Nate	_		_,UEF,UEQ,U	ULINGL	0.00	0.00									
Unbundled Contract Name, Provisioning Only - I	lo Rate		ENTW		UNECN	0.00	0.00									l
UNE OTHER, PROVISIONING ONLY - NO RATE						1										
				CL,UDC,UDL,												l
Unbundled Contact Name, Provisioning Only - n			UDN,UI	IEA,UHL,ULC	UNECN	0.00	0.00									
Unbundled Sub-Loop Feeder-2 Wire Cross Box rate	Jumper - no		UEA,UE	DN,UCL,UDC	USBFQ	0.00	0.00									
Unbundled Sub-Loop Feeder-4 Wire Cross Box	Jumper - no			SL,UCL,UDL	USBFR	0.00	0.00									
Unbundled DS1 Loop - Superframe Format Opti	on - no rate	\dashv	USL		CCOSF	0.00	0.00									
Unbundled DS1 Loop - Expanded Superframe F			1002		- 300.	3.00	0.00									
no rate			USL		CCOEF	0.00	0.00									1
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
NOTE: minimum billing period of three months for D		ор														
High Capacity Unbundled Local Loop - DS3 - Pe	r Míle per		UE3		1L5ND	11.20										1
High Capacity Unbundled Local Loop - DS3 - Fa	cility		UE3		UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				
Termination per month High Capacity Unbundled Local Loop - STS-1 - I	Per Mile per	+					454.13	∠05.47	123.23	80.19		15.75				
month High Capacity Unbundled Local Loop - STS-1 - I	acility	+	UDLSX	(1L5ND	11.20										
Termination per month			UDLSX	(UDLS1	338.55	454.13	265.47	123.23	86.19	ļ	15.75				
LOOP MAKE-UP	a an anadal a a a	_				1										
Loop Makeup - Preordering Without Reservation spare facility queried (Manual).			UMK		UMKLW		24.12	24.12								
Loop Makeup - Preordering With Reservation, per queried (Manual).	r spare facility		UMK		UMKLP		25.58	25.58								1

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: B
3.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HIGH E	PEOLIE	NCY SPECTRUM						11100	Addi	11100	Auui	COME	COMPAN	COMPAN	COMPAN	OOMAN	COMPAR
		HARING															
		ERS-CENTRAL OFFICE BASED															
\vdash	SPLIII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		15.75				
\vdash																	
\vdash		Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDB	46.67	189.89	0.00	178.41	0.00		15.75				
\vdash		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00		15.75				
'		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)		<u> </u>	ULS	ULSDG		86.98	0.00	49.96	0.00		15.75				
	END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	IRUM													
\perp		Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75				
'	l	Line Sharing - per Subsequent Activity per Line															
<u> </u>		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24				15.75				
1 7	l	Line Sharing - per Subsequent Activity per Line				I				I		l	[
└─_ '	<u> </u>	Rearrangement(DLEC Owned Splitter)		<u></u>	ULS	ULSCS		16.48	8.24				15.75				
		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.75				
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED					j	j									
		Line Splitting - per line activation DLEC owned splitter	R		UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical	R		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15.75				
		Line Splitting - per line activation BST owned - virtual	R		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93		15.75				
\vdash	REMO	TE SITE HIGH FREQUENCY SPECTRUM			02. 0. 02. 02	O.K.E.D.V	0.01	10.02	10.00	10.01	1.00		10.70				
\vdash		ERS-REMOTE SITE															
\vdash	0	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	42.59	114.62	0.00	84.87	0.00		15.75				
\vdash	-	Remote Site Line Share Cable Pair Activation CLEC Owned at	-		OLO	OLOND	42.55	114.02	0.00	04.07	0.00		13.73				
'		RS and Deactivation			ULS	ULSTG		95.48	0.00	68.12	0.00		15.75				
\vdash	ENDI	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	M A I / A	DEMOT				93.46	0.00	00.12	0.00		15.75				
\vdash	END U		VI AKA	KEWIOI	E SHE LINE SHAKII	NG											
'		Remote Site Line Share Line Activationfor End User Served at	١.,			ULSRC	0.61	36.96	04.47	19.93	9.78		45.75				
\vdash		RS, BST Splitter RS Line Share Line Activation for End User served at RS, CLEC			ULS	ULSRC	0.61	36.96	21.17	19.93	9.78		15.75				
'			١.														
		Splitter	- 1		ULS	ULSTC	0.61	36.96	21.17	19.93	9.78		15.75				
'		Remote Site Line Share Subsequent Activity-RS BST Owned															
<u> </u>		Splitter			ULS	ULSRS		49.07	17.80				15.75				
'		Remote Site Line Share Subsequent Activity-RS CLEC Owned															
		Splitter	I		ULS	ULSTS		49.07	17.80				15.75				
		DEDICATED TRANSPORT															
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -							-								
1 '	l	Per Mile per month		1	U1TVX	1L5XX	0.0098					1]				
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
'	l	Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
1 '	l	Rev Bat Per Mile per month		1	U1TVX	1L5XX	0.0098					1]		l		
	i	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		1		İ											
1 '	1	Facility Termination		1	U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11	1	15.75				
	i –	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -				i						i			İ		
1 '	l	Per Mile per month		1	U1TVX	1L5XX	0.0098					1]		l		
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			- 111		2.2200								İ		
1 '	l	- Facility Termination		1	U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11	1	15.75				
\vdash	l -	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		 			.0.70	.0.77	207	20			.5.76		 		
1 '	l	per month			U1TDX	1L5XX	0.0098										
\vdash	 	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		 	5.1DA	. 20701	0.0030			 		-			 		
1 '	l	Termination		1	U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11	1	15.75		l		
$\vdash \vdash \vdash$	 	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	-	 	01107	01100	15.00	40.70	21.31	17.20	7.11	-	15.75		 		
1 '	l				U1TDX	1L5XX	0.0098										
$\vdash \vdash \vdash$	-	per month		 	אטווט	ILOAA	0.0098			-		-				-	
1 '	l	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	LIATOV	LIATEC	45.00	40.70	07.57	47.00	7.11	1	45.75		l		
$\vdash \vdash \vdash$	 	Termination	-	-	U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11		15.75		 		
'	l	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATDA	41.500	2 22.										
<u></u>	l	month	l	l	U1TD1	1L5XX	0.201					l					

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					011100										
		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4.76										
		Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
		CHANNEL - DEDICATED TRANSPORT															
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d = be													
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
	ļ	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				1
	ļ	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75	ļ			1
	<u> </u>	Local Channel - Dedicated - DS1 - Zone 2			ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				-
	ļ	Local Channel - Dedicated - DS1 - Zone 3			ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74						
	<u> </u>	Local Channel - Dedicated - DS3 - Per Mile per month		-	ULDD3	1L5NC	9.66	454.40	205 47	400.00	00.10	1	45.75				
	<u> </u>	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			ULDD3 ULDS1	ULDF3 1L5NC	413.87 9.66	454.13	265.47	123.23	86.19	-	15.75				
	-	Local Channel - Dedicated - STS-1 - Per Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19	 	15.75				
DVBK	I FIBER	Local Channel - Dedicated - 313-1 - Facility Termination		1	ULDST	ULDF3	400.02	404.10	205.47	123.23	00.19	 	15.75				-
DAKK		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1				1		1					1
		Thereof per month - Local Channel			UDF	1L5DC	59.95										
		NRC Dark Fiber - Local Channel		1	UDF	UDFC4	33.33	642.79	138.67	326.97	203.85	1	15.75				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI	00104		0-12.70	100.07	020.07	200.00		10.70				1
		Thereof per month - Interoffice Channel			UDF	1L5DF	28.27										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		642.79	138.67	326.97	203.85	İ	15.75				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										İ					
		Thereof per month - Local Loop			UDF	1L5DL	59.95										
	İ	NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				
8XX AC	CESS 1	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX														I	
	ļ	Number Reserved			OHD	N8R1X		2.60	0.44	1			15.75				1
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				1
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
	<u> </u>	8XX Access Ten Digit Screening, Customized Area of Service			02			0.01	0.01	4.00	0.04		10.70	1			
		Per 8XX Number			OHD	N8FCX		2.60	1.30				15.75				1
		8XX Access Ten Digit Screening, Multiple InterLATA CXR								1						İ	
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74	1			15.75				1
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75				
		8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.60					15.75				
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										
	†	8XX Access Ten Digit Screening, w/ or E No. Delivery, per query			J. 1D	†	0.0000210			† †							<u> </u>
		query			OHD		0.0006216			1							1
LINE I		ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU		0.0137053										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.52	34.52	42.33	42.33		15.75				
SIGNA	LING (C									ļ							
		CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX	132.21			1				ļ		ļ	L
	<u> </u>	CCS7 Signaling Usage, Per TCAP Message		<u> </u>	UDB		0.0000597										

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Incremental Charge -	
	I			1			1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)		<u> </u>
				1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
		CCS7 Signaling Connection, Per link (B link) (also known as D															1
		link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
		CCS7 Signaling Point Code, per Originating Point Code			LIDD	00400		00.40	00.40	05.70	05.70		45.75				
E011 C	ERVICE	Establishment or Change, per STP affected		 	UDB	CCAPO		29.18	29.18	35.78	35.78	-	15.75		-		
ESILO	ERVICE	Local Channel - Dedicated - 2-wr Voice Grade		+		+	14.91	194.22	33.36	37.79	3.30	1	15.75		-		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		1			0.0098	134.22	33.30	31.13	5.50		10.70		-		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.0000					i e			t		
	<u></u>	Termination	L				22.52	40.77	27.57	17.26	7.11	<u> </u>	15.75		<u> </u>		<u> </u>
		Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 3		ļ			221.63	178.50	154.61	22.89	15.74		15.75				
<u></u>	 	Local Channel - Dedicated - DS1 - Zone 4		1		+	221.63	178.50	154.61	22.89	15.74	<u> </u>	15.75	.	 	-	
-	-	Interoffice Transport - Dedicated - DS1 Per Mile		 		+	0.2010					-	-		-		
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90		15.75				
-		interoffice Transport - Dedicated - DST Fer Facility Termination		1			37.33	09.79	02.20	10.00	14.50		15.75		 		
CALLII	NG NAM	ME (CNAM) SERVICE		1		+						1	15.75				1
07 (22)	10 10 111	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23	i e	15.75		t		<u> </u>
		CNAM For Non DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
		CNAM For DB Owners - Service Provisioning With Point Code															
		Establishment			OQV			996.62	737.08	270.49	198.89		15.75				
		CNAM For Non DB Owners - Service Provisioning With Point															
		Code Establishment			OQV		0.0040004	344.32	246.56	276.85	198.89		15.75				
		CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query			OQV OQV		0.0010231 0.0010231										
INDO	uery Se			+	OQV	+	0.0010231					1	-		-		
LIVE Q	uery se	LNP Charge Per query		1	OQV		0.0008477								-		
		LNP Service Establishment Manual			OQV		0.0000477	12.59	12.59	11.58	11.58	1	15.75				1
		LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
OPER/	TOR C	ALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST															
		LIDB Oper. Call Processing - Fully Automated, per Call - Using					0.20										
		Foreign LIDB	<u> </u>			1	0.20			ļ		ļ			ļ		<u> </u>
INWAR	U OPE	RATOR SERVICES		1		+	4.45			 		<u> </u>		.	 	-	
	-	Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt		1		+	1.15					1			 		
	1	- Per Minute					1.15								I		
BRANI	DING - C	PERATOR CALL PROCESSING	-	 		+	1.15			 			-		t		
3.0.04		y based CLEC												İ	1	İ	†
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.75		1	İ	1
		Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.75				
	UNEP																
		Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.75				
1	1	Loading of Custom Branded OA Announcement per shelf/NAV					Ι Π	. 7		1 7					_		
		per OCN				1		500.00	500.00			<u> </u>	15.75				<u> </u>
	Unbrai	Inding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)	-	₩		+		1 000 00	1 200 00			 	45.75	 	1	-	-
DIREC	TORY A	Loading of OA per OCN (Regional) SSISTANCE SERVICES	-	1		+		1,200.00	1,200.00	 		1	15.75	-			
DIIVEO		TORY ASSISTANCE ACCESS SERVICE	 	1	1	+	 			 		 	H	 	t	 	
	,		1	1	1		1			1		1	1	1	1	1	

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Bissis Assistant Assistant Assistant College Character Bus Coll		-			0.275	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIRE	Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D) A C C \	1		+	0.275					.				-	-
DIKE	Directory Assistance Call Completion Access Service (DACC),	JACC)	1		-						-				-	ļ
	Per Call Attempt					0.10										
DIRECTORY	ASSISTANCE SERVICES		1		1	0.10					1				1	
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)				+						†				-	
DII(E)	Directory Assistance Data Base Service Charge Per Listing				1	0.04					1				1	†
	Directory Assistance Data Base Service, per month				DBSOF	150.00			i i		†				t	
BRANDING -	DIRECTORY ASSISTANCE								i i		†				t	
	ty Based CLEC										İ					
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				15.75				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				15.75				
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.75				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.75				
Unbra	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00			ļ	15.75				ļ
OFI FOTIVE P	Loading of DA per Switch per OCN		-				16.00	16.00			1	15.75				
SELECTIVE F			1		-						1				1	<u> </u>
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		85.19	85.19	14.19	14.19		15.75				
VIRTUAL CO			1		-						1				1	<u> </u>
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				
DHASICVI CO	DLLOCATION			OLFSK, OLFSB	VLILO	0.0208	12.31	11.07	0.04	3.43	<u> </u>	13.73				-
ITTOIGAL	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45		15.75				
AIN SELECTI	VE CARRIER ROUTING			OLI OIT, OLI OB	1 2 120	0.0200	12.07	11.07	0.04	0.40	i e	10.70				
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51		İ	15.75				
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71		15.75				
	Query NRC, per query			SRC		0.0030502										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE								ĺ							
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - Port Connection - ISDN Access	1		A1N	CAM1P		7.87	7.87	9.14	9.14		15.75			1	
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		15.75				
	AIN SMS Access Service - Security Card, Per User ID Code,	ĺ							i i							
	Initial or Replacement	<u></u>		A1N	CAMRC		42.13	42.13	11.78	11.78	<u> </u>	15.75			<u> </u>	
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021							·			
	AIN SMS Access Service - Session, Per Minute					0.5649										
_	AIN SMS Access Service - Company Performed Session, Per Minute					0.8393										
AIN - BELLSO	DUTH AIN TOOLKIT SERVICE	1	 	†	1	5.0000					1				I	†
	AlN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75				
	AIN Toolkit Service - Training Session, Per Customer	-	 	O/ 11VI	BAPVX		4,226.54	4,226.54	40.32	40.32		15.75			+	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 					.,	.,220.04				10.70			<u> </u>	
	DN, Term. Attempt AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		7.87	7.87	9.14	9.14		15.75				ļ
	DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates(\$)		
-	AIN T. II 's O Ol		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44		45.75				
					BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.67	34.67	14.44	14.44		15.75				
 	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		54.07	34.07	14.44	14.44		13.73				
	DN. Feature Code				BAPTF		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Query Charge, Per Query				D/ (1 11	0.0535577	04.01	04.07	14.44	14.44		10.70				1
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2.71	8.71	8.71				15.75				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.09	8.71	8.71				15.75				
	EXTENDED LINK (EELs)			0		la fan EEL a na			1.1	. =1						
	E: The monthly recurring and non-recurring charges below will															
	E: The monthly recurring and the Switch-As-Is Charge and not t E: Minimum billing is one month for DS1 and below and three n				viii appiy tor	EELS provision	ed as Curren	tly Combined	Network Eleme	ents.						-
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				+											
2-9911	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	LKOFF	ICE IK	ANSFORT (EEL)	+											-
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		<u> </u>	ONOVA	OLITE	10.00	100.00	00.20	02.02	10.01		10.70				1
	Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month	ļ		UNCVX	1D1VG	0.5737	6.62	4.74								1
1 1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1		11000	LIEALO				=0.5-							I
\vdash	Interoffice Transport Combination - Zone 1	 	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75		 		
1 1	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	40.75	405.00	68.28	52.82	10.37		15.75				I
\vdash	Each Additional 2-Wire VG Loop(SL2) in the same DS1	!		UNUVA	UEAL2	18.75	105.96	68.28	52.82	10.37	-	15.75			-	
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				I
 	Each Additional 2-Wire VG Loop(SL2) in the same DS1	 	3	014047	JLALZ	21.35	100.30	00.20	52.02	10.37		13.73		l		t
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -	l	7	5.101/	JL/ 11LE	45.12	100.00	00.20	32.02	10.37	-	10.70				I
	per month	1		UNCVX	1D1VG	0.5737	6.62	4.74				15.75				1
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1017		0.0701	0.02					.00				
	Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				1
4-WII	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			` ′												
	Transport Combination - Zone 1	1	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				1
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
				· · · · · · · · · · · · · · · · · · ·												1
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LINODY	4D4DD	4.00	0.00	474				45.75				
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20	<u> </u>	15.75				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>					_	1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TR/	NSPORT (EEL)				-								
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	EROFFI	CE TR/	NSPORT (EEL)				-								
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month		ļ	UNC1X	UC1D1	12.96	6.62	4.74								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
3.12311222	Помонр										Svc Order Submitted	Svc Order Submitted	Incremental		Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			Disconnect	SOMEC	SOMAN		Rates(\$)	001111	201141
	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WID	Is Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	TEROFE	ICE TO	UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
Z-WIR	2-WireVG Loop used with 2-wire VG Interoffice Transport	EROFF	ICE IF	ANSPORT (EEL)												
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				ĺ
	2-WireVG Loop used with 2-wire VG Interoffice Transport		_													
	Combination - Zone 3	ļ	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	-	15.75				
	A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				ĺ
	Interoffice Transport - Dedicated - 2-wire VG combination - Per			LINGVA	41.577	0.00000										
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade	-	1	UNCVX	1L5XX	0.00088			-		-					
	combination - Facility Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				1
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	TEROFF	ICE TF		UNCCC		5.05	3.03	7.20	7.20		13.73				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport	-	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				ĺ
	4-WireVG Loop used with 4-wire VG Interoffice Transport		3	UNCVA	UEAL4	50.03	132.21	94.59	60.66	14.04		15.75				
	Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.00088										1
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				-
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				1
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	11.20										1
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	252.17 4.29	454.13	265.47	123.23	86.19		15.75				-
	Interoffice Transport - Dedicated - DS3 - Fer Mile per month			ONCSX	ILJAA	4.25										
	Termination per per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP													
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS1 combination -		 								<u> </u>					
	Facility Termination per month	ļ	<u> </u>	UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19	ļ	15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)	011007	514000		5.05	5.03	7.20	7.20		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINICALY	1141.07	04.04	447.01	70.00	50.00	10.0=		45.75				
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37	 	15.75				
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	5: -0.45 10041	ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		Ŭ			07.04										
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813										
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	OHOHA	OTLEX	27.00	117.01	70.02	02.02	10.07		10.70				
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		-	UNCINA	UTLZX	39.10	117.01	79.92	32.82	10.37		13.73				
	combintaion- per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-	-		LINGAY	LINIOOO		5.00	5.00	7.00	7.00		45.75				.
4-WIF	Is Charge EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROE	FICE TI	UNC1X RANSPORT (FFI)	UNCCC		5.63	5.63	7.20	7.20		15.75				
1	First DS1 Loop in STS1 Interoffice Transport Combination -			, ,												
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -			ONCIA	USLAA	129.30	255.95	130.43	40.10	12.07		13.73				
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -		4	LINGAY	1101.707	450.40	050.00	450.45	40.40	40.07		45.75				
	Zone 4 Interoffice Transport - Dedicated - STS1 combination - Per Mile		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Per Month			UNCSX	1L5XX	4.29										.
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination STS1 to DS1 Channel System conbination per month			UNCSX UNCSX	U1TFS MQ3	644.21 107.63	280.37 179.17	163.70 94.52	62.08 34.30	60.29 32.82		15.75 15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74	34.30	32.02		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
-	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				.
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 3	ļ	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1	15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74		12.07		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
A_\A/IE	Is Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 3	DANCE	UNCSX	UNCCC		5.63	5.63	7.20	7.20	1	15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FICE	ICANOI	OKT (EEL)	 											
	Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	LINCDY	LIDI EG	24.55	106.50	00.05	60.00	14.04		15.75				ı
	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1		UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	 	15.75				
	Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				<u>. </u>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			LINODY	LIDLE?	20.0-										
\Box	Combination - Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	1	15.75				

NIBONDE	D NETWORK ELEMENTS - Mississippi			ı		1					Г-			ment: 2	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic Disc Add'l
					t	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-								= 00							
4 WID	Is Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE 1	DANC	UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-VVIK	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	KANS	PORT (EEL)												1
	Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		<u> </u>	0.10271	00201	27	.20.00	00.00	00.00			10.70				1
	Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
-	Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDA	OTIDO	14.14	40.76	21.31	17.20	7.11		13.73				
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DDITIONAL	NETWORK ELEMENTS			0.10271	0.1000		0.00	0.00	7.20	7.20		10.70				
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is c	harge does app	oly.									1
When	used as ordinarily combined network elements in All States, tl	he non-	recurri	ng charges apply ar	nd the Switch	As Is Charge of	does not.									
Nonre	curring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Is Charge - STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3			r months	3.03	3.03	7.20	7.20		15.75				1
1.0.2	Local Channel - Dedicated - 2-Wire Voice Grade		1	UNCVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				1
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				Ī
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 4		4	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS3 - Per Mile per month	ļ	<u> </u>	UNC3X UNC3X	1L5NC ULDF3	9.66 413.87	454.13	265.47	123.23	86.19		15.75		-	1	
	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month	-	 	UNCSX	1L5NC	9.66	454.13	∠05.47	123.23	86.19		15.75			1	
	Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	-	 	UNCSX	ULDFS	408.02	454.13	265.47	123.23	86.19	1	15.75		1	1	
Ontion	nal Features & Functions:	-	 	011007	JLDI J	+00.02	+04.13	200.47	120.20	00.19		13.73			1	
Option	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ı		ULDD1, U1TD1, UNC1X, USL	NRCCC		65.06					15.75				
	C-bit Parity Option - Subsequent Activity - per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		50.06					15.75				
MULT	IPLEXERS	-	 	020, 01100/	.111000		50.00				1	10.73			1	
	minimum billing period is one month for DS1 to DS0 Channel	Syster	n and i	nterfaces										İ		
	minimum billing period is three months for DS3 to DS1 Change													<u> </u>		
	DS1 to DS0 Channel System (with the higher-level connected to a collocation in the same SWC) per month			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	DS1 to DS0 Channel System (used to channelize a DS1 Local Channel) per month			ULDD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				

UNBUN	IDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
0112011						1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							_	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS1 to DS0 Channel System (used to channelize a DS1															
		Interoffice Channel) per month			U1TD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per						0				t					
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74				15.75				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74				15.75				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	IDIDD	1.22	0.02	4.74				13.73				
		month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74				15.75				
-		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDIN	UCTCA	2.02	0.02	4.74			<u> </u>	15.75				
		month used for connection to a channelized DS1 Local Channel			LIATUD	110404	0.00	0.00					45.75				
-		in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74				15.75				
		Voice Grade COCI - DS1 to DS0 Channel System - per month		1		4041/0				I	I			1	l		
\vdash		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74	L	L		15.75				
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74				15.75				
		DS3 to DS1 Channel System (with the higher level connected to															
		a collocation in the same SWC) per month			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
		DS3 to DS1 Channel System (used to channelize a DS3 Local															
		Channel) per month			ULDD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
		DS3 to DS1 Channel System (used to channelize a DS3															
		Interoffice Channel per month			U1TD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
		STS-1 to DS1 Channel System (with the higher level connected										t					
		to a collocation in the same SWC) per month			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
		STS-1 to DS1 Channel System (used to channelize a STS-1			0,1101		11 0.00		0 1.02	000	02.02		10.70				
		Local Channel) per month			ULDS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
		STS-1 to DS1 Channel System (used to channelize a STS-1			OLDOT	WiQO	170.00	170.17	04.02	04.00	02.02	1	10.70				
		Interoffice Channel) per month			U1TS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
-		DS1 COCI used with Loop per month		-	USL	UC1D1	12.96	6.62	4.74	34.30	32.02	ł	15.75				
\vdash		DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	OCIDI	12.90	0.02	4.74			ł	15.75				
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74				15.75				
					U1TD1	UC1D1	12.96		4.74			-					
		DS1 COCI used with Interoffice Channel per month			וטווט	OCTOT	12.96	6.62	4.74				15.75				
	ub-Lo	op Feeder					== 10	404.00	2122		17.01						
\vdash		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55.19	101.97	64.29	63.68		1	.	-	-		
\vdash		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	100.03	101.97	64.29	63.68	17.64	1	-				
\vdash		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			UNC1X	USBFG	183.66	101.97	64.29	63.68		<u> </u>		 	ļ		
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG	430.04	101.97	64.29	63.68	17.64	_	ļ				
		OCAL EXCHANGE SWITCHING(PORTS)				+					-	1					
		ge Ports		<u> </u>		1						_	ļ				
		Although the Port Rate includes all available features in GA, I	Y, LA	& TN, tl	ne desired features	will need to b	e ordered usir	ng retail USOCs	5	L	L		ļ				
2	-WIRE	VOICE GRADE LINE PORT RATES (RES)				1				.	.	ļ			ļ		
$oxed{oxed}$		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				
														l			
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u></u>	UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75	<u> </u>			
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u></u>	<u></u>	UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33	<u> </u>	15.75	<u> </u>	<u> </u>		
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Res.		1	UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75	1	l		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)		1	UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75	1	l		
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing			-	T -				1	1.50	İ	1	İ	İ		
		Plan without Caller ID		1	UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33		15.75	1	l		
 		2-Wire voice unbundled Low Usage Line Port without Caller ID		l –		52. 770	171	2.00	2.20	112	1.00	 	10.70		 		
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33		15.75				
\vdash		Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0.00	1.42	1.33	1	15.75	 	1		
	EATU			 	OLI OIL	UUAUU	0.00	0.00	0.00	 	 	†	13.75		 		
 	LAIU	All Available Vertical Features		1	UEPSR	UEPVF	2.56	0.00	0.00	+	+	1	15.75	 	1		
	WIDE	VOICE GRADE LINE PORT RATES (BUS)		 	OLFOR	OLF VF	2.36	0.00	0.00	 	 	1	13.75			-	
	-4411	TOIGE GRADE LINE FORT RATES (DUS)		L						1	1	1	l	l	l		

Bus Exchang unbundle Exchang Exchang Exchang Exchang Exchang Caller ID Exchang without C 2-Wire vc Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire Vc 2-Wir	ge Ports - 2-Wire Voice Mississippi Business Dialing Plan Caller ID voice unbundled Incoming Only Port without Caller ID	Interi m	Zone	BCS	USOC	Rec -	Nonrec	RATES (\$)	Nonrecurring	Diagram	1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic
Bus Exchang unbundle Exchang Exchang Exchang Exchang Exchang Caller ID Exchang without C 2-Wire vc Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire Vc 2-Wir	ge Ports - 2-Wire VG unbundled Line Port with lled port with Caller+E484 ID - Bus. ge Ports - 2-Wire Analog Line Port outgoing only - Bus. ge Ports - 2-Wire VG unbundled MS extended local parity Port with Caller ID - Bus. e Ports - 2-Wire VG unbundled incoming only port with D - Bus ge Ports - 2-Wire VG unbundled incoming only port with Caller ID caller ID voice unbundled Incoming Only Port without Caller ID				LIEDRI	Rec		urring	Nonrecurring							Disc Add
Bus Exchang unbundle Exchang Exchang Exchang Exchang Exchang Caller ID Exchang without C 2-Wire vc Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire Vc 2-Wir	ge Ports - 2-Wire VG unbundled Line Port with lled port with Caller+E484 ID - Bus. ge Ports - 2-Wire Analog Line Port outgoing only - Bus. ge Ports - 2-Wire VG unbundled MS extended local parity Port with Caller ID - Bus. e Ports - 2-Wire VG unbundled incoming only port with D - Bus ge Ports - 2-Wire VG unbundled incoming only port with Caller ID caller ID voice unbundled Incoming Only Port without Caller ID				LIEDRI									Rates(\$)		
Bus Exchang unbundle Exchang Exchang Exchang Exchang Exchang Caller ID Exchang without C 2-Wire vc Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire Vc 2-Wir	ge Ports - 2-Wire VG unbundled Line Port with lled port with Caller+E484 ID - Bus. ge Ports - 2-Wire Analog Line Port outgoing only - Bus. ge Ports - 2-Wire VG unbundled MS extended local parity Port with Caller ID - Bus. e Ports - 2-Wire VG unbundled incoming only port with D - Bus ge Ports - 2-Wire VG unbundled incoming only port with Caller ID caller ID voice unbundled Incoming Only Port without Caller ID				LIEDD!		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Exchang unbundle Exchang Exchang dialing programmer of the progra	led port with Caller+E484 ID - Bus. ge Ports - 2-Wire Analog Line Port outgoing only - Bus. ge Ports - 2-Wire VG unbundled MS extended local parity Port with Caller ID - Bus. e Ports - 2-Wire VG unbundled incoming only port with O - Bus ge Ports - 2-Wire Voice Mississippi Business Dialing Plan Caller ID voice unbundled Incoming Only Port without Caller ID					4 44	0.00	0.00	4 40	4.00]	45.75	i l			1
unbundle Exchang Exchang dialing p. Exhange Caller ID Exchang without C 2-Wire v. Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire V.	led port with Caller+E484 ID - Bus. ge Ports - 2-Wire Analog Line Port outgoing only - Bus. ge Ports - 2-Wire VG unbundled MS extended local parity Port with Caller ID - Bus. e Ports - 2-Wire VG unbundled incoming only port with O - Bus ge Ports - 2-Wire Voice Mississippi Business Dialing Plan Caller ID voice unbundled Incoming Only Port without Caller ID			LIEDOD	UEPBL	1.41	2.39	2.29	1.42	1.33	├	15.75				
Exchang dialing p. Exhange Caller ID Exchang without C 2-Wire V Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire V 2-Wir	ge Ports - 2-Wire VG unbundled MS extended local parity Port with Caller ID - Bus. e Ports - 2-Wire VG unbundled incoming only port with D - Bus ge Ports - 2-Wire Voice Mississippi Business Dialing Plan Caller ID voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75				
dialing p. Exhange Caller ID Exchange without C 2-Wire vc Capabilit Subsequ FEATURES All Avails EXCHANGE POI 2-Wire Vc 2-Wire	parity Port with Caller ID - Bus. e Ports - 2-Wire VG unbundled incoming only port with D - Bus ge Ports - 2-Wire Voice Mississippi Business Dialing Plan Caller ID voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75				1
Exhange Caller ID Exchang without C 2-Wire vc Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire V: Administ 2-Wire V: Room Ca 2-Wire V:	e Ports - 2-Wire VG unbundled incoming only port with D - Bus ge Ports - 2-Wire Voice Mississippi Business Dialing Plan Caller ID voice unbundled Incoming Only Port without Caller ID		1	LIEDOD	LIEDAY	4.44		0.00		4.00	l l	45.75	ı l			1
Caller ID Exchang without C 2-Wire vc Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire Vc Administ 2-Wire Vc Room Ca 2-Wire Vc	D - Bus ge Ports - 2-Wire Voice Mississippi Business Dialing Plan Caller ID voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33	\vdash	15.75	\longrightarrow			
without C 2-Wire vc Capabilities Subsequ FEATURES All Availa EXCHANGE POI 2-Wire Vc Administ 2-Wire Vc Room Ca 2-Wire Vc	Caller ID voice unbundled Incoming Only Port without Caller ID	_		UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33		15.75				
Capabilit Subsequ FEATURES All Availa EXCHANGE POI 2-Wire V	0 ,			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33		15.75				
Subsequ FEATURES All Availa EXCHANGE POI 2-Wire V 2-Wire V 2-Wire V 2-Wire A 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-Wire V 2-Wire V 3-Wire V 3-Wire V 4-Wire V	ity						,		, T			, 7	,	. 7		i —
FEATURES All Availat EXCHANGE POD 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V Capable 2-Wire V Administ 2-Wire V Room Ca 2-Wire V				UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33		15.75				—
All Availa EXCHANGE POI 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi Capable 2-Wire Vi Administ 2-Wire Vi Room C2 2-Wire Vi	uent Activity			UEPSB	USASC	0.00	0.00	0.00			ļ	15.75				
EXCHANGE POI 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire A 2-Wire A 2-Wire V	Inhia Vastical Castinas		ļ	LIEDOD	LIED\/E	2.50	0.00	0.00			├──	45.75				——
2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire A 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V Capable 2-Wire V Administ 2-Wire V Room Ca 2-Wire V	able Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00			 	15.75				
2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V Capable 2-Wire V Administ 2-Wire V Room C2 2-Wire V	VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92	 	15.75				
2-Wire V 2-Wire A 2-Wire A 2-Wire A 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-Wire V 2-Wire V 4-Wire V 4-Wire V 4-Wire V 5-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V 6-Wire V	VG Line Side Unbundled 2-Way PBX Trunk - Bus		<u> </u>	UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92	\vdash	15.75				
2-Wire V 2-Wire A 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-W	VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92	 	15.75	$\overline{}$			
2-Wire Ad 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi Capable 2-Wire Vi Administ 2-Wire Vi Room Ca 2-Wire Vi Room Ca 2-Wire Vi	VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92	 	15.75				ſ
2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi 2-Wire Vi Capable 2-Wire Vi Administ 2-Wire Vi Room C2 2-Wire Vi	Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
2-Wire Vi 2-Wire V. 2-Wire V. 2-Wire V. 2-Wire V. Capable 2-Wire V. Administ 2-Wire V. Room Ca 2-Wire V.	Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				<u> </u>
2-Wire W 2-Wire W 2-Wire W Capable 2-Wire W Administ 2-Wire W Room Cc 2-Wire V Room Cc	Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
2-Wire Vi 2-Wire Vi Capable 2-Wire Vi Administ 2-Wire Vi Room Ca	Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92		15.75				
2-Wire V Capable 2-Wire V Administ 2-Wire V Room Ca 2-Wire V	Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75				i
Capable 2-Wire Vi Administi 2-Wire Vi Room Ca 2-Wire Vi	Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
Administr 2-Wire Vo Room Ca 2-Wire Vo	Voice Unbundled PBX LD Terminal Switchboard IDD e Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
Room Ca 2-Wire V	Voice Unbundled 2-Way PBX Hotel/Hospital Economy strative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
2-Wire V	Voice Unbundled 2-Way PBX Hotel/Hospital Economy															<u> </u>
	Calling Port Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92	\vdash	15.75				
	nt Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92	l l	15.75	ı l			l
2-Wire Vo	Voice Unbundled 2-Way PBX Mississippi Local Economy			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
	Voice Unbundled 2-Way PBX Mississippi Local Optional			02. 0.	OL: AQ		00	1 1100		0.02	—					
Calling P				UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92]	15.75	i l			1
	Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92		15.75				<u> </u>
2-Wire V	Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92		15.75				ĺ .
	uent Activity			UEPSP	USASC	0.00	0.00	0.00				15.75				
FEATURES							\Box					igsquare	\Box			
	able Vertical Features		<u> </u>	UEPSP UEPSE	UEPVF	2.56	0.00	0.00	, <u>.</u>		igsquare	15.75				
	ORT RATES (COIN)	<u> </u>	<u> </u>		+ +	4.41	0.00	0.00		1.00	\vdash	45.75	,			
	ge Ports - Coin Port hission/usage charges associated with POTS circuit so	witcho-	11666	will also apply to a	irouit ewitel	1.41	2.39	2.29	1.42	1.33	intend with 2	15.75	norte			
	to B Channel or D Channel Packet capabilities will be													Request Pro	CASS	(
	EXCHANGE SWITCHING(PORTS)	uvana	100011	, ough bi kniew				paonor capabil		vid ti	Dona i lu	- Noqueau	- Dualitess			
EXCHANGE PO			i –		1							$\overline{}$				
	ge Ports - 2-Wire DID Port	1	i –	UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75	, 			
	ge Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75				
	tv		 	UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76	++	15.75	\longrightarrow			
		t	 	UEPTX UEPSX	UEPVF									,		$\overline{}$
	ge Ports - 2-Wire ISDN Port (See Notes below.)					2.56	0.00	0.00					 			•
NOTE: Access t		witched	usage			2.56 d voice and/or	0.00 circuit switche	0.00 ed data transm			ated with 2-	15.75	orts.			

Version 1Q03: 02/28/03 Page 256 of 420

UNBUNDLE	D NETWORK ELEMENTS - Mississippi											T -		ment: 2	1	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	5 / 5 / 44// 105/155/5	ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port	<u>ļ </u>		UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69	-	15.75	ļ	ļ	-	ļ
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY				-	 					-		-	-	 	
UNBUI	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33		15.75		-		
-	Oribundled Remote Call Forwarding Service, Area Calling, Res		-	UEFVK	UERAC	1.41	2.39	2.29	1.42	1.33	-	15.75			-	
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29		1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterEXTX Res			UEPVR	UERTR	1.41	2.39	2.29		1.33	1	15.75				
Non-Re	ecurring			02. ***	OZ.KIIK		2.00	2.20		1.00	1	10.10				
-	Unbundled Remote Call Forwarding Service - Conversion -				İ											
	Switch-as-is			UEPVR	USAC2		0.0988	0.0988				15.75				
	Unbundled Remote Call Forwarding Service - Conversion with	İ	İ													
	allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988							1	
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	<u> </u>		UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
												1				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.41	2.39	2.29		1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.41	2.39	2.29		1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33		15.75		ļ	1	
	Unbundled Remote Call Forwarding Service Expanded and	1		l	l		_	_							I	
<u> </u>	Exception Local Calling	ļ		UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33		15.75			ļ	
Non-Re	ecurring														-	
	Unbundled Remote Call Forwarding Service - Conversion -			LIED//D	110400		0.0000	0.0000				45			1	
\vdash	Switch-as-is			UEPVB	USAC2	 	0.0988	0.0988			-	15.75	-	-	 	
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988							1	
IINBIINDI ED I	LOCAL SWITCHING, PORT USAGE	 	 	ULFVD	USACC	<u> </u>	0.0988	0.0988	1			 	 	 	 	
	ffice Switching (Port Usage)				1						1				1	
Liiu oi	End Office Switching Function, Per MOU					0.0010269										
	End Office Trunk Port - Shared, Per MOU				İ	0.000161										
Tande	m Switching (Port Usage) (Local or Access Tandem)					0.0000.00										
	Tandem Switching Function Per MOU					0.0001723										
	Tandem Trunk Port - Shared, Per MOU					0.0001828										
Comm	on Transport															
	Common Transport - Per Mile, Per MOU					0.0000026										
	Common Transport - Facilities Termination Per MOU					0.0004541										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	ased Rates are applied where BellSouth is required by FCC ar															
Featur	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same	manner as th	ey are applied	to the Stand-A	lone Unbundl	ed Port section	of this Rate E	xhibit.	L	L		1	ļ
	ffice and Tandem Switching Usage and Common Transport Us														ļ	
	st and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	ed Combos. For Cur	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	III be those ider	ntified in the N	onrecurring	- Currently	Combined s	ections.	 	
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	 	-						1			 	.	-	 	
UNE P	ort/Loop Combination Rates	 	4		ļ	40.00			<u> </u>		1		 	 	 	
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	-	1 2		+	12.22 17.13									 	
\vdash	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	 	3		 	26.26			1			 	 	 	 	
 	2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 4	 	4		<u> </u>	44.91			1		H		 	 	t	
UNFI	oop Rates	 	+		<u> </u>	44.31			1		H		 	 	t	
OI4E E	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRX	UEPLX	10.98					-	-	 	 	t	
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	15.91							1	1	<u> </u>	
	2-Wire Voice Grade Loop (SL1) - Zone 3	i e	3	UEPRX	UEPLX	25.04			1				İ	İ	1	
	2-Wire Voice Grade Loop (SL1) - Zone 4			UEPRX	UEPLX	43.68										
2-Wire	Voice Grade Line Port Rates (Res)	1							1				İ	İ	1	
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75	1	1		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84		6.58		15.75				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice Grade unbundled Mississippi extended local											1				
1 1	dialing parity port with Caller ID - res	I	l	UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58	1	15.75	I	I	1	l

ONRONDE	ED NETWORK ELEMENTS - Mississippi			1							I	I		ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	O.W		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Voice Unbundled Mississippi Residence Dialing Plan		1	UEPKA	UEFAF	1.23	40.31	19.04	24.90	0.30		15.75			1	-
	without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58		15.75				
FEA1	TURES															
	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00				15.75				
LOCA	AL NUMBER PORTABILITY			LIEBBY .	LNBOY											
NON	Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPRX	LNPCX	0.35									-	
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1													
	Switch-as-is			UEPRX	USAC2		0.0988	0.0988				15.75			1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 		33.132		5.0000	0.0000			t	10.70			†	
	Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.00	0.00				15.75				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
0.14//	Activity RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0.00	0.00	0.00				15.75				
	Port/Loop Combination Rates		-												-	-
UNE	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.22									 	
<u> </u>	2-Wire VG Loop/Port Combo - Zone 2		2			17.13						1				†
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26						†			t	
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
0.187	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
2-Wir	re Voice Grade Line Port (Bus)		-	UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75			-	
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75			1	
+	2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75			-	
	2-Wire voice Grade unbundled Mississippi extended local			02. 5/	02. 50	1.20	10.01		21.00	0.00		10.70				1
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
	without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58		15.75			1	
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDDY	HEDDE	4.00	40.01	10.01	04.00	0.50		45.75				
1.00	Capability AL NUMBER PORTABILITY	-	1	UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58	 	15.75			 	+
LUCA	Local Number Portability (1 per port)		+	UEPBX	LNPCX	0.35									 	+
FEAT	TURES	-	 	021 0/1	LI 11 5/	0.55					-				t	
, <u>-</u>	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75			1	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		L	<u> </u>		0			<u> </u>							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.0988	0.0988				15.75				<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110466											
	Switch with change	-	 	UEPBX	USACC		0.0988	0.0988			-	15.75			1	-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update				1		0.00	0.00				15.75			I	
Δηη	TIONAL NRCs	 	1		+		0.00	0.00				15.75			 	
וטטא	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-	 		1						-				t	
	Activity			UEPBX	USAS2		0.00	0.00				15.75			1	
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates							_		•						
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										L

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec			Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	0500			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			26.26										
LINE	2-Wire VG Loop/Port Combo - Zone 4 Loop Rates	<u> </u>	4		_	44.91										
ONLI	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)	ļ														
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEDDO	LIEDDD	4.00	CO 27	20.40	27.00	C 47		45.75				
LOCA	I NUMBER PORTABILITY	 		UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17	-	15.75				
LOCA	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00				15.75				
FEAT	URES	1				55		2.30								
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00				15.75				
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	110400		7.00	4.04				45.75				
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<u> </u>		UEPRG	USAC2	-	7.96	1.91				15.75				
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI ILO	00/100		7.00	1.01				10.70				
	Subsequent Database Update						0.00	0.00				15.75				
ADDI*	FIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
\vdash	Subsequent Activity	ļ		UEPRG	USAS2	0.00	0.00	0.00				15.75				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.36	7.36				15.75				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1					7.30	7.30				13.73				
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
\vdash	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			26.26										
LINE	2-Wire VG Loop/Port Combo - Zone 4 Loop Rates	<u> </u>	4		_	44.91										
ONLI	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	ļ														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75				
	Line Side Unbundled Outward PBX Trunk Port - Bus	 		UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17		15.75				
	Line Side Unbundled Incoming PBX Trunk Port - Bus	l		UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17		15.75				
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>		UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				
 	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-	-	UEPPX UEPPX	UEPXD	1.23 1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17		15.75 15.75				
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	 	ULFFA	UEFAD	1.23	69.37	32.48	31.80	0.17	-	15.75		 		
	Capable Port	1		UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ														
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEBBY	LIEDVA											
\vdash	Room Calling Port	 	-	UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17	-	15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	1		UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	 	 	OLIFA	OLFAU	1.23	09.37	32.40	31.00	0.17		13.75				
	Calling Port	1		UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
	Calling Port	<u> </u>		UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		15.75	l	<u> </u>	l	

HINDHINDI	.ED NETWORK ELEMENTS - Mississippi												Attach	monti 2	Evhi	bit: B
UNBUNDL	LED NET WORK ELEMENTS - MISSISSIPPI	ı	I		1	1					Svc Order	Svc Order	Incremental	ment: 2 Incremental		Incremental
											1	Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
		1				Rec	Nonrec	curring	Nonrecurring	g Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		15.75				
LOC	AL NUMBER PORTABILITY															
L	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.75				
FEA	TURES	-		LIEBBY	LIED/E	0.50	0.00	0.00				45.75				——
NON	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	<u> </u>	UEPPX	UEPVF	2.56	0.00	0.00			-	15.75				
NON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	1		+						-					
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91				15.75				İ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		OLITA	00/102		7.50	1.01			-	10.70				
	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-			1				İ	İ				İ	İ	
1 1	Subsequent Database Update						0.00	0.00				15.75				1
ADD	ITIONAL NRCs															
Ì	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36				15.75				
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE	Port/Loop Combination Rates					40.00										
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 1	-	1			12.22										——
	2-Wire VG Coin Port/Loop Combo – Zone 2	1	3		+	17.13 26.26										
	2-Wire VG Coin Port/Loop Combo – Zone 3 2-Wire VG Coin Port/Loop Combo – Zone 4	+	4		-	44.91					-					
LINE	Loop Rates	1	4			44.31					1					
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1	+	1	UEPCO	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-Wi	re Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way without Operator Screening and without															ĺ
	Blocking; with Dialing Parity (Note 3) (MS)	ļ		UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,									0.50						ĺ
\vdash	900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-W with Operator Screening and Blocking: 011,	+	₩	UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58		15.75				
1 1	2-wire Coin 2-w with Operator Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				1
\vdash	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	+	!	02100	OLI IVIA	1.23	40.31	15.04	24.90	0.36	H	13.73		l	l	
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;	1	†		322	20	.0.01	10.04	200	5.00		.0.70				
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		15.75	<u> </u>	<u> </u>	<u> </u>	1
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
\vdash	1+DDD, 011+, Local; with Dialing Parity (MS)	 		UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator						40									1
\vdash	Screening (KY, LA, MS)	1	_	UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58	1	15.75		ļ	ļ	
	2-Wire Coin Outward without Blocking and without Operator			UEPCO	UEPME	1.23	40.31	19.84	04.00	6.58		45 75				1
\vdash	Screening; With Dailing Parity (MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking	+	-	UEPCU	UEPIVIE	1.23	40.31	19.84	24.90	0.58		15.75				
1 1	(GA, KY, MS)	1		UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				1
\vdash	2-Wire Coin Outward with Operator Screening and 011	+		021 00	OLI NJ	1.23	40.31	15.04	24.30	0.36	-	13.73				
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin Outward with Operator Screening and Blocking:	1	†			20				2.00		.5.70				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,	1														
	1+DDD, 011+, and Local (AL, KY, LA, MS)		1	UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				1

CATEGORY RATE ELEMENTS Interf	Attachment: 2 Exhit	oit: B
CATEGORY RATE ELEMENTS Interior Zone BCS USOC RATE \$(8) Submitted Submitted Charge		Incrementa
CATEGORY RATE ELEMENTS Interim Interim March Code Priss March Code Priss Code Code Priss lectronic Elect	Floo Manual V Manual Cua Manual Cua Manual Cua	Manual Svo
Section Sect	Tone BCS USOC RATES (\$)	Order vs.
18		Electronic-
Part Part		Disc Add'l
All		DISC Add I
April		
O11s, and Local, with Dalling Party (MS)	First Add'I First Add'I SOMEC SOMAN SOMAN SOMAN SOMAN	SOMAN
2-Wire 2-Wing Streamform with 900076 (all states except LA)		
2-Wire Con Jouward Smartline with 900976 (all states except) UEPCO		
LA		
ADDITIONAL UNE COIN PORTYLOOP (RC)		
UNE Coin PortLoop Combo Usage (File Rate)	UEPCU UEPCR 1.23 40.31 19.84 24.90 6.56 15.75	
LOCAL NUMBER PORTABILITY	UEDO UEDO ASS DO DO DO DO	
Lican Number Portability (1 per port)	0LF00 0RE00 4.02 0.00 0.00 0.00	
NONRECURRING CHARGES - CURRENTLY COMBINED	UEPCO UNPCX 0.35	
Sewins Assistance Conversion Conversio		
Switch-asis UEPCO	on-	
2-Wire Voice Grade Loop (Line Port Combination - Conversion- Switch with change UEPCO		
ADDITIONAL NRCs	on -	
Activity Use Grade Loop/Line Port Combination - Subsequent Use Co Usas		
Activity LeyRor VoiCe Loop/ ZWIRE VOICE GRADE TO TRANSPORT/ 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Rates UNE P		
2-Wire Voice Grade Loop (SL2) - Zone 1		
UNE Port/Loop Combination Rates		
2-Wire VG Loop/IO Tranport/Pott Combo - Zone 1	/IRE LINE PORT (RES)	
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 2 2 2 2 2 2 2 2		
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 28.82		
2-Wire Volce Grade Loop (SL2) - Zone 1		
UNE Loop Rates		
2-Wire Voice Grade Loop (SL2) - Zone 1	4 40.55	
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFR UECF2 18.75	1 UEPER UECE2 13.89	
2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFR UECF2 27.55		
2-Wire Voice Grade Loop (SL2) - Zone 4		
2-Wire Voice Grade Line Port Rates (Res)		
2-Wire voice unbundled port with Caller ID - res		
2-Wire voice unbundled port outgoing only - res	UEPFR	
2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res		
dialing parity port with Caller ID - res	UEPFR	
2-Wire voice unbundles res, low usage line port with Caller ID (LUM) UEPFR UEPAP 1.27 108.35 70.57 54.24 11.70 15.75		
CLUM UEPFR UEPAP 1.27 108.35 70.57 54.24 11.70 15.75		
2-Wire Voice Unbundled Mississippi Residence Dialing Plan UEPFR UEPWJ 1.27 108.35 70.57 54.24 11.70 15.75 INTEROFFICE TRANSPORT		
without Caller ID	UEPFK UEPAP 1.27 108.35 70.57 54.24 11.70 15.75	
InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFR		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		
Termination		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		
or Fraction Mile		
FEATURES UEPFR UEPVF 2.56 0.00 0.00 15.75		
	UEPFR	
LOCAL NUMBER PORTABILITY		
Local Number Portability (1 per port) UEPFR LNPCX 0.35	UEPFR LNPCX 0.35	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		
Combination - Conversion - Switch-as-is UEPFR	UEPFR	
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	UEDED USACC 46.04 2.72	
Combination - Conversion - Switch-With-Change UEPFR USACC 16.94 3.72 15.75 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)		
	INCLINE FOR (BOO)	
ONE FORCEOID COMMINICATION AGREES	1 1516	
2-Write VG Loop/IO Tranport/Port Combo - Zone 1 1 15.16		
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 28.82		
2-Wire VG Loop/IO Tranport/Port Combo - Zone 4 4 46.99		
UNE Loop Rates		

UNDUNDL	ED NETWORK ELEMENTS - Mississippi			1							In			ment: 2	+	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFB	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										ļ
2-Wir	e Voice Grade Line Port (Bus)	-	-	UEPFB	UEPBL	1.27	100.05	70.57	54.24	11.70	1	15.75				
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	-	1	UEPFB	UEPBC	1.27	108.35 108.35	70.57	54.24	11.70	+	15.75				
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70	 	15.75				-
	2-Wire voice unburidled port outgoing only - bus 2-Wire voice Grade unbundled Mississippi extended local			UEPFB	UEFBU	1.27	100.33	70.57	54.24	11.70	 	15.75				-
	dialing parity port with Caller ID - bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70		15.75				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70		15.75		1		
- 	2-Wire Voice Unbundled Mississippi Business Dialing Plan	 	\vdash	OLITO	OLFBI	1.27	100.33	10.57	J4.24	11.70		13.73		 	1	
	without Caller ID	1	1	UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70		15.75				
LOCA	AL NUMBER PORTABILITY	t		02110	OE: 7710	1.27	100.55	10.51	54.24	11.70	 	10.70		 	1	+
2007	Local Number Portability (1 per port)	 	 	UEPFB	LNPCX	0.35									†	†
INTE	ROFFICE TRANSPORT			02.10	111 0/1	0.00										
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1									1		†
	Termination			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02.1.5	01112	20.02	10	21.01	20		1					1
	or Fraction Mile			UEPFB	1L5XX	0.0088										
FEAT	URES				1-0.11						İ					
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00				15.75				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72				15.75				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.75				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
- 1111	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		<u> </u>													
	Live Cite Hele and Constitution C.W. BRY To all Book Brown			LIEDED	LIEDDO	4.07	407.44	00.44	07.00	44.00		45.75				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP UEPFP	UEPPC UEPPO	1.27 1.27	137.41	80.14	67.20	11.29 11.29	-	15.75		-		
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	-	-	UEPFP	UEPPO UEPP1	1.27	137.41 137.41	80.14 80.14	67.20 67.20	11.29 11.29	1	15.75 15.75		-	-	
	2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29		15.75			-	
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-	-	UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29		15.75		-	1	
+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29	1	15.75				
- 	2-Wire Voice Unbundled PBX LD DDD Terminal Ports	1	 	UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29	1	15.75		 	1	
+	2-Wire Voice Unbundled PBX LD DDD Terminals Port	t		UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29	 	15.75		 	1	
+	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	\vdash	OLI II	JLI AD	1.27	157.41	00.14	07.20	11.23		10.73		 	1	
	Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29		15.75				
- 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	†	 	02111	OLI AL	1.27	157.71	00.14	07.20	11.23	1	10.70			1	
	Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1			52. AL	1.27	107.41	00.14	07.20	11.20		10.70		1		
	Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29		15.75				
<u> </u>	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	l –				,				20				İ		†
	Discount Room Calling Port	1	1	UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	1		İ	1				1	20	1			İ	1	î .
	Calling Port	1	1	UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29	I	15.75		l		

UNRU	NDI FI	D NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Exhil	hit· B
5.450	. 40 L L L	- HELLIONIN EFFINERIO - MISSISSIPPI		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
071120			m		200	0000			101120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonrec	curring	Nonrecurring	Disconnect	†		OSS	Rates(\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional						11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
		Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29		15.75				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29		15.75				
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29		15.75				
	LOCAL	NUMBER PORTABILITY		1	02	02.7.0			00.11	01.20	11.20	†	10.70				
	LOOKE	Local Number Portability (1 per port)		1	UEPFP	LNPCP	3.15	0.00	0.00	1		†	15.75				
	INTER	DFFICE TRANSPORT		1	OLITI	LIVI OI	0.10	0.00	0.00	1		†	10.70				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1						1		†					
		Termination			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	OLITI	01172	20.02	40.77	21.51	17.20	7.11	1					
1		or Fraction Mile			UEPFP	1L5XX	0.0088						1				
	FEATU		 	 	OLFIF	ILUAA	0.0008			1		 	-	1	1		
\vdash		All Features Offered		!	UEPFP	UEPVF	2.56	0.00	0.00	 		 	15.75	 	 		
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	 	OLFIF	OLF VF	2.36	0.00	0.00	1		-	15.75	-	-		
	HONKE		-	 						1		-		-	-		
1		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.75				
—		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	UEFFF	USAUZ		16.94	3.72	+		 	15.75			-	
					UEPFP	110400		40.04	2.70				45.75				
LIMBUA	DI ED E	Combination - Conversion - Switch with change	-	<u> </u>	UEPFP	USACC		16.94	3.72				15.75				
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES	DODT	<u> </u>													
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<u> </u>													
	UNE PO	ort/Loop Combination Rates	-	4			04.00										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1			21.32										
<u> </u>		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										
<u> </u>		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98										
<u> </u>		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4			53.15										
<u> </u>		pop Rates		L .	LIEDDY/		40.00										
<u> </u>		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	13.89										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	18.75										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	27.55										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX	UECD1	45.72										
	UNE Po	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
L	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
L		Switch-as-is			UEPPX	USAC1		7.35	1.88				15.75			1.97	
1		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			l	l .							1				
└		with BellSouth Allowable Changes		<u> </u>	UEPPX	USA1C		7.35	1.88	ļ			15.75	ļ	ļ	1.97	
	ADDITI	ONAL NRCs		L													
\vdash		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		ļ	UEPPX	USAS1		26.94	26.94	ļ			15.75	ļ	ļ	1.97	
<u> </u>	Teleph	one Number/Trunk Group Establisment Charges		ļ						ļ				ļ	ļ		
<u> </u>		DID Trunk Termination (One Per Port)		ļ	UEPPX	NDT	0.00	0.00	0.00	ļ			15.75			1.97	
└		Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX	ND4	0.00	0.00	0.00	ļ			15.75	ļ	ļ	1.97	
L		DID Numbers, Non- consecutive DID Numbers , Per Number		ļ	UEPPX	ND5	0.00	0.00	0.00	ļ			15.75	ļ	ļ	1.97	
		Reserve Non-Consecutive DID numbers		L	UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	E PORT													
	UNE Po	ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 1		1	UEPPB UEPPR		28.59			L							
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
1		UNE Zone 2		2	UEPPB UEPPR		35.00						1				
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
1		UNE Zone 3		3	UEPPB UEPPR		45.18						1				
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
1		UNE Zone 4		4			67.61										
	UNE Lo	pop Rates		1						1				ĺ	ĺ		
1		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR		18.26			1			15.75	t	-	1.97	

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	bit: B
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_	l .								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	t	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							†	Б	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75			1.97	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85						15.75			1.97	
		2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28						15.75			1.97	
-	UNE PO	ort Rate Exchange Port - 2-Wire ISDN Line Side Port	-	-	UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75		-	1.97	
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	10.33	190.00	133.22	100.72	21.13		15.75		1	1.97	
	NONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1				1											
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75			1.97	
	ADDITI	ONAL NRCs									t					t	1	
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
<u> </u>		CVS/CSD (DMS/5ESS)	ļ		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00					ļ			
<u> </u>	1	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
<u> </u>	B CITE	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	C MC ^	TM'	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 	-	-	-	 	1	1	
-	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI CVS/CSD (DMS/5ESS)	C,IVIS, &	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	-					-	-	
-	1	CVS (EWSD)	-	-	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	-					-	-	
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00						-		
	USER T	TERMINAL PROFILE			OLITE	OLITIK	01001	0.00	0.00	0.00								
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	VERTIC	CAL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and																
		facilities termination				UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
-	4 MIDE	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(DODT		UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
-		ort/Loop Combination Rates	PORT	-			-				-					-	-	
	ONL F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					+									-		
		Zone 1		1	UEPPP			155.43										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			02		1	100.10			t					t		
		Zone 2		2	UEPPP			205.74										
	1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
L		Zone 3		3	UEPPP			283.10										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 4	ļ	4	UEPPP			534.81			ļ				ļ	1	1	
<u> </u>	UNE Lo	pop Rates	!		LIEDDE		LICL 4D	70.00			-			45.75		 	1.00	
-	1	4-Wire DS1 Digital Loop - UNE Zone 1	1	1 2	UEPPP		USL4P USL4P	79.08 129.38			-		-	15.75 15.75	-	 	1.97 1.97	
—	+	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P USL4P	206.74			 	 	1	15.75	 	 	1.97	
	t -	4-Wire DS1 Digital Loop - UNE Zone 4	†	4	UEPPP		USL4P	458.46						15.75		—	1.97	
	UNE P	ort Rate	†	Ė	2=:						1				1	1	1.57	
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	L	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	119.76	79.01				15.75			1.97	
<u> </u>	ADDITI	ONAL NRCs	!	-	 						 	-			.	 	 	
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			UEPPP		PR7TF		0.49		1			45 75		I	1.97	
-	+	Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		UEPPP		rr/ IF		0.49		 	 	1	15.75	 	 	1.97	
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58	1			15.75		I	1.97	
-	1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	 		JLI FF		110/10		11.50	11.30	 			13.73	 	 	1.97	
		Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15	1			15.75		1	1.97	
	LOCAL	NUMBER PORTABILITY	1		T		1		200	20.10	1				İ	1		
		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	INTER	FACE (Provsioning Only)																
		Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: B
:ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
				1		+		Nonrec	urrina	Nonrecurring	Disconnect	1		oss	Rates(\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Digital Data			UEPPP	PR71D	0.00	0.00	0.00	1							
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New o	r Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75		Î	1.97	
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.61					15.75			1.97	
	CALL	TYPES															
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.20										
	4-WIRI	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	UNE P	ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		131.78						15.75			1.97	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182.07						15.75			1.97	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44						15.75			1.97	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15						15.75			1.97	
	UNE L	oop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08						15.75			1.97	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38						15.75			1.97	
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74						15.75			1.97	
		4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46						15.75			1.97	
	UNE P	ort Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
	NONR	ECURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is			UEPDC	USAC4		130.24	67.41				15.75			1.97	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk			UEPDC	USAWB		130.24	67.41				15.75			1.97	
	ADDIT	IONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56				15.75			1.97	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				l											
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56				15.75			1.97	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1													
	_	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56				15.75			1.97	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEBBO	LIDTER											
		Activation Per Chan - Inward Trunk with DID		<u> </u>	UEPDC	UDTTD		14.56	14.56				15.75			1.97	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTE		44.50	44.50				45.75			4.07	
		Activation / Chan - 2-Way DID w User Trans		-	UEPDC	UDTTE		14.56	14.56				15.75			1.97	ļ
	BIPOL	AR 8 ZERO SUBSTITUTION		-	LIEBBO	00005											ļ
	-	B8ZS -Superframe Format		-	UEPDC	CCOSF		0.00	600.00			1	15.75			1.97	
	A 14	B8ZS - Extended Superframe Format		-	UEPDC	CCOEF		0.00	600.00	-			15.75			1.97	ļ
	Alterna	ate Mark Inversion		-	UEPDC	MCOSF		0.00	0.00	-							ļ
	+	AMI - Superframe Format		-		MCOPO		0.00	0.00	 		-				 	
	Televi	AMI - Extended SuperFrame Format		-	UEPDC	IVICUPU		0.00	0.00	 		1			-	 	1
	releph	one Number/Trunk Group Establisment Charges		-	LIEDDO	LIDTOV	0.00			 		1	15 75		-	1.97	1
	+	Telephone Number for 2-Way Trunk Group		-	UEPDC UEPDC	UDTGX	0.00			 		1	15.75 15.75		-	1.97	1
	+	Telephone Number for 1-Way Outward Trunk Group		-	UEPDC		0.00			 		}			 	1.97	}
	+	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers		-	UEPDC	UDTGZ ND4				 		-	15.75				
	+			-	UEPDC UEPDC		0.00			 		 	15.75		 	1.97	-
	+	DID Numbers, Non- consecutive DID Numbers , Per Number		-		ND5	0.00	0.00	0.00	 		-	15.75			1.97	
	+	Reserve Non-Consecutive DID Nos. Reserve DID Numbers		-	UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00	 		1	15.75		-	1.97 1.97	
	1	Reserve DID Numbers Ited DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1		1			0.00	0.00	0.00			<u> </u>	15.75			1.97	

<u>INBUNDL</u>	LED NETWORK ELEMENTS - Mississippi													ment: 2		bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Disc 1st	Disc Add'l
													1st	Add'l	DISC ISI	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	h System can have up to 24 combinations of rates depending or	type a	nd num	ber of ports used												
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00				15.75			1.97	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	950.60	0.00	0.00				15.75			1.97	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00				15.75			1.97	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00				15.75			1.97	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00				15.75			1.97	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00				15.75			1.97	
	672 DS0 Channel Capacity - 1 per 28 DS1s		<u> </u>	UEPMG	VUM67	2,661.68	0.00	0.00				15.75			1.97	
	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	inimum System configuration is One (1) DS1, One (1) D4 Channe								 	-	-	ļ		-	-	-
Mult	tiples of this configuration functioning as one are considered A	ua'i afte	r tne m	ınımum system cor	inguration is	counted.			 	-	-	ļ		-	-	-
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	1	1	UEPMG	USAC4	0.00	151.35	8.41	I		1	15.75			1.97	
C4	tem Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	noliz-					8.41	 			15.75			1.97	-
	tem Additions at End User Locations where 4-wire DS1 Loop with the Currently Combined) in all states, except in Density Zone of the Currently Combined in all states.				mation Curre	iiuy ⊏xists and	·		 		-	-		-	-	
ivew	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	Т	OWISA	3	+				+		-					-
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
Rino	plar 8 Zero Substitution	 	 	OLFIVIG	V UIVID4	0.00	7 10.10	321.39	140.05	17.36	-	15.75		-	1.97	
ыро	Clear Channel Capability Format, superframe - Subsequent	 	1		+				+		-					-
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00	1			15.75			1.97	
	Clear Channel Capability Format - Extended Superframe -	 	 	OLI IVIO	50001	0.00	0.00	000.00	 	 		13.73		 	1.37	
	Subsequent Activity Only	1		UEPMG	CCOEF	0.00	0.00	600.00	1			15.75			1.97	1
Alter	rnate Mark Inversion (AMI)	 	 	021 IVIO	3001	0.00	0.00	000.00	 	 		10.70		 	1.37	
Aitei	Superframe Format	 	 	UEPMG	MCOSF	0.00	0.00	0.00	+			 				
	Extended Superframe Format	1	t	UEPMG	MCOPO	0.00	0.00	0.00	t					 	 	
Fych	hange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port			0.00	0.00	0.00	t					 	 	
	hange Ports	41611	. 5/1		1				<u> </u>							
	·····g- · - · · ·	l -			1				<u> </u>							
	Line Side Combination Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	1	15.75			1.97	
	Line Side Outward Channelized PBX Trunk Port - Business	t	t	UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75		i	1.97	
		†				20	2.00	2.00	2.00	5.00						İ
	Live Cite In and Color Observation I BRY Total Bost Cite of BIB	1	1	UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	I	15.75		1	1.97	1
	Line Side Inward Only Channelized PBX Trunk Port without DID															

IUNDUN	NDLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—			<u> </u>			 	1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Unbundled Exchange Ports, 2-Wire Channelized - Outdial -															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial–			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
-		Mississippi Only – Calling Plan Activations - Unbundled Loop Concentration	<u> </u>		UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
<u> </u>	eature	Feature (Service) Activation for each Line Port Terminated in D4	-	1		-											
		Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26		15.75			1.97	
		Feature (Service) Activation for each Trunk Port Terminated in	1		OLITA	II QVVIVI	0.01	25.50	10.00	4.23	4.20		13.73			1.57	
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85		15.75			1.97	
1	Telepho	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)	i e		UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
L		lumber Portability															
<u> </u>		Local Number Portability - 1 per port	ļ		UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional		-		1											
		witching Features Offered with Line Side Ports Only All Features Available	ļ		UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
LINDLING		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	<u> </u>	1	UEPPA	UEPVF	2.30	0.00	0.00				15.75			1.97	
		Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
2	2. Featu	ires shall apply to the Unbundled Port/Loop Combination - C	Cost Bas	ed Rat	e section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
		irst and additional Port nonrecurring charges apply to Not Co															
		lso and are categorized accordingly.												and Combine	ed sections. I	Additional NR	Cs may
		ket Rates for Unbundled Centrex Port/Loop Combination will	be neg										3	entry Combine	ed sections. I	Additional NR	Cs may
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		otiated	on an Individual Ca	se Basis, un	til further notice	9.						entry Combine	ed sections. /	Additional NR	Cs may
				otiated	on an Individual Ca	se Basis, un	til further notice	9.						entry Combine	ed sections. /	Additional NR	Cs may
L		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		otiated	on an Individual Ca	ase Basis, un	til further notice	9.						entry Combine	ed sections. A	Additional NR	Cs may
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)		otiated	on an Individual Ca	ase Basis, un	til further notice	3.						entry Combine	ed sections.	Additional NR	Cs may
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		otiated		ase Basis, un		9.						entry Combine	ed sections.	Additional NR	Cs may
\vdash		VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		otiated	on an Individual Ca	se Basis, un	til further notice	3.						ntily Combine	ed sections. A	Additional NR	Cs may
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1	UEP91	se Basis, un	12.22	3.						ntiy Combine	ed sections. A	Additional NR	Cs may
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1 2		se Basis, un		9.						ntiy Combine	ed sections.	Additional NR	Cs may
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Non-Design		1	UEP91	ase Basis, un	12.22	3.						nity Combine	ad sections.	Additional NR	Cs may
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2	UEP91 UEP91 UEP91	se Basis, un	12.22	3.						nuy combine	d sections.	Additional NR	Cs may
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1 2	UEP91 UEP91	ise Basis, un	12.22	3.						muy combine	d sections.	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design rt/Loop Combination Rates (Design)		1 2 3	UEP91 UEP91 UEP91	ise Basis, un	12.22 17.13 26.26).						muy combine	d sections. A	Additional NR	Cs may
U	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1 2 3 4	UEP91 UEP91 UEP91 UEP91	ise Basis, un	12.22 17.13 26.26 44.91	2.						muy combine	d sections. A	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1 2 3	UEP91 UEP91 UEP91	ise Basis, un	12.22 17.13 26.26	9.						muy combine	d sections.	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1 2 3 4	UEP91 UEP91 UEP91 UEP91	se Basis, un	12.22 17.13 26.26 44.91	9.						muy combine	d sections.	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1 2 3 4	UEP91 UEP91 UEP91 UEP91	se Basis, un	12.22 17.13 26.26 44.91). ————————————————————————————————————						muy combine	d sections.	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2 3 4 1 2	UEP91 UEP91 UEP91 UEP91 UEP91	se Basis, un	12.22 17.13 26.26 44.91 15.12	9.						muy combine	d sections. A	Additional NR	Cs may
L	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		1 2 3 4	UEP91 UEP91 UEP91 UEP91	se Basis, un	12.22 17.13 26.26 44.91	2.						muy combine	d sections. A	Additional NR	Cs may
U	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2 3 4 1 2	UEP91 UEP91 UEP91 UEP91 UEP91	se Basis, un	12.22 17.13 26.26 44.91 15.12	9.						muy combine	d sections. A	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2 3 4 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	se Basis, un	12.22 17.13 26.26 44.91 15.12 19.98 28.78). ————————————————————————————————————						muy combine	d sections. A	Additional NR	Cs may
	JNE PO	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		1 2 3 4 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	12.22 17.13 26.26 44.91 15.12 19.98 28.78	9.						muy combine	d sections. A	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design Op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2 3 4 1 2 3	UEP91 nal NR	Cs may											
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1-Zone VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1-Zone VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1-Zone VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		1 2 3 4 1 2 3 4 1 2 3 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1	12.22 17.13 26.26 44.91 15.12 19.98 28.78 46.95).							d sections. A	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rtf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1 2 3 4 1 1 2 3 3 4 4 1 2 3 3 4 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS1	12.22 17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68).							d sections. A	Additional NR	Cs may
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo vrt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 4 1 1 2 2 3 4 4 1 1	UEP91 nal NR	Cs may											
	JNE Po	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rtf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1 2 3 4 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS1	12.22 17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68	9.							d sections. /	Additional NR	Cs may

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: B
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR		Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
							Nonred	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										·
	Ports															-
All S	States (Except North Carolina and Sout Carolina)	ļ		LIEDO4	UEPYA	4.00	40.24	19.84	24.90	6.58		45.75				-
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<u> </u>		UEP91	UEPTA	1.23	40.31	19.84	24.90	6.58		15.75				
	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				ı
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		02. 0.	02	1120	10.01	.0.01	200	0.00		10.70				
	Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				I
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
ΔΙ	Basic Local Area KY, LA, MS, & TN Only	<u> </u>		UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL,	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				I
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port terminated in on Megalific of equivalent	 		UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Loca	al Switching									5.55						
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
Loca	al Number Portability	ļ		LIEDO4	LNPCC	0.05										
Foot	Local Number Portability (1 per port)	<u> </u>		UEP91	LNPCC	0.35										
1 cat	All Standard Features Offered, per port			UEP91	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56						15.75				
NAR		-	-	LIEDO4	LIADOV	0.00	0.00	0.00								
-+	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1	-	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial	†	†	UEP91	UAROX	0.00	0.00	0.00	†		 					
	cellaneous Terminations															
2-W	ire Trunk Side															
lete.	Trunk Side Terminations, each roffice Channel Mileage - 2-Wire	-	-	UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75				
inte	Interoffice Channel Facilities Termination - Voice Grade	1	-	UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0098	40.77	21.31	17.20	7.11		15.75				
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP91	1PQWS	0.57										i
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP91	1PQW6	0.57										
	Slot			UEP91	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.57										<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.57										Į
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	lan Da	coming Charges (NDC) Associated with LINE D Contract						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
IN IN	NOII-RE	curring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed				+						1	1				$\overline{}$
		changes, per port			UEP91	USAC2		0.10	0.10				15.75				, ,
		Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68			†	15.75				
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32				İ	15.75				
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32					15.75				
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.91					15.75				
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63					15.75				
		CENTREX - 5ESS (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo		ļ		+	1						-	 	ļ		
u	INE PO	rt/Loop Combination Rates (Non-Design)	1	-		+	 					1	1	-			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP95	1	12.22										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+ '-	OL: 30	+	12.22										
		Non-Design		2	UEP95	1	17.13										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1						1			İ		i
		Non-Design		3	UEP95		26.26										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
		Non-Design		4	UEP95		44.91										1
U	JNE Po	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
-		Design		1	UEP95	_	15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		19.98										1
\vdash		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95	+	19.98										\vdash
		2-wire vo Loop/2-wire voice Grade Fort (Centrex)Fort Combo - Design		3	UEP95		28.78										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ŭ	OLI SO	1	20.70						1				
		Design		4	UEP95		46.95										1
U	JNE Lo	op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
-		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95 UEP95	UECS2 UECS2	13.89 18.75										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55					ł	1				
		2-Wire Voice Grade Loop (SL 2) - Zone 4			UEP95	UECS2	45.72						†				
l	JNE Po	rt Rate		<u> </u>	00	32002	.5.72								İ		1
	All Stat													İ			i
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			l <u>_</u> _	I					_						ı
\vdash		Area		<u> </u>	UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58	ļ	15.75				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVA	4.00	400.05	70.57	E4 04	44 70		45.75				1
\vdash		Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-	-	UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70	1	15.75	1	-		
		Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				1
\vdash		2-Wire Voice Grade Port terminated in on Megalink or equivalent			02.00	JEI 12	1.25	100.00	70.07	54.24	11.70		10.70				(
		- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				1
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1									İ			1		1
		Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
Α	۱L, KY,	LA, MS, SC, & TN Only															
\vdash		2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58	ļ	15.75				l
\vdash		2-Wire Voice Grade Port (Centrex 800 termination)	.	-	UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58	ļ	15.75	-	.		
-		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	-	UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58	1	15.75	-			
		2-wire voice Grade Port (Centrex from dill Serving wire Center)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				1
 		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	t		0_1 00	OLI GIVI	1.23	100.00	10.51	54.24	11.70	1	13.73	1	1		
		Term			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				, !
					•		1					•	· · · ·	•	•		

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
		Interi						(a)			Submitted Elec	Submitted Manually	Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
EI 9	2-Wire Voice Grade Port Terminated on 800 Service Term GA Only			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
	Switching				_											
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port		ļ	UEP95	UEPVF	2.56						15.75				
\vdash	All Select Features Offered, per port	<u> </u>	-	UEP95	UEPVS	0.00	404.98					15.75		!		-
NARS	All Centrex Control Features Offered, per port	1	-	UEP95	UEPVC	2.56					-	15.75				
NARS	Unbundled Network Access Register - Combination	-	-	UEP95	UARCX	0.00	0.00	0.00				15.75		-		
	Unbundled Network Access Register - Indial		1	UEP95	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial		†	UEP95	UAROX	0.00	0.00	0.00				15.75		İ		
Misce	Ilaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wir	e Digital (1.544 Megabits)		ļ													
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
Intoro	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	14.56									
Interc	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11		15.75				——
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0098	40.77	21.01	17.20	7.11		10.70				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02.00		0.0000										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDOE	400140	0.57										l .
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.57 0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI 93	II QWA	0.57										
110111	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10				15.75				i .
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75				
	CENTREX - DMS100 (Valid in All States)	-	-													
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)		-		+	 										
OIL I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9D		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		17.13										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		26.26										
	Non-Design		4	UEP9D		44.91										
UNE	Port/Loop Combination Rates (Design)		1													<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+	D	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-		UEP9D		15.12										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		19.98										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OEP9D		19.90										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		3	UEP9D		28.78										
	Design		4	UEP9D		46.95										1
UNE I	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91		•								
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72										
	Port Rate															
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				\vdash
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															1 1
ļ	Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				\vdash
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58		15.75				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75				
	Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75				
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58	-	15.75				
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70	ļ	15.75				
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				

					1											ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEP14	1.23	106.33	70.57	54.24	11.70	1	15.75				
	Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
$-\!\!\!\!\!+\!\!\!\!\!\!-$	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO	4.00	40.01	40.01	04.00	0 =0		45				
	Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58	ļ	15.75				
AL, K	Y, LA, MS, SC, & TN Only			LIEDOD	LIEDOA	4.00	40.24	10.04	24.00	6.50		15.75				
-+-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQA UEPQB	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	<u> </u>	15.75 15.75				
-+-	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58	1	15.75				
-+-	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58	1	15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75				†
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58	İ	15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDOM	4.00	400.05	70.57	54.04	44.70		45.75				
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D UEP9D	UEPQM UEPQO	1.23 1.23	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70	.	15.75 15.75				-
-+-	2-vviie voice Grade Port (Centrexuliler SVVC /EBS-PSET)2, 3			UEP9D	UEPQU	1.23	100.33	70.57	54.24	11.70	 	15.75				+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70		15.75				
-+-	2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70	1	15.75				
	2 WHO VOICE GRADE FOR (CONTROLAUME) GWO / EBO 0200/2, 0			OLI OD	OLI QQ	1.20	100.00	70.07	04.24	11.70	1	10.70				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75				
	0 M5 - Vair - O - I - D - 1 (O - 1) 1 (C 0 M O / EDO MEO 10) 0			LIEDOD	LIEBOO	4.00	400.05	70.57	54.04	44.70		45.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75				
	·				1											
$-\!$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
-+-				00	J &L	1.20	100.00	10.01	04.24	11.70		10.70				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947									-	
	Number Portability															<u> </u>
Local																
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										

UNBl	JNULE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
	1						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98					15.75				
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56						15.75				
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.75				
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.75				
	Minnel	Unbundled Network Access Register - Outdial laneous Terminations			UEP9D	UAROX	0.00	0.00	0.00			1	15.75		1		
		Trunk Side				+						 	 				-
	2-vvire	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88	 	15.75				-
	1-Wire	Digital (1.544 Megabits)			OLF9D	CLINDO	0.23	120.00	10.03	01.77	3.00	1	13.73		1		1
	4-44116	DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54	†	15.75		-		
	 	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56	55.25	74.00	2.04		10.70		<u> </u>		
	Interof	fice Channel Mileage - 2-Wire	i e				5.55	50							1	İ	
	1	Interoffice Channel Facilities Termination	i e		UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11		15.75		1	İ	†
	1	Interoffice Channel mileage, per mile or fraction of mile	l		UEP9D	M1GBM	0.0098					1	T		1	İ	1
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e									İ	İ			1	
	D4 Cha	annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.57										
		East and Authorities and D. A. Ohannell Braid Britania Live Laure Olde			LIEDOD	1PQWV	0.57										
	-	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.57					-	 			-	<u> </u>
		Slot			UEP9D	1PQWQ	0.57										
	-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWQ	0.57					 	 				-
	Non-Pa	ecurring Charges (NRC) Associated with UNE-P Centrex			OLF9D	IFQWA	0.57			1		1	1		-		
	NOII-K	NRC Conversion Currently Combined Switch-As-Is with allowed				+						<u> </u>	 			1	1
		changes, per port			UEP9D	USAC2		0.10	0.10				15.75				
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68			1	15.75		1		1
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32	10.00			1	15.75		1		1
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32				İ	15.75				
	i	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63					15.75				
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)							· · · · ·								
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1												_		
	₩	Non-Design	!	1	UEP9E		12.22					ļ	ļ		ļ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		LIEDOE		47.0								1		
	+	Non-Design	 	2	UEP9E	+	17.13			1		ļ	 	1	 	.	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	LIEDOE		26.20								I		
	+	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	!	3	UEP9E	+	26.26			1		 	 	1	 		
	1	Non-Design	1	4	UEP9E		44.91								I		
	UNF P	ort/Loop Combination Rates (Design)	-		OLI OL	+	77.51							†	+		†
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	†		_				1		1	1	1	I		†
	1	Design	1	1	UEP9E		15.12								I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-												1
		Design	<u></u>	2	UEP9E		19.98			<u> </u>			<u> </u>		<u> </u>		<u> </u>
•		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		28.78								<u> </u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	ļ	Design		4	UEP9E		46.95								1	ļ	
	UNE L	oop Rate	ļ	<u> </u>	LIEBAE	LUEOS:						ļ	ļ				↓
	 	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9E	UECS1	10.98					ļ	ļ		.	ļ	<u> </u>
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91								<u> </u>	<u> </u>	L

NRUNDLE	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: B
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge Manual S
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.000 0			LIEDOE	LIEGOA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
-	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68 13.89								-		
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E UEP9E	UECS2 UECS2	18.75								-		
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55					-					
-	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72					1					
LINE	Port Rate		-	OLF 9L	01032	45.72								1		
	L, KY, LA, MS, & TN only		1		+											
ΑΞ,	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	OLI SL	OLI ID	1.23	40.51	13.04	24.30	0.50		15.75				
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, K	Y, LA, MS, & TN Only													Ī		
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching													Ī		
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port		<u> </u>	UEP9E	UEPVF	2.56						15.75				
	All Select Features Offered, per port		<u> </u>	UEP9E	UEPVS	0.00	404.98					15.75				
NATO	All Centrex Control Features Offered, per port		<u> </u>	UEP9E	UEPVC	2.56					-	15.75		_		_
NARS			├	UEP9E	UARCX	0.00	0.00	0.00			-	15.75		<u> </u>	1	
-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		+	UEP9E UEP9E	UARCX UAR1X	0.00	0.00	0.00			-	15.75 15.75		-	1	-
_	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		-	UEP9E UEP9E	UAROX	0.00	0.00	0.00	 			15.75		-	 	
Misco	ellaneous Terminations		1	OLF 9L	UAROX	0.00	0.00	0.00			1	13.73				
	e Trunk Side			1	+									1		
2-1111	Trunk Side Terminations, each		1	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	e Digital (1.544 Megabits)			02. 02	CEITEO	0.20	120.00	10.00	01.77	3.00		10.70				
	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56					15.75		İ		
Intero	office Channel Mileage - 2-Wire			1										1		
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	nannel Bank Feature Activations															
1 -	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57						15.75				

NARANDL	ED NETWORK ELEMENTS - Mississippi										Τ.			ment: 2	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.57						15.75				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center		-	UEP9E	1PQWP	0.57					ļ	15.75				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57						15.75				
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		+	UEF9E	IPQVVV	0.57					1	15.75				
	Slot			UEP9E	1PQWQ	0.57						15.75				
	Feature Activation on D-4 Channel Bank WATS Loop Slot		+	UEP9E	1PQWA	0.57					†	15.75				+
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex										İ				İ	
	NRC Conversion Currently Combined Switch-As-Is with allowed		1								İ					
	changes, per port			UEP9E	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68				15.75				Ī
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32					15.75				Ī
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63					15.75				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)		ļ													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP93		26.26										
	Non-Design		4	UEP93		44.91										1
UNE	Port/Loop Combination Rates (Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		19.98										
ĺ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť													
	Design		4	UEP93		46.95										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		_	UEP93	UECS1	15.91									ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	25.04					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93 UEP93	UECS1 UECS2	43.68 13.89			 		-		-		1	
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP93	UECS2	13.89					}			 	1	
-	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55					1			 	1	\vdash
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72					1					t
UNE	Port Rate		<u> </u>	02.00	02002	10.112					†					<u> </u>
	(Y, LA, MS, & TN only		1								İ					
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		t	OLI 33	OLI III	1.23	40.31	13.04	24.50	0.36	†	13.73			1	
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				

Basic 2-Wire 2-Wire 2-Wire 2-Wire Cente 2-Wire Local Switchi Ecntre Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Features All Ste All Ce NARS Unbur	ire Voice Grade Port, Diff Serving Wire Center - 800 Service	Interi m	Zone	BCS UEP93 UEP93	USOC	Rec	Nonrect	RATES (\$)		_	Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs.
Basic 2-Wire 2-Wire 2-Wire 2-Wire Cente 2-Wire Local Switchi Ecntre Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Features All Ste All Ce NARS Unbur	c Local Area re Voice Grade Port (Centrex) rie Voice Grade Port (Centrex 800 termination) rie Voice Grade Port (Centrex with Caller ID)1 rie Voice Grade Port (Centrex from diff Serving Wire ter)2 re Voice Grade Port, Diff Serving Wire Center - 800 Service n rie Voice Grade Port terminated in on Megalink or equivalent				LIEDYO	Rec		urring					1st		Disc 1st	Electroni Disc Add
Basic 2-Wire 2-Wire 2-Wire 2-Wire Cente 2-Wire Local Switchi Ecntre Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Features All Ste All Ce NARS Unbur	c Local Area re Voice Grade Port (Centrex) rie Voice Grade Port (Centrex 800 termination) rie Voice Grade Port (Centrex with Caller ID)1 rie Voice Grade Port (Centrex from diff Serving Wire ter)2 re Voice Grade Port, Diff Serving Wire Center - 800 Service n rie Voice Grade Port terminated in on Megalink or equivalent				LIEDY'S				Nonrecurring					Rates(\$)		
Basic 2-Wire 2-Wire 2-Wire 2-Wire Cente 2-Wire Local Switchi Ecntre Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Features All Ste All Ce NARS Unbur	c Local Area re Voice Grade Port (Centrex) rie Voice Grade Port (Centrex 800 termination) rie Voice Grade Port (Centrex with Caller ID)1 rie Voice Grade Port (Centrex from diff Serving Wire ter)2 re Voice Grade Port, Diff Serving Wire Center - 800 Service n rie Voice Grade Port terminated in on Megalink or equivalent				LIEDYC		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-Wire 2-Wire 2-Wire 2-Wire 1-	ire Voice Grade Port (Centrex) ire Voice Grade Port (Centrex 800 termination) ire Voice Grade Port (Centrex 800 termination) ire Voice Grade Port (Centrex with Caller ID)1 ire Voice Grade Port (Centrex from diff Serving Wire ter)2 ire Voice Grade Port, Diff Serving Wire Center - 800 Service ire Voice Grade Port terminated in on Megalink or equivalent					4.00	40.04	10.01	04.00	0.50]	45.75		i	, '	ĺ
2-Wire 2-Wire 2-Wire 2-Wire Cente 2-Wire 2-Wire 2-Wire Local Switchi Centre Local Numbe Local All Sta All Ce NARS Unbur	ire Voice Grade Port (Centrex 800 termination) ire Voice Grade Port (Centrex with Caller ID)1 ire Voice Grade Port (Centrex from diff Serving Wire tert)2 ire Voice Grade Port, Diff Serving Wire Center - 800 Service n ire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPY2 UEPQA	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58	 	15.75 15.75				
2-Wire 2-Wire Cente 2-Wire Local Switchi Centre Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Numbe Local Features All Ste All Ce NARS Unbur	ire Voice Grade Port (Centrex with Caller ID)1 re Voice Grade Port (Centrex from diff Serving Wire ter)2 re Voice Grade Port, Diff Serving Wire Center - 800 Service n re Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58 6.58		15.75				
2-Wire Cente 2-Wire 1-Example 2-Wire Local Switch Centre Local Numbe Local Features All Ste All Ce NARS Unbur Unbur Unbur Unbur Unbur Unbur Unbur Trunk Trunk 4-Wire Digital	ire Voice Grade Port (Centrex from diff Serving Wire ter)2 rre Voice Grade Port, Diff Serving Wire Center - 800 Service n ire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58	 	15.75				—
Cente 2-Wire Term 2-Wire 2-Wire Local Switchi Centre Local Numbe Local Features All Sta All Ce NARS Unbur Unbur Unbur Unbur Unbur Trunk Trunk 4-Wire Digital	ter)2 ire Voice Grade Port, Diff Serving Wire Center - 800 Service ire Voice Grade Port terminated in on Megalink or equivalent		1	UEF93	UEFQH	1.23	40.31	19.04	24.90	0.30	 	15.75		\longrightarrow		
2-Wire Term 2-Wire 2-Wire Local Switchi Centre Local Numbe Local Numbe Local Nars All Sta All Ce NARS Unbur	ire Voice Grade Port, Diff Serving Wire Center - 800 Service 1 Ire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70]	15.75		i	, '	ĺ
Z-Wire 2-Wire 2-Wire Local Switchi Centre Local Numbe Local Numbe All Ste All Ce NARS Unbur Unbur Unbur Unbur Valve Trunk Trunk 4-Wire Digital	n ire Voice Grade Port terminated in on Megalink or equivalent			OLI SO	OLI QIVI	1.20	100.00	70.01	04.24	11.70	 	10.70		$\overline{}$	$\overline{}$	
2-Wire Local Switchi Centre Local Numbe Local Numbe Local Numbe All Ste All Ce NARS Unbur Unbur Unbur Unbur Unbur Unbur Trunk Trunk Trunk 4-Wire Digital DS1 C				UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
Local Świtchi Centre Local Numbe Local Features All Ste All Ce NARS Unbur Unbur Unbur Unbur Untour Miscellaneou 2-Wire Trunk 4-Wire Digital DS1 C	ire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				1
Local Numbe Local Features All Sta All Ce NARS Unbur Unbur Unbur Miscellaneou 2-Wire Trunk 4-Wire Digital				UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local Numbe Local Features All Sta All Ce NARS Unbur Unbur Unbur Usbr Miscellaneou 2-Wire Trunk Trunk 4-Wire Digital																
Local Features All Sta All Ce NARS Unbur Unbur Unbur Unbur Frunk Miscellaneou 2-Wire Trunk 4-Wire Digital DS1 C	trex Intercom Funtionality, per port			UEP93	URECS	0.7947									·	
Features All State All Ce NARS Unbur Unbur Unbur Unbur Miscellaneou 2-Wire Trunk Trunk 4-Wire Digital DS1 C	per Portability															
All Sta All Ce NARS Unbur Unbur Unbur Wiscellaneou 2-Wire Trunk Trunk 4-Wire Digital DS1 C	l Number Portability (1 per port)			UEP93	LNPCC	0.35			i					i		
All Ce NARS Unbur Unbur Unbur Unbur Miscellaneou 2-Wire Trunk 4-Wire Digital DS1 C															<u> </u>	
NARS Unbur Unbur Unbur Wiscellaneou 2-Wire Trunk Trunk 4-Wire Digital	standard Features Offered, per port			UEP93	UEPVF	2.56						15.75			<u> </u>	
Unbur Unbur Unbur Unbur Miscellaneou 2-Wire Trunk 4-Wire Digital	Centrex Control Features Offered, per port			UEP93	UEPVC	2.56						15.75				
Unbur Unbur Miscellaneou 2-Wire Trunk Trunk 4-Wire Digital												$\overline{}$				
Miscellaneou 2-Wire Trunk Trunk 4-Wire Digital	undled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00			ļ	15.75				
2-Wire Trunk Trunk 4-Wire Digital	undled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				15.75				
2-Wire Trunk Trunk 4-Wire Digital	undled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				15.75				
4-Wire Digital												\vdash		\vdash		—
4-Wire Digital				LIEBOO	CEND6	8.25	100.00	10.05	04.77	0.00		45.75		\longrightarrow		—
DS1 C	k Side Terminations, each		ļ	UEP93	CEND6	8.25	120.00	18.85	61.77	3.88	 	15.75				
	Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54	 	15.75				—
Den c	Channels Activated, Per Channel			UEP93	M1HD0	0.00	14.56	90.25	74.00	2.54	 	15.75				—
	Channel Mileage - 2-Wire	-	<u> </u>	OLF 93	WITIDO	0.00	14.50				 	13.73	\longrightarrow	\longrightarrow		—
	office Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11	 	15.75		$\overline{}$		
	office Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0098	40.77	27.07	17.20		 	10.70		$\overline{}$	$\overline{}$	
	ivations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 00		0.0000					1	$\overline{}$				
	Bank Feature Activations	Ī									1	$\overline{}$				
Featu	ure Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57		-								
	ture Activation on D-4 Channel Bank FX Line Side Loop Slot	<u> </u>	L	UEP93	1PQW6	0.57	<u>. </u>		<u>. </u>		<u> </u>					<u></u>
	ure Activation on D-4 Channel Bank FX Trunk Side Loop								, ——			, ——		, — —		ı ——
Slot			<u></u>	UEP93	1PQW7	0.57									ļ	
	ure Activation on D-4 Channel Bank Centrex Loop Slot - erent Wire Center			UEP93	1PQWP	0.57	,		ı T			ı				
	ure Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	ure Activation on D-4 Channel Bank Tie Line/Trunk Loop	1	 	OE1 33	11 02 77 7	0.57		\longrightarrow			+	$\overline{}$		\longrightarrow		
Slot		l		UEP93	1PQWQ	0.57		J	ı l		1	, ,	, ,	, ,	, '	í
	ure Activation on D-4 Channel Bank WATS Loop Slot	1	 	UEP93	1PQWA	0.57	; - +				 	$\overline{}$				
	ing Charges (NRC) Associated with UNE-P Centrex	i e	t			0.07			- 		 	$\overline{}$				ſ
	Conversion Currently Combined Switch-As-Is with allowed	l	i –		1 1				, 	-	 	$\overline{}$				
	nges, per port	l		UEP93	USAC2	l	0.10	0.10	ı l		1	15.75	, ,	, ,	, '	í
	version of Existing Centrex Common Block, each	İ	1	UEP93	USACN	- 1	37.97	16.68	i T	-			; 1			
	Centrex Standard Common Block		i –	UEP93	M1ACS	0.00	666.32		i t			15.75	. 1	,	,	
	Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32		i i			15.75				
	Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
Note 1 - Requ									i i							
	quired Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note: Rates of	uired Port for Centrex Control in 1AESS, 5ESS & EWSD qures Interoffice Channel Mileage								'			<u> </u>		<u> </u>		

IINR	INDI E	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: B
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.			
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonred			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	•
OPER	ATIONAL	L SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															is rate
		is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill															lv. For
	those	elements that cannot be ordered electronically at present per t	the BBR	l-LO, th	ne listed SOMEC rate												
	orderin	ng charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR t	o BellSouth.	1			1	1		1		1	1		1
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
UNE S		DATE ADVANCEMENT CHARGE						0.00									
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC, USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX, UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL, UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	00400		000.00									
UNBU	NDI FD I	Day EXCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP	1	200.00			+						
ONE		E ANALOG VOICE GRADE LOOP													†		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.00
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-		UEANL UEANL	UEAL2 UEAL2	21.24 33.65	57.99 57.99	42.37 42.37		1	1	-	26.94 26.94	12.76 12.76	0.00	0.00
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	3	ULANL	UL'ALZ	33.05	51.99	42.37			 	 	20.94	12./0	0.00	0.00
		Premise	<u></u>		UEANL	URETL		8.33	0.83					26.94	12.76	0.00	0.00
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24						26.94	12.76	0.00	0.00
	1	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch	-	-	UEANL	URETA		39.51					1	26.94	12.76	0.00	0.00
		(UVL-SL1)			UEANL	UREWO		15.76	8.93					26.94	12.76	0.00	0.00
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST									1				1	5.50	2.30
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
	1	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1		-	UEANL	UEAMC	-	61.38	61.38		1		1		 		
		(per LSR)			UEANL	OCOSL		45.34									

Version 1Q03: 02/28/03

UNBU	INDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: B
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring Disco	nect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First Ad	d'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	Unbundled COPPER LOOP															1
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
		Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.00
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															1
		Designed (per loop)			UEQ	USBMC		45.34									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.00
	1	Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24						26.94	12.76	0.00	0.00
	1	Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51						26.94	12.76	0.00	0.00
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch				1											
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
UNBUN	DLED E	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP				1								ĺ			1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1								ĺ			1
	1	Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37				1	26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			02. 0 02. 02	027.20	22.	07.00	12.07					20.01	12.70		
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OR OLI OD	OLABO	21.27	07.00	72.07					20.04	12.70		-
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	OLI OK OLI OD	OLALO	33.03	37.33	42.01					20.34	12.70		-
		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37					26.94	12.76		
IINRIIN	IDI ED E	EXCHANGE ACCESS LOOP		3	OLI OK OLI OD	OLADO	33.03	37.33	42.01		-			20.34	12.70		
ONDO		ANALOG VOICE GRADE LOOP		-		+					-						1
	Z-VVIIVE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+											-
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		'	ULA	ULALZ	14.57	142.31	100.30		-			20.54	12.70	0.00	0.00
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			ULA	ULALZ	25.55	142.37	100.30				-	20.54	12.70	0.00	0.00
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	-	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	40.01	45.34	100.30				-	20.94	12.76	0.00	0.00
	-			-	UEA	OCOSL		45.34					-				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	-	OLA	ULARZ	14.97	142.97	100.30	 			 	20.94	12.70	0.00	0.00
				2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	-	Battery Signaling - Zone 2		- 2	UEA	UEAK2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	-	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	40.81	142.97 45.34	100.00	+				∠6.94	12.76	0.00	0.00
	-								20.00	 				00.04	40.70	0.00	0.00
	!	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.64	36.33				ļ	26.94	12.76	0.00	0.00
	4 14/155	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10	 				26.94	12.76	0.00	0.00
	4-WIRE	ANALOG VOICE GRADE LOOP		1	LIEA	LIEAL 4	21.32	288.47	237.45	+				26.94	12.76	0.00	0.00
	!	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA UEA	UEAL4 UEAL4	21.32 36.27	288.47	237.45				ļ	26.94 26.94	12.76 12.76	0.00	0.00
	-				UEA	UEAL4	36.27 56.57	288.47	237.45	+				26.94	12.76	0.00	
	-	4-Wire Analog Voice Grade Loop - Zone 3		3			56.57		237.45					26.94	12.76	0.00	0.00
	!	Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL		45.34	00.00				ļ	00.01	10.70	0.00	200
	0.1405	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.64	36.33				ļ	26.94	12.76	0.00	0.00
	2-WIRE	ISDN DIGITAL GRADE LOOP			LIDAL	1141.01/	40.10	005.01	051.01					00.51	40.70	0.00	
	!	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.42	325.91	251.31	 			ļ	26.94	12.76	0.00	0.00
	!	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31	 			ļ	26.94	12.76	0.00	0.00
	_	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31					26.94	12.76	0.00	0.00
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34							40		
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76	0.00	0.00
	12-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			<u> </u>	1									<u> </u>		L

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order		Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007144
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	9														
	1		1	UDC	UDC2X	19.42	325.91	251.31					26.94	12.76	0.00	0.00
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	9														
	2		2	UDC	UDC2X	32.88	325.91	251.31					26.94	12.76	0.00	0.00
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	•														
	3		3	UDC	UDC2X	51.14	325.91	251.31					26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.55	44.12					26.94	12.76	0.00	0.00
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMI	PATIBLE	LOOP)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60					26.94	12.76	0.00	0.00
1 -	2 Wire Unbundled ADSL Loop including manual service inquiry		1		1				1 T				<u> </u>			
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76	0.00	0.00
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)		ļ	UHL	OCOSL		45.34									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry			l												
	and facility reservation - Zone 2	-	2	UHL	UHL2W	14.87	207.48	132.05	<u> </u>				26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL		00.00	007.40	400.05					00.04	40.70	0.00	0.00
+-	and facility reservation - Zone 3	1	3		UHL2W	22.82	207.48	132.05	 				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	-	 	UHL UHL	OCOSL UREWO		45.34 86.06	40.36	<u> </u>				26.94	10.70	0.00	0.00
4 10/1		ATIDLE	LOOD	UNL	UKEWO		00.00	40.30	-				26.94	12.76	0.00	0.00
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	HIBLE	LUUP	-	+ +				+				-	-	-	-
1	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		4	UHL	UHL4X	10.62	341.65	220.45				1	26.94	12.76	0.00	0.00
-+	4-Wire Unbundled HDSL Loop including manual service inquiry	+	+ '-	OI IL	OI IL4A	10.02	341.05	220.45	+				20.94	12.70	0.00	0.00
1	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45				1	26.94	12.76	0.00	0.00
-+	4-Wire Unbundled HDSL Loop including manual service inquiry	+		OI IL	OI IL4A	17.07	341.03	220.45	+				20.94	12.70	0.00	0.00
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45					26.94	12.76	0.00	0.00
-+-	Order Coordination for Specified Conversion Time (per LSR)	+	-	UHL	OCOSL	21.24	45.34	220.43	+				20.94	12.10	0.00	0.00
-+-	4-Wire Unbundled HDSL Loop without manual service inquiry	1	1	OFFE	OCCOL		40.04									
1	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96				1	26.94	12.76	0.00	0.00
-+	4-Wire Unbundled HDSL Loop without manual service inquiry	1	+ -	I	J ///	10.02	204.00	100.00	 			 	20.04	12.70	0.00	0.00
1	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				1	26.94	12.76	0.00	0.00
$\overline{}$	4-Wire Unbundled HDSL Loop without manual service inquiry	†	<u> </u>				2000	.00.00					20.04	.2.70	5.00	5.00
1	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96				1	26.94	12.76	0.00	0.00
-+	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UHL	OCOSL	224	45.34	.00.00					20.04	.2.70	5.00	3.00
$\overline{}$	CLEC to CLEC Conversion Charge without outside dispatch	†	1	UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
4-WI	RE DS1 DIGITAL LOOP	t	1	T			55.56	.0.50					20.04	.20	5.50	5.00
 	4-Wire DS1 Digital Loop - Zone 1	†	1	USL	USLXX	47.60	714.84	421.47					42.19	12.76	0.00	0.00
ı												-				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84.36	714.84	421.47					42.19	12.76	0.00	0.00

CATEGORY RATE ELEMENTS Infort Zone BCS USOC RATE (b) Society Society Companies Society Companies Com	JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATECORY RATE ELEMENTS Index I												Svc Order	Svc Order				
CATEGORY RATE ELEMENTS Mark DCS USO RATE (8) per LSR per LSR Coder vs.												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Market M			Interi	l_								Elec		Manual Svc			Manual Svc
Committee Comm	CATEGORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR			Order vs.	Order vs.
Control Control for Specified Conversion Tree (part 155)														Electronic-		Electronic-	Electronic-
Direct Confinition for Specified Conversion Time (per LBF) USL USCSS 48.3 MRN SOME SOM														1st	Add'l	Disc 1st	Disc Add'l
Direct Confinition for Specified Conversion Time (per LBF) USL USCSS 48.3 MRN SOME SOM	$\overline{}$						_	Nonre	curring	Nonrecurring	a Disconnect			oss	Rates(\$)		
CLEC to CLEC Convention Charge without crossed elegants USL URR WOO 10.99 43.00 26.94 12.76							Rec					SOMEC	SOMAN			SOMAN	SOMAN
AVWIR 19.2. 90 OR & KRIPS DOTAL GRADE LOOP		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48.31									
H Wire Unknunded Digital 192 Rops					USL	UREWO		100.99	43.00					26.94	12.76	0.00	0.00
A Wite Unburnded Englant 192 Rope	4-WIRE																
A Vive Informated Digital 192 Pages 3 (IDCL IDCL) 9 (67 26 489.04 337.51 26.54 12.76 489.04 337.51 26.54 12.76 489.04 337.51 26.54 12.76 489.04 337.51 26.54 12.76 489.04 337.51 26.54 12.76 489.04 337.51 26.54 12.76 489.04 337.51 26.54 12.76 26.54 12.76 26.54 12.76 26.54 27.76 26.54 27.76	+-			1												0.00	0.00
4 Web Unbursded Digital Loop & Rights - Zone 1 1 (URL URL 56 43.11 489.04 337.51 28.94 12.76																0.00	0.00
4 Wire Inflamental Digital Loop 6 Rips p. Zone 2												1				0.00	0.00
4 Wire Unbunded Oppinal Loop 6 Rights - Zone 3 3 UDL UDL,56 67.26 489.04 337.51 26.94 12.76												1				0.00	0.00
4 Wire Unbrundled Digital Long 6 Rhops - Zone 1											t					0.00	0.00
4 Wire Unbunded Digital Loop & Khops - Zone 2 2 UDL UDL64 43.11 489.04 337.51 25.94 12.76		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
4 Wire Unbundled Copyrillar Loop 64 Khgps - Zone 3 3 DPL UDLB 67.26 489.04 337.51 26.94 12.76 Dorder Coordination for Specified Convenient on Time (per LSR) UDL UDLB				1												0.00	0.00
Order Coordination for Specified Conversion Time (per LSR)																0.00	0.00
CLEC to CLEC Conversion Charge without outside dispatch UDL UNEWO 102.03 49.70 26.94 12.76			<u> </u>	3			67.26		337.51			<u> </u>		26.94	12.76	0.00	0.00
2-Wilke Unbundled CopPER LOOP	\longrightarrow		-	-					40.70		-	1		20.04	40.70	0.00	0.00
2-Wire Unbundled Copper Loop(Short including manual service inquiry & facility reservation - Zone 1 UCL UCLPB 13.26 262.86 143.75 26.94 12.76	2.WIDI		-	-	UDL	UREWU		102.03	49.70		-	1		26.94	12.76	0.00	0.00
Inquiry & facility reservation - Zone 1	Z-WINL											1					
2-Wire Unbundled Copper Loop/Short including manual service 2 UCL UCLPB 22.39 262.86 143.75 26.94 12.76 2.76 2.776				1	UCL	UCLPB	13.26	262.86	143.75					26.94	12.76	0.00	0.00
Inguiry & facility reservation - Zone 2 2 UCL UCLPB 22.39 262.66 143.75 26.94 12.76																	
Inquiry & facility reservation - Zone 3 UCL UCLPW 34.80 262.86 143.75 26.94 12.76				2	UCL	UCLPB	22.39	262.86	143.75					26.94	12.76	0.00	0.00
Order Coordination for Unbundled Copper Loops (per loop)		2 Wire Unbundled Copper Loop/Short including manual service															
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1				3			34.80							26.94	12.76	0.00	0.00
Inquiry and facility reservation - Zone 1			ļ		UCL	UCLMC		61.38	61.38								
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 UCL UCLPW 22.39 188.39 112.96 26.94 12.76					1101	1101 511	40.00	400.00	440.00					00.04	10.70	0.00	0.00
Inquiry and facility reservation - Zone 2				1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76	0.00	0.00
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3				2	LICI	LICL PW	22 39	188 39	112 96					26 94	12.76	0.00	0.00
Inquiry and facility reservation - Zone 3					002	OOLI VV	22.00	100.00	112.00			1		20.04	12.70	0.00	0.00
Order Coordination for Unbundled Copper Loops (per loop)				3	UCL	UCLPW	34.80	188.39	112.96					26.94	12.76	0.00	0.00
Inquiry and facility reservation - Zone 1					UCL	UCLMC		61.38	61.38								
2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 UCL UCL2L 22.39 262.86 143.75 26.94 12.76		2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
Inquiry and facility reservation - Zone 2 2 UCL UCL2L 22.39 262.86 143.75 26.94 12.76				1	UCL	UCL2L	13.26	262.86	143.75					26.94	12.76	0.00	0.00
2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3				_	LICI	LICLO	22.20	202.00	440.75					20.04	40.70	0.00	0.00
Inquiry and facility reservation - Zone 3 3 UCL UCL2L 34.80 262.86 143.75 26.94 12.76			-		UCL	UCLZL	22.39	202.80	143.75		-	-		26.94	12.76	0.00	0.00
Order Coordination for Unbundled Copper Loops (per loop)				3	LICI	LICI 2I	34.80	262.86	143 75					26 94	12.76	0.00	0.00
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1				Ŭ			04.00					1		20.04	12.70	0.00	0.00
Inquiry and facility reservation - Zone 1																	
Inquiry and facility reservation - Zone 2 2 UCL UCL2W 22.39 188.39 112.96 26.94 12.76				1	UCL	UCL2W	13.26	188.39	112.96					26.94	12.76	0.00	0.00
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3																	
Inquiry and facility reservation - Zone 3 3 UCL UCL2W 34.80 188.39 112.96 26.94 12.76				2	UCL	UCL2W	22.39	188.39	112.96					26.94	12.76	0.00	0.00
Order Coordination for Unbundled Copper Loops (per loop)				_	LICI	LICI OW	24.00	100.00	440.00					20.04	40.70	0.00	0.00
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Obes)			-	3			34.80				-	-		26.94	12.76	0.00	0.00
CUCL-Des UCL UREWO 97.14 42.44 26.94 12.76					UCL	OCLIVIC		01.30	01.30		1	1					
4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1					UCL	UREWO		97.14	42.44					26.94	12.76	0.00	0.00
and facility reservation - Zone 1	4-WIRI																
4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 2 UCL UCL4S 29.61 311.03 191.93 26.94 12.76		4-Wire Copper Loop/Short - including manual service inquiry															
and facility reservation - Zone 2 2 UCL UCL4S 29.61 311.03 191.93 26.94 12.76		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93			ļ		26.94	12.76	0.00	0.00
			1								I						
1 14-yvne v dober i dobysnou - Includina manual service induiry	\longrightarrow		-	2	UCL	UCL4S	29.61	311.03	191.93	1	 			26.94	12.76	0.00	0.00
		4-Wire Copper Loop/Short - including manual service inquiry		2	LICI	1101.48	46.26	211 02	101 02		1			26.04	10.76	0.00	0.00
	-+-		1	3			40.20			+	 	1	1	20.94	12.76	0.00	0.00
4-Wire Copper Loop/Short - without manual service inquiry and	-		t			COLINIO	1	01.00	01.00	1	†	l	†	1		1	<u> </u>
1			1	1	UCL	UCL4W	17.36	236.57	161.14		I			26.94	12.76	0.00	0.00
4-Wire Copper Loop/Short - without manual service inquiry and																	
	1	facility reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14					26.94	12.76	0.00	0.00

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	40.20	61.38	61.38					20.04	12.70	0.00	0.00
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc.	ļ	1	UCL	UCL4L	17.36	311.03	191.93					26.94	12.76	0.00	0.00
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	29.61	311.03	191.93					26.94	12.76	0.00	0.00
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		Ē				011.00	101.00					20.01		0.00	0.00
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	46.26	311.03	191.93					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc.	-	-	UCL	UCLMC		61.38	61.38								
1 1	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	17.36	236.57	161.14					26.94	12.76	0.00	0.00
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	29.61	236.57	161.14					26.94	12.76	0.00	0.00
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	46.26	236.57	161.14					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	40.20	61.38	61.38					20.94	12.70	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch															
LOOP MODIFI	(UCL-Des)			UCL	UREWO		97.14	42.44								
LOOP WODIFI	CATION			UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire	ļ		UEPSB	ULM2L		21.24	21.24					26.94	12.76	0.00	0.00
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		119.24	119.24					26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft			UHL, UCL, UEA	ULM4L		21.24	21.24					26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		119.24	119.24					26.94	12.76	0.00	0.00
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84					26.94	12.76	0.00	0.00
	l oop Distribution															
Oub-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1													
	Up	- 1		UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.		UEANL	USBSC		004.70						00.04	40.70	0.00	0.00
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- '		UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
	Set-Up	I		UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	١,	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	+-		OLANL	OODINZ	11.93	120.03	54.54	 				20.94	12.70	0.00	0.00
	Zone 3	I	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u></u>		UEANL	USBMC		61.38	61.38	<u> </u>							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00

UNBU	INDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhil	bit: B
		Total out only										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
															Î		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76	0.00	0.00
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	9.70	137.10	60.24					26.94	12.76	0.00	0.00
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
		·															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEF	USBMC		61.38	61.38			1	1				1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38					26.94	12.76	0.00	0.00
									-								l
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	Unbund	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	0.00
	Network	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86.37	56.69					26.94	12.76	0.00	0.00
		Network Interface Device (NID) - 1-6 lines	- 1		UENTW	UND16		127.93	98.21					26.94	12.76	0.00	0.00
		Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		11.68	11.68					26.94	12.76	0.00	0.00
		Network Interface Device Cross Connect - 4W	- 1		UENTW	UNDC4		11.68	11.68					26.94	12.76	0.00	0.00
SUB-L																	
	Sub-Lo	op Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		373.57						26.94	12.76	0.00	0.00
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
		set-up			UDN,UCL,UDL,UDC			33.78	33.78					26.94	12.76	0.00	0.00
-		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.51	11.31					26.94	12.76	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			UEA	LIODEA	40.44	400.50	40.04					00.04	40.70	0.00	0.00
-		Grade - Zone 1	-	1	UEA	USBFA	10.41	122.52	46.61					26.94	12.76	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	l	2	UEA	USBFA	17.31	122.52	46.61					26.94	12.76	0.00	0.00
-	\vdash	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	-	-	ULA	USDFA	17.31	122.52	40.01	+				∠6.94	12.76	0.00	0.00
1		Voice Grade - Zone 3	l	3	UEA	USBFA	26.67	122.52	46.61			1	1	26.94	12.76	0.00	0.00
—	\vdash	Order Coordination for Specified Conversion Time, per LSR	-	-	UEA	OCOSL	20.07	45.34	40.01	+ +		-	-	20.94	12.70	0.00	0.00
-	\vdash	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	-	1	OL/ (COOL		70.34		 					 		
		Grade - Zone 1		1	UEA	USBFB	10.41	122.52	46.61					26.94	12.76	0.00	0.00
-		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	-	<u> </u>	OL/ C	00010	10.41	122.32	40.01					20.94	12.70	0.00	0.00
		Grade - Zone 2	l	2	UEA	USBFB	17.31	122.52	46.61					26.94	12.76	0.00	0.00
—	\vdash	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	 			200.0	17.01	122.02	70.01					20.04	12.70	0.00	0.00
		Grade - Zone 3	l	3	UEA	USBFB	26.67	122.52	46.61			1	1	26.94	12.76	0.00	0.00
		Order Coordination for Specified Time Conversion, per LSR		Ť	UEA	OCOSL	20.07	45.34	10.01					20.01	12.70	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1					.0.04		1				i	i		i
		Voice Grade - Zone 1	l	1	UEA	USBFC	10.41	122.52	46.61			1	1	26.94	12.76	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	i –	1						1		1	1		İ		
		Voice Grade - Zone 2	l	2	UEA	USBFC	17.31	122.52	46.61					26.94	12.76	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		1	1										1		
		Battery, Voice Grade - Zone 3	l	3	UEA	USBFC	26.67	122.52	46.61			1	1	26.94	12.76	0.00	0.00
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.34									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	Ì														
L	<u> </u>	Grade - Zone 1	L_	_1	UEA	USBFD	19.96	226.36	144.28	<u> </u>		<u> </u>	<u> </u>	26.94	12.76	0.00	0.00
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
		Grade - Zone 2		2	UEA	USBFD	33.91	226.36	144.28					26.94	12.76	0.00	0.00
	7	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice	l		UEA	USBFD								I			l
		Grade - Zone 3		3			52.85	226.36	144.28					26.94	12.76	0.00	0.00

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Imton:									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													130	Auu	Diac rat	Disc Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	19.96	226.36	144.28					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	33.91	226.36	144.28					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	52.85	226.36	144.28					26.94	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.24	202.01	105.88					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	29.17	202.01	105.88					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	45.37	202.01	105.88					26.94	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.34									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.24	202.01	105.88					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	29.17	202.01	105.88					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	45.37	202.01	105.88					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	35.65	393.01	153.37					42.19	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	63.18	393.01	153.37					42.19	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	100.58	393.01	153.37					42.19	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		48.31									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9.14	172.89	90.81					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	14.90	172.89	90.81					26.94	12.76	0.00	0.00
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	22.71	172.89	90.81					26.94	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.34									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.41	207.14	134.77					26.94	12.76	0.00	0.00
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	22.42	207.14	134.77					26.94	12.76	0.00	0.00
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	34.66	207.14	134.77					26.94	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.34									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	24.27	215.00	132.92					26.94	12.76	0.00	0.00
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	41.55	215.00	132.92					26.94	12.76	0.00	0.00
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	65.02	215.00	132.92					26.94	12.76	0.00	0.00
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	24.27	215.00	132.92					26.94	12.76	0.00	0.00
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
\vdash	Zone 2		2	UDL	USBFO	41.55	215.00	132.92					26.94	12.76	0.00	0.00
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1	_		HODES		6.5				1	1				
\vdash	Zone 3	ļ	3	UDL	USBFO	65.02	215.00	132.92					26.94	12.76	0.00	0.00
\vdash	Order Coordination For Specified Time Conversion, per LSR	!		UDL	OCOSL		45.34					ļ		ļ	 	.
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1	١,	LIDI	HODES	04.0-	045.00	400.00			1	1	20.01	10.70	0.00	0.00
\vdash	Zone 1	 	1	UDL	USBFP	24.27	215.00	132.92					26.94	12.76	0.00	0.00
1 1	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	41.55	215.00	122.00					26.04	10.70	0.00	0.00
\vdash	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	 		ODL	UODFF	41.55	∠15.00	132.92					26.94	12.76	0.00	0.00
1 1		1	3	UDL	USBFP	65.02	215.00	122.00			1	1	26.04	12.76	0.00	0.00
-	Zone 3	1	3			65.02	215.00	132.92					26.94	12.76	0.00	0.00
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR	 	-	UDL	OCOSL		45.34					 		-	-	-
	Loop Feeder	 			+									 	l	
Sub-	Sub Loop Feeder - DS3 - Per Mile Per Month	-		UE3	1L5SL	16.03					-					-
 	Sub Loop Feeder - DS3 - Fer Mile Fer Month Sub Loop Feeder - DS3 - Facility Termination Per Month	H		UE3	USBF1	350.32	3,399.57	406.81	164.08	93.01	-		26.94	12.76	l	
 	Sub Loop Feeder - STS-1 - Per Mile Per Month	++		UDLSX	1L5SL	16.03	5,555.57	+00.01	104.00	33.01			20.34	12.70	 	
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	 	-	UDLSX	USBF7	376.06	3,399.57	406.81	164.08	93.01		 	26.94	12.76		
UNBUNDI FI	D LOOP CONCENTRATION	_		SDLON	555.7	370.00	0,000.01	-100.01	104.00	33.01	-	 	20.34	12.70		
	Unbundled Loop Concentration - System A (TR008)	 		ULC	UCT8A	398.41	652.26	652.26	-			 	19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR008)	 		ULC	UCT8B	58.36	271.78	271.78	-			 	19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)	 		ULC	UCT3A	439.73	652.25	652.26	-			 	19.99	19.99	19.99	19.99
		1			00.0/1	100.70								10.00		
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98.34	271.78	271.78	I				19.99	19.99	19.99	19.99

UNDUNDLE	D NETWORK ELEMENTS - North Carolina		1	I							Cup Onder	Cva C-dr	Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - ISDN Loop Interface (Brite			LIDAL	ULCC1	8.77	21.11	21.00	10.81	40.74			19.99	19.99	40.00	40.00
	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite			UDN	ULCCI	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Card)			UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															10.00
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	0.89	35.73	35.49					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card)			UEA	ULCCR	13.03	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			1154	ULCC4	7.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card		<u> </u>	UEA ULC	UCTTC	37.98	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCOTT Card		t		55110	31.30	21.11	21.00	10.01	10.74			10.00	10.00	10.00	10.00
	Interface		1	UDL	ULCC7	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
İ	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface		ļ	UDL	ULCC5	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
1	Unbundled Loop Concentration - Digital 64 Kbps Data Loop		1	UDL	111.000	44.54	04.44	04.00	40.04	40.74			40.00	40.00	40.00	19.99
LINE OTHER E	Interface PROVISIONING ONLY - NO RATE			UDL	ULCC6	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
UNE OTHER, F	NID - Dispatch and Service Order for NID installation		<u> </u>	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	, , , , , , , , , , , , , , , , , , ,			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LIGBEO	0.00	0.00									
+	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDIN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
LUCILCADACI	no rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
	minimum billing period of three months for DS3/STS-1 Local	Loon														-
NOTE.	High Capacity Unbundled Local Loop - DS3 - Per Mile per	СООР														
	month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	ILSIND	13.33										
	Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAKE-U							,									
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								
	Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLP		55.73	55.73								
HIGH EREOUE	queried (Manual). NCY SPECTRUM			UIVIK	UIVIKLP		55.73	55.73								-
	HARING		 								 					+
	TERS-CENTRAL OFFICE BASED		1													1
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity	- 1	<u> </u>	ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		ļ
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)		1	ULS	ULSDG		146.32	31.27					26.94	12.76		1
			1	IULO	IULODG		146.32	31.27			1	i	26.94	12.76	1	1
END II	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	/ SPFC	TRIIM													

Rei Lini Rea Line SPLI END USER Lini Lini Lini Lini Remote S SPLITTER: Rei Rei Rei Res Res Ros Res Res Res Res Res Res Res Res Res Re	R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM IS-REMOTE SITE Smote Site Line Share BellSouth Owned Splitter, 24 Port smote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	Interi m	Zone	ULS ULS ULS ULS ULS ULS	USOC ULSDS ULSCS ULSCC	Rec	Nonrec First 35.42	RATES (\$) urring Add'I	Nonrecurring Disconr	Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Rei Lini Rea Line SPLI END USER Lini Lini Lini Lini Remote S SPLITTER: Rei Rei Rei Res Res Ros Res Res Res Res Res Res Res Res Res Re	parrangement(BST Owned Splitter ne Sharing - per Subsequent Activity per Line parrangement(DLEC Owned Splitter ne Sharing - per Line Activation (DLEC owned Splitter) ITTING R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM RS-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port mote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	- - - - -		ULS ULS UEPSR UEPSB	ULSCS	Rec	First	Add'l			SOMAN		SOMAN	SOMAN	SOMAN
Rei Lini Rea Line SPLI END USER Lini Lini Lini Lini Remote S SPLITTER: Rei Rei Rei Res Res Ros Res Res Res Res Res Res Res Res Res Re	parrangement(BST Owned Splitter ne Sharing - per Subsequent Activity per Line parrangement(DLEC Owned Splitter ne Sharing - per Line Activation (DLEC owned Splitter) ITTING R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM RS-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port mote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	- - - - -		ULS ULS UEPSR UEPSB	ULSCS				FIRST Add	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Rei Lini Rea Line SPLI END USER Lini Lini Lini Lini Remote S SPLITTER: Rei Rei Rei Res Res Ros Res Res Res Res Res Res Res Res Res Re	parrangement(BST Owned Splitter ne Sharing - per Subsequent Activity per Line parrangement(DLEC Owned Splitter ne Sharing - per Line Activation (DLEC owned Splitter) ITTING R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM RS-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port mote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	- - - - -		ULS ULS UEPSR UEPSB	ULSCS		35.42	40.57							
Lin Rei Line Spli END USER Lin Line Line Line Line Remorte Rei Rei Rei Res END USER Rei Res Res Res Res Res Res Res Res Res Res	ne Sharing - per Subsequent Activity per Line sarrangement(DLEC Owned Splitter ne Sharing - per Line Activation (DLEC owned Splitter) ITTING R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM IS-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port mote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	- - - - -		ULS ULS UEPSR UEPSB	ULSCS						1	26.94	12.76		ł .
Lin SPLITER END USER Lin Lin Lin REMOTE S SPLITTER: Rei Rei RS END USER	ne Sharing - per Line Activation (DLEC owned Splitter) ITTING R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM RS-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	- - - - -		ULS UEPSR UEPSB				10.01				20.01	12.70		i
LINE SPLITER OF THE SPLITER OF THE SPLITTER OF	ITTING R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM S-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port mote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	- - - - -		UEPSR UEPSB	ULSCC		35.14	16.29				26.94	12.76		ı
END USER Lin Lin Lin REMOTE S SPLITTER: Rei Rei RS END USER RS RS RS	R ORDERING-CENTRAL OFFICE BASED ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM IS-REMOTE SITE Smote Site Line Share BellSouth Owned Splitter, 24 Port smote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	 				0.61	47.44	19.31			1	26.94	12.76		
Lin Lin REMOTE S SPLITTER: Rei Rei Res END USER RS RS RS	ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM RS-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	 			1						1				
Lin Lin REMOTE S SPLITTER: Rei Rei Res END USER Res RS RS RS	ne Splitting - per line activation BST owned - physical ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM RS-REMOTE SITE mote Site Line Share BellSouth Owned Splitter, 24 Port emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	1			UREOS	0.61				-	+				
Lin REMOTE S SPLITTER: Rei Rei Rei RS END USER Rei RS RS	ne Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM SS-REMOTE SITE emote Site Line Share BellSouth Owned Splitter, 24 Port emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	-	<u> </u>	UEPSR UEPSB	UREBP	0.61	56.92	28.59			+	26.94	12.76		
REMOTE S SPLITTER: Rei Rei RS END USER Rei RS RS	SITÉ HIGH FREQUENCY SPECTRUM IS-REMOTE SITE emote Site Line Share BellSouth Owned Splitter, 24 Port emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	-		UEPSR UEPSB	UREBV	0.61	56.92	28.59			+	26.94	12.76		
SPLITTER: Rei Rei RS END USER RS RS	RS-REMOTE SITE smote Site Line Share BellSouth Owned Splitter, 24 Port emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation		 	OLI ON OLF OD	OILED V	0.01	30.32	20.39		+	1	20.54	12.10		
Rei Rei RS END USER Rei RS RS	emote Site Line Share BellSouth Owned Splitter, 24 Port emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation		t -				1								
Rei RS END USER Rei RS	emote Site Line Share Cable Pair Activation CLEC Owned at S and Deactivation	ı	1	ULS	ULSRB	54.47	113.79	0.00			†	26.94	12.76		i
END USER Rei RS RS			i i		1						1				
Rei RS RS		I	L	ULS	ULSTG		74.38	0.00			<u> </u>	26.94	12.76		<u></u>
RS RS	R ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	/ AKA	REMOT	E SITE LINE SHARI	NG										
RS	emote Site Line Share Line Activationfor End User Served at														
	S, BST Splitter	I		ULS	ULSRC	0.61	56.92	28.59				26.94	12.76		
	S Line Share Line Activation for End User served at RS, CLEC														ł
	olitter De Borne	ı		ULS	ULSTC	0.61	56.92	28.59				26.94	12.76		
	emote Site Line Share Subsequent Activity-RS BST Owned				000		40.74	47.07				00.04	40.70		ł
	olitter emote Site Line Share Subsequent Activity-RS CLEC Owned		<u> </u>	ULS	ULSRS		48.71	17.67			+	26.94	12.76		
	olitter			ULS	ULSTS		48.71	17.67				26.94	12.76		ł
	DICATED TRANSPORT			OLO	OLOTO		40.71	17.07			+	20.34	12.70		
	TEROFFICE CHANNEL DEDICATED TRANSPORT - minimur	m billin	a perio	d - below DS3=one	month, DS3/S	STS-1=four mo	nths				1				
	FICE CHANNEL - DEDICATED TRANSPORT		J												i -
	teroffice Channel - Dedicated Transport - 2-Wire Voice Grade -						İ								
	er Mile per month			U1TVX	1L5XX	0.0125									í
	teroffice Channel - Dedicated Transport- 2- Wire Voice Grade -														í
	acility Termination			U1TVX	U1TV2	18.00	137.48	52.58				38.07	38.07		
	teroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade														ł
	ev Bat Per Mile per month			U1TVX	1L5XX	0.0125					<u> </u>				
	teroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.					40.00									ł
	acility Termination		<u> </u>	U1TVX	U1TR2	18.00	137.48	52.58			+	38.07	38.07		
	teroffice Channel - Dedicated Transport - 4-Wire Voice Grade - er Mile per month			U1TVX	1L5XX	0.0125									í
	teroffice Channel - Dedicated Transport - 4- Wire Voice Grade		1	UTIVA	ILSAA	0.0125					+				
	Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95				22.32	22.32		i
	teroffice Channel - Dedicated Transport - 56 kbps - per mile		†		1			55.55			†	22.02			
	er month			U1TDX	1L5XX	0.0282									i
Inte	teroffice Channel - Dedicated Transport - 56 kbps - Facility														i
	ermination		<u> </u>	U1TDX	U1TD5	17.40	137.48	52.58				38.07	38.07		
	teroffice Channel - Dedicated Transport - 64 kbps - per mile														i
	er month		<u> </u>	U1TDX	1L5XX	0.0282					1				——
	teroffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATEDO	47.0	407.10	50.50				00.07	00.0=		ı
	ermination teroffice Channel - Dedicated Channel - DS1 - Per Mile per		 	U1TDX	U1TD6	17.40	137.48	52.58			+	38.07	38.07		
	teroffice Channel - Dedicated Channel - DS1 - Per Mile per conth			U1TD1	1L5XX	0.5753									i
	teroffice Channel - Dedicated Tranport - DS1 - Facility		!	01101	ILUAA	0.5755	+			+	 				
	ermination			U1TD1	U1TF1	71.29	217.17	163.75			1	38.07	38.07		1
	teroffice Channel - Dedicated Transport - DS3 - Per Mile per		1		1	20		7000				33.57	55.51		i
	onth			U1TD3	1L5XX	12.98					1				1
Intr	teroffice Channel - Dedicated Transport - DS3 - Facility						1				Ì				i
	ermination per month			U1TD3	U1TF3	720.38	794.94	579.55				91.26	91.26		
	teroffice Channel - Dedicated Transport - STS-1 - Per Mile per						\neg								
	onth OTO 4 Feeting		<u> </u>	U1TS1	1L5XX	6.14					1				
	teroffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	U1TFS	790.37	642.23	408.89			1	53.48	53.48		ł

UNBL	JNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
	1					+		Nonrec	urring	Nonrecurring Di	isconnect		l	OSS	Rates(\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ng perio	d = be	low DS3=one month	n, DS3/STS-1	=four months										
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1		1	ULDVX	ULDV2	11.24	553.80	89.69					42.17	12.76		
	1	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	19.91	553.80	89.69					42.17	12.76		
	i –	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	ULDVX	ULDV2	31.70	553.80	89.69					42.17	12.76		
	i –	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX	ULDV4	12.03	562.23	92.67					42.17	12.76		
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX	ULDV4	21.33	562.23	92.67					42.17	12.76		
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	ULDVX	ULDV4	33.95	562.23	92.67					42.17	12.76		
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	27.05	534.48	462.69	i i				86.15	1.77		
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	47.94	534.48	462.69	i i				86.15	1.77		
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	76.32	534.48	462.69	i i				86.15	1.77		
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	0.9954			i i							
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	298.92	562.25	527.88	i i				56.25	56.25		
	1	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	0.9954										
	Ì	Local Channel - Dedicated - STS-1 - Facility Termination	Ì		ULDS1	ULDFS	286.13	1,071.00	646.12					53.48	53.48		
DARK	FIBER	,	Ì														
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF	1L5DC	64.04										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,347.00	279.87								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						·									
		Thereof per month - Interoffice Channel			UDF	1L5DF	27.71										
	1	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807.00	562.96								
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						·									
		Thereof per month - Local Loop			UDF	1L5DL	64.04										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1,347.00	279.87								
8XX A	CCESS	TEN DIGIT SCREENING						·									
		8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	i –	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		7.05	0.96					26.94			
	i –	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			23.82	2.73					41.35			
	i –	8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		23.82	2.73					41.35			
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		5.63	2.82								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96	i i				26.94			
	Ì	8XX Access Ten Digit Screening, Call Handling and Destination	Ì														
	1	Features	1		OHD	N8FDX		5.63									
LINE II	NFORM	ATION DATA BASE ACCESS (LIDB)	Ì														
		LIDB Common Transport Per Query			OQT		0.00003			i i							
		LIDB Validation Per Query			OQU		0.0134			i i							
	1	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62.26						26.94	26.94		
SIGNA	LING (C				1												
	1	CCS7 Signaling Connection, Per link (A link)	Ì		UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
		CCS7 Signaling Connection, Per link (B link) (also known as D								i i							
		link)	l		UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	i i	CCS7 Signaling Termination, Per STP Port	Ì		UDB	PT8SX	132.83										
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004			i i							
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009	İ									
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
		CCS7 Signaling Point Code, per Originating Point Code						İ									
	1	Establishment or Change, per STP affected	1		UDB	CCAPO		40.00	40.00					19.99	19.99		
		CCS7 Signaling Point Code, per Destination Point Code	Ì														
	1	Establishment or Change, Per Stp Affected	1		UDB	CCAPD		8.00	8.00					19.99	19.99		
E911 S	SERVICE									i i							
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11.24	553.80	89.69					42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	1	2	1		19.91	553.80	89.69					42.17	12.76		

UNBUNDLE	NETWORK ELEMENTS - North Carolina												ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitte Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring Disconr				Rates(\$)		
							First	Add'l	First Add	I SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
ļ	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69				42.17	12.76		ļ
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282					1				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					18.00	137.48	52.58				38.07	38.07		
	Local Channel - Dedicated - DS1 - Zone 1		1			27.05	534.48	462.69			ļ	86.15	1.77		ļ
	Local Channel - Dedicated - DS1 - Zone 2		2		_	47.94 76.32	534.48 534.48	462.69 462.69			1	86.15	1.77 1.77		<u> </u>
	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile		3		-	0.5753	534.48	462.69			-	86.15	1.77		+
	Interoffice Transport - Dedicated - DST Per Mile				+	0.5753					+	-		-	-
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75				38.07	38.07		
CALLING NAM	E (CNAM) SERVICE		ļ	001/	_		75.00				1			1	
 	CNAM For DB Owners - Service Establishment		 	OQV OQV	+		75.62 75.62				+	-		 	
 	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	-	 	UUV	+	-	/5.02			_	+	 	-	 	
	Establishment (Initial)			oqv			2,354.00	2,354.00							
	CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent)			oqv			1,739.00	1,739.00							
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)			OQV			1,072.00	1,072.00							
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)			OQV			768.44	768.44							
	CNAM for DB & Non DB Owners, Per Query			OQV		0.0009592									
LNP Query Ser															
	LNP Charge Per query			OQV		0.00084									
	LNP Service Establishment Manual			OQV			41.25								
	LNP Service Provisioning with Point Code Establishment (Initial)			OQV			1,563.00	1,563.00							
	LNP Service Provisioning with Point Code Establishment (Subsequent)			OQV			883.99	883.99							
OPERATOR CA	ALL PROCESSING			04.			000.00	000.00			1				
	Oper. Call Processing - Oper. Provided, Per Min Using BST														
	LIDB					1.20									
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24									
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20									
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0,20									
INWARD OPER	ATOR SERVICES					0.20					1			1	<u> </u>
	Inward Operator Services - Verification, Per Minute					1.15									
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15									
BRANDING - O	PERATOR CALL PROCESSING		i –									1	İ	1	
	based CLEC		i –												
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				26.94	12.76		
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				26.94	12.76		
UNEP (1													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				26.94	12.76		
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				26.94	12.76		
Unbran	ding via OLNS for UNEP CLEC	1	i –		1	1	,				1			1	
	Loading of OA per OCN (Regional)		i –				1,200.00	1,200.00				26.94	12.76		
DIRECTORY AS	SSISTANCE SERVICES														
	TORY ASSISTANCE ACCESS SERVICE														
	Directory Assistance Access Service Calls, Charge Per Call					0.275									
	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)	<u> </u>		1							ļ		1	<u> </u>
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.062									

UNBU	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIRECT		SSISTANCE SERVICES															
-		TORY ASSISTANCE DATA BASE SERVICE (DADS)		-			0.04										
-		Directory Assistance Data Base Service Charge Per Listing				DDCOE	0.04 150.00										
DDAND		Directory Assistance Data Base Service, per month				DBSOF	150.00										-
DRANL		Based CLEC		1		+											-
	Гаспіц	Recording and Provisioning of DA Custom Branded															
		Announcement			AMT	CBADA		3,000.00	3,000.00					26.94	12.76		
		Loading of Custom Branded Announcement per Switch per			,	02/12/1		0,000.00	0,000.00					20.01	12.10		1
		OCN			AMT	CBADC		1,170.00	1,170.00					26.94	12.76		1
	UNEP C					1		,	,	1		İ				l	1
		Recording of DA Custom Branded Announcement				1		3,000.00	3,000.00					26.94	12.76		
		Loading of DA Custom Branded Announcement per Switch per															
		OCN		<u> </u>				1,170.00	1,170.00					26.94	12.76		
	Unbran	ding via OLNS for UNEP CLEC															
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00		•			26.94	12.76		
		Loading of DA per Switch per OCN						16.00	16.00					26.94	12.76		
SELEC	TIVE RC																
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch				USRCR		82.25	82.25	14.14	14.14			26.94	12.76		
VIRTU		OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
DUIVOIC		Splitting			UEPSR, UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
PHYSIC		LOCATION		-													
		Physical Collocation-2 Wire Cross Connects (Loop) for Line			HEDOD HEDOD	DE4LC	0.0000	22.52	24.05	20.20	24.44			19.99	40.00		
AINI CE		Splitting E CARRIER ROUTING			UEPSR, UEPSB	PE1LS	0.0309	33.53	31.65	36.29	34.41			19.99	19.99		
AIN SE		Regional Service Establishment		1	SRC	SRCEC		215,597.00									-
-		End Office Establishment			SRC	SRCEO		347.27		1							
		Query NRC, per query		1	SRC	OROLO	0.0053758	047.27									
AIN - B		JTH AIN SMS ACCESS SERVICE			Orto		0.0000700										
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup		ļ	A1N	CAMSE		294.77									
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
—	\vdash	AIN SMS Access Service - Port Connection - Dial/Snared Access AIN SMS Access Service - Port Connection - ISDN Access		†	A1N	CAM1P		86.94		 					l	l	t
—		AIN SMS Access Service - For Confriction - ISBN Access AIN SMS Access Service - User Identification Codes - Per User		†	/ 1114	JAWIII		00.54				 					
		ID Code			A1N	CAMAU		200.83									
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		172.05									
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
		AIN SMS Access Service - Session, Per Minute				ļ	0.0791								ļ	ļ	1
		AIN SMS Access Service - Company Performed Session, Per															1
A18: -		Minute				1	2.08										-
AIN - B		JTH AIN TOOLKIT SERVICE		-		1											
		AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	BARCO		200.05				1					I
—	\vdash	Initial Setup AIN Toolkit Service - Training Session, Per Customer	-	 	CAM	BAPSC BAPVX		290.05 8,363.00				-			 	 	
—		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	 		DAF VA		0,303.00				-			 	 	
		DN, Term. Attempt				BAPTT		72.76									1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						12.10									t
		DN, Off-Hook Delay				BAPTD		72.76									1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1		0				İ			İ	İ	1
		DN, Off-Hook Immediate				BAPTM		72.76									1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				İ				1		İ			l	l	1
L		DN, 10-Digit PODP		L		BAPTO		149.95		<u> </u>		<u> </u>					<u> </u>
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP				BAPTC		149.95									

UNB	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	l ·	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							Rec	Nonred		Nonrecurring					Rates(\$)		
-	<u> </u>	AIN TO BE OF THE PROPERTY OF T				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		149.95									
-	-	AIN Toolkit Service - Query Charge, Per Query				BAPIF	0.02	149.95				 					
-	-	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.02					 					
		Subscription, Per Node, Per Query					0.005										
-		AIN Toolkit Service - SCP Storage Charge, Per SMS Access				+	0.003					<u> </u>		1	1		
		Account, Per 100 Kilobytes					1.45										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.40					i e					
		Subscription			CAM	BAPMS	15.98	71.80									
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service										İ					
		Subscription			CAM	BAPLS	0.08	47.20									1
	i –	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		i –								İ		1	1		
		Subscription			CAM	BAPDS	15.90	71.80									
	i –	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		i –		1						İ		1	1		
		Service Subscription			CAM	BAPES	0.003	47.20									
ENHA		XTENDED LINK (EELs)															
		The monthly recurring and non-recurring charges below will a															
		The monthly recurring and the Switch-As-Is Charge and not the				will apply for	EELs provision	ed as ' Curren	tly Combined'	Network Eleme	ents.						
		Minimum billing is one month for DS1 and below and three m															
	2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
		Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		_													
	ļ	Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed					40.04		400 =0								
-	<u> </u>	Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56			1					
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.5750										
-	<u> </u>	per month Interoffice Transport - Dedicated - DS1 combination - Facility		1	UNCIX	ILSAA	0.5753					-	-				
		Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
-	-	DS1 Channelization System Per Month			UNC1X	MQ1	146.69	197.78	140.06			 		38.07	38.07		
	<u> </u>	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		-	UNCVX	1D1VG	1.27	13.09	9.38			1		38.07	38.07		
-		Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVA	IDIVG	1.21	13.09	9.30			<u> </u>		36.07	36.07		
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	<u> </u>	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>	ONOVA	OLITICE	14.07	142.07	100.00			†					
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1				J	20.00	172.07	100.00		1			1	1		
1		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								1
	1	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ť		1				İ	İ			İ	İ	İ	
1		per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		1
	i –	Nonrecurring Currently Combined Network Elements Switch -As-		i –								İ					
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
L	<u></u>	Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45	<u></u>						<u> </u>	
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	ļ	Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			l	1											1
	ļ	Per Month		ļ	UNC1X	1L5XX	0.5753										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per					_,										
	<u> </u>	Month		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75			ļ		38.07	38.07		
		Channelization - Channel System DS1 to DS0 combination Per			LINICAY	l _{MO4}	1 10 00	107.70	110.00					00.5	00.0-		1
—	!	Month		<u> </u>	UNC1X	MQ1	146.69	197.78	140.06	-	 	ļ		38.07	38.07	 	
		Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCVX	1D1VG	1.27	40.00	0.00					38.07	38.07		1
—	1	per month Additional 4-Wire Analog Voice Grade Loop in same DS1	-	 	ONCVA	IDIVG	1.27	13.09	9.38			 	-	38.07	38.07		-
				4	UNCVX	UEAL4	21.32	288.47	237.45								1
	1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	∠88.47	231.45		1	<u> </u>					L

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	oit: B
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	, l	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	'	RATE ELEMENTS	m	Zone	B03	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
		Interoffice Transport Combination - Zone 2	-	2	UNCVX	UEAL4	36.27	288.47	237.45			-					
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	_	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ŭ	ONOVA	OL/ IL-I	00.07	200.47	201.40								
		per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-V	VIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	1											
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
 		First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		-	UNCDA	UDL36	25.32	409.04	337.31								
		Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			-												
		Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
———		Per Month			UNC1X	1L5XX	0.5753										
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
-		Channelization - Channel System DS1 to DS0 combination Per		-	UNCIX	UTIFT	71.29	217.17	163.75					36.07	30.07		
		Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			ONODX	ODESO	40.11	403.04	337.31								
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		OCU-DP COCI (data) - DS1 to DS0 Channel System -															
		combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAN	1111000		04.75	04.75	00.00	40.00			00.07	00.07		
4-14	VIDE	IS Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTED	EEICE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
14-1	*IIVE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	MIEK	, FICE	INANOFORI (EEL)	+						-					
		Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice										1					
		Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINODY	LIDIOA	07.00	400.01	007								
+	-	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	67.26	489.04	337.51								
		Per Month			UNC1X	1L5XX	0.5753										
		Interoffice Transport - Dedicated - DS1 combination - Facility					3.0700					l					
	_	Termination Per Month	<u></u>		UNC1X	U1TF1	71.29	217.17	163.75		<u></u>	<u></u>	<u> </u>	38.07	38.07		
		Channelization - Channel System DS1 to DS0 combination Per															
	_	Month	ļ		UNC1X	MQ1	146.69	197.78	140.06			1		38.07	38.07		
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
\vdash	-	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	 	<u> </u>	OINCDA	טטוטו	∠.∪0	15.76	11.28			-	-	38.07	38.07		
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		Ė													
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	Ī	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_								I					
\vdash	_	Interoffice Transport Combination - Zone 3	!	3	UNCDX	UDL64	67.26	489.04	337.51								
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	\dashv	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-	-		OIYODA	טטוטו	2.00	15.76	11.28			 		30.07	30.07		
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-V	VIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TRA	ANSPORT (EEL)												

CATEGORY RATE ELEMENTS Interim Cone BCS USC RATES (\$) Submitted Elec per LSR Elec E	ental Incremental Charge - Svc Manual Svc Order vs. Electronic- Disc 1st	Charge -
CATEGORY RATE ELEMENTS Interim m	Svc Manual Svc Order vs. Electronic-Disc 1st) AN SOMAN	Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS	vs. Order vs. Electronic-Disc 1st) AN SOMAN SOMAN	Order vs. Electronic- Disc Add'l
Rec	Disc 1st AN SOMAN SOMAN	Electronic- Disc Add'l
Some	Disc 1st) AN SOMAN 88.07	Disc Add'l
A-Wire DS1 Digital Loop in Combination with DS1 Interoffice 1 UNC1X) SOMAN SOMAN	
A-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	AN SOMAN	SOMAN
## 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 1	38.07	SOMAN
Transport - Zone 1		
A-Wire DS1 Digital Loop in Combination with DS1 Interoffice 2 UNC1X		
Transport - Zone 2		
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Decidated - DS1 combination - Per Mile Per Month UNC1X USLXX 0.5753		
Transport - Zone 3		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X		
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X		
Termination Per Month		
Nonrecurring Currently Combined Network Elements Switch -As UNC1X		
Is Charge	8.07	
A-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)		1
First DS1Loop in DS3 Interoffice Transport Combination - Zone		1
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 UNC1X		
2 UNC1X		
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 134.29 714.84 421.47 Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 12.98 Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 720.38 794.94 579.55 DS3 to DS1 Channel System combination per month UNC3X MQ3 233.10 403.97 234.40 38.07 DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 16.07 13.09 9.38 1 38.07 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 UNC1X USLXX 47.60 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 134.29 714.84 421.47 DS3 Interface Unit (DS1 COCI) combination per month UNC1X USLXX 134.29 714.84 421.47 DS3 Interface Unit (DS1 COCI) combination per month UNC1X USLXX 134.29 714.84 421.47 DS3 Interface Unit (DS1 COCI) combination per month UNC1X USLXX USLXX 134.29 714.84 421.47 DS3 Interface Unit (DS1 COCI) combination per month UNC1X USLXX USLXX 134.29 714.84 421.47 DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 16.07 13.09 9.38 UNC1X USLXX 134.29 714.84 421.47 DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 16.07 13.09 9.38 UNC3X UNCCC 21.75 21.75 32.28 10.96 38.07 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)		
3 UNC1X USLXX 134.29 714.84 421.47	$\overline{}$	+
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 12.98		
Per Month UNC3X 1L5XX 12.98	-	1
month		
DS3 to DS1 Channel System combination per month		
DS3 Interface Unit (DS1 COCI) combination per month	38.07	
Additional DS1Loop in DS3 Interoffice Transport Combination - 1 UNC1X USLXX 47.60 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 84.36 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 84.36 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 134.29 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 134.29 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport DS3 Interoffice Transport UNC1X USLXX 134.29 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport DS3 Interoffice Transport UNC1X USLXX 134.29 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport DS3 Interoffice Transport DS3 Interoffice Transport UNC1X USLXX 134.29 714.84 421.47 Additional DS1Loop in DS3 Interoffice Transport DS3 Interoffice Transport DS3 Interoffice Transport DS3 Interoffice Transport DS3 Interoffice Transport DS3 Interoffice Transport DS3 Interoffice Transport DS4 Interoffice Transport DS4 Interoffice Transport DS5 Interoffice Transport DS5 Interoffice Transport DS5 Interoffice Transport DS5 Interoffice Transport DS5 Interoffice Transport DS6 Int	88.07	
Zone 1	88.07	+
Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 84.36 714.84 421.47		
Additional DS1Loop in DS3 Interoffice Transport Combination -	+	t
Zone 3 3 UNC1X		
DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 16.07 13.09 9.38 38.07 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) 2-WireVG Loop used with 2-wire VG Interoffice Transport		
Nonrecurring Currently Combined Network Elements Switch -As- UNCCC Section 21.75 Secti	0.07	
Is Charge	88.07	+
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) 2-WireVG Loop used with 2-wire VG Interoffice Transport	38.07	
		t
Combination - Zone 1 1 UNCVX UEAL2 14.97 142.97 106.56		1
2-WireVG Loop used with 2-wire VG Interoffice Transport UEAL2 25.93 142.97 106.56		
Combination - Zone 2 2 UNCVX UEAL2 25.93 142.97 106.56	$\overline{}$	1
2-vivie v3		
Interoffice Transport - Dedicated - 2-wire VG combination - Per		
Mile Per Month UNCVX 1L5XX 0.0282		
Interoffice Transport - Dedicated - 2- Wire Voice Grade		
combination - Facility Termination per month UNCVX U1TV2 18.00 137.48 52.58 38.07 Nonrecurring Currently Combined Network Elements Switch -As-	88.07	1
	38.07	
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)		
4-WireVG Loop used with 4-wire VG Interoffice Transport		
Combination - Zone 1 1 UNCVX UEAL4 21.32 288.47 237.45		
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 2 LINCVX LIFAL4 36.27 288.47 237.45		
Combination - Zone 2 2 UNCVX UEAL4 36.27 288.47 237.45 4-WireVG Loop used with 4-wire VG Interoffice Transport		
4-villevS coop used with 4-wine vS interioritie Harisport Combination - Zone 3 3 UNCVX UEAL4 56.57 288.47 237.45		
Interoffice Transport - Dedicated - 4-wire VG combination - Per		
Mile Per Month UNCVX 1L5XX 0.0282		1
Interoffice Transport - Dedicated - 4- Wire Voice Grade		<u> </u>
	38.07	

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		1					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	I.	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-									40.00						ĺ
DS3 I	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIO	F TRA	NSPOR	UNCVX	UNCCC	-	21.75	21.75	32.28	10.96			38.07	38.07		
100.	High Capacity Unbundled Local Loop - DS3 combination - Per	I IKA	10. 0.0	. ()												
	Mile per month			UNC3X	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12					38.07	38.07		i l
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98	1,071.00	040.12					30.07	30.07		
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-	ļ		UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE T	RANSPO	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	13.33										i I
	High Capacity Unbundled Local Loop - STS1 combination -			UNCOX	TESIND	13.33										
	Facility Termination per month			UNCSX	UDLS1	464.26	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6.14										i l
	Interoffice Transport - Dedicated - STS1 combination - Facility			011007	TESTA	0.14										
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)	UNCOX	UNCCC		21.75	21.73	32.20	10.50			30.07	36.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
 	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	19.42	325.91	251.31								
	Transport - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								i l
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
 	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	51.14 0.5753	325.91	251.31								
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TLOAK	0.5755										
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		i l
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			ONOTA	IVIQ I	140.00	107.70	140.00					00.07	00.07		
	combination - per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								i l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	32.88	325.91	251.31								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								i I
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		Ť													
	combination- per month	ļ	ļ	UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i I
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE TI				20	20	02.20				55.57	33.37		
	First DS1 Loop in STS1 Interoffice Transport Combination -		_	LINCAV	LICL VV	47.00	74404	404.47								
	Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination -	 	1	UNC1X	USLXX	47.60	714.84	421.47								
	Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								i I
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	1	3	UNCIA	USLAA	134.29	/ 14.84	421.47								
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	790.37	642,23	408.89					38.07	38.07		į l
	STS1 to DS1 Channel System conbination per month	†	 	UNCSX	MQ3	233.10	403.97	234.40					38.07	38.07		\vdash
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	233.10	403.97	234.40					38.07	38.07		

UNBUNE	OLFC	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	ibit: B
3.150110		Jill Elemento Nottii Galoinia										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGOR	RΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									P = 0 = 0 = 1	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>								N		T. N	D'						
\vdash			-			+	Rec	Nonred		Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
\vdash	-	DS3 Interface Unit (DS1 COCI) combination per month	-	1	UNC1X	UC1D1	16.07	First 13.09	Add'l 9.38	FIRST	Add'l	SOMEC	SUMAN	38.07	38.07	SUMAN	SUMAN
\vdash		Additional DS1Loop in STS1 Interoffice Transport Combination -			UNCIX	OCIDI	10.07	13.09	9.30			†		36.07	36.07		
		Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
		Additional DS1Loop in STS1 Interoffice Transport Combination -		<u> </u>	0.1017	002/01						i e					
		Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	-	Additional DS1Loop in STS1 Interoffice Transport Combination -															
		Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
4.		IS Charge 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FEIOE 3	D 4 1 10 1	UNCSX	UNCCC		21.75	21.75	32.28	10.96	ļ		38.07	38.07		
4-V		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE I	KANSI	ORI (EEL)	+									-		<u> </u>
		4-wire 56 kbps Loop/4-wire 56 kbps interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	25.32	489.04	337.51						I		
\vdash		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	 	+ '-	CODA	JULUU	20.02	403.04	337.31	+		†			t		
		Combination - Zone 2	1	2	UNCDX	UDL56	43.11	489.04	337.51						I		
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport								1		Ì	İ		1	ĺ	
		Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	67.26	489.04	337.51					<u> </u>			
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile			UNCDX	1L5XX	0.0282										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination			UNCDX	U1TD5	17.40	137.48	52.58			ļ		38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-V		IS Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE 1	DANG		UNCCC		21.75	21.75	32.28	10.96	.		38.07	38.07		-
4-4		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	KANSI	OKT (EEL)	1									 		
		Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport										İ					
		Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
\vdash		Per Mile	-		UNCDX	1L5XX	0.0282					1			1		<u> </u>
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	OTIDO	17.40	137.40	32.30					36.07	36.07		
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
ADDITION	AL N	ETWORK ELEMENTS										İ					
Wh	hen u	sed as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
		sed as ordinarily combined network elements in All States, t					As Is Charge of	loes not.									
No		urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											_
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCV	LINICCO		21.75	04.75	20.00	40.00			20.07	20.07		
\vdash		Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-	1	-	UNCVX	UNCCC		21.75	21.75	32.28	10.96	1		38.07	38.07	-	
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-		t	CODA	311000		21.73	21.73	32.20	10.30	†		30.07	30.07		
		Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1					-				İ				1	
oxdot		ls Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-															
\vdash		ls Charge - STS1	<u> </u>		UNCSX	UNCCC		21.75	21.75	32.28	10.96	ļ		38.07	38.07		ļ
NO		Local Channel - Dedicated Transport - minimum billing perior	d - Belo					550.00	00.00					-	 		
$\vdash \vdash$		Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Zone 2	1	1 2	UNCVX UNCVX	ULDV2 ULDV2	11.24 19.91	553.80 553.80	89.69 89.69	1		1		-	 	-	
$\vdash \vdash$		Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3	1	3	UNCVX	ULDV2	31.70	553.80	89.69 89.69	1		1		-	 	-	
\vdash		Local Channel - Dedicated - 4-Wire Voice Grade - 20ne 3	 		UNCVX	ULDV4	12.03	562.23	92.67	1		1		 	 	 	
\vdash		Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade Zone 2	l –		UNCVX	ULDV4	21.33	562.23	92.67	1				1	1	1	
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNCVX	ULDV4	33.95	562.23	92.67								
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	27.05	534.48	462.69								
		Local Channel - Dedicated -DS1 Per Month Zone 2	ľ	2	UNC1X	ULDF1	47.94	534.48	462.69								

UNBL	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
0.1.2												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonrec	urring	Nonrecurring Disc	onnect			oss	Rates(\$)		
							Rec	First	Add'l		Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	76.32	534.48	462.69								
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	0.9954										
	ļ	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	298.92	562.25	527.88								
	-	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination		<u> </u>	UNCSX	1L5NC ULDFS	0.9954 286.13	1,071.00	646.12								
	Ontion	al Features & Functions:		1	UNCOX	OLDI 3	200.13	1,07 1.00	040.12								
	0 0 1.0	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		65.07						26.94	12.76		
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		50.07						26.94	12.76		
-		PLEXERS minimum billing period is one month for DS1 to DS0 Channel	Custon			1					-						
		minimum billing period is one month for DS1 to DS0 Channel minimum billing period is three months for DS3 to DS1 Channel				1					+						
 		DS1 to DS0 Channel System (with the higher-level connected to		απ		+	+										;
1		a collocation in the same SWC) per month			UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		.
		DS1 to DS0 Channel System (used to channelize a DS1 Local									Ì						
		Channel) per month			ULDD1	MQ1	146.69	197.78	140.06					24.85	8.16		
		DS1 to DS0 Channel System (used to channelize a DS1															
-	1	Interoffice Channel) per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	-	-	U1TD1	MQ1	146.69	197.78	140.06		-			24.85	8.16		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
	1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	2.00	13.03	3.30					24.00	0.10		
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38					24.85	8.16		
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per									ĺ						
	ļ	month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38					24.85	8.16		
	 	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	ОТТОВ	OCTOA	3.33	13.03	3.30					24.00	0.10		
		used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38					24.85	8.16		
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
	ļ	same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38					24.85	8.16		
		DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
-	1	DS3 to DS1 Channel System (used to channelize a DS3 Local		<u> </u>	UNIDS	IVIQS	233.10	403.97	234.40					24.70	1.42		
		Channel) per month			ULDD3	MQ3	233.10	403.97	234.40					38.07	38.07		
	i –	DS3 to DS1 Channel System (used to channelize a DS3				İ			-					_			
	<u> </u>	Interoffice Channel per month			U1TD3	MQ3	233.10	403.97	234.40					38.07	38.07		,
		STS-1 to DS1 Channel System (with the higher level connected			LIVTOA	1400	000.40	400.0=	204.42					00.0=	00.0=		,
-	 	to a collocation in the same SWC) per month STS-1 to DS1 Channel System (used to channelize a STS-1	-	-	UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
1		Local Channel) per month			ULDS1	MQ3	233.10	403.97	234.40					38.07	38.07		,
	t	STS-1 to DS1 Channel System (used to channelize a STS-1				1	2000		20 10					00.01	00.01		
	<u> </u>	Interoffice Channel) per month			U1TS1	MQ3	233.10	403.97	234.40					38.07	38.07		<u>. </u>
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38					24.85	8.16		
1		DS1 COCI (used for connection to a channelized DS1 Local			LIATLIA	LIC4E4	10.00	40.00	0.00					04.0-	0.40		,
-	 	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month	-	-	U1TUA U1TD1	UC1D1 UC1D1	16.07 16.07	13.09 13.09	9.38 9.38					24.85 24.85	8.16 8.16		
-	Sub-L	pop Feeder			וטווטו	00101	16.07	13.09	9.38		-			24.00	0.10		
	300 20	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	35.65	393.01	153.37		1						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	63.18	393.01	153.37								
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	100.58	393.01	153.37								
UNBUI		OCAL EXCHANGE SWITCHING(PORTS)				1											
-		nge Ports Although the Port Rate includes all available features in GA, i	KV 1 4	1 147 0	an decired factures	uill nead to	he erdered	a rotoil UCCO			-						
-		EVOICE GRADE LINE PORT RATES (RES)	Rτ, LΑ	ox IIN,tl	ie desired reatures	will need to I	De Oraerea USIN	ig retail USOCS	•		+						
-	Z-441/VE	Exchange Ports - 2-Wire Analog Line Port- Res.		 	UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
						, ,		200	50	ı							

UNBUND	DLE	NETWORK ELEMENTS - North Carolina										Г-	r -		ment: 2		bit: B
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001441	001111
\vdash						+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLI OK	OLI AI	2.13	21.00	21.00					20.34	12.70		
		Capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FE.	ATU				LIEDOD	LIED) (E	0.40	0.00	0.00					00.04	40.70		
2-V		All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)		1	UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
Z-V	WIKE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1		+											
		Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
1		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FE	EATU																
		All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EX		NGE PORT RATES (DID & PBX)		1	LIEDOE	LIEDDD	0.40	04.00	04.00					00.04	40.70		
	_	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		-	UEPSE UEPSP	UEPRD UEPPC	2.18 2.18	21.60 21.60	21.60 21.60					26.94 26.94	12.76 12.76		
	_	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		+	UEPSP	UEPPO	2.18	21.60	21.60			 		26.94	12.76		
-+		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	2.18	21.60	21.60			†		26.94	12.76		
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60			i e		26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		ļ	UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
.		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIED.		24.25									
-+		Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
		Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
		Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60				<u></u>	26.94	12.76	<u> </u>	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		
FE.	ATU				LIEDOD LIEDOE	LIED) (E	0.10	0.00	0.00					00.01	40 =0		
FV		All Available Vertical Features NGE PORT RATES (COIN)		 	UEPSP UEPSE	UEPVF	3.40	0.00	0.00			1		26.94	12.76		
EX		Exchange Ports - Coin Port		1		+	2.59	21.60	21.60		-	1		26.94	12.76	-	
NC		Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to o	circuit switche				ission by B-Ch	nannels assoc	iated with 2	wire ISDN r		12.70		
NO	OTE:	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
UNBUNDLI	ED L	OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES											, , , ,				
F^	CHA	Exchange Ports - 2-Wire DID Port		+	UEPEX	UEPP2	12.36	81.84	81.84					26.94	12.76		
		Exchange Ports - 2-Wife DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	123.65	116.59	69.92					26.94	12.76		
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)		+	UEPTX UEPSX	U1PMA	24.50	62.29	62.29			1		55.30	55.30	l	
		Exchange Ports - 2-Wire ISDN Port (See Notes below)															

LIMBUR	IDI E	NETWORK ELEMENTS North Corolina												A441		F. 4.11	D
UNBU	IDLEL	NETWORK ELEMENTS - North Carolina				1	1								ment: 2		bit: B
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		Transmission/usage charges associated with POTS circuit sv															
1	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only						lities will be d	etermined via t	he Bona Fic	le Request/	New Business	s Request Pro	cess.	<u> </u>
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								1
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
U	JNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service, Local Calling - Res	1	1	UEPVR	UERLC	2.19	21.60	21.60			I	1	26.94	12.76		1
		Unbundled Remote Call Forwarding Service, InterLATA - Res	Ì		UEPVR	UERTE	2.19	21.60	21.60				l	26.94	12.76		
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60	ĺ	1	ĺ	1	26.94	12.76		
	lon-Re	curring	i	1								ĺ	l				
		Unbundled Remote Call Forwarding Service - Conversion -	i –			İ	i			İ		i	i		İ		$\overline{}$
		Switch-as-is	1	1	UEPVR	USAC2]	2.77	0.40			I	1	26.94	12.76		1
h +		Unbundled Remote Call Forwarding Service - Conversion with	-		OL: VIX	00/102		2	0.10					20.01	12.70		
		allowed change (PIC and LPIC)	l		UEPVR	USACC		2.77	0.40								1
 	INIDIIN	DLED REMOTE CALL FORWARDING - Bus			OLI VIX	OOACC		2.11	0.40								
	NOON	DEED REMOTE CALL FORWARDING - Bus									1						
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		1 1
-		Official Refficie Call Forwarding Service, Area Calling - Bus			UEFVB	UERAC	2.19	21.00	21.00					20.94	12.70		—
					LIED/D	LIEDLO	0.40	04.00	04.00					00.04	40.70		1 1
-		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		\vdash
-		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		\longleftarrow
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service Expanded and															1
		Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		igsquare
	lon-Re	curring															igsquare
		Unbundled Remote Call Forwarding Service - Conversion -															1 1
		Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
		Unbundled Remote Call Forwarding Service - Conversion with															1
		allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								i
		OCAL SWITCHING, PORT USAGE															<u> </u>
E	nd Off	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0015										
		End Office Trunk Port - Shared, Per MOU					0.00023										
	anden	Switching (Port Usage) (Local or Access Tandem)					ĺ			Î							
		Tandem Switching Function Per MOU					0.0006										
		Tandem Trunk Port - Shared, Per MOU					0.0003										
		n Transport	Ì										l		İ		
		Common Transport - Per Mile, Per MOU	i	1			0.00001					ĺ	l		İ		
		Common Transport - Facilities Termination Per MOU	1	1		İ	0.00034			İ	1				İ		
UNBUNI	LED P	ORT/LOOP COMBINATIONS - COST BASED RATES				İ				İ		İ			İ		
		ised Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	nmission rule to pro	ovide Unbun	dled Local Swit	ching or Swite	h Ports.	1	1	i e	i		i e		\Box
		s shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit			i		
		ice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
		t and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Citting Ci	1111011116	a Johnson For Gull	Contract Control	III CONTINUS II	is nomecunilly	y onanyes sild	56 11036 106	eu iii iiie N	- mecurring	Junendy	Combined St			
		rt/Loop Combination Rates		-		 				 	 	+			 		
 	, FU	2-Wire VG Loop/Port Combo - Zone 1	 	-1		1	13.03			1	1	 	 		1		$\overline{}$
\vdash		2-Wire VG Loop/Port Combo - Zone 2	 	2		}	21.33			 	-	 	 		 		
\vdash		2-Wire VG Loop/Port Combo - Zone 2	 	3		}	32.61			 	-	 	 		 		
 		op Rates	-	3		1	3∠.01			-	1		 		-		
	INE LO		!	1	UEPRX	UEPLX	10.75				1	-	-				
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1	 								-						
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPRX	UEPLX	19.05				1	.					\vdash
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33				ļ		ļ				\longleftarrow
2	-Wire	Voice Grade Line Port Rates (Res)			UEBBY .	LIEBE:					ļ		ļ				\vdash
		2-Wire voice unbundled port - residence	ļ		UEPRX	UEPRL	2.28	79.59	63.97			ļ		40.18	9.45		\vdash
-		2-Wire voice unbundled port with Caller ID - res	ļ		UEPRX	UEPRC	2.28	79.59	63.97			ļ		40.18	9.45		\longrightarrow
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.28	79.59	63.97	1				40.18	9.45		

ONRONDLE	D NETWORK ELEMENTS - North Carolina			1							_		Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring D					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	63.97					40.18	9.45		
-	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPAP	2.28	79.59	63.97					40.18	9.45		1
	Capability			UEPRX	UEPRT	2.28	79.59	63.97					40.18	9.45		
FEATU																
	All Features Offered			UEPRX	UEPVF	3.40	0.00	0.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)		ļ	UEPRX	LNPCX	0.35										
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2.77	0.40					40.18	9.45		
- 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	OLFIVA	USAGZ		2.11	0.40					40.18	9.40	 	
	Switch with change			UEPRX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			İ	1			270						20		
	Subsequent Database Update						1.42						10.27			<u></u>
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		ļ	UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1													1
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1		_	13.03										-
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
	2-Wire VG Loop/Port Combo - Zone 3		3	İ		32.61										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-Wire	Voice Grade Line Port (Bus)			LIEDDY	LIEDDI	0.00	70.50	00.07					40.18	0.45		
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX UEPBX	UEPBL UEPBC	2.28 2.28	79.59 79.59	63.97 63.97					40.18	9.45 9.45		-
	2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)		ļ	UEPBX	LNPCX	0.35										
FEATU	All Features Offered		1	LIEDDY	UEPVF	3.40	0.00	0.00					40.18	9.45		1
NONDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		-
NONKI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1		+											1
	Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														1	İ
	Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
400:-	Subsequent Database Update		1				1.42						10.27			<u> </u>
ADDITI	ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	-	+				 							-
	Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		 		33.32		0.00	0.00					40.10	5.40	1	†
	ort/Loop Combination Rates		L	<u> </u>												
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03		-								
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
- Line	2-Wire VG Loop/Port Combo - Zone 3		3	ļ		32.61									ļ	
UNE L	pop Rates		-	LIEDDO	LIEDLY	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG UEPRG	UEPLX	10.75 19.05			 							-
				IULFING	IULFLA											1
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.33										

APPENDIX PATE ELEMENTS	UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: B
APPEN Company Compan											Svc Orde	er Svc Order				Incremental
CATEGORY RATE ELEMENTS													_			Charge -
Beautiful Beau	CATECORY	DATE EL EMENTO	Interi	7	DOC	11000			DATES (6)							Manual Svc
15 16 16 17 18 18 18 18 18 18 18	CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSI	per LSR				Order vs.
Proceedings Continued																Electronic-
No. No.													1st	Add'l	Disc 1st	Disc Add'l
2-Vive VC Uniterated Conference Company (New PR) Trans Program (New PR) Listed Company (New							B	Nonrec	urring	Nonrecurring Disconi	ect	-	oss	Rates(\$)	l.	-
Reserved							Rec	First	Add'l	First Add	I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
COCA. NAMER PORT ABUTY																1
Lizad Number Perhating (Fap pear)	1.0041	1.00			UEPRG	UEPRD	2.28	164.57	128.16			_	40.18	9.45		\vdash
Part Part	LOCAL				LIEDDG	LNDCD	2 15	0.00	0.00			+	-	<u> </u>		\vdash
All Peaces Giffed All	FEATU				OLFRG	LINFOF	3.13	0.00	0.00			+	 			
None-Currents					UEPRG	UEPVF	3.40	0.00	0.00			1	40.18	9.45		
Comments - Switz-Audit Comments - Switz-Au																
2-Wine Vote Grade Long Line Prof. Combination (PSA) UEPRG USACC 2.77 0.40 40.18 9.45																
Convention - Switch with Change UEPRG USACC 2.77 0.40 40.18 0.45					UEPRG	USAC2		2.77	0.40				40.18	9.45		
Service Vacio Giarda Logo / Lurie Prot Combination - Conversion					LIEDDC	LISACC		2 77	0.40				40.40	0.45		1 1
ADDITIONAL NICE 10.27 ADDITIONAL NICE 10.27 ADDITIONAL NICE 2-Vite Vosc Grado Loop Cine Port Combination (PBN) UEPRG USAS2 0.00 0	 			H	ULFRU	USACC		2.11	0.40	 		+	40.18	9.45	 	\vdash
Dept. Dept								1.42					10.27			1 1
Subsequent Activity Surface (GRADE LOOP WITH 2 WIRE LINE PORT (BUS - PBX) Surfac	ADDITI		1			1							1.2.2			
2-WIRE VOICE GRADE LOOP WITH ZWINE LINE PORT (BUS - PBX)													1			
New Port/Loop Combination Rates					UEPRG	USAS2	0.00	0.00	0.00				40.18	9.45		
2-WeW VGL LoppPer Combo - Zone 2																
2-Win Vol CoopPort Combo - Zona 2 2 2 3 3 3 3 3 3 3	UNE PO		-	1		-	12.02						1			
2-Wire VGG Condender Dev Control - Zone 3 3 3 3 3 3 3 3 3 3				_		+						+				\vdash
Net Loop Rates						_						+	<u> </u>	1		
2-Wire Voice Grade Loop (St. 1) - Zone 3	UNE Lo						0=.01									
2-Wire Voice Grade Loop (St.) 1- Zone 3 3 UEPPX UEPPC 2.28 164.57 128.16 40.18 9.45				1												
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 2.28 164.57 128.16	0.145			3	UEPPX	UEPLX	30.33					_				\vdash
Line Side Unbundled Decomp BPX Trunk Port - Bus UEPPX UEPPY UEPPY UEPPX UEPPY UEPX U	2-Wire	Voice Grade Line Port Rates (BUS - PBX)	-									-	-	+		
Line Side Unbundled Druward PBX Trunk Port - Bus UEPPX UEPPY UEPP1 2.28 164.57 128.16 40.18 9.45		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			LIEPPX	LIEPPC	2 28	164 57	128 16				40 18	9 45		1
2-Wire Voice Unbundled PSX_LD Terminal Ports												1				
2-Wire Voice Unbundled 2-Way Combination PEX Usage Port UEPPX UEPX 2.28 164.57 128.16							2.28		128.16							
2-Wire Voice Unbundled PBX IDI Terminal Hotel Ports UEPX UE																
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPXC 2.28 164.57 128.16 40.18 9.45																
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPX												+				\vdash
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPX	 											+				
Capable Port UEPPX UEPX					OLITA	OLI AD	2.20	104.07	120.10			1	40.10	0.40		
Administrative Calling Port					UEPPX	UEPXE	2.28	164.57	128.16				40.18	9.45		1
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPPX UEPX																
Room Calling Port			ļ		UEPPX	UEPXL	2.28	164.57	128.16			1	40.18	9.45		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPPX UEXX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX					LIEDDY	LIEDVA	0.00	404 57	400.40				40.40	0.45		į J
Discount Room Calling Port	 		1		UEPPX	UEPXM	2.28	164.57	128.16			+	40.18	9.45		\vdash
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPX UEPX 128.16 40.18 9.45					UEPPX	UEPXO	2.28	164.57	128.16				40.18	9.45		1 1
LOCAL NUMBER PORTABILITY			†									1				
FEATURES All Features Offered UEPPX UEPVF 3.40 0.00 0	LOCAL	NUMBER PORTABILITY														
All Features Offered					UEPPX	LNPCP	3.15	0.00	0.00				40.18	9.45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPPX USAC2 2.77 0.40 40.18 9.45	FEATU			—	HEDDY	LIED) (E	0.40	0.00	2.00			1	40.70	0.4-		\vdash
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - UEPPX USAC2 2.77 0.40 40.18 9.45	NONDE		-		UEPPX	UEPVF	3.40	0.00	0.00			+	40.18	9.45		\vdash
Conversion - Switch-As-Is	NONE					+				 	_	+	-	 		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPPX USACC 2.77 0.40 40.18 9.45 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update ADDITIONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination (PBX) -					UEPPX	USAC2		2.77	0.40				40.18	9.45		į J
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 10.27 ADDITIONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination (PBX) -																
Subsequent Database Update			ļ		UEPPX	USACC		2.77	0.40			1	40.18	9.45		
ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			1					,								1
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	ADDIT		-	-		-		1.42				-	10.27	ļ		\vdash
	ADDITI		 			+						+	-	1		\vdash
1 DUDGGUUGH AGUYUV DUFFA DUAGZ 12.00 12.00 1 1 1 1 1 1 1 1 1		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				40.18	9.45		į J
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	2-WIRE		RT			1	2.20	2.20	2.30			1	12.70	1		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	
						Rec	Nonrec		Nonrecurring					Rates(\$)		
UNIE B	and the second s		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates 2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	13.03										
 	2-Wire VG Coin Port/Loop Combo – Zone 1		2		+	21.33										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	32.61										
UNE L	oop Rates															
1	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without				1 7	⊣	J									, 7
\vdash	Blocking (NC)		ļ	UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)		 	UEPCO	UEPNC	2.28	79.59	63.97			-		40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPRP	2.28	79.59	62.07					40.18	9.45		
\vdash	900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking		-	ULFUU	DEFKP	2.28	79.59	63.97					40.18	9.45		
	(NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		,
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			021 00	OLITE	2.20	70.00	00.07					40.10	0.40		
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		ı
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except						======									
ADDIT	LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDIT	IONAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
LOCAL	NUMBER PORTABILITY			OLFCO	UKLCU	3.70	0.00	0.00	0.00	0.00			40.10	9.43		
LOGA	Local Number Portability (1 per port)		-	UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDIT	Subsequent Database Update						1.42									
ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											
	Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (00/102		0.00	0.00					40.10	3.43		
	ort/Loop Combination Rates		J (.	,	1	1										
	oop Rates					Ì										
	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		1
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
1 1	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAD	2 40	225.00	225 00					40.40	0.45		.
INTED	(LUM) OFFICE TRANSPORT		<u> </u>	UEPFR	UEPAP	2.19	225.00	225.00			-		40.18	9.45		
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		<u> </u>		+ +	+										
1 1	Termination			UEPFR	U1TV2	18.00	140.00	71.00								.
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				72	10.00	7-10.00	71.50								
	or Fraction Mile			UEPFR	1L5XX	0.0125										, [
FEATU																
	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
LOCAI	NUMBER PORTABILITY															
<u> </u>	Local Number Portability (1 per port)		<u> </u>	UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
										S	vc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
										Su	ubmitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		l r		per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""								'		p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring Disco					Rates(\$)		
						Nec	First	Add'l	First A	dd'l S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															ı
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87					40.18	9.45		
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (BUS)												
	Port/Loop Combination Rates															
	Loop Rates		_						\vdash							
2-Wir	e Voice Grade Line Port (Bus)			LIEDED	LIEDDI	0.40	005.00	205.00					40.40	0.45		
	2-Wire voice unbundled port without Caller ID - bus	!	1	UEPFB	UEPBL	2.19	225.00	225.00	 				40.18	9.45		
-	2-Wire voice unbundled port with Caller + E484 ID - bus	 	1	UEPFB UEPFB	UEPBC UEPBO	2.19	225.00	225.00	 				40.18 40.18	9.45 9.45		
\vdash	2-Wire voice unbundled port outgoing only - bus	+	+	UEPFB UEPFB	UEPBO UEPB1	2.19	225.00 225.00	225.00 225.00	 				40.18	9.45 9.45	-	
1.00	2-Wire voice unbundled incoming only port with Caller ID - Bus	-	+	ULPED	UEPBI	2.19	225.00	225.00	 				40.18	9.45		
LUCA	Local Number Portability (1 per port)	+	+	UEPFB	LNPCX	0.35			 						-	
INTE	ROFFICE TRANSPORT		-	UEFFB	LINPUX	0.35										
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	 		+											
	Termination			UEPFB	U1TV2											ı
H	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	OLITB	01172											
	or Fraction Mile			UEPFB	1L5XX											ı
FΕΔΤ	URES		1	OLITB	120701											
I LA	All Features Offered		1	UEPFB	UEPVF	3.40	0.00	0.00	 				40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.10	02. 1.	0.10	0.00	0.00					10.10	0.10		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
	Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	Loop Rates															
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
																ı
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	-	-	UEPFP UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45 9.45		
-	Line Side Unbundled Outward PBX Trunk Port - Bus	-	-		UEPPO	2.18	225.00	225.00					40.18			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPFP UEPFP	UEPP1 UEPLD	2.18	225.00	225.00					40.18 40.18	9.45 9.45		
\vdash	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 	+	UEPFP	UEPLD	2.18 2.18	225.00 225.00	225.00 225.00	 				40.18	9.45		
-	2-Wire Voice Unburidled 2-Way Combination PBX 0sage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	 	UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
 	2-Wire Voice Unburidled PBX LD DDD Terminals Port	 	t	UEPFP	UEPXC	2.18	225.00	225.00	 	-+			40.18	9.45		
 	2-Wire Voice Unburidled PBX LD DBB Terminals Port	 	 	UEPFP	UEPXD	2.18	225.00	225.00	 	-			40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	t	1		02. ND	2.10		220.00			-		70.10	5.45		
1 1	Capable Port	1	1	UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		,
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ	İ						i i							
1 1	Administrative Calling Port	1	1	UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		,
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					İ	j				i					
	Room Calling Port		<u> </u>	UEPFP	UEPXM	2.18	225.00	225.00	<u> </u>				40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital										T			l		,
	Discount Room Calling Port	<u> </u>	1	UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<u> </u>	1	UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY	.	1	LUEDED	Lung				 							,
	Local Number Portability (1 per port)	_	1	UEPFP	LNPCP	3.15	0.00	0.00	 				40.18	9.45		
INTE	ROFFICE TRANSPORT	 	1		+				 					-		
1 1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2		J									
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	1	ULFFF	UTIVZ				 	-				-		
	or Fraction Mile			UEPFP	1L5XX				1							
FFAT	TURES	 	 	OLITE	ILUAA	+			 							
I LAI	All Features Offered	t	1	UEPFP	UEPVF	3.40	0.00	0.00			-		40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	t	1			55	3.50	0.00	i				0	50		
	()															

UNBUN	DLEI	D NETWORK ELEMENTS - North Carolina													Attachi	ment: 2	Exhi	bit: B
													Svc Order	Svc Order	Incremental	Incremental		
														Submitted		Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													'		Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
-							1		Nonrec	in a	Nonrecurring Di	inconnect			220	Rates(\$)		<u> </u>
\vdash				-				Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port							FIISL	Add I	Filat	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Combination - Conversion - Switch-as-is			UEPFP		USAC2		9.03	1.87					40.18	9.45		1
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02		00/102	i i	0.00						10.10	0.10		
		Combination - Conversion - Switch with change			UEPFP		USACC		9.03	1.87					40.18	9.45		1
UNBUND	LED P	PORT/LOOP COMBINATIONS - COST BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
U		ort/Loop Combination Rates																
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				20.97										1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				27.80										
<u> </u>		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				37.08										
⊢ Iu		pop Rates		4	LIEDDY		LIECD4	0.05										
+		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPPX		UECD1 UECD1	8.85 15.68			 		-		-	-		
\vdash		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	24.96										
 		ort Rate		3	JLIFA		SEODI	24.50										
H		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	12.12	224.81	188.40					40.18	9.45		
N		CURRING CHARGES - CURRENTLY COMBINED			7			.22		.00.10					0	50		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					1	1										
		Switch-as-is			UEPPX		USAC1		13.26	8.39					53.89	11.34		1
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
		with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					53.89	11.34		1
Α		ONAL NRCs																
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.49						40.18	9.45		
T		one Number/Trunk Group Establisment Charges																
\vdash		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								l .
—		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								—
h +		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
L		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
U	NE Po	ort/Loop Combination Rates																
1 1		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			LIEDDE	LIEDES							1					1
\vdash		UNE Zone 1		1	UEPPB	UEPPR	 	38.84					-					
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		50.01										1
\vdash		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			ULFFD	ULFFR	1	50.01			 							
		UNE Zone 3		3	UEPPB	UEPPR		65.18										1
lu		pop Rates		Ť	J 1 D		1	55.15										
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47										
		•					1	1										ſ
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										<u> </u>
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81		•								
U		ort Rate					L	ļ <u> </u>										
⊢		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
⊢ N		CURRING CHARGES - CURRENTLY COMBINED					 	 			 							
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEDOD	UEPPR	USACB	0.00	174.35	174.35								1
		ONAL NRCs		<u> </u>	UEPPB	UEPPK	USACB	0.00	174.35	174.35	 		 					
		NUMBER PORTABILITY			1		 	 										
H		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 		-					
В		NNEL USER PROFILE ACCESS:						0.00	5.56	3.30								
ΙŢ		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
В	-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)														

UNBUNDL	ED NETWORK ELEMENTS - North Carolina														ment: 2	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							B	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates(\$)		
		i e					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TIÇAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INIE	ROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile	i e			UEPPR	M1GNM	0.0282	0.00	0.00								1
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			226.55										
	Zone 2		2	UEPPP			263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			313.15										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	ļ	1	UEPPP		USL4P	47.54									1	
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	84.27										
	4-Wire DS1 Digital Loop - UNE Zone 3	ļ	3	UEPPP		USL4P	134.14					ļ					
UNE	Port Rate Exchange Ports - 4-Wire ISDN DS1 Port	<u> </u>	1	UEPPP		UEPPP	179.01	956.47	663.10			.		19.99	19.99	-	
NON	RECURRING CHARGES - CURRENTLY COMBINED	1		UEPPP		UEPPP	179.01	956.47	663.10					19.99	19.99		
IVON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	481.51	481.51								
ADDI	ITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG		1.17	1.17								
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)			UEPPP		PR7TP		28.17	28.17								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP		PR7ZT		56.33	56.33								
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	RFACE (Provsioning Only)	.	1	LIEBBB		DD7417	0.00	0.00	2.00			ļ			-	 	<u> </u>
	Voice/Data Digital Data	 	-	UEPPP		PR71V PR71D	0.00	0.00	0.00							 	1
	Inward Data	1	 	UEPPP		PR71E	0.00	0.00	0.00			1	1		1	 	1
New	or Additional "B" Channel	 	 	OLI'FF		1. IV. IL	0.00	0.00	0.00			1			 	 	<u> </u>
1.011	New or Additional - Voice/Data B Channel	<u> </u>		UEPPP		PR7BV	0.00	36.92						19.99	19.99	1	
	New or Additional - Digital Data B Channel	1		UEPPP		PR7BF	0.00	36.92				Ì	İ	19.99	19.99	1	
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	36.92						19.99	19.99		
CALI	L TYPES																
	Inward	ļ		UEPPP		PR7C1	0.00	0.00	0.00						ļ	ļ	
	Outward	<u> </u>	-	UEPPP		PR7CO	0.00	0.00	0.00								<u> </u>
Int	Two-way office Channel Mileage	 	-	UEPPP		PR7CC	0.00	0.00	0.00							 	1
inter	Fixed Each Including First Mile	1	 	UEPPP		1LN1A	71.8653	217.17	163.75	0.00		1	1	19.99	19.99	 	1
	Each Airline-Fractional Additional Mile	†		UEPPP		1LN1B	0.5753	211.11	103.73	0.00		†		15.55	13.33	 	1
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	†		1		1	5.5.50								1	1	
	Port/Loop Combination Rates	1		l									İ			1	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			171.06								<u> </u>		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			207.79										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC			257.66		•								
UNE	Loop Rates																
1	4-Wire DS1 Digital Loop - UNE Zone 1	ļ	1	UEPDC		USLDC	47.54								ļ	ļ	
						USLDC										i	1
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC		USLDC	84.27 134.14					-					

NRONDLI	ED NETWORK ELEMENTS - North Carolina													ment: 2	1	ibit: B
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Increment Charge - Manual Sv
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						ı	Nonrec	in a	Nonrecurring	Disconnect	-		220	Rates(\$)	1	
			-		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DDITS Digital Trunk Port		-	UEPDC	UDD1T	123.52	831.43	491.39	FIISL	Auu i	SOMEC	SUMAN	19.99	19.99	SOMAN	SUMAN
NONE	RECURRING CHARGES - CURRENTLY COMBINED		-	OLFDC	ODDII	123.32	031.43	491.39					15.55	19.99		1
140141	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+ +											†
	- Switch-as-is			UEPDC	USAC4		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	00/101		100.00	100.00			1					
	- Conversion with DS1 Changes			UEPDC	USAWA		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		490.38	490.38								
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -									-						1
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81								ļ
BIPO	LAR 8 ZERO SUBSTITUTION		-	UEPDC	CCOSF		0.00	045.00								
	B8ZS - Superframe Format B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00 615.00	-		-				-	-
Altor	nate Mark Inversion		-	OLFDC	CCOLI		0.00	013.00			1				-	
Aiteri	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00	1		1				1	
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telen	phone Number/Trunk Group Establisment Charges			OLI DO	Wicor C		0.00	0.00			1				1	
. 0.00	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					1		19.99	19.99	1	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
					1,,,,,,,										I	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00	ļ						-	ļ
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41 NO2	0.00	0.00	0.00							1	
	Termination)		-	UEPDC	1LNO2	0.00	0.00	0.00	 		-			-	1	
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.5753	0.00	0.00							I	1
-	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	-	 	OLPDO	ILINOB	0.5753	0.00	0.00	 					 	 	}
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
			—		1	2.00	2.00	2.00	2.00					i	1	†
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00							I	
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							İ
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on	type ar	nd nun	ber of ports used				•		•						
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								<u> </u>
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								ļ
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00	1		1	1	I	I	1	1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: B
011201122											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ												- (2)		
		1				Rec	Nonred		Nonrecurring					Rates(\$)		
LINE	DCC Champlingtian Conscision (D4 Champl Bank Configuration				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	EDSO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	115)		UEPMG	VUM24	123.06	0.00	0.00			1		19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM96	492.24	0.00	0.00			1		19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>		UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	inimum System configuration is One (1) DS1, One (1) D4 Channe															
Mult	tiples of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	330.61	40.04					19.99	40.00		.
Cunt	tem Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nolizot			0.00		16.64			-		19.99	19.99		
	(Not Currently Combined) in all states, except in Density Zone				T Curre	HILLY EXISTS AND					-					
INCW	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	T OF TOP	O WISA	. 3							1					
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		.
Bipo	plar 8 Zero Substitution			OLI WO	VOIVID	0.00	140.14	020.22	140.02	17.00	1		10.00	10.00		
	Clear Channel Capability Format, superframe - Subsequent	1														
	Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								
Alter	rnate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
<u> </u>	Extended Superframe Format	L.,	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								
	hange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Excr	hange Ports	<u> </u>			+											
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		.
	Line Side Outward Channelized PBX Trunk Port - Business	ł		UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00	1		40.18	9.45		
	Enteroide Outward Onannonzed 1 BX Trank 1 Oil Business	1		OLITA	OLI OX	2.20	0.00	0.00	0.00	0.00	†		40.10	0.40		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Feat	ure Activations - Unbundled Loop Concentration	1	i i													
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank	ļ		UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
	Feature (Service) Activation for each Trunk Port Terminated in															
—	D4 Bank	ļ		UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Tele	phone Number/ Group Establishment Charges for DID Service	.	—	UEPPX	NDT	0.00	0.00	0.00				 				
	DID Trunk Termination (1 per Port)	<u> </u>				0.00	0.00									
\vdash	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States	 	\vdash	UEPPX UEPPX	NDZ ND4	0.00	0.00	0.00								
 	Non-Consecutive DID Numbers - per number	!		UEPPX	ND5	0.00	0.00	0.00				 				
	Reserve Non-Consecutive DID Numbers	1		UEPPX	ND6	0.00	0.00	0.00			†					
	Reserve DID Numbers	t		UEPPX	NDV	0.00	0.00	0.00								
Loca	al Number Portability	1			İ											
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	D PORT LOOP COMBINATIONS - MARKET RATES															
	ket Rates shall apply where BellSouth is not required to provide	unbun	dled loc	al switching or swi	itch ports per	FCC and/or St	ate Commission	n rules.								
	sincludes:	Not O		Samplinad to 7	of the Torres	MCAC :- D-112			nish dan m	DC0'	t lines	 				
	undled port/loop combinations that are Currently Combined or Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											0)				
THE	TOP O MOAS III DENOUGH S TEGION ARE: FE (OHANGO, FT. LAUGERO	aic, Wild	iiii); GA	LA (New	Orieans), NC	(21661120010-1	remotori Salem	ngnponn/Ch	anoute-Gasion	ia-NOCK HIII);	iia (iaasiiviii	c).		l		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
İ		l									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
																l l
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
BellS	outh currently is developing the billing capability to mechanica	ally bill	the rec	urring and non-recu	rring Market	Rates in this se										
Rates	, BellSouth shall bill the rates in the Cost-Based section preced	dina in	lieu of	the Market Rates an	d reserves th	ne right to true-	up the billing	difference.		•						
	larket Rate for unbundled ports includes all available features															
	Office and Tandem Switching Usage and Common Transport Us			ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	ments except	or UNE Coi	n Port/Loor	Combination	ns which have	a flat rate us	sage charge
	C: URECU).															
	ot Currently Combined scenarios the Nonrecurring charges are	heteil e	in the l	First and Additional	NRC column	s for each Port	USOC For Co	rrently Combi	ned scenarios	the Nonrecur	ring charge	s are listed	in the NRC - (Currently Con	hined section	n
	ional NRCs may apply also and are categorized accordingly.	noteu	iii tiie i	iist and Additional	NATO COIGINI	is for each for	0000. 1010	arrently combi	neu scenanos	, the Homecui	illig charge	s are risted	iii tile ivito - t	Surreintly Con	ibilied section	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1		1	1					1			1		
	Port/Loop Combination Rates	-	-		+											
ONE P	2-Wire VG Loop/Port Combo - Zone 1	 	1		+	24.75				1	-			1	 	+
\vdash	2-Wire VG Loop/Port Combo - Zone 2	 	2		+	33.05				<u> </u>	 	l		 		
 	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	 	3		+	44.33				1	-			1	 	+
I INE I	Loop Rates	-	- 3		+	44.33				-		-		-	-	
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPRX	UEPLX	10.75				-		-		-	-	
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPRX	UEPLX	10.75				-		-		-	-	
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPRX	UEPLX	30.33					-	-				
2 14/:-		-	3	UEPRA	UEPLA	30.33					-	-				
2-99116	e Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence	_	1	UEPRX	UEPRL	14.00	90.00	90.00					40.18	9.45		
\vdash	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	_	1	UEPRX	UEPRC	14.00	90.00	90.00					40.18	9.45		├
\vdash		_	1	UEPRX	UEPRO	14.00	90.00	90.00					40.18	9.45		
\vdash	2-Wire voice unbundled port outgoing only - res	_	1	UEPRX	UEPRU	14.00	90.00	90.00					40.18	9.45		├
1 1	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled Low Usage Line Port without Caller ID	-		UEPRX	UEPAP	14.00	90.00	90.00					40.18	9.45		
1 1				LIEDDY	UEPRT	14.00	00.00	00.00					40.10	9.45		
1.004	Capability L NUMBER PORTABILITY		1	UEPRX	UEPKI	14.00	90.00	90.00			-		40.18	9.45		├──
LUCA	Local Number Portability (1 per port)	_	1	UEPRX	LNPCX	0.35										
FEAT		_	1	UEPRX	LNPCX	0.35										├
FEAT	All Features Offered	-		UEPRX	UEPVF	0.00	0.00	0.00					40.18	9,45		
NONE	RECURRING CHARGES - CURRENTLY COMBINED	_	1	UEPRA	UEFVF	0.00	0.00	0.00					40.16	9.43		
NONK	CCORRING CHARGES - CORRENTLY COMBINED	_	1			_										
1 1	2 Wise Vales Conda Lana / Lina Bost Combination Coultab as in			UEPRX	USAC2		41.50	41.50					40.18	9.45		
\vdash	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with	-	-	UEPRA	USACZ		41.50	41.50			-	-	40.16	9.43		
1 1	change			UEPRX	USACC		41.50	41.50					40.18	9.45		
A DDI	TIONAL NRCs	_	1	UEPRA	USACC	_	41.50	41.30					40.16	9.43		
ADDIT	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	-	-		+						-	-				
1 1	Subsequent			UEPRX	USAS2		0.00	0.00					40.18	9.45		
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	-	-	UEPRA	USAS2		0.00	0.00					40.16	9.45		-
	Port/Loop Combination Rates	-	 		+	 				-		-		-	-	+
UNE P	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	24.75					-					\vdash
 	2-Wire VG Loop/Port Combo - Zone 1	 	2		+	33.05				1	-			1	 	+
\vdash	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	 	3		+	44.33				1	-			1	 	+
IINE I	Loop Rates	 	- 3		+	44.33				 				 		
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	10.75					-					\vdash
 	2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPBX	UEPLX	19.05				1	-			1	 	+
 	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPBX	UEPLX	30.33				 				 		
2-Wir	e Voice Grade Line Port (Bus)	 	-	OLI DA	JLI LA	30.33				 				 	 	
2-44116	2-Wire voice unbundled port without Caller ID - bus	 	1	UEPBX	UEPBL	14.00	90.00	90.00		 			40.18	9.45	 	
\vdash	2-Wire voice unburidled port with Caller + E484 ID - bus	 	 	UEPBX	UEPBC	14.00	90.00	90.00		1	-		40.18	9.45	 	+
 	2-Wire voice unbundled port outgoing only - bus	 	1	UEPBX	UEPBO	14.00	90.00	90.00		<u> </u>	 	l	40.18	9.45		
 	2-Wire voice unbundled Incoming Only Port without Caller ID	 	1	021 0/1	52. 50	14.00	30.00	30.00		 			70.10	3.43	 	
1 1	Capability	1		UEPBX	UEPBE	14.00	90.00	90.00			1	1	40.18	9.45		
LOCA	L NUMBER PORTABILITY	 	t	OLI DA	OLI DL	14.00	30.00	30.00			 		70.10	3.43		
LOCA	Local Number Portability (1 per port)	 	1	UEPBX	LNPCX	0.35				<u> </u>	 	l		 		
FEAT		 	1	021 0/1		0.55				 				 	 	
I LAI	All Features Offered	 	1	UEPBX	UEPVF	0.00	0.00	0.00		 			40.18	9.45	 	
	RECURRING CHARGES - CURRENTLY COMBINED	 	1	OLI DA	OLI VI	0.00	0.00	0.00		 			40.10	9.40	 	
INCINI															i	
NONE	COOKER OF THE COMPTEE			İ		İ										

Version 1Q03: 02/28/03

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
	Ī											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_																
	_						Rec	Nonred		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Switch with			LIEDDY	110400		44.50	44.50					40.40	0.45		l .
4.5		change			UEPBX	USACC		41.50	41.50			1		40.18	9.45		
ADI		DNAL NRCs										1					
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -			LIEDDY	110400		0.00	0.00					40.40	0.45		i .
0.14		Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1	1	UEPBX	USAS2		0.00	0.00	+		 		40.18	9.45		
		rt/Loop Combination Rates								-		 	-				
UNI		2-Wire VG Loop/Port Combo - Zone 1	1	1			24.75			1		1	1				—
—		2-Wire VG Loop/Port Combo - Zone 2	-	2		_	33.05			+		ł	-				
		2-Wire VG Loop/Port Combo - Zone 3	1	3			44.33			1		1	1				—
LINI		op Rates		3			44.33			1		<u> </u>					
JOINT		2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRG	UEPLX	10.75			1							
		2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRG	UEPLX	19.05			1		1	 				
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPRG	UEPLX	30.33			1		†	<u> </u>	 			<u> </u>
2-W		/oice Grade Line Port Rates (RES - PBX)	l -	Ť		32.21	55.00			1							
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	†	t						1					1		
		Res	1		UEPRG	UEPRD	14.00	90.00	90.00			1		40.18	9.45		1
LO	CAL	NUMBER PORTABILITY										İ					
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00			İ					
FE/	ATUR											t					
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00			İ		40.18	9.45		
NO		CURRING CHARGES - CURRENTLY COMBINED															
	12	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					40.18	9.45		1
	1	2-Wire Voice Grade Loop/ Line Port Combination - Switch with								Î					Î		
	(Change			UEPRG	USACC		41.50	41.50					40.18	9.45		i .
ADI	DITIC	DNAL NRCs															
	- 2	2 Wire Loop/Line Side Port Combination - Non feature -															
	,	Subsequent Activity- Nonrecurring						0.00	0.00					40.18	9.45		1
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64					40.18	9.45		1
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNI		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			24.75										——
\vdash		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2		+	33.05			_			-	 	ļ		
H		2-Wire VG Loop/Port Combo - Zone 3	!	3		1	44.33			.	 	<u> </u>	-	 	ļ		—
UNI		op Rates	 	4	UEPPX	UEPLX	40.75			+	-	 	1	-	 		
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPPX	UEPLX	10.75 19.05			-		-					
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPPX	UEPLX	30.33			1	-			-	-		
2, 14		/oice Grade Line Port Rates (BUS - PBX)	1	3	OLPPA	UEPLA	30.33			+		}	 	 	 		
Z-VV	ine v	roice Grade Lille Fort Nates (DUS - FDA)	 	 		+				 	 	1	H	l	 		<u> </u>
	- [,	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		1
\vdash		Line Side Unbundled Combination 2-way PBX Trunk Port - Bus	†	†	UEPPX	UEPPO	14.00	90.00	90.00	+		 	-	40.18	9.45		
\vdash		Line Side Unbundled Incoming PBX Trunk Port - Bus	1	 	UEPPX	UEPP1	14.00	90.00	90.00	1		1	 	40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Ports	†	t	UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	t	t	UEPPX	UEPXA	14.00	90.00	90.00	İ	İ	†		40.18	9.45		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	i –	UEPPX	UEPXB	14.00	90.00	90.00	İ		1		40.18	9.45		ſ
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	i –	UEPPX	UEPXC	14.00	90.00	90.00	İ		1		40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		i –	UEPPX	UEPXD	14.00	90.00	90.00	1		İ		40.18	9.45		ſ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	(Capable Port	<u></u>	<u></u>	UEPPX	UEPXE	14.00	90.00	90.00		<u></u>			40.18	9.45		<u></u>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port	<u> </u>	<u></u>	UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
		Room Calling Port		<u></u>	UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
		Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	- 12	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		1

IRONDLE	D NETWORK ELEMENTS - North Carolina												Attachi			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAI	NUMBER PORTABILITY															
	Local Number Portability (1 per port)		ļ	UEPPX	LNPCP	3.15	0.00	0.00								
FEATU			ļ	LIEBBY	1150/5	2.22	2.22						10.10			
NONE	All Features Offered ECURRING CHARGES - CURRENTLY COMBINED		-	UEPPX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONK	ECURRING CHARGES - CURRENTLY COMBINED		-								-					
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with		1	OLITA	OOAOZ		41.50	41.50			†		40.10	3.43		
	Change			UEPPX	USACC		41.50	41.50					40.18	9.45		
ADDIT	IONAL NRCs				100.100											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					40.18	9.45		
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring				1		0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				1 1											1
	Group						14.64	14.64					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u> </u>	1		+											
UNE P	ort/Loop Combination Rates 2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	24.75										
	2-Wire VG Coin Port/Loop Combo – Zone 1		2		+	33.05					-					
_	2-Wire VG Coin Port/Loop Combo – Zone 2		3		1	44.33					1					
LINE I	oop Rates		-		+ +	44.55										
OIL E	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75					1					
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33										
2-Wire	Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (NC)			UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEBOO	LIEDDD	44.00	00.00	00.00					10.10	0.45		
	900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking		1	UEPCO	UEPRP	14.00	90.00	90.00					40.18	9.45		
	(NC)			UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking:		1	ULFCO	OLFIND	14.00	90.00	90.00			1		40.10	9.43		
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45		
_	2-Wire Coin Outward with Operator Screening and 011 Blocking			021 00	OLI OA	14.00	50.00	30.00			1		40.10	0.40		
	(NC)			UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
LOCAI	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2 Wire Voice Crade Lean/Line Bort Combination Contact As Is	l		LIEBCO	USAC2		41.50	41.50					40.18	9.45		1
_	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	 	1	UEPCO	USAU2		41.50	41.50			1		40.18	9.45	-	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50					40.18	9.45		
דוחח	IONAL NRCs		-	01.00	USACC		41.30	41.50					40.10	5.45		
		1			1											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					40.18	9.45		
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (1										l	İ
UNE P	ort/Loop Combination Rates		LL'													
	oop Rates							•		•						
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	225.00	170.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res	ļ	_	UEPFR	UEPRC	14.00	225.00	170.00					40.18	9.45		<u> </u>
	2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID	ļ	1	UEPFR	UEPRO	14.00	225.00	170.00					40.18	9.45		
			1	I	1 1				1 1		1	1			I	I
	(LUM)			UEPFR	UEPAP	14.00	225.00	170.00					40.18	9.45		

UNBUN	DLEI	NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Disconne				Rates(\$)		
								First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														
		Termination			UEPFR	U1TV2	18.00	140.00	71.00							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
<u> </u>		or Fraction Mile			UEPFR	1L5XX	0.0125				_					
F	ATU				UEPFR	UEPVF	0.00	0.00	0.00		_	-	40.40	9.45		
 		All Features Offered NUMBER PORTABILITY	-	-	UEPFR	UEPVF	0.00	0.00	0.00		_	-	40.18	9.45		
L	JUAL	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35				-	 				
N/	ONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LINPUX	0.33				-	 				
144	JININE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+				 	+	1				
		Combination - Conversion - Switch-as-is		1	UEPFR	USAC2		9.03	1.87				40.18	9.45		
	-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIK	00/102		9.03	1.07			1	40.10	3.43		
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87				40.18	9.45		ı
2-	WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE	ORT (İ				
		ort/Loop Combination Rates		, ·	/							İ				
		op Rates														
2-	Wire '	Voice Grade Line Port (Bus)														
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14.00	225.00	170.00				40.18	9.45		
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	225.00	170.00				40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	225.00	170.00				40.18	9.45		
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	225.00	170.00				40.18	9.45		
LC	DCAL	NUMBER PORTABILITY														
<u> </u>		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35									
IN	TERC	OFFICE TRANSPORT														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														
		Termination		-	UEPFB	U1TV2						1				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX										ı
	ATU				UEPFB	ILSAA					-	 				
H-1		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	 	+	1	40.18	9.45		
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITB	OLI VI	0.00	0.00	0.00			1	40.10	3.43		
	J	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										1				
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87				40.18	9.45		ı
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										İ				
		Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87				40.18	9.45		ı
2-	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
UI	NE Po	rt/Loop Combination Rates														
		op Rates														1
2-	Wire '	Voice Grade Line Port Rates (BUS - PBX)														
						LUEBE -										, [
\vdash		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		ļ	UEPFP	UEPPC	14.00	225.00	170.00				40.18	9.45		
		Line Side Unbundled Outward PBX Trunk Port - Bus		-	UEPFP	UEPPO	14.00	225.00	170.00			1	40.18	9.45		
—	-	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP UEPFP	UEPP1 UEPLD	14.00 14.00	225.00 225.00	170.00 170.00		_	-	40.18 40.18	9.45 9.45		
-		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	225.00	170.00		-	 	40.18	9.45		
	-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	225.00	170.00	 	+	1	40.18	9.45		
—		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	225.00	170.00	 	+	<u> </u>	40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	225.00	170.00				40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD											.00	50		
		Capable Port			UEPFP	UEPXE	14.00	225.00	170.00				40.18	9.45		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										İ				
		Administrative Calling Port			UEPFP	UEPXL	14.00	225.00	170.00				40.18	9.45		<u>. </u>
	\neg	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
		Room Calling Port			UEPFP	UEPXM	14.00	225.00	170.00				40.18	9.45		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														, 7
\vdash		Discount Room Calling Port			UEPFP	UEPXO	14.00	225.00	170.00				40.18	9.45		
 .	2011	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPFP	UEPXS	14.00	225.00	170.00				40.18	9.45		
L		NUMBER PORTABILITY Local Number Portability (1 per port)		├	UEPFP	LNPCP	3.15	0.00	0.00			ļ	40.18	9.45		
\bot		Local Number Foliability (1 per polit)		L	OLFIF	LINE OF	3.15	0.00	0.00	l			40.18	9.45		

CATEGORY RATE ELEMENTS III I	UNBLINDI F	D NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhib	oit: B												
ATE SLEMENTS NATE SL	SINDSINDLE	- HOLLI CALCINICATO - HOLLI CALCINIA		1			1						Svc Order	Svc Order				Incremental												
ATE PLEMENTS March			1				1						I .																	
CATEGORY RATE ELEMENTS Mark Dodge SCS USOC SATES SCS USOC SATES SCS SATES SCS SATES SCS SATES SCS SATES SCS SATES SCS SATE																														
Record Secretary Secreta	CATEGORY	RATE ELEMENTS		Zone	BC	s	usoc			RATES (\$)				,																
No. No.	0711200111		m			•	0000			== (+)			per LSR	per LSK																
NETBOTICS TRANSPORT																														
NYTROPHICAT TRANSPORT Print Add71 Frist Add71 SOME															1st	Add'l	Disc 1st	Disc Add'l												
NYTROPHICAT TRANSPORT Print Add71 Frist Add71 SOME								1	Nonrec	urring	Nonrecurring	n Disconnect	†	l	OSS	Rates(\$)														
### Company of the Co	_							Rec					SOMEC	SOMAN			SOMAN	SOMAN												
Intervitive Tanquer - Predicated - 2 View (see Gode - Faulty Intervitive Tanquer - Predicated - 2 View (see Gode - Faulty Intervitive Tanquer - View (see Gode - Faulty Intervitive Tanquer - View (see Gode - Faulty Intervitive Tanquer - View (see Gode - Faulty Intervitive Tanquer - View (see Gode - View - View (see Gode - View - Vie	INTER	OFFICE TRANSPORT							11130	Auu i	11130	Auu i	JOINEO	JONAN	JONAN	JOWAN	JOINAIN	JOINAIN												
Terrination UCPPP	INTER						†						1	1			 													
International Transport Declarater - 2 Wine Voice Codes - Per Nile UEDFP UEDX FRATUS					LIEDED		111T\/2																							
SECRETAR					OLITI		01172																							
FRANCES March Ma					LIEDED		11 5 7 7																							
All Feathers Clinical Nonicide Clinical Controllation Co	EEATI				OLFIF		ILSAA																							
NONPÉCURINO CHARGES (NOTA) - CURRENTY COMBINED LIPPY LIP	FLAT				LIEDED		LIEDVE	0.00	0.00	0.00					40.19	0.45														
2-Wine Losp / Designated in Transport / 2-Wine Line Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Commitment. Switch with mining Useful Port Useful Commitment. Switch with mining Useful Port Useful Commitment. Switch with mining Useful Port Usefu	NOND				OLFIF		OLFVI	0.00	0.00	0.00					40.16	3.43														
Combination Commission - Switch-sein UEPPP USAC2 9.03 1.87 40.18 9.45	NONK		-	-			-					-	ł	-			\vdash													
2-Wine Loop Decided 10 Transport 2-Wine Line Port URACC 0.00 1.87 40.19 0.45					LIEDED		110400		0.00	4.07					40.40	0.45														
Commission - Convergence - Switch with change	\vdash		-	 	UEFFF		USAUZ	-	9.03	1.87	1	 	1	 	40.18	9.45	\vdash													
UNBRONNED PORTILOP COMBINATIONS - MARKET BASED RATES			1	1	HEDED		LISACC		0.00	1 07		I		1	40.40	0.45	, ,													
2-WINE VOICE GRADE LOOP- BUS ONLY - WITH 2-WINE DID TRUNK PORT	IINDIINDI ED		-	 	UEFFF		USACC	-	9.03	1.8/	1	 	1	 	40.18	9.45	\vdash													
UNE FortLoop Combination Rates			DODT.	+			 				1	 	1				\vdash													
SWINE VS Loop-ZWRD DID Trans PRI COMPOSE - URE Zone 2 2 57.58			PORT	-																										
Average Aver	UNE P		-	4			1	00.05				 	 			 														
SAVIEW VS Loop/SAVIES DID Trunk Port Combo - UNE Zone 3 3 77.96	\vdash		!				1				1	 	}	ļ	-	 														
UNE Loop Rates			-																											
2-Wire Analog Voice Grade Loop - (3L2) - UNE Zone 1				3				77.96									\longleftarrow													
2-Wire Analog Vace Grade Loop - (SLZ) - LNR Zone 2	UNE L			.													\longleftarrow													
2-Wire Analog Viole Grade Loop - (SL2) - UNE Zone 3 3 UEPPX UECD1 25.96	\longrightarrow																\longleftarrow													
UNE Port Rate UEPPX UEPP	\vdash																													
Exchange Ports - 2-Wire DID Port	L			3	UEPPX		UECD1	25.96																						
NONNECURRING CHARGES - CURRENT Y COMBINED	UNE P																													
2-Wire Voice Grade Loop / 2-Wire DID Struke Port Combination UEPPX USAC1 200.00 75.00 53.89 11.34					UEPPX		UEPD1	52.00	485.00	75.00					40.18	9.45														
Switch-As-Is Top 8 MSAs only	NONR																													
2-Wire Votos Grade Loop / 2-Wire DID Trunk Port Conversion UEPPX USA1C			1																											
With BellSouth Allowable Changes Top 8 MSAs only	\vdash				UEPPX		USAC1		200.00	75.00					53.89	11.34														
ADDITIONAL NRCS [2-Wire DID Subsequent Activity - Add Trunks, Per Trunks [2-Wire DID Numbers [2-Wire DID Subsequent Activity - Add Trunks, Per Trunks [2-Wire DID Numbers [2-Wire DID Subsequent Activity - Add Trunks, Per Trunks [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numbers [2-Wire DID Numb																														
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk UEPPX USAS1 75.00					UEPPX		USA1C		200.00	75.00					53.89	11.34														
Telephone Number/Trunk Group Establisment Charges	ADDIT																													
DID Trunk Termination (One Per Port)					UEPPX		USAS1		75.00						40.18	9.45														
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers UEPPX NDZ 0.00	Teleph																													
Of 20 DID Numbers UEPPX NDZ 0.00 0					UEPPX		NDT	0.00	0.00	0.00																				
Additional DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00																														
DID Numbers, Non- consecutive DID Numbers Per Number UEPPX NDS 0.00			ļ																											
Reserve Non-Consecutive DID numbers																	$ldsymbol{ldsymbol{\sqcup}}$													
Reserve DID Numbers																	$ldsymbol{ldsymbol{\sqcup}}$													
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) LUEPX LNPCP 3.15 0.00 0																														
Local Number Portability (1 per port)					UEPPX		NDV	0.00	0.00	0.00																				
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT UNE Port/Loop Combination Rates	LOCA																													
UNE Port/Loop Combination Rates							LNPCP	3.15	0.00	0.00																				
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1			NE SIDE	PORT																										
UNE Zone 1	UNE P																													
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2																														
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	I		<u> </u>	1	UEPPB	<u>UE</u> PPR	<u> </u>	79.47				<u> </u>																		
UNE Zone 3	1 1		1	2	UEPPB	UEPPR	1	90.64				I	I	1	1	l	1													
UNE Zone 3		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						İ																						
UNE Loop Rates			1	3	UEPPB	UEPPR		105.81				I		1			, ,													
2-Wire ISDN Digital Grade Loop - UNE Zone 1	UNE L	oop Rates		1				1					1	1	1	ĺ														
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 25.64 2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 40.81			İ	1	UEPPB	UEPPR	USL2X	14.47					İ	İ																
2-Wire ISDN Digital Grade Loop - UNE Zone 3		g	1								1	1	1			İ														
2-Wire ISDN Digital Grade Loop - UNE Zone 3	1 1	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	25.64				I	I	1	1	l	1													
UNE Port Rate			<u> </u>									1	1			1														
Exchange Port - 2-Wire ISDN Line Side Port UEPPB UEPPB UEPPB 05.00 375.00 19.99 19.99	UNF P			Ť			1					1			i	i														
NONRÉCURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	3.421		<u> </u>	<u> </u>	UEPPB I	UEPPR	UEPPB	65.00	450.00	375 00		1	1		19.99	19.99														
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	NONR			t				55.55	.00.00	3.3.30		1			.0.00															
	1.5.410			t			1					1			i	i														
	1 1	Combination - Conversion - Top 8 MSAs only	1	1	UEPPB I	UEPPR	USACB	0.00	200.00	200.00		I	I	1	1	l	1													

UNBUN	IDLE	NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhi	bit: B
0.1.2011													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
			Intori										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	DISC 1St	DISC Add I
								Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DNAL NRCs																
L	OCAL	NUMBER PORTABILITY																
$\sqcup \sqcup$		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
P		INEL USER PROFILE ACCESS:																
$\sqcup \sqcup$		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
$\sqcup \sqcup$		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
\vdash		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
		INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
L		ERMINAL PROFILE																
<u> </u>		User Terminal Profile (EWSD only)	!	_	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	-					-		
⊢ V	'EKTIC	AL FEATURES	<u> </u>	!	LIEBSS	LIESSE	LIED) (E				-		-	ļ			-	
	NTERS	All Vertical Features - One per Channel B User Profile	!	├	UEPPB	UEPPR	UEPVF	3.40	0.00	0.00	 		-	ļ	19.99	19.99	-	
⊢	NIEKC	PFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and	!	├			ļ				 		-	ļ	-	 	-	
					LIEDDD	LIEDDD	MACNIC	40,0000	407.40	50.50					40.00	40.00		
\vdash		facilities termination Interoffice Channel mileage each, additional mile	-	+	UEPPB UEPPB	UEPPR UEPPR	M1GNC M1GNM	18.0282 0.0282	137.48 0.00	52.58 0.00	 		-		19.99	19.99		
	WIDE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(BODT		UEPPB	UEPPR	MIGNIM	0.0282	0.00	0.00			-					
		rt/Loop Combination Rates	PORT								-		1			-		
\vdash	INL FU	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1								-		1			-		
		Zone 1		1	UEPPP			947.54										
\vdash		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	OLITI		+	347.54										
		Zone 2		2	UEPPP			984.27										
\vdash		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		1	304.27					†	1				
		Zone 3		3	UEPPP			1,034.14										
ı	JNF Lo	op Rates		Ť				.,										
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	47.54										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84.27					İ					
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	134.14										
U	JNE Po	rt Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	900.00	1,150.00	1,150.00					19.99	19.99		
N.	IONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
		Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	925.00	925.00								
A	DDITI	ONAL NRCs																
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
$\sqcup \bot$		Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG		1.17	1.17								
		4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent																
$\vdash \vdash$		Activity Outward tel nos. (NC only)	ļ	<u> </u>	UEPPP		PR7TP		28.17	28.17	ļ					ļ		
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		LIEBSS		DD337		== ==	=0.5-	I			1		I		
⊢	0011	Subsequent Inward Telephone Numbers NUMBER PORTABILITY	 	-	UEPPP		PR7ZT		56.33	56.33	 			 	 	 	 	
┝──╬			1	-	UEPPP		LNPCN	1.75			 		1		-	 	-	
 		Local Number Portability (1 per port) ACE (Provsioning Only)	 	-	UEFFF		LINFOIN	1./5			 			 	 	 	 	
		Voice/Data	+	+	UEPPP		PR71V	0.00			 		-	-	-	 		-
$\vdash \vdash$		Digital Data	 	-	UEPPP		PR71D	0.00			 			 	 	 	 	
\vdash		Inward Data	1		UEPPP		PR71E	0.00			t		H		l	t	l	
1		Additional "B" Channel	†	†	J_111		. 10/16	0.00			I		 	 		I		
<u>"</u>	.517 01	New or Additional - Voice/Data B Channel	†	†	UEPPP		PR7BV	0.00	36.92		I		 	 	19.99	19.99		
\vdash		New or Additional - Voice/Bata B Channel	†	†	UEPPP		PR7BF	0.00	36.92		I		 	 	19.99	19.99		
\vdash		New or Additional Inward Data B Channel	t	t	UEPPP		PR7BD	0.00	36.92		1				19.99	19.99		
c	CALL T		1				Ī	5.50			1						l	
	Ì	Inward	İ		UEPPP		PR7C1	0.00										
		Outward			UEPPP		PR7CO	0.00										
		Two-way	l		UEPPP		PR7CC	0.00										
Ir	nteroff	ice Channel Mileage																
		Fixed Each Including First Mile			UEPPP		1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
		Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.5753										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
1 10	JNE Po	rt/Loop Combination Rates																

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	oit: B
0.1.201.1222											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					-	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		797.54	11131	Auu	11130	Addi	COMILO	CONTAIN	COMPAR	COMPAR	COMPAR	COMPAR
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		834.27										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		884.14										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84.27										
LINE D	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE P	ort Rate 4-Wire DDITS Digital Trunk Port		-	UEPDC	UDD1T	750.00	1.050.00	480.00	0.00	0.00			19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODD11	730.00	1,030.00	400.00	0.00	0.00	1		19.99	19.99		
INOMIN	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+											
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		288.86	133.87								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											1				
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		288.86	133.37								
					1 7											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LIGAVAD		000.00	100.07								
ADDIT	- Conversion with Change - Trunk Top 8 MSAs only ONAL NRCs		-	UEPDC	USAWB		288.86	133.37								
ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-		+						-					
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLI DO	00/104		127.00	127.00								
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		28.81	28.81					19.99	19.99		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81								
BIPOL	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		20.01	20.01								
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
Alterna	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges	.	-	LIEDDC	LIDTOY	0.00						 	40.00	40.00		
\vdash	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group	1		UEPDC UEPDC	UDTGX	0.00					1		19.99 19.99	19.99 19.99		
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	 		UEPDC	UDTGZ	0.00					 		19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group			02.1 00	30102	0.00							15.55	13.33		
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00					1	ĺ		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	ted DS1 (Interoffice Channel Mileage) -	1									1		ļ			
FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	-	<u> </u>		+						1	-	-	 		
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDC	11 NO2	0.00	0.00	0.00								
\vdash	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25	1		UEPDC	1LNO2	0.00	0.00	0.00			1		-			
	miles			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge -	Incrementa Charge -
		m									per Lore	per zert	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring			···		Rates(\$)		
			ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00								l .
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point		1	UEPDC	CTG	0.00	0.00	0.00	0.00							——
4-WI	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	stem can have various rate combinations based on type and nur	mber of	ports	used												
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54										!
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00				-				
LINE	4-Wire DS1 Loop - UNE Zone 3 DSO Channelization Capacities (D4 Channel Bank Configuration	ne)	3	UEPMG	USLDC	134.14	0.00	0.00			1	-	-			
UNE	24 DSO Channel Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1		 	UEPMG	VUM24	123.06	0.00	0.00			 	 	19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s	1	 	UEPMG	VUM48	246.12	0.00	0.00			l	<u> </u>	19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s		 	UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s	i	i i	UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		1
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		├
	576 DS0 Channel Capacity -1 per 24 DS1s		ļ	UEPMG UEPMG	VUM57 VUM67	2,953.44 3,445.68	0.00	0.00			1		19.99 19.99	19.99 19.99		
Non	672 DS0 Channel Capacity - 1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	adiatio					0.00			-		19.99	19.99		
	nimum System configuration is One (1) DS1, One (1) D4 Channe						stern				 					
	iples of this configuration functioning as one are considered Ac															——
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		i .
	em Additions Where Currently Combined and New (Not Currentl	y Comb	oined)													
In De	ensity Zone 1 Top 8 MSAs															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc				l											i .
	Fea Activation -			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		+
Віро	lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent										-	-				
	Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								l .
-+	Clear Channel Capability Format - Extended Superframe -	1	 	OLI IVIO	30001	0.00	0.00	013.00								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								l .
Alter	nate Mark Inversion (AMI)	İ														
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								\vdash
	nange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exch	ange Ports	-	├		-						1	-				
	Line Side Combination Channelized PBX Trunk Port - Business	1		UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		1
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	-	 	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00	 		40.18	9.45		
	Ente Side Outward Oriannenzed FDA Hullk Folt - Dusilless	 	 	OLI I A	OLI OX	14.00	0.00	0.00	0.00	0.00	1	-	40.10	3.40		
	Line Side Inward Only Channelized PBX Trunk Port without DID	1		UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	İ		UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
Feat	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.65	110.00	30.00	75.00	15.00			40.18	9.45		
Tele	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								\perp
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	ļ	<u> </u>	UEPPX	NDZ	0.00	0.00	0.00			ļ					⊢—
+	DID Numbers - groups of 20 - Valid all States	-	├	UEPPX	ND4	0.00	0.00	0.00				-				
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	 	!	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00			 	1	-			
	Legative Mon-Consecutive DID Manipers	l	1	ULFFA	סטאו	0.00	0.00	0.00			1	L	l			

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
						1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Imton:									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	DISC 1St	Disc Add I
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
		Based Rates are applied where BellSouth is required by FCC															
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applied	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ned Combos. For	Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		Ilso and are categorized accordingly.	-			-							-	-			-
		ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, un	til further notic	e.					l	I			
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP95		13.03										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		21.33										
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	02.00		21.00										
		Non-Design		3	UEP95		32.61										
	UNE Po	ort/Loop Combination Rates (Design)		Ť													
	0	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
		Design		1	UEP95		17.25										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	021 00	+	17.20										
		Design		2	UEP95		28.21										
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.00	+	20.21						1				
		Design		3	UEP95		43.09										
	UNFI	pop Rate		Ť	02.00		10.00										
	0.1.2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75										
	+	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19.05										
	+	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33						1				
	+	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.97										
	+	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.93										
	+	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	40.81										
	UNE P	ort Rate				1	15701				İ				İ		
	All Stat		t	t		1					i				i		
	1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97		İ	İ		40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP95	UEPYB	2.28	79.59	63.97		İ	1		40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1		İ -					İ	1		131.0	1		
1	1	Area	1	1	UEP95	UEPYH	2.28	79.59	63.97			1	1	40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1		1					İ	1			1		
1	1	Center)2 Basic Local Area	1	1	UEP95	UEPYM	2.28	164.57	128.16			1	1	40.18	9.45		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1		1					İ	1		131.0	1		
1	1	Term - Basic Local Area	1	1	UEP95	UEPYZ	2.28					1	1	40.18	9.45		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent				1					ĺ						
1	1	- Basic Local Area	1	1	UEP95	UEPY9	2.28	79.59	63.97			1	1	40.18	9.45		
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1		İ					İ	1			1		
		Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
	NC On					1		. 2.00	22.01		İ	İ			2.10		
	1	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97		İ			40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex 800 termination)		t	UEP95	UEPUB	2.28	79.59	63.97		i			40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1		t	UEP95	UEPUH	2.28	79.59	63.97		i			40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire		t		1 3		. 0.00	33.31		i				50		
1	1	Center)2	1	1	UEP95	UEPUM	2.28	164.57	128.16			1	1	40.18	9.45		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		t		1 3			.20.70		i				50		
		Term			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		
		<u> </u>		<u> </u>		1,-, 3-			.20.70					.00	00		

	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
\vdash						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45		ı l
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu				OLI 00		0.00										
	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
1	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		
	Ilaneous Terminations e Trunk Side				+											
1 1	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65	00.04						40.18	9.45		
Interc	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	28.81						40.18	9.45		
intero	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										i
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	1 Catalo Notivation on B 4 Chamiler Bank Control 2005 Glot			OLI 00	ii QWC	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW7	0.65										i
 	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	TPQW7	0.05										
	Different Wire Center			UEP95	1PQWP	0.65										l
																1
$\overline{}$	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWV	0.65										
	Slot			UEP95	1PQWQ	0.65										i
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		i
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11	0.40					40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
	P CENTREX - DMS100 (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo				-											
	Port/Loop Combination Rates (Non-Design)				1											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
\vdash	Non-Design	-	1	UEP9D		13.03					<u> </u>					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			021 00	1	21.00					t					
	Non-Design		3	UEP9D		32.61										
UNE	Port/Loop Combination Rates (Design)								├							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP9D		17.25										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>			17.20										
	Design		2	UEP9D		28.21										

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
-		1			+		Nonrec	urring	Nonrecurring Di	sconnect			oss	Rates(\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					İ										
	Design		3	UEP9D		43.09										
UNE L	oop Rate	ļ	1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9D	UECS1	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93										ı
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
	ort Rate	ļ			-											
ALL S	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	†	†	OLI 3D	OLI IA	2.20	19.59	05.97					40.10	5.40		\vdash
	Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		, l
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEDOD	LIEDVD	0.00	70.50	C2 07					40.40	0.45		i l
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1	-	UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
	Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		ı l
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1	1	OLI 3D	OLI IL	2.20	19.55	05.57					40.10	3.43		
	Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		ı
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															ı l
	Area	ļ	1	UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		i l
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1	1	OLI 3D	OLI 10	2.20	19.55	00.01					40.10	3.43		
	Area			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		ı l
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local						=====						40.40			ı l
	Area	<u> </u>	-	UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			OLI OD	OLI IVV	2.20	70.00	00.07					40.10	0.40		
	Basic Local Area			UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area	ļ		UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		i l
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEF9D	UEPTO	2.20	164.57	120.10					40.16	9.45		
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3							100.10					40.40			i l
	Basic Local Area	ļ		UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			OL1 3D	OLI 10	2.20	104.57	120.10					70.10	3.40		
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3								į į							
	Basic Local Area	ļ	<u> </u>	UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			LIEDOD	LIEDYC	0.00	404.57	400.40					40.40	0.45		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	1	1	UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		, 1
			-	1	102. 17	2.20	10-1.07	120.10	ı				70.10	0.70		

UNBU	JNDLE	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: B
0											Svc Orde	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''									1.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							1									
							Rec	Nonrec		Nonrecurring Disconn				Rates(\$)		
	1	O Wise Vales Condo Dort Diff Continu Wise Conton 200 Continu						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	2.28	164.57	128.16				40.18	9.45		, ,
-		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF9D	ULF1Z	2.20	104.57	120.10			+	40.16	5.43		
		Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97				40.18	9.45		, !
	 	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLI OD	OLI 10	2.20	70.00	00.01			+	40.10	0.40		
		Local Area			UEP9D	UEPY2	2.28	79.59	63.97				40.18	9.45		i I
	NC On															
	1	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97				40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97				40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	2.28	79.59	63.97				40.18	9.45		i
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28	79.59	63.97				40.18	9.45		
	 	2-Wire Voice Grade Port (Centrex / EBS-M5209)3	ļ	lacksquare	UEP9D	UEPUE	2.28	79.59	63.97				40.18	9.45		ļ
	1	2-Wire Voice Grade Port (Centrex / EBS-M5112)3	<u> </u>	\sqcup	UEP9D	UEPUF	2.28	79.59	63.97			1	40.18	9.45		
<u> </u>	 	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		\vdash	UEP9D	UEPUG	2.28	79.59	63.97		_		40.18	9.45		
<u> </u>	+	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	 	\vdash	UEP9D	UEPUT	2.28	79.59	63.97		_	-	40.18	9.45		
-	+	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3	-	\vdash	UEP9D UEP9D	UEPUU	2.28 2.28	79.59 79.59	63.97 63.97		-	1	40.18 40.18	9.45 9.45	-	
-	 	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPUV	2.28	79.59	63.97		_	+	40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex / EB3-W3310)3			UEP9D	UEPUH	2.28	79.59	63.97			+	40.18	9.45		
	 	2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp			OLI OD	OLI OII	2.20	70.00	00.01			+	40.10	0.40		
		Indication)3			UEP9D	UEPUW	2.28	79.59	63.97				40.18	9.45		i I
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28	79.59	63.97				40.18	9.45		
	i	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)														
		2			UEP9D	UEPUM	2.28	164.57	128.16				40.18	9.45		, !
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28	164.57	128.16				40.18	9.45		i
																, !
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28	164.57	128.16			1	40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPUQ	2.28	164.57	128.16				40.18	9.45		
																, !
-	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	2.28	164.57	128.16			+	40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	2.28	164.57	128.16				40.18	9.45		, ,
-		2-Wile Voice Grade Fort (Certifexullier SWC/LBS-W5512)2, 5			OLF9D	ULFUS	2.20	104.57	120.10			+	40.16	5.43		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	2.28	164.57	128.16				40.18	9.45		1
		2 1110 1010 0100 1 11 (001110 01011 0110 120 1110 000)2; 0			02. 02	02.0.	2.20	.001	120.10		-	1	10.10	0.10		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	2.28	164.57	128.16				40.18	9.45		i
			İ		*											1
1	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	l		UEP9D	UEPU6	2.28	164.57	128.16			1	40.18	9.45		1
		· · · · · · · · · · · · · · · · · · ·				İ										1
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		oxdot	UEP9D	UEPU7	2.28	164.57	128.16				40.18	9.45		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				=										1
-	 	Term		\vdash	UEP9D	UEPUZ	2.28	164.57	128.16		_		40.18	9.45		
	1	2 Wire Voice Crade Bort terminated in an Manalish and in the			LIEDOD	LIEDLIO	0.00	70.50	00.07				40.40	9.45		1
-	+	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	 	\vdash	UEP9D	UEPU9 UEPU2	2.28 2.28	79.59 79.59	63.97 63.97		_	1	40.18 40.18	9.45 9.45		
-	Local	Switching	-	\vdash	UEP9D	UEFUZ	2.28	79.59	63.97			+	40.18	9.45		
—	LUCAL	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903					†	 	 		
	Local N	Number Portability	1		00	5.1200	0.000						1	1		
	1	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						İ	İ		
	Feature	7 1 1 7	l									1	İ	İ		
		All Standard Features Offered, per port			UEP9D	UEPVF	3.40									
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83					40.18	9.45		
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40									
	NARS			oxdot												
	1	Unbundled Network Access Register - Combination	ļ	$\vdash \vdash$	UEP9D	UARCX	0.00	0.00	0.00			1	40.18	9.45		-
	+	Unbundled Network Access Register - Inward	ļ	\vdash	UEP9D	UAR1X	0.00	0.00	0.00				40.18	9.45		
\vdash	Micre	Unbundled Network Access Register - Outdial	-	\vdash	UEP9D	UAROX	0.00	0.00	0.00		_	1	40.18	9.45		
-		aneous Terminations Trunk Side	!	\vdash		+					_	1			-	
	7-44116	Hullik Olde	L							<u> </u>		1	I	I		

UNBUI	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incrementa Charge -
<u> </u>								Nonred	urring	Nonrecurring	Disconnect				Rates(\$)	D130 131	DISC Add I
-						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Trunk Side Terminations, each			UEP9D	CEND6	12.36	11131	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
1		Digital (1.544 Megabits)					12.00										
		DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
الللل		ice Channel Mileage - 2-Wire												L			
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00							 '			
		Interoffice Channel mileage, per mile or fraction of mile		-	UEP9D	M1GBM	0.0282										
		Activations (DS0) Centrex Loops on Channelized DS1 Servicennel Bank Feature Activations	e	-		+						-		<u> </u>			-
H		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
\vdash		, satars , suration on b + onamer bank centres coop diot			021 00	11 0000	0.03			1		†				1	t
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65							1 '			
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
igsquare		Slot			UEP9D	1PQW7	0.65							<u> </u>			
T		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			l									1			
$\vdash \!$		Different Wire Center			UEP9D	1PQWP	0.65			1		1		 '		ļ	<u> </u>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65							1 '			
\vdash		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	TPQWV	0.05							 			
		Slot			UEP9D	1PQWQ	0.65							1 '			
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65					1					
, i		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed												()			
		changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
L		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
⊢		NAR Establishment Charge, Per Occasion - Required Port for Centrex Control in 1AESS, 5ESS & EWSD			UEP9D	URECA	0.00	72.73						40.18	9.45		
		- Required Port for Centrex Control III TAESS, SESS & EWSD				+						1					1
		- Requires Specific Customer Premises Equipment				+											
		ENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
		et Rates are applied where BellSouth is not required by FCC a	and/or S	State C	ommission rule to	provide Unbu	ndled Local Sw	itching or Sw	itch Ports.								
		rring Charges for all Standard Centrex and Centrex Conrol Fe															
		Office and Tandem Switching Usage and Common Transport															
		irst and additional Port nonrecurring charges apply to Not Cu	urrently	Combi	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	s shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	RCs may
		Iso and are categorized accordingly.			ı	_			1	1 1						1	
	eature	S CENTREX - 5ESS (Valid in All States)		-		+						-		<u> </u>			-
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+								 			-
		ort/Loop Combination Rates (Non-Design)				+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
$oxed{oxed}$		Non-Design		1	UEP95		24.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												1			
$\sqcup \sqcup$		Non-Design		2	UEP95	1	33.05							<u> </u>		ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOS	1	44.00							1 '			
 	INE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP95	1	44.33							 '			-
 		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+				1		 		 		 	
		Design		1	UEP95		28.97							1 '			
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė		1	20.07			1							t e
		Design		2	UEP95		39.93			<u> </u>				<u> </u>			<u></u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
igsquare		Design		3	UEP95	1	54.81							<u> </u>			
└		pop Rate		L.	LIEDOE	LUEGO:	10.5-							 '			
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	10.75			1				 '		 	-
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95	UECS1	19.05					ļ				ļ	+
				2	I IEDOS	LIEC91	20.22										
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP95 UEP95	UECS1 UECS2	30.33 14.97										

	D NETWORK ELEMENTS - North Carolina			ı								-		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	40.81										
	ort Rate															
All Sta				LIEDOE	LIEDVA	11.00	405.00	05.00					10.10	0.45		
\longrightarrow	2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP95	UEPYA	14.00	105.00	85.00					40.18	9.45		
-+-	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	UEP95	UEPYB	14.00	105.00	85.00					40.18	9.45		
	Area			UEP95	UEPYH	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL: 00	OLI III	14.00	100.00	00.00					40.10	0.40		
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1											
	Term - Basic Local Area			UEP95	UEPYZ	14.00							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					İ										
	- Basic Local Area			UEP95	UEPY9	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -							<u> </u>					·			
	Basic Local Area			UEP95	UEPY2	14.00	105.00	85.00					40.18	9.45	ļ	
NC On			<u> </u>	LIEBAE	Lussuu		105.55		ļ				10 :-			
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	14.00 14.00	105.00	85.00					40.18 40.18	9.45 9.45		
-+-	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		<u> </u>	UEP95	UEPUH	14.00	105.00	85.00	-				40.18	9.45		
	Center)2			UEP95	UEPUM	14.00	215.00	165.00					40.18	9.45		
-+-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			ULF 93	OLFOW	14.00	213.00	103.00					40.10	5.40		
	Term			UEP95	UEPUZ	14.00	215.00	165.00					40.18	9.45		
					1											
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	14.00	105.00	85.00					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur			-	LIEDOE	UEPVF	0.00										
-+	All Standard Features Offered, per port		<u> </u>	UEP95 UEP95	UEPVF	0.00	457.83		-							
-+-	All Select Features Offered, per port All Centrex Control Features Offered, per port		1	UEP95	UEPVC	0.00	457.65									
NARS				OLI 33	OLI VO	0.00										
Iteration	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		
	llaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)		ļ	LIEDOE	MALIDA	100.65							10.10	0 :-	ļ	ļ
$-\!+\!-$	DS1 Circuit Terminations, each DS0 Channels Activated, each		-	UEP95 UEP95	M1HD1 M1HDO	123.65 0.00	28.81						40.18 40.18	9.45 9.45		-
Into	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire		-	UEP95	MILLIOO	0.00	28.81				-		40.18	9.45		
intero	Interoffice Channel Facilities Termination		-	UEP95	M1GBC	18.00			-		-					-
-+-	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e			55141	3.0202									1	
	annel Bank Feature Activations	Ī				i									İ	İ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l	1 7	⊣			Ι Τ							
	Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			LIEDOE	4001110											
			1	UEP95	1PQWP	0.65					1	ı			l .	1
	Different wife Center		t	i	1	i	1		1							

CATEGORY RATE ELEMENTS Intelleg Carpor Charges	UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
ATE CLICATE PLANTS MADE AND A STATE CLICATED TO THE PLANTS OF THE PLANTS												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ATE CLICATE PLANTS MADE AND A STATE CLICATED TO THE PLANTS OF THE PLANTS												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
## CATEGORY NATE ELEMENTS March Bode BCS			Intent														
Record R	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Reduct Administration Description (Linear Legislation Control Le			m									per Lore	per Lore				
Page Page																	
Section According to 194 Charmed Barry Tye LineS Force Loops MRPPOS M														151	Add I	DISC ISL	DISC Add I
Person Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-						1	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Feature Ancionics on A Charmer Bash Filt LumPlank Loop							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sect		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1											
New Control Control (Control Control Service)					UEP95	1PQWQ	0.65										ł
New Control Control (Control Control Service)		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65			İ							
NPC Conversion Control Contr	Non-F		1														
Changes, par gord																	·
New Contrate Standard Comment Risks					UEP95	USAC2		2.77	0.40					40.18	9.45		ł
New Contrace Customized Control Block UEPSS MIACC 0.00 095.11 0.45 0.							0.00										i
WARF_CRANSFER_CAMSSON_PRO_COLORISON_PRO_CO							0.00							40.18	9.45		i
UNEP VICEOUS Price Vote Grands Port (Centrery Port Combo- Design 2-Vive Vote Cond-Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vot Loops Vive Vote Grands Port (Centrery Port Combo- Non-Design 2-Vive Vote Combonition Rates (Design) 2-Vive Vote Com			1											40.18	9.45		
2-Wire Vot Loops/Wire Vote Grante Fort (Centres) Combo Wife Fort Loops/Wire Vote Grante Fort (Centres) Port Combo North Charge 2-Wire Vot Loops/Wire Vote Grante Fort (Centres) Port Combo North Charge 2-Wire Vot Loops/Wire Vote Grante Fort (Centres) Port Combo North Charge Wife Fort Loop Cambridge Fort (Centres) Port Combo North Charge Wife Fort Loop Cambridge Fort (Centres) Port Combo North Charge Wife Fort Loop Cambridge Fort (Centres) Port Combo North Charge Wife Fort Loop Cambridge Fort (Centres) Port Combo North Charge Wife Fort Loop Cambridge Fort (Centres) Port Combo North Charge Wife Wort Loop-Chiral Vote Grante Fort (Centres) Port Combo North Charge Wife Wort Loop-Chiral Vote Grante Fort (Centres) Port Combo Wife Wort Loop-Chiral Vote Grante Fort (Centres) Port Combo Wife Wort Loop-Chiral Vote Grante Fort (Centres) Port Combo Wife Wort Loop-Chiral Vote Grante Fort (Centres) Port Combo Wife Wort Loop-Chiral Vote Grante Fort (Centres) Port Combo Wife Wort Combo Wife Wort Grant Loop (St. 1) - Zome 1	UNE-F		1														
UNE FOUR FOUR Composition Factor (Centrolay) Port Combo 1 UPPO 24.75 2.2 UPPO 33.05 2.2 UPPO UPP			1	1		1				1		İ	İ		İ		i
2-Wiley Vot Copt-2-Wiley Votes Grade Prot (Centres)Port Combo 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 1 UEPPO 24.76 2 UEPPO 24.76 2 UEPPO 24.76 2 UEPPO 24.76 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO 24.77 2 UEPPO			1	1		1				1		İ	İ		İ		i
Non-Design 1 UEPRO			-	1						1					ĺ		1
2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Part Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Voice Grade Port (Centres/Port Combo-Design 2-Wite Vis Logo-2-Wise Vision Grade Logo (St. 1) - Zone 2 2-Wite Vision Grade Logo (St. 1) - Zone 3 3-Wite Vision Grade Logo (St. 1) - Zone 3 3-Wite Vision Grade Logo (St. 1) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Logo (St. 2) - Zone 3 3-Wite Vision Grade Port (Centres V ESS-MECO)State Local Annual Ann	1 1			1	UEP9D		24.75			1							1
Non-Design 2 UEPIO 33.05			1	t i		1	0			† †				i	i		1
2-Wee visit Coopt-Wine visits Grasse Prot (Centres)Port Combo Non-Design Wee PortLoop Combination Rates (Design) Wee PortLoop Combination Rates (Design) Wee Visits (Centres) Port Combo University Visits (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centres (Centres) Port Centr				2	UEP9D		33.05					1	1				1
Non-Design Surface S			1	<u> </u>													
UNE Port/Loop Cembination Rates (Design)				3	UEP9D		44.33										ł
SAVIRE VICE Loop/2-Wire Voice Grade Port (Centrex/Port Combo-Design 1 UEP90 28.97 39.93 39.9	UNE F			Ť		1											
Design 1 UEP8D 28.97	-					1											
2-Wirk VGL Copt2-Were Valoe Grade Port (Centrex)Port Combo- 2 UEPBD 38.93				1	LIEP9D		28 97										ł
Design 2 UEPBO 39.33				<u> </u>	02. 02	1	20.01										
2-Wire Vota Conde Carde Port (Centrex Port Combo- Design 3 UEP90				2	LIEP9D		39 93										ł
Design SuNELop Rate Sulfate			1	<u> </u>	02. 02	+	00.00						1				ſ
NE Loop Rate				3	LIEPAD		54.81										ł
2-Wire Voice Grade Loop (St. 1) - Zone 1	UNF		1		OLI OD	+	04.01						1				ſ
2-Wire Voice Grade Loop (St. 1) - Zone 2	ONE			1	UFP9D	UECS1	10.75										
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP9D UECS1 30.33				2													
2-Wire Voice Grade Loop (SL 2) - Zone 1			1														
2-Wire Voice Grade Loop (SL-2) - Zone 2 2 UEP9D UES2 25.93			1	_									1				ſ
2-Wire Voice Grade Loop (SL.2) - Zone 3 3 UEP9D UECS2 40.81			1										1				ſ
UNE Port Rate			1	_									1				ſ
ALL STATES	LINE F		1		OLI OD	02002	40.01						1				ſ
2-Wire Voice Grade Port (Centrex) Basic Local Area UEPBD UEPYA 14.00 105.00 85.00 40.18 9.45			1	1		+											
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYB 14.00 105.00 85.00 40.18 9.45 9.	7.22		1		LIEPAD	ΠΕΡΥΔ	14 00	105.00	85.00				1	40 18	9.45		ſ
Area			1		OLI OD	OLI IX	14.00	100.00	00.00				1	40.10	0.40		ſ
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local UEP9D UEPYC 14.00 105.00 85.00 40.18 9.45					LIEPAD	LIEPYR	14 00	105.00	85.00					40 18	9.45		ł
Area			1		OLI OD	OLI ID	14.00	100.00	00.00				1	40.10	0.40		ſ
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area					UEP9D	UEPYC	14 00	105.00	85.00			1	1	40 18	9.45		1
Area			t	t		52. 10	14.00	100.00	55.50	+ +			 	70.10	5.45		(
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area UEP9D UEPYF 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M508))3 Basic Local Area UEP9D UEPYT 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area UEP9D UEPYT 14.00 105.00 85.00 40.18 9.45 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area UEP9D UEPYU 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPYU 14.00 105.00 85.00 40.18 9.45 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPYV 14.00 105.00 85.00 40.18 9.45 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPYY 14.00 105.00 85.00 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45	1 1				UEP9D	UEPYD	14 00	105.00	85.00					40 18	9.45		l .
Area UEP9D UEPYE 14.00 105.00 85.00 40.18 9.45			t	t	02100	JL. 1D	14.00	100.00	00.00	+ +			 	70.10	3.43		(
2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local UEP9D UEPYF 14.00 105.00 85.00 40.18 9.45	1 1				UEP9D	UEPYF	14 00	105.00	85.00					40 18	9.45		l .
Area	 		 	1	021 00	JL: 1L	14.00	100.00	00.00	 				70.10	3.43		
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area UEP9D UEPYT 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area UEP9D UEPYU 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area UEP9D UEPYV 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPYV 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPY3 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPY3 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPY1 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPY1 14.00 105.00 85.00 40.18 9.45	1 1	1			UFP9D	UEPYF	14 00	105.00	85 00					4∩ 19	9.45		l .
Area			t	t	02100	JL: 11	14.00	100.00	00.00	+ +			 	70.10	3.43		(
2-Wire Voice Grade Port (Centrex / EBS-M508))3 Basic Local UEP9D UEPYT 14.00 105.00 85.00 40.18 9.45	1 1				UFP9D	UEPYG	14 00	105.00	85 00					4∩ 19	9.45		l .
Area			t	t	02100	52. 10	14.00	100.00	00.00	+ +			 	70.10	3.43		(
2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area UEP9D UEPYU 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPYV 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local UEP9D UEPY3 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID) Msg Wtg Lamp					UFP9D	UEPYT	14 00	105.00	85 00			1	1	4∩ 19	9.45		1
Area	\vdash		 	 	OL1 3D	OL: 11	14.00	103.00	05.00	+ +		-		40.10	g.40		ſ
2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local UEP9D UEPYV 14.00 105.00 85.00 40.18 9.45	1 1				LIEPAD	HEDVII	14.00	105.00	85.00					<i>1</i> 0 19	0.45		l .
Area	 		 	1	OLI 3D	JL: 10	14.00	103.00	00.00	+ +				40.10	9.40		
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local UEP9D UEPY3 14.00 105.00 85.00 40.18 9.45					LIEDOD	I IEDV\/	14.00	105.00	95.00			1	1	40.19	0.45		1
Area	\vdash		 	 	OLI 3D	OLFIV	14.00	105.00	05.00	+ +		-	-	40.10	5.45		
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local UEP9D UEPYH 14.00 105.00 85.00 40.18 9.45 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp 14.00 105					LIEDOD	LIEDVO	14.00	105.00	05.00			1	1	40.40	0.45		1
Area	\vdash		 	 	OLFSD	UEF 13	14.00	105.00	გე.00	+ +			-	40.18	9.45		
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					LIEDOD	HEDVU	14.00	105.00	05.00			1	1	40.40	0.45		1
	\vdash		 	 	OLFSD	UEFIR	14.00	105.00	00.00	+ +		-	-	40.18	9.45		
	1 1	Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	105.00	85.00					40.18	9.45		1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring D	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area 2 Wire View Code Port (Centrex/differ SWC /EBS M6009)3, 3			UEP9D	UEPYS	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	14.00	215.00	165.00					40.18	9.45		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/diller SWC /EBS-wiszus)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-wiszus)2, 3			UEP9D	UEPY5	14.00	215.00	165.00					40.18	9.45		
	Pasic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14.00	215.00	165.00					40.18	9.45		
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	14.00	215.00	165.00					40.18	9.45		
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	14.00	215.00	165.00					40.18	9.45		
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	14.00	105.00	85.00					40.18	9.45		
NC On	Local Area			UEP9D	UEPY2	14.00	105.00	85.00					40.18	9.45		
NC OII	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	14.00	105.00	85.00					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPUG	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPUT	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUU	14.00	105.00	85.00					40.18	9.45		-
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	ļ	ļ	UEP9D	UEPUV	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	ļ	\vdash	UEP9D	UEPU3	14.00	105.00	85.00	ļ				40.18	9.45		1
	2-Wire Voice Grade Port (Centrex with Caller ID)	ļ		UEP9D	UEPUH	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPUW	14.00	105.00	85.00					40.18	9.45		ı
 	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	 		UEP9D	UEPUJ	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/msg Wtg Earnp Indication)3			02. 00	JE1 00	14.00	100.00	55.00					40.10	5.45		
	2	<u> </u>		UEP9D	UEPUM	14.00	215.00	165.00			<u> </u>		40.18	9.45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1		UEP9D	UEPUP	14.00	215.00	165.00					40.18	9.45		ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	L		UEP9D	UEPUQ	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	14.00	215.00	165.00		•			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	14.00	215.00	165.00					40.18	9.45		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		ibit: B
							·		·		Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													181	Addi	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPUZ	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	14.00	105.00	85.00					40.18	9.45		
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS	S															
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
Misc	ellaneous Terminations															
2-Wir	re Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wir	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65				ļ						
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1								1					
	Different Wire Center			UEP9D	1PQWP	0.65				ļ					ļ	
1			1								1					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65					1					
1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.65					1					
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP9D	1PQWA	0.65										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex				1					ļ		ļ		ļ	ļ	
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1	l	1						1	1				
	changes, per port		<u> </u>	UEP9D	USAC2	ļ	2.77	0.40			1		40.18	9.45	ļ	1
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11				1		40.18	9.45		
	New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73				1		40.18	9.45		
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															<u> </u>
	2 - Requres Interoffice Channel Mileage															
INI-4-	3 - Requires Specific Customer Premises Equipment	l	1	1	1						1	l			I	I
	: Rates displaying an "R" in Interim column are interim and sub															

														1			
UNBL	INDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
														Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
0.75		DATE EL EMENTO	Interi	-	D00				DATEO (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						1	Nonre	curring	Nonrecurrin	g Disconnect	1	1	220	Rates(\$)		l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
									71001		7144	0020					00
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	nination refers to Ge	ographically	Deaveraged UI	NF Zones. To	view Geograp	hically Deaver	aged UNF Zon	e Designatio	ons by Cent	ral Office, refe	er to internet \	Nehsite:	ı
		www.interconnection.bellsouth.com/become a clec/html/inter				ograpinoany	Deaveraged of	THE EDITION TO	rich Geograp	mounty Deaver	agea one zon	o Designatio	one by ocine	rai Oilloc, roi	or to internet	reporte.	
OBED		SUPPORT SYSTEMS	I	1					I		1	1	1	1			
OFERA		(1) Electronic Service Order: CLEC should contact its contract	ct negot	iator if	it prefers the state s	necific elect	ronic service o	rdering charge	es as ordered l	v the State Co	ommissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	s rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															lv. For
		elements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub					go. y . ooo.o	o oa. goa		00		or according cap			0.0	•,	
		Manual Service Order Charge, per LSR, Disconnect Only (SC)	1			SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS					1							İ	t		
		interactive interfaces (Regional)				SOMEC		3.50									
UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Sectio	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		L			UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	00.00											
LIMBUT	IDLED :	Day EXCHANGE ACCESS LOOP	 	-	U1TUB, U1TUA	SDASP		200.00	-		1	ļ	ļ	 	 		
UNBUI		: ANALOG VOICE GRADE LOOP	-				 				-	-	-		 		
	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32	}	15.69	 	+		
\vdash	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32	1	15.69	 	t		
-	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32	 	15.69	 	 		
	†	Unbundled Miscellaneous Rate Element. Tag Loop at End User	1	Ť			20.72	01.02	17.02	20.00	0.02	1	10.00		I		
		Premise	1		UEANL	URETL		8.33	0.83				15.69		1		
		Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		34.23	34.23				15.69				İ
	1	Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		19.90	19.90				15.69	İ	1		l
		CLEC to CLEC Conversion Charge Without Outside Dispatch	Ì														
	<u> </u>	(UVL-SL1)	<u></u>		UEANL	UREWO	<u> </u>	15.81	8.96		<u> </u>		15.69		<u> </u>		
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	ļ	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)	l		UEANL	UEAMC	I	8.17	8.17			<u> </u>	l	İ	l		

Version 1Q03: 02/28/03

UNBII	NDLF	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: B
5.455					1							Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
\vdash								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	OCOSL		18.13	40.40								
\vdash	2 WIDE	(per LSR) Unbundled COPPER LOOP	-		UEANL	UCUSL		18.13	18.13								
\vdash	Z-WIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42		15.69				
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42		15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	Ť	024	O L Q L X	10.02	00.10	10.10	22.00	2		10.00				
		Premise			UEQ	URETL		8.33	0.83				15.69				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.17	8.17								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)	ļ		UEQ	UEQMU		13.47	13.47				15.69				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23				15.69				
igsquare		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch	1	1	l	1			_			1					
		(UCL-ND)			UEQ	UREWO		14.30	7.45				15.69				
		XCHANGE ACCESS LOOP	ļ			_											
\vdash	2-WIRE	ANALOG VOICE GRADE LOOP	ļ			_											
1 1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١,	UEPSR UEPSB	UEALS	14.94	37.92	47.00	23.56	5.00		15.69				
\vdash		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-		UEPSK UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69				
1 1		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32		15.69				
\vdash		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLF SK OLF SB	ULADO	14.34	31.92	17.02	23.30	3.32		13.09				1
1 1		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	02. 0 02. 02	027.20	21.00	01.02		20.00	0.02		10.00				
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
1 1		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															ĺ
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32		15.69				
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.			40.00	40=00									
\vdash		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	LIEA	LIEALO	00.40	405.00	00.40	50.05	40.04		45.00				
\vdash		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
		2-wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
\vdash		Order Coordination for Specified Conversion Time (per LSR)	 	٦	UEA	OCOSL	20.40	18.13	00.43	33.05	10.01		13.09		l	l	
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l	†	02.1	20002		10.10		1		 	-				
		Battery Signaling - Zone 1	1	1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	t	Ė	1				55.10	55.50	.0.01		.0.00				İ
		Battery Signaling - Zone 2	1	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61	1	15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			1			_	-								1
		Battery Signaling - Zone 3	<u></u>	3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		15.69		<u> </u>	<u></u>	<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				
\perp		Loop Tagging - Service Level 2 (SL2)	ļ		UEA	URETL		11.24	1.10				15.69				
	4-WIRE	ANALOG VOICE GRADE LOOP	ļ	<u> </u>	ļ	<u> </u>											ļ
\vdash		4-Wire Analog Voice Grade Loop - Zone 1	!	1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
\vdash		4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>	2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61	ļ	15.69		 	 	ļ
\vdash		4-Wire Analog Voice Grade Loop - Zone 3	!	3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69		 	 	
\vdash		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 	-	UEA UEA	OCOSL UREWO		18.13 87.90	36.44				15.69		-	-	
\vdash	2-WIDE	ISDN DIGITAL GRADE LOOP	1	 	ULA	UKEWU		87.90	30.44	1			15.09		-	-	-
\vdash	Z-VVIKE	2-Wire ISDN Digital Grade Loop - Zone 1	 	1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69			-	
\vdash		2-Wire ISDN Digital Grade Loop - Zone 1	†		UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
+		2-Wire ISDN Digital Grade Loop - Zone 2	l	3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61	 	15.69				
		Order Coordination For Specified Conversion Time (per LSR)		<u> </u>	UDN	OCOSL	57.70	18.13	00.00	00.00	10.01		10.00		 		-

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		T N1	. B'				D - ((A)		
			-			Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates(\$)	0011411	001441
	CLEC to CLEC Conversion Charge without outside dispatch		-	UDN	UREWO		First 91.82	Add'I 44.25	First	Add'l	SOMEC	15.69	SOMAN	SOMAN	SOMAN	SOMAN
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP		-	UDN	UREWU		91.82	44.25	-			15.69				
2-441	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone								 							
	1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		i i	020	02027	20.21		00.00	00.00	10.01		10.00				
	2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.82	44.25				15.69				
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
\vdash	& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				
				UAL	UALZX	13.71	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	17.14	18.13	70.30	30.37	7.93	<u> </u>	10.09				
	2 Wire Unbundled ADSL Loop without manual service inquiry &			OAL	00002		10.10									
	facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48				15.69				
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	HIBLE I	LOOP						1							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop including manual service inquiry		-	OFF	UTILZX	9.30	129.32	15.24	30.37	7.93		13.09				
	& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop including manual service inquiry			0	OT ILLEX	10.02	120.02		00.01	7.00		10.00				
	& facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop without manual service inquiry		_				,					4				
	and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		15.69				
\vdash	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.40	18.13	00.50	50.37	1.93	-	15.69				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48	+			15.69				
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		0		00.02	70.40	1			10.00				
	4 Wire Unbundled HDSL Loop including manual service inquiry								1		İ					
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry					İ	İ									
	and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry					J			1							
	and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL		18.13		 							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		4	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry		- 1	UIIL	UNL4VV	10.02	133.14	95.16	55.12	10.38		15.69				
	and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry		É		J TTT	14.00	100.14	33.10	55.12	10.00	†	10.00				
	and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48				15.69				
4-WI	RE DS1 DIGITAL LOOP							· · · · · · · · · · · · · · · · · · ·								
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	oit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											'		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4 Min DO4 Bin tell and 7 and 0	-	_	1101	1101.707	100.00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	136.00 229.15	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73		15.69 15.69				
—	Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	229.15	18.13	157.89	44.80	11./3		15.69				
—	CLEC to CLEC Conversion Charge without outside dispatch		-	USL	UREWO		101.30	43.13				15.69				
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			001	OIKEWO		101.00	40.10				10.00				
7 ***	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
$oxed{oxed}$	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)	-	-	UDL	OCOSL		18.13	40.05				45.00				
2 WI	CLEC to CLEC Conversion Charge without outside dispatch RE Unbundled COPPER LOOP		-	UDL	UREWO		102.34	49.85				15.69				
2-991	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short including manual service		-	OCL	UCLFB	12.19	119.91	09.02	30.37	7.55		13.09				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69				
	2 Wire Unbundled Copper Loop/Short including manual service			002	OOL! D	10.71	110.01	00.02	00.07	7.00		10.00				
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short without manual service		_					=	====							
	inquiry and facility reservation - Zone 3		3	UCL UCL	UCLPW UCLMC	14.14	94.87 8.17	56.89	50.37	7.93		15.69				
—	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	UCLIVIC		8.17	8.17								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		-	OCL	OOLZL	30.22	110.01	03.02	30.37	7.55		13.03				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.			002	00222	00.00	110.01	00.02	00.07	7.00		10.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - without manual service		_	l <u>.</u> .	[<u>.</u>		_			_	1					
\vdash	inquiry and facility reservation - Zone 2	ļ	2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - without manual service		3	UCL	1101014	07.0-	04.0-	50.00	50.0-	7.00		45.00				
—	inquiry and facility reservation - Zone 3		3	UCL	UCL2W UCLMC	67.95	94.87	56.89	50.37	7.93		15.69				
\vdash	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch	-	-	UCL	UCLIVIC	-	8.17	8.17	 		-					
	(UCL-Des)			UCL	UREWO		94.87	42.57			1	15.69				
4-WI	RE COPPER LOOP	-			OI VE VVO		34.07	72.37	 			10.08				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38	1	15.69				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38	<u> </u>	15.69				
	4-Wire Copper Loop/Short - including manual service inquiry									-						
$oxed{oxed}$	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Copper Loop/Short - without manual service inquiry and						,					4= 0-				
\Box	facility reservation - Zone 1	L	1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38	<u> </u>	15.69				

RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE SERVICE	UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B														
Piret				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- proper to prop							Rec						•				
Section Sect							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN														
A-Vine Cooper Long/Shart relation menual service requiry and				,	LICI	LICL AW	20.00	110.12	01 15	EE 10	10.29		15.60				i l														
Scaley personalisms for tribunded Copper Long gen range			1		UCL	UCL4VV	20.90	119.13	81.15	55.12	10.38		15.69				-														
4-Wise Unburded Copper Longs Long - Includes manual to C. 1 OCL UCL44 77.29 144.17 00.88 55.12 10.38 15.69				3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				i l														
Production of Continue for Co					UCL	UCLMC		8.17	8.17																						
### 4-Wind District Copper Logic Provision Removal of Land Color - 2 Miles (1997) and facility removalers - 2 miles (19				١.						== .0							i l														
Imaging and backly reservations 2 can 2 2 UCL. UCL. 118 78 144 17 30 86 55 12 10 36 15 69	-		1	1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				—														
4-Wire Disturbation Copper Loop Annual Processing and Telegraph Processing Copper Loop Annual				2	UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69				i l														
Order Coordination for Unbrundled Copper Loops (per loop) Sept 100 Sept		4-Wire Unbundled Copper Loop/Long - includes manual svc.																													
A-Wire Unbounded Copper LoopLoop - without manual exc. 1 UCL UCLAO 77.28 119.44 81.45 55.12 19.38 15.69				3			144.10			55.12	10.38		15.69				\vdash														
Imputy and facility reservation. Zone 1			ļ		UCL	UCLMC		8.17	8.17																						
A-Wire Unbrunded Copper LoopCorp without manual size. 2 UCL				1	UCI	UCI 4O	77 29	119 44	81 45	55 12	10.38		15 69				i l														
All Price Unbundled Copper Loop Large - without manual sec. 1																															
Imaginy and facility reservation - Zone 3 JUCL UCLAO 144.10 119.44 81.45 55.12 10.38 15.69				2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69																		
Order Coordination for Unburneled Copper Loops (per loop)						1101.40	44440	440.44	04.45	55.40	40.00		45.00				i l														
CLE to CLEC Conversion Charge wehout outside dispatch (IUCL) UREWO 94.87 42.87 15.69	-		<u> </u>	3			144.10			55.12	10.38		15.69				—														
CUC- Under Cuche Montrecation Family September Cuche			1		OOL	OCLIVIC		0.17	0.17																						
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft UEPSB ULMZ UEPSB ULMZ UEPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ USPSB ULMZ		(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				i														
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18 k ft UEAN LUESES ULAZE UEPSB ULAZE 32.46 32.46 15.69 1	LOOP MODIF	ICATION																													
Unbundled Loop Modification Removal of Load Coils - 2 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18 Kft Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Remova					UEQ, ULS, UEA, UEANL, UEPSR,	ULM2L		32.46	32.46				15.69																		
Unbundled Loop Modification Removal of Load Coils - 4 Wire Sest han or equal to 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire DIAL, UHL, ULL, UEA ULM4G 170.89 170.89 156.9 156.9		Unbundled Loop Modification, Removal of Load Coils - 2 wire																													
Signature Sign					UCL, ULS, UEQ	ULM2G		170.89	170.89				15.69																		
Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Ucl. ULM4G 170.89 170.89 156.89					UHL. UCL. UEA	ULM4L		32.46	32.46				15.69				i l														
Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UEPSR, ULMBT 32.48 32.48 32.48 15.69		Unbundled Loop Modification Removal of Load Coils - 4 Wire				LILMAC																									
Sub-Loop Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,																										
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		Pistellandan	ļ	1																											
Up	Sub-L		-	1		_						-	 				\vdash														
Sub-Loop - Per Building Equipment Room - CLEC Feeder I UEANL USBSC 177.84 177.84 177.84 177.84 177.84 15.69			ı		UEANL	USBSA		241.42	241.42				15.69																		
Sub-Loop - Per Building Equipment Room - CLEC Feeder I UEANL USBSC 177.84 177.84 177.84 177.84 177.84 15.69			1		UEANL	USBSB		22.69	22.69				15.69																		
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel UEANL USBSD 55.58 55.58 15.69 1		Sub-Loop - Per Building Equipment Room - CLEC Feeder			LIEANI	LISBSC		177 84	177 84				15 69																		
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 1 1 UEANL USBN2 8.87 65.94 31.03 45.35 6.71 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 1		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	i i									1																			
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2 UEANL USBN2 12.58 65.94 31.03 45.35 6.71 15.69		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -																													
Zone 2			I	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69																		
Zone 3		Zone 2	- 1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71	1	15.69				\vdash														
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 1 UEANL USBN4 14.11 79.21 44.29 49.82 9.09 15.69			ı	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69																		
Zone 1					UEANL	USBMC		8.17	8.17																						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69																		
				2	UEANL	USBN4		79,21	44.29	49.82	9.09		15,69																		

UNBL	JNDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
0.1.2												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	115 4411	1100014	40.00	70.04	44.00	40.00	0.00		45.00				
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								1
	+	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	2.41	53.13	18.21	45.35	6.71	1	15.69				
		Sub-Loop 2-vviile intrabuliding Network Cable (INC)			ULANL	USBRZ	2.41	55.15	10.21	45.55	0.71		15.05				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				
		()															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	_ I	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71		15.69				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71		15.69				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		8.17	8.17								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09		15.69				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09		15.69				
					l												1
	Hart	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
-	Unbund	Illed Network Terminating Wire (UNTW)			LIENTM	UENPP	0.0000	20.20	20.20				45.00				
-	Moturer	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)			UENTW	UENPP	0.3303	30.20	30.20				15.69				
-	Mermor	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79			1	15.69				
		Network Interface Device (NID) - 1-2 lines		1	UENTW	UND16	1	64.42	49.53				15.69				
		Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92				15.69				
		Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		5.92	5.92			1	15.69				
SUB-L	OOPS	Hother Monado Bondo Groco Cominati			02	0.1201		0.02	0.02				10.00				
		op Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC		1	UEA,												
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		241.42					15.69				ı
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
		set-up			UDN,UCL,UDL,UDC	USBFX		22.69	22.69				15.69				ı
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.87	11.34				15.69				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															1
		Grade - Zone 1		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice							=	= 4.00			4= 00				1
-		Grade - Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
1		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		3	UEA	USBFA	14.74	02.20	EC 60	54.68	13.74		15.69				ı
	\vdash	Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR	 	3	UEA	OCOSL	14.74	93.28 18.13	56.69	54.68	13.74	 	15.09	 	 		
-		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		 	ULA	OOOOL	 	10.13							 		
		Grade - Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		†	1		3.50	55.25	33.30	550	.0				1		
1		Grade - Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		i –	1										1		
	<u> </u>	Grade - Zone 3	<u></u>	3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74	<u></u>	15.69	<u></u>	<u> </u>		
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.13									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
		Voice Grade - Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				
1		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			l	l											
	\perp	Voice Grade - Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				1
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		_	LIEA	LICDEO		00.00	50.00	54.00	10 = 1		45.00				1
<u> </u>	\vdash	Battery, Voice Grade - Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69	 	 		
<u> </u>	+-	Order Coordination For Specified Conversion Time, per LSR	-	├	UEA	OCOSL	 	18.13				1	1	-	 		
1		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				ı
-	+-	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	H	<u>'</u>	ULA	טטטויט	21.03	107.91	10.36	02.20	17.32	—	15.09	l	 		
		Grade - Zone 2		2	UEA	USBFD	27.57	107.91	70.36	62.26	17.52		15.69				
	\perp	01440 L0110 L	<u> </u>		IOFU	ט וטטט	21.51	107.701	10.30	02.20	17.32	1	13.09		ı		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
		Inter'									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	L DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															í
	Grade - Zone 3		3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															í
	Grade - Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice							=								í
	Grade - Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice							=								ł
	Grade - Zone 3	-	3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				
\vdash	Order Coordination For Specified Conversion Time, Per LSR	-	-	UEA UDN	OCOSL USBFF	17.05	18.13 106.47	68.92	55.81	13.37		15.69				
 	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	+	7	UDN	USBFF	17.05 20.92	106.47 106.47	68.92		13.37	-	15.69 15.69	-		-	
\vdash	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	1	3	UDN	USBFF	20.92	106.47	68.92	55.81 55.81	13.37	-	15.69		-		
	Order Coordination For Specified Conversion Time, Per LSR	+	3	UDN	OCOSL	23.49	106.47	08.92	55.81	13.37	-	15.09	-		-	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	-	1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37	-	15.69		-		
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	 	2	UDC	USBFS	20.92	106.47	68.92		13.37		15.69		 		
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	 		UDC	USBFS	20.92	106.47	68.92	55.81	13.37	 	15.69		1		
 	Unbundled Sub-Loop Feeder, 2 Wife OBC (IBSL compatible)			USL	USBFG	55.85	102.19	64.64	62.26	17.52	1	15.69				
h + +	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1		USL	USBFG	109.16	102.19	64.64	62.26	17.52	1	15.69				
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	203.35	102.19	64.64	62.26	17.52	1	15.69		1		
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	203.33	18.13	04.04	02.20	17.52	-	13.03				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69	†	15.69				ſ
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		<u> </u>	001	COBITI	0.00	00.01	40.42	00.14	10.00	1	10.00				
	2		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				ł
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		-													
	3		3	UCL	USBFH	4.59	83.97	46.42	53.14	10.69		15.69				ł '
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.13				İ					i
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.21	101.22	63.67	58.03	13.29		15.69				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	8.28	101.22	63.67	58.03	13.29		15.69				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	8.42	101.22	63.67	58.03	13.29		15.69		Î		i T
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.13									i T
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52		15.69				i
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				l
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	20.17	102.19	64.64	62.26	17.52		15.69				<u> </u>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															í
	Zone 1	ļ	1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69		ļ		ļ
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1														l .
	Zone 2	ļ	2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1	_	LIDI	LICDEO	00.4-	400.40	04.61	00.00	47.50		45.00				1
\vdash	Zone 3	 	3	UDL	USBFO	20.17	102.19	64.64	62.26	17.52		15.69		 		
\vdash	Order Coordination For Specified Time Conversion, per LSR	-	-	UDL	OCOSL		18.13		 		1			 		
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1	1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69				1
\vdash	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	+	1	UDL	UODFF	21.02	102.19	04.04	62.26	17.52	-	15.09	-		-	
	Zone 2	1	2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69				1
 	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1		ODL	OODI-F	21.30	102.19	04.04	02.20	17.32	H	15.09		 		
	Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52		15.69				l .
	Order Coordination For Specified Conversion Time, per LSR		l ŭ	UDL	OCOSL	20.17	18.13	5-1.04	02.20	17.02		10.00				(
SUB-LOOPS	2.22. 225 amazon i or opcomod conversion inne, per Loit	†	†		00000		10.10		I		 	 				(
	oop Feeder	1			1				<u> </u>					1		í
1 2 2 2	Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	20.44			t					İ		(
	Sub Loop Feeder - DS3 - Facility Termination Per Month	i		UE3	USBF1	348.12	3,408.62	407.90	160.83	91.17		15.69				í T
	Sub Loop Feeder – STS-1 – Per Mile Per Month	I		UDLSX	1L5SL	20.44								ĺ		1
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	T		UDLSX	USBF7	369.07	3,408.62	407.90	160.83	91.17		15.69				i Total
UNBUNDLED	LOOP CONCENTRATION															i
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	318.73	326.13	326.13				15.69				i
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	46.69	135.89	135.89				15.69				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	351.78	326.13	326.13				15.69				
1 7	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	78.67	135.89	135.89				15.69				

UNBUN	IDLF	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
O. T. DO.		THE INDICATE LEE MENTO GOOD ON GOING	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.42	63.43	46.18	16.83	4.71		15.69				
		Unbundled Loop Concentration - ISDN Loop Interface (Brite				l											í
		Card)			UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - UDC Loop Interface (Brite						40.50									í
\vdash		Card)		-	UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	4.75	10.56	10.50	5.41	5.37		15.69				í
\vdash					UEA	ULCC2	1.75	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69				í
\vdash					UEA	ULCCK	10.42	10.56	10.50	5.41	5.57		15.69				
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)	1		UEA	ULCC4	6.22	10.56	10.50	5.41	5.37	1	15.69				1
\vdash		Unbundled Loop Concentration - TEST CIRCUIT Card	 		ULC	UCTTC	30.38	10.56	10.50	5.41	5.37		15.69	l	 		
+		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			020	50110	30.30	10.50	10.30	5.41	5.57		15.09		 		
		Interface	l		UDL	ULCC7	9.21	10.56	10.50	5.41	5.37		15.69				l .
+		Unbundled Loop Concentration - Digital 56 Kbps Data Loop				32001	5.∠1	10.50	10.30	5.41	5.57		13.09		 		
		Interface			UDL	ULCC5	9.21	10.56	10.50	5.41	5.37		15.69				í
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop	l -		001	02000	Ψ.Z1	10.00	10.00	0.41	0.57		10.00				(
		Interface	1		UDL	ULCC6	9.21	10.56	10.50	5.41	5.37	1	15.69				1
UNE OT	IFR. P	ROVISIONING ONLY - NO RATE			002	02000	0.21	10.00	10.00	0	0.01		10.00				
	1_1,1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		<u> </u>			UEANL,UEF,UEQ,U								İ				
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									1
UNE OTI	IER, P	ROVISIONING ONLY - NO RATE															
					UAL,UCL,UDC,UDL,												i I
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															i I
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															i I
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															ł
		no rate			USL	CCOEF	0.00	0.00									——
		Y UNBUNDLED LOCAL LOOP	L	-													
r	IOTE: I	minimum billing period of three months for DS3/STS-1 Local High Capacity Unbundled Local Loop - DS3 - Per Mile per	Loop														
		month			UE3	1L5ND	12.26										í
\vdash		High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	12.20						-				
1 1		Termination per month	1		UE3	UE3PX	306.36	452.52	264.53	119.75	83.77	1	15.69				1
+		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 		OLO	OLSEA	300.30	+52.52	204.03	119.75	03.77		15.69	l	 		
		month	1		UDLSX	1L5ND	12.26					1					1
\vdash		High Capacity Unbundled Local Loop - STS-1 - Facility				. 20.10	12.20				1				1		í
		Termination per month	1		UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77	1	15.69				1
LOOP M	AKE-U						3.00	.02.02	2000		55.77				1		(
1		Loop Makeup - Preordering Without Reservation, per working or	i e								İ			İ	İ		
		spare facility queried (Manual).	1		UMK	UMKLW		24.04	24.04			1					1
		Loop Makeup - Preordering With Reservation, per spare facility															
1 1		queried (Manual).	1		UMK	UMKLP		25.49	25.49			1					1
HIGH FR	EQUE	NCY SPECTRUM	L														ı .
		HARING															
5	PLITT	ERS-CENTRAL OFFICE BASED															
\sqcup		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69				
\vdash		Line Sharing Splitter, per System 24 Line Capacity	ļ	<u> </u>	ULS	ULSDB	54.05	189.21	0.00	178.38	0.00		15.69		ļ		.
$\vdash \vdash$		Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69		ļ		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	l							40							l .
	ND !!	deactivation (per LSOD)	/ CDE-C:	I I	ULS	ULSDG		86.67	0.00	49.95	0.00		15.69	 	 		
F F	ט עא:	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	IKUM		ULSDC	0.04	40.55	40.00	40.04	4.93		45.00	 	ļ		
		Line Sharing - per Line Activation (BST owned Splitter)	l .	Ц	ULS	OLODO	0.61	18.55	10.62	10.04	4.93	L	15.69	l	L		

CATEONOM Part ELEMBRY Part	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
Les Distances				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Use Burlary - per Schargerin Acroby per Unit Print April 1904 School Schoo							Rec										
Researcementally Character Solitant ULS ULSOS 16-22 6.21 15-59 15-59 1-15-59 1		Live Oberion and Order and Additional Pro-		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Line Starting - per Subsequent Activity per Line					111 8	HISDS		16.42	8 21				15.60				
Reservey-principitic Covered Spillery U.S.S. U.S.COC 0.51 77.74 19.57 20.57 9.77 15.69			-	1	OLO	ULSDS		10.42	0.21				13.08				
CARD LINES CONTRING CHIEF ALTERNAL STATES AL					ULS	ULSCS		16.42	8.21				15.69				
BROUGER FOLCENTRAL OFFICE ALRESD Line Splitting: per land substance TALE counted splitters Line Splitting: per land substance TALE counted splitters Line Splitting: per land substance TALE counted splitters Line Splitting: per land substance TALE counted splitters Line Splitting: per land substance TALE counted splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitters Line Splitting: per land substance TALE counted Splitting: per land substance TALE counted Splitting Splitting: per land substance TALE counted Splitting Splitting: per land substance TALE counted Splitting Splitting Splitting Splitting Splitting Splitting Splitting Sp		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.69				
Ins. Spilling per lar activation DEC count of pitter 1 URPS UPPS URPS	LINE S	PLITTING		1													
Uno Spilling - per ime activation S8T connext - projects 1 UFFSR UPPSB UFESB O.51 37.09 21.24 20.07 9.85 15.69	END U			1	LIEDOD LIEDOD	LIDEOS	0.61										
United Spileting - per litre accident BST covered - virtual 1 UESS UESS 0.61 37.06 21.24 20.07 3.65 15.69				+				37.09	21 24	20.07	9.85		15 69				
SPLITTERS-REMOTE STEE				1													
Remote Site Les Share Sell South Owner Spring / A Port 1 U.S. U.S. B 38.61 115.04 0.00 15.69																	
Remote Site In the Share Cable Part Anthonic CLEC Owned at I U.S. U.S.TIG 96.83 0.00 68.37 0.00 15.69	SPLIT			1			22.21	445.04		05.10			4= 00				
Revidence Section Communication Commun				-	ULS	ULSKB	38.61	115.04	0.00	85.18	0.00	1	15.69				
No. No. Section Se			l ,		ULS	ULSTG		95.83	0.00	68 37	0.00		15 69				
RS_ RST Splitter RS_ Line Share Line Advantion for End User served at RS_ CLEC L. U.S. U.S.TC 0.61 37.09 21.24 20.07 9.85 15.69	END U		M AKA	REMOT				30.00	0.00	00.07	0.00		10.00				
RS Line Share Line Advision for Earl User served at RS, CLEC 1 U.S. U.S																	
Spitter U.S.			I		ULS	ULSRC	0.61	37.09	21.24	20.07	9.85		15.69				
Remote Size Line Share Subsequent Actively-RS SIZE Owned			١.			LUCTO	0.04	27.00	24.24	20.07	0.05		45.00				
Spiller Spil			-	1	ULS	ULSIC	0.61	37.09	21.24	20.07	9.85		15.69				
Remote Site Line Share Subsequent Activity-RS CLEC Owned ULS ULSTS 49.26 17.87 15.69			1		ULS	ULSRS		49.26	17.87				15.69				
UNBUNDLED DEDICATED TRANSPORT NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3-ene month, DS3/STS-1=four months NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period - below DS3-ene month, DS3/STS-1=four months NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - Wire Voice Grade - Defeated Transport - 2-Wire Voice Grade - U1TVX																	
NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT			- 1		ULS	ULSTS		49.26	17.87				15.69				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT				<u> </u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		070.4 (
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month U1TVX U1TV2			m billin	ig perio	d - below DS3=one	montn, DS3/	S1S-1=four mo	ntns									
Intereffice Channel - Dedicated Transport - 2: Wire Voice Grade - Facility Termination U1TVX U1TV2 24.30 40.63 27.47 16.77 6.91 15.69	IIII III			1													
Facility Termination U1TVX U1TV2 24.30 40.63 27.47 16.77 6.91 15.69					U1TVX	1L5XX	0.0167										
Interoffice Channel - Dedicated Transport 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Per Mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Interoffice Channel - Dedicated Transport - 56 kbps - Facility Interoffice Channel - Dedicated Transport - 56 kbps - Facility Interoffice Channel - Dedicated Transport - 56 kbps - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Tra																	
Rev Bat Per Mile per month				1	U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		15.69				
InterOffice Channel - Dedicated Transport - 2- Wire VG Rev Bat. U1TVX					LIATVY	11 5 7 7	0.0167										
Facility Termination UTTX			-	1	OTTVA	ILJAA	0.0107										
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade					U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination U1TVX U1TV4 21.29 40.63 27.47 16.77 6.91 15.69			ł														
- Facility Termination				1	U1TVX	1L5XX	0.0167										
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month					LIITVY	11111/4	24.20	40.62	27 /7	16 77	£ 04		15.60				
per month U1TDX 1L5XX 0.0167			-	1	OTTVA	01174	21.29	40.03	21.41	10.77	0.51		13.03				
Termination					U1TDX	1L5XX	0.0167										
Interoffice Channel - Dedicated Transport - 64 kbps - per mile Def month Dedicated Transport - 64 kbps - Facility Termination Dedicated Transport - 64 kbps - Facility Termination Dedicated Channel - Dedicated Channel - Dedicated Channel - Desicated Channel - Dedicated Transport - DS1 - Per Mile per month Dedicated Transport - DS1 - Facility Dedicated Transport - DS3 - Per Mile per month Dedicated Transport - DS3 - Per Mile per month Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - DS3 - Facility Dedicated Transport - Dedicated Transport - STS-1 - Per Mile per month Dedicated Transport - STS-1 - Per Mile per month Dedicated Transport - STS-1 - Per Mile per month Dedicated Transport - STS-1 - Facility Dedicated Transport - STS-1 - Facili																	
Degree month				1	U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination					LIATOY	11 5 7 7	0.0167										
Termination			 	 	OTIDA	ILUAA	0.0107					†					
month U1TD1 1L5XX 0.3415	<u> </u>	Termination	<u></u>	L	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination U1TD1 U1TF1 77.14 89.47 81.99 16.39 14.48 15.69 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 1L5XX 8.02 Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 880.65 279.37 163.12 60.33 58.59 15.69 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 1L5XX 8.02 U1TS1 1L5XX 8.02 U1TS1 1L5XX 8.02 U1TS1 U1TS																	
Termination	\vdash		<u> </u>	1	U1TD1	1L5XX	0.3415										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TD3 U1TF3 880.65 279.37 163.12 60.33 58.59 15.69 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility U1TS1 U1TS1 L5XX 8.02	1 1				LIATDA	LIATEA	77.44	90.47	91.00	16.00	14.40		15.00				
month	 		 	1	וטווטו	UTIFT	//.14	89.47	81.99	16.39	14.48	1	15.69				
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 880.65 279.37 163.12 60.33 58.59 15.69 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 1L5XX 8.02					U1TD3	1L5XX	8.02										
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 1L5XX 8.02 Interoffice Channel - Dedicated Transport - STS-1 - Facility					-												
month					U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69				
Interoffice Channel - Dedicated Transport - STS-1 - Facility					111701	11.577	9.00										
	 	1	 	+	01101	ILOAA	8.02					1					
		Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69				

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
\vdash								Nonrec	urring	Nonrecurring	n Disconnect			OSS	Rates(\$)		
\vdash						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ng perio	d = bel	low DS3=one month	, DS3/STS-1	=four months										
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				1
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21		15.69				†
		Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				1
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				1
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11.93					ĺ					
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	446.00	452.52	264.53	119.75	83.77	ĺ	15.69				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11.93										
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
DARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF	1L5DC	97.65								<u> </u>		<u> </u>
		NRC Dark Fiber - Local Channel			UDF	UDFC4		640.51	138.17	317.76	198.11		15.69				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction							-								
		Thereof per month - Interoffice Channel			UDF	1L5DF	36.41										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		640.51	138.17	317.76	198.11		15.69				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF	1L5DL	97.65										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11		15.69				
8XX AC	CESS T	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.59	0.44				15.69				
1 1		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.95	0.81	4.58	0.54		15.69				
1 1		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54		15.69				
1 1		8XX Access Ten Digit Screening, Customized Area of Service															
lacksquare		Per 8XX Number			OHD	N8FCX		2.59	1.30				15.69				
1 1		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74				15.69				
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
1 1		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.59	2.59				15.69				
$\vdash \vdash \vdash$		8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673					ļ					↓
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD	 	0.0006673			ļ	-	1	-		 		+
LINE IN		TION DATA BASE ACCESS (LIDB)		-	007	 	0.0000040			1	-			 	 		+
$\vdash \vdash$		LIDB Common Transport Per Query			OQT	1	0.0000246					 	-	-			+
		LIDB Validation Per Query			OQU	NDDDV	0.0138158	24.42		40.40	-	 	45.00	 	-		+
SIGNAL		LIDB Originating Point Code Establishment or Change		-	OQT, OQU	NRPBX		34.40		42.18		 	15.69	-			+
SIGNAL				-	LIDD	TDD	10.00	05.01	05.01	10.70	10.10	 	 	 	-		+
$\vdash \vdash \vdash$		CCS7 Signaling Connection, Per 56 Kbps Facility		-	UDB	TPP++ PT8SX	16.93 163.49	35.61	35.61	16.48	16.48	 	-				+
\vdash		CCS7 Signaling Termination, Per STP Port		-	UDB	L192X				-		 	-				+
\vdash		CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		-	UDB UDB	TPP++	0.0000692 16.93	35.61	35.61	16.48	16.48		15.69		-		+
\vdash		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		-	ממט	1177++	10.93	30.61	33.61	10.48	10.48		15.69		-		+
		link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
\vdash		CCS7 Signaling Usage, Per ISUP Message		 	UDB	11:577	0.0000173	33.01	35.61	10.40	10.40		13.09	 			+
\vdash		CCS7 Signaling Usage Surrogate, per link per LATA		 	UDB	STU56	791.37					 					+
\vdash		CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	-	 		31000	131.31			†		 	<u> </u>		 		
		Establishment or Change, per STP affected		1	UDB	CCAPO		29.08	29.08	35.65	35.65		15.69				1
\vdash		CCS7 Signaling Point Code, per Destination Point Code		t		1		20.00	20.00	55.50	33.30		.0.00	i	 		
		Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65		15.69				1
						- 5 5		20.00	20.00	55.00	33.00	1		i			\vdash
E911 SF	-KVICFI					i											+
E911 SE		Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21		15.69				

ONRONDLE	ED NETWORK ELEMENTS - South Carolina													ment: 2	1	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intan:									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
																l l
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urring	Nonrecurring	Disconnect	 	l	OSS	Rates(\$)	l	l
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				+		11130	Addi	11130	Addi	JOINEC	JONAN	JONAN	JONAN	JONIAN	JONAN
	Termination					24.30	40.63	27.47	16.77	6.91		15.69				
	Local Channel - Dedicated - DS1 - Zone 1						177.87		22.24	15.30						
						42.62		154.06				15.69				
	Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06	22.24	15.30		15.69				
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30		15.69				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					77.14	89.47	81.99	16.39	14.48		15.69				
CALLING NA	ME (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
	CNAM For Non DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
	CNAM For DB Owners - Service Provisioning With Point Code										i			l		
	Establishment		1	oqv			993.09	734.47	269.53	198.18	1	15.69		1		
 	CNAM For Non DB Owners - Service Provisioning With Point		t	1-~.	+		300.03	104.41	200.00	100.10	-	10.00			 	
	Code Establishment		1	oqv			343.09	245.69	275.87	198.18	1	15.69		1		
	CNAM for DB Owners, Per Query		-	OQV		0.0010433	343.09	243.09	213.01	190.10		13.09			1	1
\vdash		I	 	OQV	+	0.0010433					-			-	1	1
	CNAM for Non DB Owners, Per Query			OQV		0.0010433										
LNP Query Se																
	LNP Charge Per query					0.0008837										
	LNP Service Establishment Manual						25.09	25.09	23.07	23.07		15.69				
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				
OPERATOR C	CALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using		-			0.20			1						1	1
						0.20										
INDIA A DD ODE	Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES					4.45										
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
	OPERATOR CALL PROCESSING															
Facili	ty based CLEC															
	Recording of Custom Branded OA Announcement		$\bot \Box$		CBAOS		7,000.00	7,000.00				15.69				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN		1		CBAOL		500.00	500.00			1	15.69		1		
UNEP	CLEC															
	Recording of Custom Branded OA Announcement		1	1			7,000.00	7,000.00	1			15.69		1	1	1
 	Loading of Custom Branded OA Announcement per shelf/NAV		1	İ	İ		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,			i			İ	Ì	Ì
	per OCN		1				500.00	500.00			1	15.69		1		
Unbra	anding via OLNS for UNEP CLEC		t	<u> </u>	+		300.00	300.00	 		-	10.00			 	
Ulibra	Loading of OA per OCN (Regional)	 	 	1	1		1,200.00	1,200.00				15.69		 	1	1
DIDECTORY	ASSISTANCE SERVICES	-	1	+	+		1,200.00	1,200.00	 		-	15.69		 	 	
		I	 	1	+	-					-			-	1	1
DIKE	CTORY ASSISTANCE ACCESS SERVICE	-	 	 	-	0.07-			 					-	1	1
	Directory Assistance Access Service Calls, Charge Per Call	1	1	 	-	0.275								ļ	ļ	ļ
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)	<u> </u>	ļ					ļ							
	Directory Assistance Call Completion Access Service (DACC),		1								1			1		
	Per Call Attempt			ļ		0.10										
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month		1	1	DBSOF	150.00			1					1	1	1
BRANDING -	DIRECTORY ASSISTANCE		1		1										1	1
	ty Based CLEC		1	1	1						l	1		1	1	1
I dolli	Recording and Provisioning of DA Custom Branded		1	1	1						1			 	1	1
	processing and reconsisting or DA Gustom Dianutu	1	1	AMT	CBADA	i l	3,000.00	3,000.00			ı	15.69		I	1	1

UNBUND	LED NETWORK ELE	MENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
350,10		- John Saloma		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			+			1	l I	Nonred	curring	Nonrecurring	Disconnect		1	OSS	Rates(\$)		
			+			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of Custom B	randed Announcement per Switch per															
	OCN	<u> </u>			AMT	CBADC		1,170.00	1,170.00				15.69				
UNI	EP CLEC																
\vdash		tom Branded Announcement	-					3,000.00	3,000.00				15.69				
	OCN Loading of DA Custor	m Branded Announcement per Switch per						1,170.00	1,170.00				15.69				
Unk	branding via OLNS for U	NEP CLEC	1	1		+		1,170.00	1,170.00				13.09				
-		CN (1 OCN per Order)		1		†		420.00	420.00				15.69		t		
	Loading of DA per Sw							16.00	16.00				15.69				
SELECTIVE	E ROUTING																
		Unique Line Class Code Per Request Per				LIODOS											
VIDTUA: O	Switch COLLOCATION		1	├		USRCR		84.89	84.89	14.14	14.14		15.69		1		<u> </u>
VIKTUAL		Wire Cross Connects (Loop) for Line	1	+										-	-		
	Splitting	THE CIOUS CONTINUES (LOOP) FOR LINE			UEPSR, UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45		15.69		1		
PHYSICAL	COLLOCATION		1	t	, 52. 65	1	5.55.7	.2.02	50	3.34	3.70						
		2 Wire Cross Connects (Loop) for Line		Ì													
	Splitting				UEPSR, UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45		15.69				
AIN SELEC	TIVE CARRIER ROUTING		ļ														
\vdash	Regional Service Esta		-		SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
	End Office Establishn Query NRC, per quer		-		SRC SRC	SRCEO	0.0035036	175.66	175.66	1.70	1.70		15.69		-		
AIN - BELL	SOUTH AIN SMS ACCES		1	1	SKC	+	0.0033030										
		vice - Service Establishment, Per State,		1		†									t		
	Initial Setup				A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
		vice - Port Connection - Dial/Shared Access	8		A1N	CAMDP		7.85	7.85	9.11	9.11		15.69				
		vice - Port Connection - ISDN Access vice - User Identification Codes - Per User	 	ļ	A1N	CAM1P		7.85	7.85	9.11	9.11		15.69		1		
	ID Code	vice - Oser Identification Codes - Per Oser			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				
		vice - Security Card, Per User ID Code,		1	Ally	CAWAO		33.00	33.00	21.12	27.12		10.00		<u> </u>		
	Initial or Replacement				A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				
		vice - Storage, Per Unit (100 Kilobytes)					0.0027										
		vice - Session, Per Minute				1	0.7121										
		vice - Company Performed Session, Per					0.0004								1		
AIN - REI I	Minute SOUTH AIN TOOLKIT SE	PVICE	+	 		-	0.8364			-		-	 		 		<u> </u>
AIN - BELL		Service Establishment Charge, Per State,	1	1		+											
	Initial Setup				CAM	BAPSC		39.53	39.53	40.78	40.78		15.69				
		Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69				
		Trigger Access Charge, Per Trigger, Per															7
\vdash	DN, Term. Attempt	Frigger Access Charge Des Trieses Des	 	 		BAPTT		7.85	7.85	9.11	9.11		15.69		-		<u> </u>
	DN, Off-Hook Delay	Trigger Access Charge, Per Trigger, Per				BAPTD		7.85	7.85	9.11	9.11		15.69				
		Trigger Access Charge, Per Trigger, Per	+	†		טרו וע		1.05	7.05	5.11	5.11		13.09		-		
	DN, Off-Hook Immedi					BAPTM		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - 7	Trigger Access Charge, Per Trigger, Per					i										
	DN, 10-Digit PODP		1	ļ		BAPTO		34.54	34.54	14.39	14.39		15.69				
		Trigger Access Charge, Per Trigger, Per				DADTO											
\vdash	DN, CDP	Frigger Access Charge Box Trigger Box	1	 		BAPTC		34.54	34.54	14.39	14.39	-	15.69		-		<u> </u>
	DN, Feature Code	Trigger Access Charge, Per Trigger, Per				BAPTF		34.54	34.54	14.39	14.39		15.69				
		Query Charge, Per Query	1	†		J, 11 11	0.0558238	54.54	54.54	14.55	17.55		13.03				
		Type 1 Node Charge, Per AIN Toolkit	1	i i		1								İ			
	Subscription, Per Noc	de, Per Query		<u> </u>			0.0069214										
		SCP Storage Charge, Per SMS Access															
\vdash	Account, Per 100 Kilo	Monthly report - Per AIN Toolkit Service	1	-		-	0.07										
	AIN Toolkit Service - I	VIOLITILITY TEPOIT - MET AIN TOOIKIT SETVICE			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52	1	15.69		I		
-	Subscription		1	1	CAIVI	DAFIVIO	11.8/	7.85	7.85	5.52	5.52	<u> </u>	15.09	I	1	I	

UNBUN	IDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
3201				1								Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ		ļ											
\vdash						1	Rec	Nonred		Nonrecurring		001150	001441		Rates(\$)	001441	001111
-		AINI Tarillia Camina Canadal Chada Day AINI Tarillia Camina		1		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68				15.69				
+		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		-	CAIVI	BAPLS	3.51	8.08	8.08			-	15.69				
		Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
-		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		1	CAIVI	BAFDS	0.40	7.00	7.00	3.32	3.32	1	13.09				
		Service Subscription			CAM	BAPES	0.12	8.68	8.68				15.69				
ENHANC	ED EX	(TENDED LINK (EELs)			O/ 11V1	D/ II EO	0.12	0.00	0.00			1	10.00				
		The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not apr	oly for EELs pro	ovisioned as '	Ordinarily Con	bined' Networ	k Elements.						
		The monthly recurring and the Switch-As-Is Charge and not the															
		Minimum billing is one month for DS1 and below and three m				1											
2	2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
		Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69	<u> </u>			<u> </u>
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
		Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
		Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.27										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month		ļ	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
-		DS1 Channelization System Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
-		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1			LINOVA	LIEALO	40.00	405.00	CO 40	50.05	40.04		45.00				
-		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
 		Each Additional 2-Wire VG Loop(SL2) in the same DS1		-	ONCVA	ULALZ	23.13	103.96	00.43	33.03	10.01		13.09		1		
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
		Voice Grade COCI - DS1 to DS0 Channel System combination -		Ť	ONOVA	OLIVILLE	20.40	100.00	00.40	00.00	10.01	1	10.00				
		per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	1.5.10	0.00	0.00					10.00				
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4	-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			, ,												
		Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
1	-	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
\vdash		Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
\vdash		Per Month		1	UNC1X	1L5XX	0.27				-	-		 	ļ		
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINICAV	LIATE 4	04.71	20.4-	04.65	10.00			45.00				
\vdash		Month Channelization Channel System DS1 to DS0 combination Dec		-	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	-	15.69		-		-
		Channelization - Channel System DS1 to DS0 combination Per			LINICAV	MQ1	407.57	04.04	CO 74	40.50	0.04		45.00				
\vdash		Month Voice Grade COCI - DS1 to DS0 Channel System combination -		 	UNC1X	IVIQI	107.57	91.24	62.71	10.56	9.81		15.69				
		per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
+		Additional 4-Wire Analog Voice Grade Loop in same DS1	-	-	0110 VX	15100	0.30	0.39	7.73				10.09		 		
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
		Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	00 1/1	5 = / 1E - 7	02.00	102.00	5-1.05	55.55	17.01		10.00				
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
		Additional 4-Wire Analog Voice Grade Loop in same DS1		ΤĒ	_	1			230	22.50				l	İ		İ
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
		Voice Grade COCI - DS1 to DS0 Channel System combination -				1									1		1
		per month	L		UNCVX	1D1VG	0.56	6.59	4.73			<u></u>	15.69	<u> </u>			<u> </u>
	•	Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4	-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL)					· -				l			

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				<u> </u>
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				<u> </u>
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				1
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				i
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				<u> </u>
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				I
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	10.00	0.01		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		L	UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				<u> </u>
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TRA	NSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				}
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				<u> </u>
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150	0011411		Rates(\$)	001441	0014411
—	Interoffice Transport - Dedicated - DS1 combination - Facility		-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				, ,
	Nonrecurring Currently Combined Network Elements Switch -As-						*****									
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TRA	NSPORT (EEL)	1											
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		<u> </u>	CITOTA	OOLAG	50.07	200.00	107.00	44.00	11.70		10.00				
	2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			LINIOAN	1101.307	004.00	050.00	457.00	44.00	44.70		45.00				
 	Interoffice Transport - Dedicated - DS3 combination - Per Mile	-	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Per Month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month		-	UNC3X UNC1X	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18 4.73	33.33	31.90		15.69 15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	UCTDT	8.04	6.59	4.73				15.69				
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X	UC1D1	8.64	6.59	4.73	44.60	11.73		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			O. CO. IX	00.5.	0.01	0.00	0				10.00				
	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				,
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEALZ	10.08	105.98	68.43	53.05	10.61		15.69				
	Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0134										1
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVA	ILSAA	0.0134										
	combination - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4.100	Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT 4-WireVG Loop used with 4-wire VG Interoffice Transport	EKOFF	ICE IR	ANSPURT (EEL)	1											
	Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2	ļ	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
 	Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	DINCVA	UEAL4	43.38	132.38	94.83	59.35	14.01		15.09				
	Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
\vdash	combination - Facility Termination per month		ļ	UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR		5,1000		3.01	0.01	7.00	7.00		10.00				
	High Capacity Unbundled Local Loop - DS3 combination - Per			<u> </u>												
	Mile per month			UNC3X	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42	452.52	204.33	119.75	03.77		15.09				
					,	02	l l									

CATEGORY RATE ELEMENTS Made Zone BLGS USGG RATES (B) Water Carper	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
Mode				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -
Interesting Transport Declarated 10th commission Facility Interesting Transport per get month. Interesting Transport Declarated 10th Commission Interes							Poc	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
Termination per per month Nancours Currently Confirmed National Elements Switch Are Nancours Nancour							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Number Section Secti					LINC3X	IIITE3	704 52	270 37	163 12	60.33	58 50		15.60				1 '
In Charge		Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	01113	704.32	219.31	103.12	00.33	36.39		13.09				
High Copusity Unbrunded Loral Lorg - STSL combination - Park UNCSX LLBND 12.28		Is Charge				UNCCC		5.61	5.61	7.00	7.00		15.69				
Mile per month Mile	STS1		FICE TI	RANSPO	ORT (EEL)												<u> </u>
Facility Termination per month UNCSX UDLS1 313-0 462-52 244-53 119.75 88.277 15.69		Mile per month			UNCSX	1L5ND	12.26										
Def month		Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
Interesting Personnel					LINCSY	11 5YY	6.42										
Termination per month					OINOOA	ILUAA	0.42										
Scharge UNCSX UNCCC 5.61 5.61 7.00 7.00 15.69		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				L
WRIE SION EXTENDED LOOP WITH DESI INTEROFFICE TRANSPORT (EEL.)			1		LINCSY	INCCC		5.64	E C1	7.00	7.00		15.60				
First 2-Wire ISBN Loop in a DST Interoffice Combination 1 UNCNX	2-WIR		RT (EEL)	UNCSA	UNCCC		5.61	5.61	7.00	7.00		13.09				
First 2-Wire ISON Loop in a DS1 Interoffice Combination 2 UNCNX U1L2X 32.76 117.58 80.03 53.05 10.61 15.69		First 2-Wire ISDN Loop in a DS1 Interoffice Combination											1				
Transport - Zone 2				1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				<u> </u>
First 2-Wire ISDN Loop in a DST Interoffice Combination Transport - Zone 1 Transport - Zone 2 Interoffice Transport - Dedicated - DSI combination - Per Mile UNC1X 1LSXX 0.27 UNC1X U1F1 61.71 89.47 81.99 16.39 14.48 16.69 UNC1X U1F1 61.71 89.47 81.99 16.39 14.48 16.69 UNC1X U1F1 61.71 89.47 81.99 16.39 14.48 16.69 UNC1X UNC1X U1F1 61.71 89.47 81.99 16.39 14.48 16.69 UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X U1F1 61.71 89.47 81.99 16.39 14.48 16.69 UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X U1F1 61.71 89.47 81.99 16.39 14.48 16.69 UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X U1C1X UNC1X U1C1X				2	LINCNX	1111 2X	32.76	117 58	80.03	53.05	10.61		15.69				1 '
Interoffice Transport - Dedicated - DSI combination - Per Mile UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 15.69					CITOITX	OTLEX	02.70	117.00	00.00	00.00	10.01		10.00				
Interoffice Transport - Dedicated - DST combination - Facility UNC1X				3				117.58	80.03	53.05	10.61		15.69				<u> </u>
Termination per month			ļ	-	UNC1X	1L5XX	0.27										
Channelization - Channel System DS1 to DS0 combination - per month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81 15.69					UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				i '
2-wire ISDN COCI (RRITE) - DS1 to DS0 Channel System																	
Combination - per month					UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
Combination - Zone 1					UNCNX	UC1CA	2.56	6.59	4.73				15.69				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 UNCNX U1L2X 32.76 L117.58 80.03 53.06 10.61 15.69 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 UNCNX U1L2X 37.70 L117.58 80.03 53.05 10.61 15.69 L17.58 80.03 53.05 10.61 15.69 L17.58 80.03 53.05 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 L17.58 80.03 10.61 15.69 15.69 15.69 L07.60 L0	i																
Combination - Zone 2				1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
Combination - Zone 3				2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				1 '
2-wire ISDN COCI (BRTE) - DS1 to DS0 Channel System	i																
Combination- per month				3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
Scharge					UNCNX	UC1CA	2.56	6.59	4.73				15.69				Ĭ
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)			-														
First DS1 Loop in STS1 Interoffice Transport Combination - 1 UNC1X	4-WID		ITEDAE	EICE TI				5.61	5.61	7.00	7.00		15.69				├──
Zone 1	4-WIK		LILKOP	TICE II	KANSFORT (EEL)												
Zone 2		Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
Zone 3 3 UNC1X		Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				<u> </u>
Per Month				3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				Ĭ
Interoffice Transport - Dedicated - STS1 combination - Facility UNCSX U1TFS 704.44 279.37 163.12 60.33 58.59 15.69					UNCSX	1L5XX	6.42										
STS1 to DS1 Channel System conbination per month		Interoffice Transport - Dedicated - STS1 combination - Facility											İ				
DS3 Interface Unit (DS1 COCI) combination per month			-	1													 '
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	 		 	1						33.33	31.90						
Additional DS1Loop in STS1 Interoffice Transport Combination -		Additional DS1Loop in STS1 Interoffice Transport Combination -	l														
			 	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
		Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				<u> </u>
Additional DS1Loop in STS1 Interoffice Transport Combination -				3	UNC1X	USI XX	261.80	253.03	157 20	44.80	11 73		15.60				1
DS3 Interface Unit (DS1 COCI) combination per month				"						77.00	11.73						$\vdash \vdash \vdash$

ONBONDLE	D NETWORK ELEMENTS - South Carolina					1					In			ment: 2	1	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FFICE 1	RANSI	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			LINIODY	LIDL 50	00.00	100.00	00.40	50.05	44.04		45.00				
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69			-	
	Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			ONODA	ODESO	33.33	120.00	03.12	33.33	14.01		13.03				
	Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		Ť				120100								t	
1	Per Mile			UNCDX	1L5XX	0.0134									I	1
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				<u> </u>
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE 1	RANSI	PORT (EEL)					1				ļ	ļ		1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	LINCDY	LIDL C4	20.00	400.00	00.10	50.05	44.04		45.00			1	
	Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		2	LINCDY	UDL64	22.00	400.00	00.40	50.05	44.04		45.00				
	Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69			-	-
	Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL64	34.74	120.00	09.12	59.55	14.01		15.09			1	
	Per Mile			UNCDX	1L5XX	0.0134										
-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	120701	0.0104										
	Facility Termination			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			O. CODX	01120	10.11	10.00			0.01		10.00				
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
DDITIONAL N	ETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge of	loes not.									
Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	oination)											<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-						= 0.1	= 0.4	= 00			4= 00				
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINCCC		F 04	F 04	7.00	7.00		45.00			1	1
_	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69			 	-
	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69			I	1
_	Nonrecurring Currently Combined Network Elements Switch -As-			014017	514000		5.01	5.01	7.00	7.00		13.09	l	l	t	
	Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69			1	1
\neg	Nonrecurring Currently Combined Network Elements Switch -As-				5550		0.01	0.01	7.50	7.50		10.00			1	
	Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69			I	1
NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:			r months				, ,						
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	42.62	177.87	154.06		15.30		15.69				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69			1	
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69			ļ	
_	Local Channel - Dedicated - DS3 - Per Mile per month		ļ	UNC3X	1L5NC	11.93	450.50	004 =	110 ==			45.00	 	 	-	
+	Local Channel - Dedicated - DS3 - Facility Termination		-	UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69	-	-	 	
_	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	-	+	UNCSX	1L5NC ULDFS	11.93 435.10	452.52	264.53	119.75	83.77		15.69		-	 	
Ontion	al Features & Functions:		-	UNCOX	ULDFS	435.10	452.52	∠04.53	119.75	83.77	-	15.09			+	
Option	Clear Channel Capability (SF/ESF) Option - Subsequent		-	ULDD1, U1TD1,							-				+	
	Activity - per DS1			UNC1X, USL	NRCCC		65.08					15.69			I	1
-	Processing Per DOT	-	t	U1TD3, ULDD3,	1411000		03.00		+			13.09			t	
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		50.08					15.69			I	1
MULTI	PLEXERS	i i	t	,			55.55						i	i	1	
	minimum billing period is one month for DS1 to DS0 Channel			ntorfacec	1				1		-		 	 	t	\vdash

ATECOPY RATE ELDRENTS Man Service BCS USOC RATES (B) Service MCS RATES (B) Service MCS Por LSR Por LSR Por LSR Decreasing Output Decreasing Decreas	UNBLINDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	oit: B
ATTERIENDS Final Company Compa												Svc Order	Svc Order				
## APT BLEMENTS March Section																	
CATEGORY SAFE ELDRINGS Mar. Soc. Soc. SAFE Soc. Soc. SAFE Soc. S																	
Record R	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				
Proceedings Process			m									per LSK	per LSK				
Note																	
NOTE Control The same SWC per recoil Control														1st	Addi	Disc 1st	Disc Add'I
NOTE Control The same SWC per recoil Control								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
SOLID COLOR COLOR COLOR STATE STATE OF STATE AND STATE							Rec					SOMEC	SOMAN			SOMAN	SOMAN
CST to CSD Charmer System from the higher-level connected to controlled and controlled to the state and state for the higher level controlled to the state and state	NOTE	: minimum billing period is three months for DS3 to DS1Chann	nel Syst	em and	interfaces												
Section Sect																	
Cold to (SSC Charles) System point of contentions and State (SSC Charles) System per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and system per content of contentions and contention					UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
Channel per month								-									
Bisselfick Chairman juri mouth UTITO Mol 197.97 91.24 62.71 10.58 9.81 15.69		Channel) per month			ULDD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
Bisselfick Chairman juri mouth UTITO Mol 197.97 91.24 62.71 10.58 9.81 15.69		DS1 to DS0 Channel System (used to channelize a DS1															
morth (2.4 Edition) used for a Local Loop COULDP COOL (pairs) = 510 BOC Channel System - per					U1TD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
OCU-UP COCI CIRIST - DISTO CRAINED SIDE CRAINED SIDES		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
Month 12.4-Febric Value and for connection to a channelized DSI UTLUD IDIDD 1.19 6.59 4.73 15.69		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73				15.69				
Local Channel in the same SWC as oblication		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
2-view RSN COO (CRRTE) - US\$ to DSC Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System - per month or a Local Loop Loop Channel System (with the higher level connected to a colocation in the same SWC as colocation in the same SWC as colocation in the same SWC as colocation in the same SWC as colocation in the same SWC by per month or a Loop Channel System (with the higher level connected to a colocation in the same SWC by per month or a Loop Channel System (with the higher level connected to a colocation in the same SWC by per month or a Loop Channel System (with the higher level connected to a colocation in the same SWC by per month or a Loop Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to Channel System (with the higher level connected to the same system (with the higher level connected to the same system (with the higher level connected to the same system (with the higher level connected to the same system (with the higher level connected to the same system (with the higher level connected to the same system (with the higher level connected to the same system (with the higher level connected to the system (with the higher level connected to the s		month (2.4-64kbs) used for connection to a channelized DS1															
Month for a Local Loop					U1TUD	1D1DD	1.19	6.59	4.73				15.69				
2-www ISDN COOT (IRVITE) - DS1 to DSI Channel System - per month used for connection to a charanterized SE Lucal Channel with the same SVC per month used for a Local Local channel system - per month used for connection to a charanterized SE Lucal Channel with the same SVC per month used for a Local Local Channel system - per month used for connection to a channel system - per month used for connection to a channel system - per month used for connection to a channel system - per month used for connection to a channel system reper month used for connection to a channel system reper month used for connection to a channel system reper month used for connection to a channel system reper month used for connection in the same SVC) per month used for connection in the same SVC) per month used for connection in the same SVC) per month used for connection in the same SVC per month used for connection in the same SVC per month used for connection in the same SVC per month used for connectical to a collaboration in the same SVC per month used for connectical to a collaboration in the same SVC per month used for connectical used for con		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
month used for connection to a channelized BS1 Local Channel		month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73				15.69				
In the same SWC as collocation UTUB		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
Vice Grade COCI - DST to DSD Channel System - per month used for a Local Local Channel System - per month used for a Local Local Channel System - per month used for a Local Local Channel System (used to channelize a DSI Local Channel in the singler feed connected to a collocation in the same SWC) per month UXT03 M/Q3 14.4 02 178.54 94.18 33.33 31.90 15.69		month used for connection to a channelized DS1 Local Channel															
Used for a Local Loop USA 101VG 0.56 6.59 4.73 15.69					U1TUB	UC1CA	2.56	6.59	4.73				15.69				
Visice Grade COCI - DSI to DSI Channel System - per month used for connection to sharehelized DSI Local Channel in the same SWC as collocation		Voice Grade COCI - DS1 to DS0 Channel System - per month															
Use Section Use					UEA	1D1VG	0.56	6.59	4.73				15.69				
Barne SWC as collocation in the same SWC) per month		Voice Grade COCI - DS1 to DS0 Channel System - per month															
DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month UXTD3 MG3 144.02 178.54 94.18 33.33 31.90 15.69		used for connection to a channelized DS1 Local Channel in the															
Size Continue Co					U1TUC	1D1VG	0.56	6.59	4.73				15.69				
Size Continue Co		DS3 to DS1 Channel System (with the higher level connected to															
Channel per month					UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
DS310 DS1 Channel System (used to channelize a DS3 U1TD3 MO3 144.02 178.54 94.18 33.33 31.90 15.69		DS3 to DS1 Channel System (used to channelize a DS3 Local															
Interoffice Channel per month					ULDD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
STS-1 to DSI Channel System (with the higher loved connected to a collocation in the same SWC) per month U.TS1 M03 144.02 178.54 94.18 33.33 31.90 15.69		DS3 to DS1 Channel System (used to channelize a DS3															
Description Local Channel System (used to channelize a STS-1 DSI Channelize a ST		Interoffice Channel per month			U1TD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
STS-1 to DS1 Channel System (used to channelize a STS-1 ULDS1 MQ3 144.02 178.54 94.18 33.33 31.90 15.69 15																	
Local Channel per month					UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
STS-1 to DS1 Channel System (used to channelize a STS-1																	
Interoffice Channel) per month					ULDS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
DS1 COCI used with Loop per month																	
DST COCI (used for connection to a channelized DST Local Channel in the same SWC as collocation) per month										33.33	31.90						
Channel in the same SWC as collocation) per month					USL	UC1D1	8.64	6.59	4.73				15.69				
DS1 COCI used with Interoffice Channel per month																	
Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1																	
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	<u> </u>				U1TD1	UC1D1	8.64	6.59	4.73				15.69				
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	Sub-																
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 3 UNC1X USBFG 203.35 102.19 64.64 62.26 17.52	\vdash		—												-		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports Exchange Po	\vdash		—	_											-		
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS Set	UNDUS: ==			3	UNC1X	USBFG	203.35	102.19	64.64	62.26	17.52	-					
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS			—	1		1				-					-		
2-WIRE VOICE GRADE LINE PORT RATES (RES)			I	Thi	a declared for the					 					 		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			KY, LA	& IN,t	ne desired features	will need to b	e ordered usin	g retail USOCs	S	 		-					
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 15.69 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 15.69 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 15.69 UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 15.69 UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 15.69 UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 15.69 UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 15.69 UEPSR UEPAJ 1.65 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33 15.69	2-WII			-	LIEDOD	LIEDDI	4.05	0.00	0.00	4.40	4 00		45.00				
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 15.69	\vdash	Exchange Ports - 2-wire Analog Line Port- Res.	1	-	UEPSK	UEPKL	1.65	2.38	2.28	1.42	1.33		15.69				
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 15.69		Evolungo Porto, 2 Wiro Angles Line Port with Coller ID. De-		1	LIEDOD	LIEDDO	1.65	2.20	2.00	1 40	4.00	1	15 60				l
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.	\vdash	Literarye Forts - 2-wire Arraing Line Port with Galler ID - Res.	1	-	ULFOR	UEPKU	1.05	2.38	2.28	1.42	1.33		10.09				
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.		Evolungo Porto - 2 Wiro Angles Line Port outgoing only - Dec			LIEDOD	LIEDDO	1.65	2.20	2.00	1 40	4.00		15 60				
dialing parity Port with Caller ID - Res.	\vdash		-	 	ULFOR	UEPKU	1.05	2.38	2.28	1.42	1.33		10.09		-		
Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire VG South Carolina Residence Dialing UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 15.69 UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33 15.69	1 1			1	LIEDOD	LIEDALI	1.65	2 20	2.20	1 40	1 22	1	15.60				
Calling port with Caller ID - Res (LW8)	\vdash		1	-	ULFOR	UEPAU	1.05	2.38	2.28	1.42	1.33		10.09				
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33 15.69 Exchange Ports - 2-Wire VG South Carolina Residence Dialing					LIEDOD	LIEDAI	1 65	2.20	2.00	1 40	4.00		15.00				J
with Caller ID (LUM)	\vdash			-	UEFOR	UEPAJ	1.65	∠.38	2.28	1.42	1.33		15.09		-		
Exchange Ports - 2-Wire VG South Carolina Residence Dialing				1	LIEDOD	LIEDAD	1.65	2 20	2.20	1 40	1 22	1	15.60				
	\vdash		 	 	OLFON	ULFAF	1.03	2.38	2.28	1.42	1.33	-	15.69		 		
	1 1	Plan without Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33		15.69				l

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG South Carolina Residence Area	1							1							
	Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33		15.69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1														
	Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33		15.69				
	Subsequent Activity	<u>† </u>		UEPSR	USASC	0.00	0.00	0.00	· · · · · ·			15.69				
FFA1	TURES	<u>† </u>		02. O.K	00,100	0.00	0.00	0.00				10.00				
1 = 2 1 1	All Available Vertical Features	<u>† </u>		UEPSR	UEPVF	3.04	0.00	0.00				15.69				
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)	<u>† </u>		02. O.K	02. 1.	0.01	0.00	0.00				10.00				
 	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1			+						†					
	Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled Line Port with	1	1		J. J.	1.00	2.00	2.20	112	1.55	t	10.09	l			
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				1
	and and do port with outlot 12-104 to - bus.	1	1	021 00	52. 50	1.00	2.00	2.20	1.42	1.33	<u> </u>	10.09		 		—
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				1
	Exchange Ports - 2-Wire VG unbundled SC extended local	+	 	021 00	JL1 DU	1.05	2.30	2.20	1.42	1.33	 	13.09	1	 	 	
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69				
_	Exhange Ports - 2-Wire VG unbundled incoming only port with	+	 	ULFOD	UEPAL	1.00	2.38	2.28	1.42	1.33	 	15.69	-	-		
	Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33		15.69				
		+	-	UEFSB	UEPBI	1.00	2.30	2.20	1.42	1.33	-	15.69				-
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus			LIEDOD	LIEDAD	4.05	0.00	0.00	4.40	4.00		45.00				
	Area Calling Port with Caller ID - Bus (LMB)	-	-	UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				-
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing															
	Plan without Caller ID	-		UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire Voice South Carolina Business Area															
	Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33		15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33		15.69				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.69				
FEAT	TURES															
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00				15.69				
	All Available Vertical Features				UEPVF	3.04	0.00	0.00				15.69				
EXC	HANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<u> </u>	UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88		0.90		15.69				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		15.69				1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1								1	I	l	1		1
	Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy									l				I	l	1
	Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69		<u> </u>	<u> </u>	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Room Calling Port	<u>L</u>	<u> </u>	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69	<u> </u>	<u> </u>	<u></u>	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				1
i	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port		1	UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				1
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.69				
FEA1	TURES	1											ĺ			
	All Available Vertical Features	1		UEPSP UEPSE	UEPVF	3.04	0.00	0.00				15.69	ĺ			
EXC	HANGE PORT RATES (COIN)	1			1											
	Exchange Ports - Coin Port	1				1.65	2.38	2.28	1.42	1.33		15.69	ĺ			
Loca	Switching Features offered with Port		1							1		1	ĺ	1	1	
	E: Transmission/usage charges associated with POTS circuit s			ill alaa ammirraa a		d	oirouit outitob	d data transn	iccion by R-Cl		otod with 2	wire ICDM :		 	 	—

UNR	UNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: B
	J	Journal of the control of th										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonre	curring		g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	. Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fi	de Request/	New Business	s Request Pro	cess.	
UNBU		LOCAL EXCHANGE SWITCHING(PORTS)															
	EXCHA	ANGE PORT RATES			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		45.00				
-	+	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.11		15.69				
		capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
-		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.38	72.93	53.11		10.76		15.69				
-	+	All Features Offered			UEPTX UEPSX	UEPVF	3.04	0.00	0.00		10.70		13.03				
	NOTE:	Transmission/usage charges associated with POTS circuit sy	witched	usage							hannels associ	ated with 2	wire ISDN r	oorts.	1		
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles		T	UEPTX UEPSX	U1UMA	0.00		0.00					1			
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69				
		NDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUI	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
					l	l									_	_	[
<u> </u>		Unbundled Remote Call Forwarding Service, Local Calling - Res		<u> </u>	UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33		15.69		ļ	ļ	
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				
-	Non-R	ecurring				+							-				
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10				15.69				
-	+	Unbundled Remote Call Forwarding Service - Conversion with			UEPVK	USACZ		0.10	0.10				15.69		1	1	
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	UNBUI	NDLED REMOTE CALL FORWARDING - Bus			OLI VIX	00/100		0.10	0.10								
	0.120.					1									t		
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33		15.69				
-	Non-R	ecurring		-		1											
		Unbundled Remote Call Forwarding Service - Conversion -			UEPVB	USAC2		0.10	0.10				15.60				
-	+	Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with	-	-	ULFVD	USAUZ		0.10	0.10	1	-	-	15.69	 	 	+	
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10						1	1	
UNBI	JNDLED	LOCAL SWITCHING, PORT USAGE		t	J_1 VD	30,100		0.10	0.10	†					t	t	
F		ffice Switching (Port Usage)				†		1			1			1	<u> </u>	<u> </u>	
		End Office Switching Function, Per MOU				1	0.0010519					İ	İ		1	1	
		End Office Trunk Port - Shared, Per MOU				1	0.0002136										
	Tande	m Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001634										
		Tandem Trunk Port - Shared, Per MOU					0.0002863										
	Comm	on Transport															
<u> </u>	_	Common Transport - Per Mile, Per MOU		<u> </u>		1	0.0000045			1					ļ	ļ	
I INTE:	INDI EE	Common Transport - Facilities Termination Per MOU		<u> </u>		ļ	0.0004095			1					ļ	ļ	
ONR		PORT/LOOP COMBINATIONS - COST BASED RATES		-4- ^		Landala III-li		 	ala Danti	1	!	-		 	 	 	
-		ased Rates are applied where BellSouth is required by FCC ar								od Dowt	of this Date 5	Vhihit		 	 	 	-
-		es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us											n Bort/I ac-	Combination	ne .	-	
-		rrice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr														+	
-		st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	PUIDINE	a compos. For Cur	lently Combi	neu Combos t	ile ilolliecurrin	y charges sna	1 00 111050 100	i i i i i i i i i i i i i i i i i i i	omecumin <u>ç</u>	j - Gurrentiy	Combined S	- CHOHS.	+	
\vdash		ort/Loop Combination Rates		1		+				1				 	 	 	-
	ONE P	2-Wire VG Loop/Port Combo - Zone 1	-	1		+	14.89			1				 	t	 	
	+	2-Wire VG Loop/Port Combo - Zone 1	†	2		t	21.52			†		 	-		I	I	
		2-Wire VG Loop/Port Combo - Zone 3		3		†	27.17	1			1			1	<u> </u>	<u> </u>	
	UNE I	oop Rates		Ť		†	2								<u> </u>	<u> </u>	
	1	- · · p - · · · · ·			1	1							1	L			·

Version 1Q03: 02/28/03

UNBUND	LED	NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	\dashv					+		Nonred	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		1
	_			-		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 1	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76		71001		71001	0020			00	00	
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38					1					
	1	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	26.04										
2-W		/oice Grade Line Port Rates (Res)															
	2	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.13	37.93	16.72				15.69				
	- 2	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															1
		without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port		-	UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65	-	15.69				-
	١	without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65		15.69				
	(2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65		15.69				
FE/	ATUF																
		All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00				15.69				
LOC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NOI		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	LICACO		0.40	0.40				45.00				
		Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		0.10	0.10			-	15.69				-
		Switch with change			UEPRX	USACC		0.10	0.10				15.69				
ΔDI		DNAL NRCs		-	OLFKA	USACC		0.10	0.10			1	13.09				1
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		-		+				1		1					
		Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
2-W		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	- 2	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20.38			ļ		ļ		ļ			
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-W		/oice Grade Line Port (Bus)		 	LIEDBY	LIEDDI	4.40	40.00	40.00	04.00	0.05	 	45.00	 	-		1
		2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		<u> </u>	UEPBX UEPBX	UEPBL UEPBC	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	 	15.69 15.69		-		1
		2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65	 	15.69		-		1
		2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled South Carolina extended local	-	 	OLFDA	OLFBU	1.13	40.30	19.90	24.98	0.00	 	15.69	1	 		
		dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.13	40.30	19.90		6.65		15.69				
		2-Wire voice unbundled South Carolina Bus Area Calling Port						.0.00	.0.50	250	0.50	1		İ	İ		
	١	with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65		15.69				
	١	2-Wire Voice Unbundled South Carolina Business Dialing Plan without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundled South Carolina Business Area Calling Port without Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundled incoming Only Port without Caller ID			LIEDDY	LIEDDE	4.40	40.00	10.00	04.00	0.65		45.00				
1.00		Capability NUMBER PORTABILITY		-	UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65	-	15.69				
LOC		Local Number Portability (1 per port)		 	UEPBX	LNPCX	0.35					1	 				
FE/	ATUR													ĺ			
-		All Features Offered		İ	UEPBX	UEPVF	3.04	0.00	0.00			İ	15.69	İ	İ		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-		_						1					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110400		0.40	0.40				45.00				i .
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	-	UEPBX	USAC2		0.10	0.10			-	15.69				
				UEPBX	USACC		0.10	0.10				45.00				i .
ADD	Switch with change TIONAL NRCs	1		UEPDA	USACC		0.10	0.10			1	15.69		-		—
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1			+						1	1		-		—
	Activity			UEPBX	USAS2		0.00	0.00				15.69				l .
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1		OLI DX	00A02		0.00	0.00				13.03				—
	Port/Loop Combination Rates	 			+						 				1	
ONE	2-Wire VG Loop/Port Combo - Zone 1	t	1		+	14.89			1		†	 	 	t		<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2	t -	2		_	21.52			1					<u> </u>		
	2-Wire VG Loop/Port Combo - Zone 3	1	3			27.17			1	1				<u> </u>	1	
UNF	Loop Rates	t -	Ť		_	2			1					<u> </u>		
JL	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	13.76			1	i	1		 	t	i	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	20.38			1	1				<u> </u>	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04			1	İ	†		İ	1	İ	
2-Wi	re Voice Grade Line Port Rates (RES - PBX)	1	Ť								İ					
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1									i e					
	Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22		15.69				l .
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEA	TURES	1														
	All Features Offered	1		UEPRG	UEPVF	3.04	0.00	0.00				15.69				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															(
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch with Change			UEPRG	USACC		7.93	1.91				15.69				1
ADD	TIONAL NRCs															1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															l .
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															1
	Group	ļ					7.34	7.34				15.69				I
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-	-		_						1					
UNE	Port/Loop Combination Rates	1	1		+	14.89					 					
	2-Wire VG Loop/Port Combo - Zone 1	1	<u> </u>		_				 		 	-				——
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		+	21.52 27.17			1		 	-	-	 		
LINE	Loop Rates	 	٦		+	21.11			1	1	}		 	 	 	
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEPPX	UEPLX	13.76			1	 	1	H	l	t	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPPX	UEPLX	20.38			 		 	-		t	 	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3	t	3	UEPPX	UEPLX	26.04			1		1	 		I		
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)	t			02.2/	20.04			1		1	 		I		
		t -			_				1					<u> </u>		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22	1	15.69		I		1
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22	†	15.69	İ	1	İ	
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22	1	15.69	l	1	İ	ſ
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22	1	15.69	l	1	İ	ſ
İ	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22	İ	15.69			1	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50		6.22		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50		6.22		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22		15.69	<u> </u>	<u> </u>		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy												I			1
	Administrative Calling Port	1		UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22]	15.69				ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1												_		1
1 1	Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
L						Rec	Nonrec		Nonrecurring					Rates(\$)		
	O Wise Veice Habrardlad & Wey Outering DDV Hatel/Hamital		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22		15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			OLITA	OLI AO	1.10	00.20	02.00	07.00	0.22	1	10.00				
	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22		15.69				
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FEATU																
	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00				15.69				
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91				15.69				
 	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			ULFFA	USAUZ		7.93	1.91			1	15.09	 			1
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91				15.69				
ADDIT	IONAL NRCs			02.17	00/100		7.00					10.00				†
1 21	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										Ì		1			
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.34	7.34				15.69				ļ
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	ort/Loop Combination Rates		4			44.00										
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	14.89 21.52					 					-
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										-
UNE L	oop Rates		Ť			2					1					
10112	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
	with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65		15.69				ļ
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,					5	.0.00	.0.00	250	3.30		.0.00				†
	011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65	Ì	15.69	1			
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65		15.69				
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00		15.69				
LOCAL	L NUMBER PORTABILITY															

ONRONDLE	D NETWORK ELEMENTS - South Carolina			1		1					Ia - ·			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Level March of Boots I The (days and and			LIEBOO	LNDOV		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOND	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED		-	UEPCO	LNPCX	0.35					-				-	
NONKI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-			-					-					ļ
	Switch-as-is			UEPCO	USAC2		0.10	0.10				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOO	LICACO		0.40	0.40				45.00				
ADDIT	Switch with change IONAL NRCs		-	UEPCO	USACC	-	0.10	0.10			1	15.69			-	
ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				_						1				-	
	Activity			UEPCO	USAS2		0.00	0.00				15.69				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
UNE P	ort/Loop Combination Rates		_			00.50					1			ļ	-	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			22.50								.	 	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.56								.	 	
likie :	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 oop Rates		3			37.22					 			 	 	+
UNE L	2-Wire Voice Grade Loop (SL2) - Zone 1		- 1	UEPFR	LIECES	20.05					-				-	
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2 UECF2	20.85 28.91					 			 	 	+
+	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	35.57					1				-	1
2-Wire	Voice Grade Line Port Rates (Res)		3	OLFIK	OLCI 2	33.37					1				-	1
Z-VVII G	2-Wire voice unbundled port - residence		-	UEPFR	UEPRL	1.65	108.36	70.71	1.42	1.33	 	15.69		1		
	2-Wire voice unbundled port vite Caller ID - res			UEPFR	UEPRC	1.65	108.36	70.71	1.42	1.33		15.69				†
	2-Wire voice unbundled port with Caller 15 - res 2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.65	108.36	70.71	1.42	1.33		15.69				†
	2-Wire voice Grade unbundled South Carolina extended local			02	020	1.00	100.00			1.00		10.00				
	dialing parity port with Caller ID - res			UEPFR	UEPAU	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPFR	UEPAJ	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID			UEPFR	UEPWL	1.65	108.36	70.71	1.42	1.33		15.69				
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0167										
FEATU				OLITIK	120/01	0.0107					1				1	1
1 =/ 1.10	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00				15.69				
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		17.00	3.74				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		47.00	0 = 1				45.00			1	
0.1405	Combination - Conversion - Switch-With-Change		l L	UEPFR	USACC		17.00	3.74				15.69		.	 	
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI (BUS)							 			 	 	+
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	22.50					 			 	 	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	30.56			 					 	 	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	1	+	37.22			 		 			 	t	1
UNF	oop Rates		Ŭ			01.22					 				I	
0.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	20.85					1			1	1	
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	28.91			i i					İ	1	
1	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	35.57			1					1		
2-Wire	Voice Grade Line Port (Bus)								1					1		
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.65	108.36	70.71	1.42	1.33		15.69				lacksquare
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.65	108.36	70.71	1.42	1.33		15.69				

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPFB	UEPAB	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire Voice Unbundled South Carolina Business Dialing Plan			LIEDED	LIEDWA	4.05	400.00	70.74	4.40	4.00		45.00				
LOCA	without Caller ID AL NUMBER PORTABILITY			UEPFB	UEPWM	1.65	108.36	70.71	1.42	1.33		15.69				+
LOCA	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					 					+
INTER	ROFFICE TRANSPORT		-	OLITB	LIVI OX	0.55					1					+
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-								1					+
	Termination			UEPFB	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0167										
FEAT	TURES		-	UEPFB	ILSAA	0.0167					1	1				+
1.50	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00				15.69				+
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.75	02	0.01	0.00	0.00			1	10.00				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															—
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		17.00	3.74				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
	Combination - Conversion - Switch with change			UEPFB	USACC		17.00	3.74				15.69				
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															1
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			22.50										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.56										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.22										
UNE I	Loop Rates															1
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	20.85										_
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	28.91										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	35.57										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Cide Habaradad Combination C. Way DRY Tarak Dark Due			UEPFP	UEPPC	1.65	407.00	83.31	67.00	44.54		45.00				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPC	1.65	137.32 137.32	83.31	67.02 67.02	11.51 11.51	-	15.69 15.69				+
	Line Side Unbundled Incoming PBX Trunk Port - Bus	-	-	UEPFP	UEPP0	1.65	137.32	83.31	67.02	11.51		15.69				+
	2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPFP	UEPLD	1.65	137.32	83.31	67.02	11.51		15.69				+
	2-Wire Voice Unburidled 1-BX LB Terminal 1 ons 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.65	137.32	83.31	67.02	11.51		15.69				+
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.65	137.32	83.31	67.02	11.51		15.69				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	Ì		1								İ	l	l	1
	Capable Port	L		UEPFP	UEPXE	1.65	137.32	83.31	67.02	11.51	L	15.69				<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.65	137.32	83.31	67.02	11.51		15.69				
\vdash		-	-	ULFFF	UEFAIVI	1.00	131.32	03.31	07.02	11.51		15.69		-	-	+
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	1		UEPFP	UEPXO	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPFP	UEPXS	1.65	137.32	83.31	67.02	11.51	 	15.69				+
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus				02.70	1.00	107.02	55.51	07.02	11.51		10.00	1			
	Calling Port			UEPFP	UEPXT	1.65	137.32	83.31	67.02	11.51		15.69				
LOCA	AL NUMBER PORTABILITY	1	Ì		1								İ	l	l	1
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0167										
FEAT	URES			0=. 11	. 20/01	0.0107										\vdash
1	All Features Offered	i e		UEPFP	UEPVF	3.04	0.00	0.00			1	15.69	İ	İ	İ	†
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		\vdash		+		2.20	2.30	t		t	12.20	 	 	 	t

UNBUNDI	LED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	bit: B
		Т	Т									Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
		Interi										Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
	Combination - Conversion - Switch-as-is	↓		UEPFP		USAC2		17.00	3.74				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
	Combination - Conversion - Switch with change		—	UEPFP		USACC		17.00	3.74				15.69				
	D PORT/LOOP COMBINATIONS - COST BASED RATES		+	↓													
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	K PORT	₩	├													
UNE	E Port/Loop Combination Rates	+	1	├			22.75										
\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	┿		├			23.75										
$\overline{}$	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	+	2	├			30.20										
LINIE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 E Loop Rates	+	3			1	35.52					-	-		 		
UNE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	+	1	UEPPX		UECD1	16.68					-		-			
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	+	2	UEPPX		UECD1	23.13					-	-	-		 	
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	+	3	UEPPX		UECD1	23.13					-	-		 		
LINE	E Port Rate	+	+3	UEPFA		DECDI	20.40					-	-				
UNE	Exchange Ports - 2-Wire DID Port	+	+-	UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38	 	15.69		+	+	+
NON	NRECURRING CHARGES - CURRENTLY COMBINED	+	+	OLFFX		OLFDI	7.00	223.33	07.21	113.00	14.30		13.09				
I I I I I I I I I I I I I I I I I I I	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		+	├──													
	Switch-as-is			UEPPX		USAC1		7.32	1.87				15.69				
 	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	+	+	OLITA		OOACT		7.52	1.07	1			13.03				
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87				15.69				
ADE	DITIONAL NRCs	+	+-	OLITA		OOATO		1.52	1.07			-	13.03				
ADD	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	+	+-	UEPPX		USAS1		26.84				1	15.69				1
Tele	ephone Number/Trunk Group Establisment Charges	+	+-	OL: 1X		007.01		20.01				1	10.00				1
1.0.0	DID Trunk Termination (One Per Port)	+	†	UEPPX		NDT	0.00	0.00	0.00				15.69				
	DID Numbers, Establish Trunk Group and Provide First Group	1	1			1											
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00				15.69				
	Additional DID Numbers for each Group of 20 DID Numbers	1		UEPPX		ND4	0.00	0.00	0.00				15.69				
	DID Numbers, Non- consecutive DID Numbers, Per Number	1	†	UEPPX		ND5	0.00	0.00	0.00				15.69				
	Reserve Non-Consecutive DID numbers	1		UEPPX		ND6	0.00	0.00	0.00				15.69				
	Reserve DID Numbers	1	1	UEPPX		NDV	0.00	0.00	0.00				15.69				
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)	T	I	UEPPX		LNPCP	3.15	0.00	0.00								
2-W	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INE SIDE	E PORT														
UNE	Port/Loop Combination Rates		\perp														
1 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -														1	1	1
\vdash	UNE Zone 1	\bot	1	UEPPB	UEPPR		30.86								ļ	ļ	L
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1 -												I	I	I
\vdash	UNE Zone 2	+	2	UEPPB	UEPPR		38.60								ļ	ļ	ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port	1	1 _		LIEBBE										I	I	I
	UNE Zone 3	+	3	UEPPB	UEPPR		44.23							 	 	 	
UNE	Loop Rates	+	+-	LIEDDD	HEDDE	LICL OV	04.00					1	45.00	-	 	 	
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 1	+	+1	UEPPB	UEPPR	USL2X	21.90						15.69	 	 	 	
	2 Mire ISDN Digital Crede Loss LINE 7 2	1	2	LIEDDD	HEDDO	LIGI OV	20.04						45.00		I	I	I
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	+		UEPPB UEPPB	UEPPR UEPPR	USL2X	29.64 35.27					-	15.69 15.69		 	 	
LINE	E Port Rate	+	+-	UEPPB	UEFFR	USLZA	33.27					 	15.69		+	+	+
UNE	Exchange Port - 2-Wire ISDN Line Side Port	+	+-	UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37	 	15.69		+	+	+
NON	NRECURRING CHARGES - CURRENTLY COMBINED	+	+-	OLI FD	OLITE	OLI I D	0.30	180.01	133.14	100.93	21.37	 	13.09	 	 	 	+
14014	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	+	+-	\vdash		 						H	 	 	 	 	
1 1	Combination - Conversion	1		UEPPB	UEPPR	USACB	0.00	38.59	27.08				15.69		I	I	I
ADE	DITIONAL NRCs	1	+-	JEITD	OL: III	30,100	0.00	30.33	21.00			 	10.09		I	I	I
	CAL NUMBER PORTABILITY	+	+-	\vdash											<u> </u>	<u> </u>	<u> </u>
	Local Number Portability (1 per port)	+	+-	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						<u> </u>	<u> </u>	<u> </u>
B-CI	HANNEL USER PROFILE ACCESS:	†	\vdash	F			2.00	2.00	2.00						1	1	1
	CVS/CSD (DMS/5ESS)	†	†	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1				i	1	t	1
-		+	$\overline{}$	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00					İ	1	1	1
	ICA2 (EM2D)																
	CVS (EWSD)	+	+-		UEPPR	U1UCC	0.00	0.00	0.00	j j							

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													Attachi	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		ļ				1	Rec	Nonrec		Nonrecurring					Rates(\$)		
	0//0/000 /0/40/5500/			LIEDDD	LIEDDD	1141100		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB UEPPB	UEPPR UEPPR	U1UCD U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			1	1				
USER	TERMINAL PROFILE	1	1	OLITB	OLITIK	01001	0.00	0.00	0.00								
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1	†				
VERTI	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00				15.69				
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB		M1GNC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT										ļ	ļ				-
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			241.38										l
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			347.84										
UNEL	pop Rates		3	ULFFF		1	347.04			1							
OIGE E	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	155.43						15.69				ī
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	261.89						15.69				
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port	ļ		UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83		15.69				
NONRI	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	119.34	78.73				15.69				ł
ADDIT	IONAL NRCs			ULFFF		USACE	0.00	119.54	70.73	1			13.09				
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49	0.49				15.69				ł
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																1
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54				15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																ł
1.0041	Subsequent Inward Tel Numbers - NUMBER PORTABILITY	ļ	-	UEPPP		PR7ZT		23.07	23.07				15.69				
LOCAL	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								(
	Digital Data	1		UEPPP		PR71D	0.00	0.00	0.00			1					<u> </u>
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New or	Additional "B" Channel					DD=5::							ļ				
	New or Additional - Voice/Data B Channel	-		UEPPP		PR7BV	0.00	14.56				<u> </u>	15.69				
	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	1	-	UEPPP UEPPP		PR7BF PR7BD	0.00	14.56 14.56		 		 	15.69 15.69				
CALL		1	-	ULFFF		טטואויו	0.00	14.00		 		1	15.69				
OALL	Inward	†		UEPPP		PR7C1	0.00	0.00	0.00			l	1				
	Outward			UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage																<u> </u>
	Fixed Each Including First Mile	-		UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48	<u> </u>	15.69				
4 14/15	Each Airline-Fractional Additional Mile DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	-	UEPPP		1LN1B	0.3415			 		 	1				
	ort/Loop Combination Rates	1	 			1											
ONEF	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC			149.77			 		1	 				
1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	t	2	UEPDC			214.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC			320.78										
UNE L	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	ļ		UEPDC		USLDC	90.87					ļ	15.69				——
	4-Wire DS1 Digital Loop - UNE Zone 2	l	2	UEPDC		USLDC	155.43					<u> </u>	15.69				

UNBUN	IDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
0.1.201												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-				-			Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001441	001111
\vdash		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89	First	Add'l	First	Add'l	SOMEC	SOMAN 15.69	SOMAN	SOMAN	SOMAN	SOMAN
 		rt Rate		3	UEPDC	USLDC	201.09					ł	15.69				
 '		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20	†	15.69				
		CURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	00.00	400.00	200.70	117.00	14.20		10.00				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										İ					
		- Switch-as-is			UEPDC	USAC4		129.78	67.17				15.69				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes			UEPDC	USAWA		129.78	67.17				15.69				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk			UEPDC	USAWB		129.78	67.17				15.69				
		DNAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51				15.69				
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		-	UEPDC	פווטט		14.51	14.51			-	15.69			-	
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51				15.69				
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			021 00	35110		14.01	14.31			1	13.09				
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51				15.69				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51				15.69				
-	BIPOLA	R 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.69				
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.69				
-		te Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
		one Number/Trunk Group Establisment Charges		-	HEDDO	LIDTOY	0.00						45.00				
\vdash		Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group		-	UEPDC UEPDC	UDTGX	0.00						15.69 15.69				
-		Telephone Number for 1-Way Inward Trunk Group Without DID		-	UEPDC	UDTGZ	0.00						15.69				
		DID Numbers, Establish Trunk Group and Provide First Group			OLI DO	00102	0.00						13.03				
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.69				
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00			İ	15.69				
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				15.69				
	i	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.69				
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.69				
	Dedicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	Loop	with 4-Wire DDITS T	runk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1											
\vdash		Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48	ļ	15.69		ļ		ļ
		Interesting Channel Mileson Additional actions and a Co. II			LIEDDO	AL NIG A	0.0445	0.00	0.00								
\vdash		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		-	UEPDC	1LNOA	0.3415	0.00	0.00			-				-	
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
\vdash		Interoffice Channel Mileage - Additional rate per mile - 9-25	†		02, 00		0.00	0.00	0.00			1	 				
		miles			UEPDC	1LNOB	0.3415	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			-	1	,,,,,,		2.30			†		İ	İ		İ
		Termination)	<u></u>		UEPDC	1LNO3	0.00	0.00	0.00			<u> </u>	<u></u>	<u> </u>	<u> </u>		<u></u>
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3415	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
$\vdash \vdash$		Central Office Termininating Point			UEPDC	CTG	0.00					ļ					
		DS1 LOOP WITH CHANNELIZATION WITH PORT	iveti			1						ļ	1	-	 		
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activistem can have up to 24 combinations of rates depending on			har of parts used							-				-	
		stem can nave up to 24 combinations of rates depending on 11 Loop	type at	ia num	bei oi ports used	1						1	-	1	-		
H		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00			 			 		
+		4-Wire DS1 Loop - UNE Zone 2	t	2	UEPMG	USLDC	155.43	0.00	0.00			1	<u> </u>	1	1		
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00						İ		İ
l		O Channelization Capacities (D4 Channel Bank Configuration	ns)									İ			1		1
		24 DSO Channel Capacity - 1 per DS1	L <u>.</u>		UEPMG	VUM24	82.78	0.00	0.00				15.69				

96 DSC 144 DS 144 DS 192 DS 288 DS 288 DS 384 DS 480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - C BellSot. System Additi New (Not Curr 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Exchange Port Line Sic Line Sic Line Sic Line Sic Feature Feature Feature 192 DS 280 DS	RATE ELEMENTS O Channel Capacity - 1 per 2 DS1s O Channel Capacity - 1 per 4 DS1s O Channel Capacity - 1 per 6 DS1s O Channel Capacity - 1 per 6 DS1s O Channel Capacity - 1 per 8 DS1s O Channel Capacity - 1 per 10 DS1s O Channel Capacity - 1 per 28 DS1s O Channel Capacity - 1 per 28 DS1s O Channel Capacity - 1 per 28 DS1s O Channel Capacity - 1 per 28 DS1s O Channel Capacity - 1 per 20 DS1s O Chan	el Bank,	Zone	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM48 VUM96 VUM14 VUM19 VUM2O	- Rec 165.56 331.12 496.68 662.24	Nonrec First 0.00 0.00	Add'I 0.00	Nonrecurring First	Disconnect Add'l	Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
96 DSC 144 DS 144 DS 192 DS 288 DS 288 DS 384 DS 480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - C BellSot. System Additi New (Not Curr 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Exchange Port Line Sic Line Sic Line Sic Line Sic Feature Feature Feature 192 DS 280 DS	60 Channel Capacity -1per 4 DS1s S0 Channel Capacity -1 per 6 DS1s S0 Channel Capacity -1 per 8 DS1s S0 Channel Capacity -1 per 10 DS1s S0 Channel Capacity -1 per 10 DS1s S0 Channel Capacity -1 per 12 DS1s S0 Channel Capacity -1 per 16 DS1s S0 Channel Capacity -1 per 20 DS1s S0 Channel Capacity -1 per 24 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 20 DS1s	el Bank,		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM2O	165.56 331.12 496.68	First 0.00	Add'I 0.00			SOMEC	SOMAN	OSS	Rates(\$)	DISC 18t	DISC Add
96 DSC 144 DS 144 DS 192 DS 288 DS 288 DS 384 DS 480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - C BellSot. System Additi New (Not Curr 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Exchange Port Line Sic Line Sic Line Sic Line Sic Feature Feature Feature 192 DS 280 DS	60 Channel Capacity -1per 4 DS1s S0 Channel Capacity -1 per 6 DS1s S0 Channel Capacity -1 per 8 DS1s S0 Channel Capacity -1 per 10 DS1s S0 Channel Capacity -1 per 10 DS1s S0 Channel Capacity -1 per 12 DS1s S0 Channel Capacity -1 per 16 DS1s S0 Channel Capacity -1 per 20 DS1s S0 Channel Capacity -1 per 24 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 20 DS1s	el Bank,		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM2O	165.56 331.12 496.68	First 0.00	Add'I 0.00			SOMEC	SOMAN				
96 DSC 144 DS 144 DS 192 DS 288 DS 288 DS 384 DS 480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - C BellSot. System Additi New (Not Curr 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Exchange Port Line Sic Line Sic Line Sic Line Sic Feature Feature Feature 192 DS 280 DS	60 Channel Capacity -1per 4 DS1s S0 Channel Capacity -1 per 6 DS1s S0 Channel Capacity -1 per 8 DS1s S0 Channel Capacity -1 per 10 DS1s S0 Channel Capacity -1 per 10 DS1s S0 Channel Capacity -1 per 12 DS1s S0 Channel Capacity -1 per 16 DS1s S0 Channel Capacity -1 per 20 DS1s S0 Channel Capacity -1 per 24 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 20 DS1s	el Bank,		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM2O	331.12 496.68	0.00	0.00				JUNIAN	SOMAN	SOMAN	SOMAN	SOMAN
144 DS 192 DS 192 DS 240 DS 240 DS 288 DS 384 DS 384 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - (BellSot System Additic New (Not Curre 1 DS1/1 and Asi Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superiff Extendie Exchange Port Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Activar	S0 Channel Capacity - 1 per 6 DS1s S0 Channel Capacity - 1 per 8 DS1s S0 Channel Capacity - 1 per 8 DS1s S0 Channel Capacity - 1 per 10 DS1s S0 Channel Capacity - 1 per 12 DS1s S0 Channel Capacity - 1 per 12 DS1s S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 16 DS1s S0 Channel Capacity - 1 per 20 DS	el Bank,		UEPMG UEPMG UEPMG UEPMG UEPMG	VUM14 VUM19 VUM2O	496.68	0.00					15.69				
192 DS 240 DS 240 DS 240 DS 288 DS 384 DS 384 DS 480 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - (BellSot System Addition 1 DS1/1 and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superin Exchange Port Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Feature	S0 Channel Capacity -1 per 8 DS1s S0 Channel Capacity -1 per 10 DS1s S0 Channel Capacity -1 per 12 DS1s S0 Channel Capacity -1 per 16 DS1s S0 Channel Capacity -1 per 16 DS1s S0 Channel Capacity -1 per 20 DS1s S0 Channel Capacity -1 per 24 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 26 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 26 DS1s S0 Channel Capacity -1 per 40 DS1s S0 Channel Capacity -1 per 40 DS1s S0 Channel Capacity -1 per 40 DS1s S0 Channel Capacity -1 per 40 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capacity -1 per 28 DS1s S0 Channel Capaci	el Bank,		UEPMG UEPMG UEPMG UEPMG	VUM19 VUM2O			0.00				15.69				
240 DS 288 DS 384 DS 384 DS 480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - C BellSo. System Addition New (Not Curring 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Exchange Port Line Sic Line Sic Line Sic Line Sic Feature Feature Feature 1840 DS	S0 Channel Capacity - 1 per 10 DS1s S0 Channel Capacity - 1 per 12 DS1s S0 Channel Capacity - 1 per 16 DS1s S0 Channel Capacity - 1 per 18 DS1s S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 24 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 20	el Bank,		UEPMG UEPMG UEPMG	VUM2O	662.24	0.00	0.00				15.69				
288 DS 384 DS 384 DS 480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - (BellSoc. System Additic. New (Not Curre 1 DS1/1 and As3. Bipolar 8 Zero Clear C Activity Clear C Subsec. Alternate Mark Superfr Extende Exchange Port Line Sic. Line Sic. 2-Wire Feature Activar	S0 Channel Capacity - 1 per 12 DS1s S0 Channel Capacity - 1 per 16 DS1s S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 24 DS1s S0 Channel Capacity - 1 per 28 DS1s g Charges (NRC) Associated with 4-Wire DS1 Loop wit system configuration is One (1) DS1, One (1) D4 Channe his configuration functioning as one are considered A - Conversion (Currently Combined) with or without buth Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop we rently Combined) in all states, except in Density Zone	el Bank,		UEPMG UEPMG			0.00	0.00				15.69				
384 DS 480 DS 480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - (BellSot System Addition New (Not Curre 1 DS1/f and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Feature	S0 Channel Capacity - 1 per 16 DS1s S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 24 DS1s S0 Channel Capacity - 1 per 28 DS1s S0 Channel Capacity - 1 per 28 DS1s g Charges (NRC) Associated with 4-Wire DS1 Loop wit system configuration is One (1) DS1, One (1) D4 Channel his configuration functioning as one are considered A - Conversion (Currently Combined) with or without buth Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop we rently Combined) in all states, except in Density Zone	el Bank,		UEPMG		827.80	0.00	0.00				15.69	'		'	
480 DS 576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - (BellSou System Additic New (Not Curr 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Feature	S0 Channel Capacity - 1 per 20 DS1s S0 Channel Capacity - 1 per 24 DS1s S0 Channel Capacity - 1 per 28 the combined of the combin	el Bank,			VUM28	993.36	0.00	0.00				15.69	ļ'			ļ
576 DS 672 DS Non-Recurring A Minimum Sy Multiples of th NRC - C BellSou System Additi New (Not Curr 1 DS1/1 and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Line Sic Line Sic Line Sic Teature Feature Feature Feature Feature Feature Feature Non-Recurring Feature Feature Feature Feature Feature Feature Feature Feature A Minimum Sy Multiple A Minimum Sy Multiple A Minimum Sig Line Sic Line Sic Line Sic Feature Feature Feature Feature Feature	S0 Channel Capacity -1 per 24 DS1s S0 Channel Capacity -1 per 28 DS1s g0 Charges (NRC) Associated with 4-Wire DS1 Loop wit bystem configuration is One (1) DS1, One (1) D4 Channel his configuration functioning as one are considered A Conversion (Currently Combined) with or without buth Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop w rently Combined) in all states, except in Density Zone	el Bank,		1150110	VUM38	1,324.48	0.00	0.00				15.69	 '			
Non-Recurring A Minimum Syy Multiples of th NRC - (BellSot System Additic New (Not Curre 1 DS1/1 and Asi Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sic Line Sic 2-Wire Feature Feature	S0 Channel Capacity - 1 per 28 DS1s g Charges (NRC) Associated with 4-Wire DS1 Loop wit system configuration is One (1) DS1, One (1) D4 Channe his configuration functioning as one are considered A - Conversion (Currently Combined) with or without buth Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop we rently Combined) in all states, except in Density Zone	el Bank,		UEPMG UEPMG	VUM4O VUM57	1,655.60	0.00	0.00				15.69		ļ		
Non-Recurring A Minimum Sy Multiples of th NRC - (BellSot. System Addition New (Not Current 1 DS1/1 and As: Bipolar 8 Zero Clear C Activity Clear C Subsec. Alternate Mark Superfr Extend(Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Feature	g Charges (NRC) Associated with 4-Wire DS1 Loop with system configuration is One (1) DS1, One (1) D4 Channehis configuration functioning as one are considered A conversion (Currently Combined) with or without buth Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop werently Combined) in all states, except in Density Zone	el Bank,		UEPMG	VUM67	1,986.72	0.00	0.00				15.69		<u> </u>		
A Minimum Sy Multiples of th NRC - C BellSot. System Addition New (Not Current 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec. Alternate Mark Superfree Exchange Port Exchange Port Line Sic Line Sic 2-Wire Feature Activar	system configuration is One (1) DS1, One (1) D4 Channels configuration functioning as one are considered A Conversion (Currently Combined) with or without buth Allowed Changes bitons at End User Locations Where 4-Wire DS1 Loop werently Combined) in all states, except in Density Zone	el Bank,				2,317.84	0.00	0.00				15.69		-		-
Multiples of th NRC - (BellSo. System Additic New (Not Curre 1 DS1/I and Ass: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sic Line Sic 2-Wire Feature Actival	his configuration functioning as one are considered A Conversion (Currently Combined) with or without buth Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop werently Combined) in all states, except in Density Zone						Stelli						$\vdash \vdash \vdash$	<u> </u>		
NRC - (BellSot BellSot System Additic New (Not Curre 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Feature	Conversion (Currently Combined) with or without buth Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop w rently Combined) in all states, except in Density Zone						+								$\vdash \vdash \vdash$	—
BellSot System Additi New (Not Curr 1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Exchange Port Exchange Port Line Sic Line Sic 2-Wire Feature Additivity	outh Allowed Changes tions at End User Locations Where 4-Wire DS1 Loop w rently Combined) in all states, except in Density Zone					Juniou.	+								$\vdash \vdash \vdash$	—
System Additic New (Not Curre 1 DS1/I and Ass: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sid Line Sid Line Sid 2-Wire Feature Activat Feature	tions at End User Locations Where 4-Wire DS1 Loop w rently Combined) in all states, except in Density Zone			UEPMG	USAC4	0.00	150.81	8.38				15.69	1 '	'	1 '	
New (Not Curre 1 DS1/I and As; Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Feature	rently Combined) in all states, except in Density Zone	ith Chan	neliza					0.00				70.00				
1 DS1/I and As: Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superfr Extend(Exchange Port Line Sic Line Sic Line Sic					1								·	<u> </u>		
Bipolar 8 Zero Clear C Activity Clear C Subsec Alternate Mark Superir Extende Exchange Port Exchange Port Line Sid Line Sid Line Sid Feature Feature Feature																
Clear C Activity Clear C Subsec Alternate Mark Superfr Extend(Exchange Port Exchange Port Line Sic Line Sic Line Sic Feature Actival	ssoc Fea Activation			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69	, '	1	'	
Activity Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Actival	o Substitution													,		
Clear C Subsec Alternate Mark Superfr Extende Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Actival	Channel Capability Format, superframe - Subsequent														1	
Subsec Alternate Mark Superfr Exending Exchange Port Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Actival				UEPMG	CCOSF	0.00	0.00	605.00					<u> </u>			
Alternate Mark Superfr Extende Exchange Port Exchange Port Line Sic Line Sic 2-Wire Feature Activat	Channel Capability Format - Extended Superframe -												, ,		'	
Superfr Extende Exchange Port Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Actival	equent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00								
Extende Exchange Port Exchange Port Line Sid Line Sid Line Sid Line Sid Peature Activat Feature	k Inversion (AMI)												'		'	
Exchange Port Exchange Port Line Sic Line Sic Line Sic Line Sic Peature Activa Feature	frame Format	ļ		UEPMG	MCOSF	0.00	0.00	0.00					 '		ļ!	
Exchange Port Line Sic Line Sic Line Sic 2-Wire Feature Activat Feature	ded Superframe Format		<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00						ļ		
Line Sid Line Sid Line Sid Line Sid 2-Wire Feature Activa Feature	rts Associated with 4-Wire DS1 Loop with Channelizati	on with	Port		1								└─ ──	ļ		
Line Side 2-Wire Feature Activar	rts	-	1		+									-		-
Line Side 2-Wire Feature Activar	Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00		15.69	, ,		'	
Line Sid 2-Wire Feature Activa Feature	Side Outward Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00		15.69		 		
2-Wire Feature Activa Feature	Side Odtward Charmenzed i BX Hunk i Oit Business			OLI I X	OLI OX	1.10	0.00	0.00	0.00	0.00		10.00				
2-Wire Feature Activa Feature	Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00		15.69	, ,		'	
Feature Activa	e Trunk Side Unbundled Channelized DID Trunk Port	1		UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00		15.69				
Feature	ations - Unbundled Loop Concentration	1		1												
	re (Service) Activation for each Line Port Terminated in D4						İ									
Bank		<u> </u>	<u></u>	UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17		15.69	'	<u> </u>	'	<u></u>
	re (Service) Activation for each Trunk Port Terminated in															
D4 Ban		1		UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60		15.69	'	ļ'	Ļ——'	<u> </u>
	umber/ Group Establishment Charges for DID Service	-	<u> </u>	LIEBBY	LIDT								 '	 	 '	—
	runk Termination (1 per Port)	1	<u> </u>	UEPPX	NDT	0.00	0.00	0.00					 '		├ ──	
	Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	1	<u> </u>	UEPPX	NDZ	0.00	0.00	0.00					 '		├ ──	
	lumbers - groups of 20 - Valid all States	<u> </u>	-	UEPPX	ND4	0.00	0.00	0.00						 '	├ ───	₩
	Consecutive DID Numbers - per number ve Non-Consecutive DID Numbers	1	-	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00						 		\vdash
	ve DID Numbers	+	 	UEPPX	NDV	0.00	0.00	0.00						 	\vdash	
Local Number		 		OLI FA	INDV	0.00	0.00	0.00					\vdash	 	$\vdash \vdash \vdash$	
	Number Portability - 1 per port	 		UEPPX	LNPCP	3.15	0.00	0.00							$\vdash \vdash \vdash$	—
	Vertical and Optional	1			1	50	0.00	0.00							\vdash	†
	ing Features Offered with Line Side Ports Only	t -		1	1		İ									
	atures Available	1		UEPPX	UEPVF	3.04	0.00	0.00				15.69				
	LOOP COMBINATIONS - MARKET RATES	1		1												
Market Rates s		unbunc	dled lo	cal switching or swi	itch ports per	FCC and/or St	ate Commissio	n rules.								
This includes:	shall apply where BellSouth is not required to provide															
	S:															
	s: ort/loop combinations that are Currently Combined or	lale. Mia		A (Atlanta); LA (New urring and non-recu				Highpoint/Ch	arlotte-Gastoni	- Daal-1990 -	A 1 /A 1 L '11 -	۵۱		1	1 '	1

Version 1Q03: 02/28/03 Page 350 of 420

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental			
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
		İ				B	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates(\$)	•	
		İ				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	Market Rate for unbundled ports includes all available features	in all sta	ates.													1
End	Office and Tandem Switching Usage and Common Transport U	sage rat	es in t	he Port section of th	nis rate exhib	it shall apply to	all combinati	ons of loop/po	rt network ele	ments except	for UNE Coi	n Port/Loor	Combinatio	ns which have	e a flat rate us	sage charge
	DC: URECU).	•								•						
	Not Currently Combined scenarios the Nonrecurring charges are	e listed i	n the	First and Additional	NRC column	s for each Port	USOC. For C	urrently Comb	ined scenarios	the Nonrecur	ring charge	s are listed	in the NRC -	Currently Con	nbined section	n.
	itional NRCs may apply also and are categorized accordingly.									,	3 3					
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															T
	Port/Loop Combination Rates										İ					
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76					İ					
	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	34.38					1					
	2-Wire VG Loop/Port Combo - Zone 3	-	3		+	40.04					†					+
LINE	Loop Rates	-	Ŭ		+	40.04					†					+
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRX	UEPLX	13.76		 		t	†	-		†		
	2-Wire Voice Grade Loop (SL1) - Zone 1	t	2	UEPRX	UEPLX	20.38			 	t	 	 	 	 	 	+
	2-Wire Voice Grade Loop (SL1) - Zone 2	†		UEPRX	UEPLX	26.04			 	 	 		 	 	 	+
2_14/	ire Voice Grade Line Port (Res)	 	J	OLI IXX	JLI LA	20.04		 	1	+	1	-	1	1	1	+
2-991	2-Wire voice unbundled port - residence	 	-	UEPRX	UEPRL	14.00	90.00	90.00	1	+	1	15.69	1	1	1	+
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	 	-	UEPRX	UEPRC	14.00	90.00	90.00	1	+	1	15.69	1	1	1	+
	2-Wire voice unbundled port with Caller 15 - res 2-Wire voice unbundled port outgoing only - res	1		UEPRX	UEPRO	14.00	90.00	90.00				15.69		1		-
	2-Wire voice unbundles res, low usage line port with Caller ID	1		OLFKA	OLFKO	14.00	90.00	90.00				13.09		1		-
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	-	UEPKA	UEFAF	14.00	90.00	90.00			-	15.09				
				UEPRX	UEPRT	44.00	00.00	90.00				45.00				
	Capability	.	-	UEPRX	UEPRI	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan			LIEDDY	LIEDWA	44.00	00.00	00.00				45.00				
	without Caller ID		_	UEPRX	UEPWL	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled South Carolina Area Calling Port			LIEDDY	LIEDDO	44.00	00.00	00.00				45.00				
	without Caller ID Capability		_	UEPRX	UEPRS	14.00	90.00	90.00				15.69				
LOC	AL NUMBER PORTABILITY		_	LIEBBY .	LLIBOY											
	Local Number Portability (1 per port)		_	UEPRX	LNPCX	0.35										
FEA	TURES		_	LIEDDY	LIEDVE	0.00	0.00	0.00				45.00				
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
ADD	ITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2		0.00	0.00				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
	2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3	1	1	40.04					ļ			ļ		↓
UNE	Loop Rates	ļ	<u> </u>	ļ	ļ					ļ	ļ			ļ		↓
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPBX	UEPLX	13.76			ļ	ļ			ļ		ļ	↓
	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPBX	UEPLX	20.38			ļ	ļ			ļ		ļ	↓
	2-Wire Voice Grade Loop (SL1) - Zone 3	L	3	UEPBX	UEPLX	26.04					ļ					
2-Wi	re Voice Grade Line Port (Bus)	<u> </u>		ļ	1				ļ	ļ			ļ		ļ	↓
	2-Wire voice unbundled port without Caller ID - bus	ļ		UEPBX	UEPBL	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port outgoing only - bus	<u> </u>		UEPBX	UEPBO	14.00	90.00	90.00				15.69				
	2-Wire voice Grade unbundled South Carolina extended local		1													
	dialing parity port with Caller ID - bus	<u> </u>		UEPBX	UEPAZ	14.00	90.00	90.00]	15.69				
	2-Wire voice unbundled South Carolina Bus Area Calling Port	1				[I								1
	with Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability	<u></u>		UEPBX	UEPBE	14.00	90.00	90.00		<u></u>	<u> </u>	15.69			<u> </u>	<u> </u>
	2-Wire Voice Unbundled South Carolina Business Dialing Plan															
	without Caller ID	<u></u>		UEPBX	UEPWM	14.00	90.00	90.00		<u></u>	<u> </u>	15.69			<u> </u>	<u> </u>
	2-Wire voice unbundled South Carolina Business Area Calling															
	Port without Caller ID Capability	<u> </u>	<u></u>	UEPBX	UEPBB	14.00	90.00	90.00	<u> </u>	<u> </u>	<u></u>	15.69			<u> </u>	<u> </u>
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	TURES				1				ı — —	1	1		1 -	1 -		1

UNBUND	LED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
	Ť											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	Υ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
ļ																	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
\vdash					LIEBBY .			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
100		Il Features Offered	-	-	UEPBX	UEPVF	0.00	0.00	0.00				15.69				
ADL		NAL NRCs				1							-				
		IRC - 2-Wire Voice Grade Loop/Line Port Combination -			UEPBX	USAS2		0.00	0.00				15.69				
0.14		/OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USA52		0.00	0.00				15.69				
		t/Loop Combination Rates				+						-					
UNE		-Wire VG Loop/Port Combo - Zone 1	1	1		+	27.76			1		1				-	
+-		-Wire VG Loop/Port Combo - Zone 1 -Wire VG Loop/Port Combo - Zone 2		2		+	34.38					1			1		
		-Wire VG Loop/Port Combo - Zone 3		3		+	40.04								1		
UNI		p Rates		ٽ		+	40.04					-					
- Jake		-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	13.76									<u> </u>	
		-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	20.38				i				i	1	İ
		-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRG	UEPLX	26.04				İ		İ		İ	1	
2-W		oice Grade Line Port Rates (RES - PBX)			_	1					İ				İ	t	1
		-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	İ			1 1											
		les	1		UEPRG	UEPRD	14.00	90.00	90.00				15.69			I	
LOC	CAL N	IUMBER PORTABILITY															
	L	ocal Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00						ĺ		
FE#	ATURI	ES															
	А	II Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69		ĺ		
		URRING CHARGES - CURRENTLY COMBINED															
ADΓ	DITIO	NAL NRCs															
	2	Wire Loop/Line Side Port Combination - Non feature -															
		Subsequent Activity- Nonrecurring						0.00	0.00				15.69				
		BX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64				15.69				
		OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE		t/Loop Combination Rates		1			07.70										
\vdash		-Wire VG Loop/Port Combo - Zone 1 -Wire VG Loop/Port Combo - Zone 2		2		1	27.76 34.38						-				
\vdash		-Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 3	1	3		+	40.04			1		1				-	
LINI		p Rates		3		+	40.04								1		
ONL		-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	13.76					-					
		-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	20.38					-					
		-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	26.04					1					
2-W		oice Grade Line Port Rates (BUS - PBX)	1	Ť		J/\	20.04				1				1	<u> </u>	
		\\\				1					İ				İ	t	1
	Li	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.69			1	
		ine Side Unbundled Outward PBX Trunk Port - Bus	İ		UEPPX	UEPPO	14.00	90.00	90.00				15.69				
	L	ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.69				
	2	-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.69				
		-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.69				
		-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69				
		-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69				
\vdash		-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPPX	UEPXD	14.00	90.00	90.00		ļ		15.69		ļ	1	1
		-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1													I	
\vdash		Capable Port	-	ļ	UEPPX	UEPXE	14.00	90.00	90.00	ļ		-	15.69		ļ	-	ļ
		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	44.00	00.00	00.00				45.00			1	
\vdash		dministrative Calling Port -Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	-	UEPPA	UEPAL	14.00	90.00	90.00		-	1	15.69		 	 	1
		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port	1		UEPPX	UEPXM	14.00	90.00	90.00				15.69			I	
\vdash		-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	 	OLFFA	UEFAIVI	14.00	90.00	90.00	1	-	 	15.69		 	+	1
		iscount Room Calling Port	1		UEPPX	UEPXO	14.00	90.00	90.00				15.69			I	
\vdash		-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	 	UEPPX	UEPXS	14.00	90.00	90.00			 	15.69			+	1
1.00		IUMBER PORTABILITY	t		02117	021 //0	14.00	30.00	30.00			-	13.09		 	 	+
1 200		ocal Number Portability (1 per port)	†	†	UEPPX	LNPCP	3.15	0.00	0.00	1		 	-			I	1
FE/	ATURI		1			51	0.10	0.00	0.00		1				1	<u> </u>	
——————————————————————————————————————		Il Features Offered	l –		UEPPX	UEPVF	0.00	0.00	0.00		İ		15.69		İ	1	Ì
					i			0	2.30								

UNBL	JNDLEI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	hit: B
OND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORIT CEEMENTO COUNTY										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ADDITI	DNAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				15.69				
		2 Wire Loop/Line Side Port Combination - Non feature -															
		Subsequent Activity- Nonrecurring						0.00	0.00				15.69				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.34	7.34				15.69				
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u> </u>														
-	UNE PO	rt/Loop Combination Rates	-	4			07.70										
—	1	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2	-	2		+	27.76 34.38					-	-	-	 	-	-
-	+	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	34.38 40.04					-	 	-			
-	LINE	op Rates	-	3		+	40.04					 			+		
-	OINE LC	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPCO	UEPLX	13.76						 	 	 		
—	1	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	H	2	UEPCO	UEPLX	20.38			1	 	H		l	t		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04					-					
	2-Wire	/oice Grade Line Port Rates (Coin)		Ŭ	021 00	OLI LX	20.04					1					
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (SC)			UEPCO	UEPSD	14.00	90.00	90.00				15.69				
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00				15.69				
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (SC)			UEPCO	UEPSA	14.00	90.00	90.00				15.69				
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSH	14.00	90.00	90.00				15.69				
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
		with Dialing Parity (SC)			UEPCO	UEPSC	14.00	90.00	90.00				15.69				
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	14.00	90.00	90.00				15.69				
		2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,			LIEBOO	LIEDOE	44.00	00.00	00.00				45.00				
		011+ & Local; Enhanced Calling OPT 3YV (SC) 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+,			UEPCO	UEPCE	14.00	90.00	90.00				15.69				
		& Local; Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14.00	90.00	90.00				15.69				
		2-Wire Coin Outward without Blocking and without Operator			UEPCO	UEPCF	14.00	90.00	90.00			-	15.69				
		Screening (SC)			UEPCO	UEPSG	14.00	90.00	90.00				15.69				
		2-Wire Coin Outward with Operator Screening and 011 Blocking		-	ULFCO	ULF3G	14.00	90.00	90.00				13.09				
		(SC)			UEPCO	UEPSF	14.00	90.00	90.00				15.69				
		2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	02. 0.		00.00	00.00				10.00				
1		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14.00	90.00	90.00				15.69		I		
		2-Wire Coin Outward with Operator Screening and Blocking:															
L	<u> </u>	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00		<u></u>		15.69	<u> </u>			
		2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+,													_		
<u> </u>	1	& Local ; w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14.00	90.00	90.00				15.69		L		
L	LOCAL	NUMBER PORTABILITY				1									1		
├	40000	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					-		 	-		
-	ADDITI	DNAL NRCs				+									 		
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				15.69		I		
UNRU	NDI ED E	ORT/LOOP COMBINATIONS - MARKET BASED RATES	-		OL: 00	UUAUZ		0.00	0.00			 	15.09		+		
5.4001		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			+						-	-		 		
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	73.68								<u> </u>		
	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1	2		1	80.13			İ				l	1		
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			85.46										
	UNE Lo	op Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	16.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	23.13										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	28.46										
L	UNE Po				LUEDBY	Lusse:				ļ					1		
		Exchange Ports - 2-Wire DID Port	l		UEPPX	UEPD1	57.00	600.00	75.00			1	15.69		1		

ACTION PROTECULARISON UNITED TO THE SECONDARY CONTROL OF THE SECONDARY	SUNDLED	NETWORK ELEMENTS - South Carolina						Т					I a			ment: 2		bit: B
MARCE CURRENC CURRENC CURRENT Y CAMBRIDE	EGORY	RATE ELEMENTS		Zone	В	cs	usoc			.,			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
None Currients CHARGES - CURRENTY FOR COMMEND No. 2000 No. 2								Rec										
E-Wine Visco Grade Loop / E-Wine Do Trush FTD Commission E-Wine Library Library									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Search Ack Trg a RASk only Search																		
Sylver Vice Grants Logy 2 Were DID Trunk Part Concesson URPPY									40= 00	== 00				4= 00				ĺ
With BallStam Allendrate Changes Top & MSAC only					UEPPX		USAC1		125.00	75.00				15.69				
ADDTONAL NICE Description Activity and Trans. Per Trank USPPX USUSS1 0.00					LIEDDY		110040		405.00	75.00				45.00				
S-Wise DID Subsequent Action y- Add Trunks, Per Trunk UEPPX UESAST S.3.88 15.669				-	UEPPX		USATC		125.00	75.00			-	15.69				
Telephone NumberTrunk Group Establishment Charges UEPPX NST 0.00 0				-	LIEDDY		LICACA		F0.00				-	45.00				
GIO Trusk Terminative (One Per Perr) UIEPPX NOT 0.00 0.				-	UEPPX		USAST		53.68				-	15.69				
DID Numbers, Establish Truck Conce and Provide Fred Group of 20 DI Numbers DID Num				-	LIEDDY		NDT	0.00	0.00	0.00			1					
Of 20 DD Numbers UEPPK NDZ 0.00 0.				-	UEPPX		NDI	0.00	0.00	0.00								
Additional IDI Numbers for each Group of 20 IDI Numbers UEPPR ND4 0.00 0.00 0.00					LIEDDY		ND7	0.00	0.00	0.00								1
DID Numbers, Number consecutive DID Numbers DEPPK NSS 0.00 0.0													1			-		
Reserve Non-Consecute DID numbers													1			-		
Reserve DD Numbers				-									}			 	 	
LOCAL NUMBER PORTABILITY LIPPE L				-									}			 	 	
Local Number Portability (1 per port)				-	UEPPX		NDV	0.00	0.00	0.00			1					
2-Wire ISON DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LINE SIDE PORT				-	HEDDY		LNDOD	0.45	0.00	0.00								
UNE PortLoop Combination Rates			UE OIDE	BODI			LNPCP	3.15	0.00	0.00								
2W ISSN Digital Grade Loop/2W ISDN Digital Line Side Port - UPPR UEPPR			NE SIDE	POR	1													
UNE Zone 1 2W ISDN Ogial Grade Loop/ZW ISDN Ogial Line Side Port UNE Zone 2 2 UEPPB UEPPR UNE ZONE 2 2 UEPPB UEPPR UNE LOOP Rates 2 UEPPB UEPPR UNE LOOP Rates 2 UEPPB UEPPR UNE LOOP Rates 2 UEPPB UEPPR UNE LOOP Rates 2 UEPPB UEPPR UNE LOOP Rates 2 UEPPB UEPPR UNE LOOP RATES 2 UEPPB UEPPR UNE LOOP RATES 2 UEPPB UEPPR UNE LOOP RATES 2 UEPPB UEPPR UNE LOOP RATES 2 UEPPB UEPPR UNE LOOP RATES 2 UEPPB UEPPR UNE LOOP RATES 3 UEPPB UEPPR UNE LOOP RATES 4 UEPPB UEPPR UNE LOOP				_														
2					LIEDDD	LIEDDO		70.00										
UNE Zone 2 ZWISDN Digital Grade Loop-UNE Zone 1 UNE Zone 3 JUEPPB UEPPR JUEPPB UEPPR 90.27 UNE Loop Rates LEWING ISDN Digital Grade Loop - UNE Zone 1 LEWING ISDN Digital Grade Loop - UNE Zone 1 LEWING ISDN Digital Grade Loop - UNE Zone 2 LEWING ISDN Digital Grade Loop - UNE Zone 2 LEWING ISDN Digital Grade Loop - UNE Zone 2 LEWING ISDN Line Side Port LEWING ISDN Line Side Port WEEPPB U				1	UEPPB	UEPPR		76.90					1					
Web Son Digital Grade Loop/Wil SDN Digital Line Side Port UPPR U					LIEDDD	HEDDD		04.04										
UNE Zone 3 UNE Loop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1				2	UEPPB	UEPPR		84.64										
UEPD UEPPR																		
2-Wire ISDN Digital Grade Loop - UNE Zone 1				3	UEPPB	UEPPR		90.27										
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPB UEPPR USL2X 29.64					LIEBBB	HERRE		24.00										
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90					1					
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27	- I .	O Mary 1000 District Occupations of the Table 7			LIEDDD	LIEDDD	1101 01/	00.04										
UNE PORT Rate DEPAIR SEN LINE SIDE FOR UPPR																		
Exchange Port - 2-Wire ISDN Line Side Port UEPPB UEPPR UEPPB 55.00 525.00 400.00 15.69				3	UEPPB	UEPPR	USL2X	35.27										
NONRECURRING CHARGES - CURRENTLY COMBINED 2 Wire ISDN Digital Grade Loop / 2 Wire ISDN Digital Fruik Port 15.69				-	LIEDDD	LIEDDD	LIEDDD	55.00	505.00	100.00				45.00				
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port				-	UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69				
Combination - Conversion - Top 8 MSAs only				_														
ADDITIONAL NRCS																		
LOCAL NUMBER PORTABILITY				-	UEPPB	UEPPR	USACB	0.00	225.00	225.00				15.69				——
Local Number Portability (1 per port)				-	-		1											——
B-CHAÑNEL USER PROFILE ÁCCESS: UEPPB UEPPR UTUCA					LIEDDD	HEDDO	LNDCV	0.05	0.00	0.00			1			-		
CVS/CSD (DMS/SESS)					UEPPB	UEPPK	LINEUX	0.35	0.00	0.00			1			-		
CVS (EWSD)				-	LIEDDD	HEDDD	LIALICA	0.00	0.00	0.00						-	-	
CSD				-												-	-	
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)				-									-					⊢—
CVS/CSD (DMS/5ESS)			OME O	TNI	UEPPB	UEPPK	01000	0.00	0.00	0.00						-	-	
CVS (EWSD)			J,IVI J, &	I IN)	LIEDDD	HEDDD	HALICD	0.00	0.00	0.00			1			-		
CSD													+					
USER TERMINAL PROFILE User Terminal Profile (EWSD only) UEPPB UEPPR U1UMA 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.			-	-									1			-	-	
User Terminal Profile (EWSD only)					ULFPD	ULTER	UTUUF	0.00	0.00	0.00			1			1	1	
VERTICAL FEATURES All Vertical Features - One per Channel B User Profile UEPPB UEPVF 3.04 0.00 0.00 INTEROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 24.30 60.00 40.00 25.00 10.00 15.69 Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNC 24.30 60.00 40.00 25.00 10.00 15.69 UNEPPB UEPPR M1GNM 0.0167 0.00 0.00 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT UNE UEPPR M1GNM 0.0167 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.					LIEPPR	HEPPR	ΠΙΙΙΜΔ	0.00	0.00	0.00			 			 	 	
All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 3.04 0.00 0.00 INTEROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 24.30 60.00 40.00 25.00 10.00 15.69 Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.0167 0.00 0.00 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					OLI FD	OLFFR	JIONA	0.00	0.00	0.00			1			1	1	
Interoffice Channel mileage each, including first mile and facilities termination Interoffice Channel mileage each, including first mile and facilities termination Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNC 24.30 60.00 40.00 25.00 10.00 15.69 Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.0167 0.00 0.00 UEPPB UEPPR M1GNM 0.0167 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.					LIEDDD	HEDDD	LIED\/E	3.04	0.00	0.00			 			 	 	
Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 24.30 60.00 40.00 25.00 10.00 15.69 Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.0167 0.00 0.00 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT UNE Port/Loop Combination Rates 4-W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 4-W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	INTERO	AII VOILICAI I CALUICS - OHE PEI CHAINICI D OSCI PIONIC			OLFFD	JLFFK	OLF VI	3.04	0.00	0.00			 			 	 	
facilities termination				 			+									 	 	
Interoffice Channel mileage each, additional mile 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					LIEDDD	LIEDDD	MIGNO	24.20	60.00	40.00	25.00	10.00		15.60				1
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			-	-							25.00	10.00	1	15.69		-	-	
UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			PODT	-	ULFPD	JLPPK	IVITGINIVI	0.0167	0.00	0.00			1			-	-	
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			FURI	-	-		+	-					1			-	-	
			-	-	-		+	-					1			-	-	
		Zone 1	1	1	UEPPP		I	940.87					I]		l		1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		1,005.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		1,111.89										
UNE L	oop Rates		1	UEPPP	USL4P	90.87						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P USL4P	155.43			-		-	15.69			-	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	261.89					1	15.69			-	
LINE P	Port Rate		3	OLFFF	USL4F	201.09					1	13.09			1	
OI4E I	Exchange Ports - 4-Wire ISDN DS1 Port		1	UEPPP	UEPPP	850.00	1,150.00	1,150.00				15.69				1
NONR	ECURRING CHARGES - CURRENTLY COMBINED			CLITT	OLITI	000.00	1,100.00	1,100.00			1	10.00				
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	l					1							ĺ	1	1
	Combination - Conversion -Switch-As-Is Top 8 MSAs only	1		UEPPP	USACP	0.00	950.00	950.00				15.69			1	
ADDIT	TONAL NRCs	L														
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-												_			
	Inward/two way Telephone Numbers (except NC)			UEPPP	PR7TF		0.9822					15.69				<u> </u>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		23.02	23.02				15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		46.05	46.05				15.69				_
LOCAL	L NUMBER PORTABILITY			LIEBBB	LUBOU											ļ
INITED	Local Number Portability (1 per port)		-	UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only) Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00			-					
	Inward Data		1	UEPPP	PR71E	0.00	0.00	0.00			1				-	
New o	r Additional "B" Channel			OLFFF	FRIIL	0.00	0.00	0.00	-						-	
11011 0	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	40.00				1				1	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	40.00				1					
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	40.00								t	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								1
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interof	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48		15.69				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT ort/Loop Combination Rates	 	-	 	+				—					 	 	
UNE P	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	!	1	UEPDC	+	840.87					-			-	 	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC	+	905.43	+		+					-	 	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	+	1,011.89	+		+						 	
UNF I	oop Rates	1	-	02.1 00	_	1,011.09	+		 		 			1	I	
15	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87	1		+						<u> </u>	
<u> </u>	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	155.43	1							İ	1	1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.94		15.69				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1					⊣		Ι Τ						_	
	- Switch-As-Is Top 8 MSAs only	!	<u> </u>	UEPDC	USAC4		259.56	134.33				15.69			ļ	↓
	A Miss DCA Digital Lass / A Miss DDITO Touch Dog Co. 11	1		1	1										I	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		UEPDC	USAWA		259.56	134.33				15.69			I	
+-	- Conversion with DS1 Changes Top 8 MSAs only	!	+	OLFDC	USAWVA		∠59.56	134.33			-	10.09		-	 	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1							1						1	
ı	- Conversion with Change - Trunk Top 8 MSAs only	l	1	UEPDC	USAWB			134.33			1	15.69		1	1	
	I- Conversion with Change - Trunk Lon 8 MSAs only						259.56	1.34 33	1							

NRONDLED N	NETWORK ELEMENTS - South Carolina													ment: 2	1	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	bsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent											4= 00				
	annel Activation/Chan - 1-Way Outward Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel		-	UEPDC	UDTTB		29.01	29.01			ļ	15.69				
	tivation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITO		29.01	29.01				13.03				
	tivation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
	Nire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan														t	
Act	tivation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29.01	29.01				15.69				
	8 ZERO SUBSTITUTION															
	ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00	\Box					ļ		
	ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0.00	605.00			ļ				ļ	
	Mark Inversion		-	LIEDDC	MCCCC		0.00	0.00	 		ļ	-	-	-	1	1
	II -Superframe Format II - Extended SuperFrame Format		 	UEPDC UEPDC	MCOSF MCOPO		0.00	0.00			1	-	1		 	-
	e Number/Trunk Group Establisment Charges		 	OLFDO	IVICOPO		0.00	0.00	 		1		 	 	 	+
	lephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					i e	15.69				1
	lephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					†	15.69			t	
	lephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.69				
DID	D Numbers, Establish Trunk Group and Provide First Group															
	20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.69				
	D Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.69				
	D Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				15.69				
	serve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			ļ	15.69				
	pserve DID Numbers DS1 (Interoffice Channel Mileage) -		1	UEPDC	NDV	0.00	0.00	0.00	-		1	15.69			1	
	or 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port		1								-	-			-	
	eroffice Channel Mileage - Fixed rate 0-8 miles (Facilities								1						 	
	rmination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				
Inte	eroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
	eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities						0.00									
	rmination)			UEPDC	1LNO2	0.00	0.00	0.00								
Inte mile	eroffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNOB	0.7598	0.00	0.00								
	eroffice Channel Mileage - Fixed rate 25+ miles (Facilities															
Ter	rmination)			UEPDC	1LNO3	0.00	0.00	0.00								
															1	
Inte	eroffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC UEPDC	1LNOC LNPCP	0.7598	0.00	0.00			ļ		 	-	 	
Loc	cal Number Portability, per DS0 Activated		-	UEPDC UEPDC	CTG	3.15 0.00	0.00	0.00	 		1	-	-		 	-
	Intral Office Termininating Point S1 LOOP WITH CHANNELIZATION WITH PORT		 	UEPUC	UIG	0.00			 		1	 	 	1	 	
	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations	-	 	+				 		1		 	 	 	-
	can have various rate combinations based on type and nur			used	1									1	1	
UNE DS1 L			1								Ì		1	ĺ	1	
4-V	Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	Vire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00	\Box					ļ		
	Channelization Capacities (D4 Channel Bank Configuration	ns)	-	LIEDMO	V/I IN 40 4	100 17	0.00	0.00				45.00	ļ			
	DSO Channel Capacity - 1 per DS1 DSO Channel Capacity - 1 per 2 DS1s		-	UEPMG UEPMG	VUM24 VUM48	103.47 206.94	0.00	0.00				15.69 15.69			 	-
	DSO Channel Capacity - 1 per 2 DS1s DSO Channel Capacity -1per 4 DS1s		 	UEPMG UEPMG	VUM48 VUM96	206.94 413.88	0.00	0.00			1	15.69 15.69	-		 	-
	4 DS0 Channel Capacity - 1 per 6 DS1s		 	UEPMG	VUM14	620.82	0.00	0.00	 		1	15.69	 	1	 	
192	2 DS0 Channel Capacity -1 per 8 DS1s		 	UEPMG	VUM19	827.76	0.00	0.00			†	15.69			t	
	0 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,034.70	0.00	0.00				15.69		İ	1	
288	8 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,241.64	0.00	0.00				15.69				
	4 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,655.52	0.00	0.00				15.69				
480	0 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,069.40	0.00	0.00				15.69				

UNBL	INDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	_	Manual Svc	Manual Svc	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac 1at	Disc Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,483.28	0.00	0.00				15.69				
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,897.16	0.00	0.00				15.69				
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
		es of this configuration functioning as one are considered Ad	ld'l afte	r the m	inimum system co	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without						450.04									
-		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	150.81	8.38				15.69				
-		Additions Where Currently Combined and New (Not Currentl	y Comr	inea)		1											
		ity Zone 1 Top 8 MSAs				+	-					-	-				
		DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation -			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69				1
-		8 Zero Substitution		 	OLFIVIG	V UIVID4	0.00	(17.71	425.81	149.08	17.69	 	15.69	1	 		
		Clear Channel Capability Format, superframe - Subsequent		!		1	 			1		 		 	l		
		Activity Only		1	UEPMG	CCOSF	0.00	0.00	605.00				1				1
\vdash		Clear Channel Capability Format - Extended Superframe -		!	OLI IVIO	00001	0.00	0.00	303.00	1		 		 	l		t
1		Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00	605.00				1				1
-		te Mark Inversion (AMI)			OLI WO	CCCLI	0.00	0.00	003.00								
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			1					1
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1					
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
		ge Ports		1													
												1					
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69				
	i i	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		15.69				
												ĺ					
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15.69				
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69				
		Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.70	40.00	20.00	6.00	5.00		15.69				
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				
-		one Number/ Group Establishment Charges for DID Service		-	LIEDDY	NDT	0.00	0.00	0.00				45.00				
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			-	15.69				
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States		-	UEPPX UEPPX	NDZ ND4	0.00	0.00	0.00				15.69 15.69		-		-
-		Non-Consecutive DID Numbers - per number		 	UEPPX	ND4 ND5	0.00	0.00	0.00	1		 	15.69	1	 		
		Reserve Non-Consecutive DID Numbers		 	UEPPX	ND6	0.00	0.00	0.00	1		 	15.69	1	 		
		Reserve DID Numbers		!	UEPPX	NDV	0.00	0.00	0.00	1		 	15.69	 	l		
-		umber Portability		 	J 1 //	1.10 (0.00	0.00	0.00	 		 	10.00				†
		Local Number Portability - 1 per port		†	UEPPX	LNPCP	3.15	0.00	0.00	1		 	-				I
		RES - Vertical and Optional					5.15	0.00	0.00					1			
		witching Features Offered with Line Side Ports Only		t		1				1				i			1
		All Features Available		t	UEPPX	UEPVF	3.04	0.00	0.00				15.69	i			1
UNBUN		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3			1		2.20	2.30				12.20	İ	İ		1
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local Sv	vitching or Sw	itch Ports.				İ	İ	l		1
		res shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.		1			
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
	4. The f	irst and additional Port nonrecurring charges apply to Not Cu	irrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	rring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NF	RCs may
		Iso and are categorized accordingly.				-							-	-			-
		tet Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual C	ase Basis, un	til further notice).									
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)															
ı —		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													I		
		Non-Design		1	UEP95	1	14.89]	I	1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		21.52										

Version 1Q03: 02/28/03

UNBL	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
0112												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	ı					_	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		l
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		+		11131	Auu i	11130	Auu i	JOINEO	JONAN	JOHAN	JONAN	JOHAN	JOINAIN
		Non-Design		3	UEP95		27.17										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		24.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		29.59										
<u> </u>	UNE L	pop Rate		_	LIEDOE	LIEGO	40 =0					<u> </u>		ļ	ļ		
-	-	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76							-	-		
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP95 UEP95	UECS1 UECS1	20.38 26.04			-		 	-			-	
-	 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP95	UECS1	16.68					-	-				
-	 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2	23.13					-		 	 		
	†	2-Wire Voice Grade Loop (SL 2) - Zone 3	t	3	UEP95	UECS2	28.46					 	-				
	UNE P	ort Rate	l	Ť		32332	20.40							1	1		
	All Sta																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
L		Center)2 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											4= 00				
-	-	Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
	-	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	UEF95	UEPT9	1.13	40.30	19.90	24.90	0.00		15.69				
		Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
	AL KY	, LA, MS, SC, & TN Only			OLI 95	OLI 12	1.10	+0.50	13.30	24.30	0.03		13.03				
	, t <u>=</u> , tt:	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					ĺ			l i							
		Center)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
1	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
1	1	L.,, .,					,	40	40			1					
<u> </u>	-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65	-	15.69	 	 		
-	Local	2-Wire Voice Grade Port Terminated on 800 Service Term	-	+	UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65	 	15.69			-	
 	Local	Centrex Intercom Funtionality, per port	H	†	UEP95	URECS	0.7996			 				 	 		
-	Local I	Number Portability		 	OL1 33	CINEOU	0.7330							 	 		
		Local Number Portability (1 per port)	t	†	UEP95	LNPCC	0.35					 	-				
	Feature						5.50							İ	İ		
		All Standard Features Offered, per port			UEP95	UEPVF	3.04						15.69	1	1		
		All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42		<u> </u>			15.69				
		All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04						15.69				
	NARS																
	ļ	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.69	ļ	ļ		
<u> </u>	_	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
├	Miner	Unbundled Network Access Register - Outdial		ļ	UEP95	UAROX	0.00	0.00	0.00			ļ	15.69	ļ	ļ		
-		laneous Terminations		-		+								-	-		
-	∠-vvire	Trunk Side Trunk Side Terminations, each	-	 	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69	-	-		-
 	4-Wiro	Digital (1.544 Megabits)	H	†	OFL 20	OLINDO	0.00	119.57	10.78	60.03	3.77		15.09	 	 		
1		DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
—	†	DS0 Channels Activated, each	t	†	UEP95	M1HDO	0.00	14.51	33.30	,2.,5	2.41	 	15.69				
					1	,	0.00						.0.00	L	L		·

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
		Inter.									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			po. Loi	por LOIX	Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'l	Disc 1st	Disc Add'l
<u></u>															D130 13t	2100 Auu I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Intero	ffice Channel Mileage - 2-Wire															
\vdash	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	Peature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56						15.69				
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	IPQVVS	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						15.69				
\vdash	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OL1 00	11 00110	0.00						10.00				
	Slot			UEP95	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		- **		2.50					İ	.5.50				
	Different Wire Center	1		UEP95	1PQWP	0.56						15.69				
							İ									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56						15.69	<u> </u>			
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.56						15.69				
\square	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56						15.69				
Non-P	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
\vdash	changes, per port			UEP95	USAC2	0.00	37.93	16.72				15.69				
\vdash	New Centrex Standard Common Block			UEP95 UEP95	M1ACS M1ACC	0.00	668.70				-	15.69 15.69				
\vdash	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	668.70 72.89					15.69				
LINE-I	P CENTREX - DMS100 (Valid in All States)		-	UEP93	URECA	0.00	72.09					15.69				
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+ -											
	Port/Loop Combination Rates (Non-Design)				+											
0.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
	Non-Design		1	UEP9D		14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		27.17										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i														
\vdash	Design Control of the	!	1	UEP9D	1	17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		04.00										
\vdash	Design 2 Wire VG Loop/2 Wire Voice Grade Bort (Contray)Port Comba	 	2	UEP9D	+	24.26					-					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	1	3	UEP9D		29.59										
LINE I	Loop Rate	 	3	OLF3D	1	29.59					-			 		
ONEL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76								 		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP9D	UECS1	20.38					<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 3	l	3	UEP9D	UECS1	26.04								1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1	i e	1	UEP9D	UECS2	16.68				İ				İ		
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	23.13					İ			İ		
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
	Port Rate							_								
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area		$ldsymbol{oxed}$	UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1			[]											
\vdash	Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		LIEDOD	LIEDYO	4.46	40.00	10.00	04.00	0.0-		45.00				
\vdash	Area	 	—	UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69		 		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				
\vdash	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	!	1	UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65	-	15.69				-
	Area	1		UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				
			_	OL1 3D	OLI IL	1.13	₹0.30	10.00	27.30	0.03		10.08				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1 1		1	I	I									

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+	_	Nonred	curring	Nonrecurring	g Disconnect		1	OSS	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69				1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			02. 02	02	0	10.00	.0.00	200	0.00		10.00				
	Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLF9D	OLF III	1.13	40.30	19.90	24.90	0.03		13.09				
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				i !
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEF9D	UEPTJ	1.13	40.30	19.90	24.90	0.03		15.09				
	2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				į
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3						400.00					1= 00				
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94	-	15.69				
	Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				i !
i	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area		-	UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69				\vdash
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			02.02	02	0	100.00	10.71	0			10.00				
	Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				i !
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI 3D	OLI 14	1.13	100.30	70.71	54.47	11.54		15.05				
	Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				i !
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLF9D	OLF 10	1.13	108.30	70.71	34.47	11.54		13.09				
	Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPYZ	4.42	100.20	70.74	F4.47	44.04		15.69				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPTZ	1.13	108.36	70.71	54.47	11.94		15.09				
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				i
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO	4.40	40.00	40.00	04.00	0.05		45.00				1
AI K	Local Area f, LA, MS, SC, & TN Only			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL, K	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65		15.69				ullet
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69				
 	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3	!	\vdash	UEP9D UEP9D	UEPQF UEPQG	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	-	15.69 15.69				
 	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Fort (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	i e		UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65		15.69		İ	İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	l		UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69		l	l	ſ
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
\vdash	Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	-		UEP9D UEP9D	UEPQW UEPQJ	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	-	15.69 15.69				
	12 TYTE VOICE CHARGE FOR (Centrewiving Vity Lamp Indication)3	l		OLI 3D	טבו עט	1.13	40.30	15.50	24.30	0.05		15.09		L	L	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i .		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		""											Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
																
						Rec	Nonrec		Nonrecurring					Rates(\$)		
\vdash							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDOM	4.40	400.00	70.74	54.47	44.04		45.00				
\vdash	2 Wise Vales Conds Bart (Contract/differ CMC /FBC BCFT)2 2	<u> </u>	<u> </u>	UEP9D	UEPQM UEPQO	1.13	108.36	70.71 70.71	54.47	11.94		15.69				
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	<u> </u>	<u> </u>	UEP9D	UEPQU	1.13	108.36	70.71	54.47	11.94		15.69				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-N3009)2, 3		1	UEP9D	UEPQQ	1.13	108.36	70.71		11.94	1	15.69				
\vdash	2-ville voice Glade i oit (Centrevallier GWO/EBG-3203)2, 3	1	<u> </u>	OLI 3D	OLI QQ	1.10	100.50	70.71	34.47	11.54	-	13.03				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69				
\vdash	2 1110 10100 01440 1 011 (001110) 4 4110 1 0110 1 250 110 1 1 2 j 2 j			02. 05	02. Q.X	0	100.00		0	11.01	1	10.00				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69				
					1000											
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.69				
		Ì			1											
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69				
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
$\vdash \vdash$	Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
1																
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
\vdash	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Loca	l Switching			LIEBAB		0.7000						4= 00				
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996						15.69				
Loca	Il Number Portability Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEP9D	LNPCC	0.35										
Featu		-	-	UEP9D	LINPCC	0.35					-	-				
reatt	All Standard Features Offered, per port	1	<u> </u>	UEP9D	UEPVF	3.04					1	15.69				
\vdash	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42					15.69				
\vdash	All Centrex Control Features Offered, per port	<u> </u>	<u> </u>	UEP9D	UEPVC	3.04	700.72				-	15.69				
NAR				02. 03	02. 10	0.0 1						10.00				
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Inward	t -	t	UEP9D	UAR1X	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.69				
Misc	ellaneous Terminations	i	i													
	re Trunk Side	i	i													
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-Wi	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
\vdash	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69				
Inter	office Channel Mileage - 2-Wire															
$\vdash \vdash$	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	<u> </u>													
D4 C	hannel Bank Feature Activations			LIEBAR	1001110	0.50						4= 00				
\vdash	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	 	UEP9D	1PQWS	0.56			1	-	1	15.69	-	-	-	
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69				
\vdash	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	 	OLFSD	IFUWO	0.56			-	-	-	15.69	-	-	-	-
1 1	Slot			UEP9D	1PQW7	0.56						15.69				
\vdash	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	 	OL1 3D	11 Q VV 1	0.30						13.09				
1 1	Different Wire Center			UEP9D	1PQWP	0.56						15.69				
	D.II.O.O.I. VIIIO GOINGI	†	t	021 00	11 02 771	0.50			1		-	10.09				
(l	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69				
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	†	İ	02	1	0.00				i		.0.00				i
()	Slot	1		UEP9D	1PQWQ	0.56						15.69				
			_						i	1			t	ì	t	
\vdash	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69				

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		37.93	16.72				15.69				
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70					15.69				
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70					15.69				
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89					15.69				
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
		- Requires Specific Customer Premises Equipment															
	Note: I	Rates displaying an "R" in Interim column are interim and sub	ject to i	rate tru	e-up as set forth in (General Tern	ns and Condition	ns.									

LIND	INDIE	D NETWORK ELEMENTO, Tours															
UNB	UNDLE	D NETWORK ELEMENTS - Tennessee										I .	Svc Order Submitted	Incremental	Incremental Charge -		Incremental Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			"											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates(\$)		l
	+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
OPER	ATIONA	SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															s rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per t				in this cate	gory reflects the	e charge that v	would be billed	to a CLEC or	ice electronic	ordering cap	pabilities co	me on-line to	r that element	. Otherwise,	the manual
	ordeni	ng charge, SOMAN, will be applied to a CLECs bill when it sub Electronic OSS Charge, per LSR, submitted via BST's OSS	Tillits ar	LOK	bellooutii.					ı							
		interactive interfaces (Regional)				SOMEC		3.50									
UNE S	ERVICE	DATE ADVANCEMENT CHARGE				0020		0.00			t			t			
		The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN, UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3.												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL, UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LINIBLI	NDI ED	Day EXCHANGE ACCESS LOOP	ļ		U1TUB, U1TUA	SDASP		200.00			1		-	1			
ONBU		E ANALOG VOICE GRADE LOOP	1	 							+	}	-	-			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13,19	31.99	20.02	10.65	1.41	i e		20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	1	Premise	ļ	<u> </u>	UEANL	URETL		8.33	0.83			ļ		20.35	10.54	13.32	13.32
	+	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	1	-	UEANL UEANL	URET1 URETA	-	78.92 23.33	78.92 23.33		 	1	1	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	+	CLEC to CLEC Conversion Charge Without Outside Dispatch	1	 	UEAINL	UKETA	+	∠3.33	23.33		+	1	1	20.35	10.54	13.32	13.32
	1	(UVL-SL1)			UEANL	UREWO		15.80	8.95		1			20.35	10.54	13.32	13.32
	1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	<u> </u>					.5.00	3.50		<u> </u>			20.00		10.02	.0.02
		providing make-up (Engineering Information - E.I.)	<u> </u>	L	UEANL	UEANM		28.80	28.80	<u> </u>	<u> </u>		<u></u>	<u> </u>			<u> </u>
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1			[<u>_</u>						_			_			
	1	(per LSR)	1	1	UEANL	OCOSL	1	34.29	34.29	I	1	1	1	1	1		l

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates(\$)		
						Ī	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41	ĺ		20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	i	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	i	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	i	Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		36.52	36.52								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for											1				
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92				1	20.35	10.54	13.32	13.32
	i –	Loop Testing - Basic Additional Half Hour		i i	UEQ	URETA		23.33	23.33	İ		İ	İ	20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch			1	1				1							
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBU	NDLED E	XCHANGE ACCESS LOOP											t				
		ANALOG VOICE GRADE LOOP											İ				
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			İ	İ		† †		1			1	1		İ	
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	t	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-											t				
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	t	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-											t				
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	02. 0. 02. 02	027120	11.20	01.00	20.02	10.00				20.00	10.01	10.02	10.02
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	OLI OR OLI OD	OLABO	17.20	01.00	20.02	10.00	111		†	20.00	10.04	10.02	10.02
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OD	OLALO	22.00	31.33	20.02	10.03	1.41		†	20.55	10.54	10.02	10.02
		Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
IINBIII	IDI ED E	EXCHANGE ACCESS LOOP		J	OLI OK OLI OD	OLADO	22.00	31.33	20.02	10.03	1.41			20.55	10.54	10.02	10.02
ONDO		ANALOG VOICE GRADE LOOP				+		 				 	 				-
	Z-VVIIXL	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or											†				
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u>'</u>	ULA	ULALZ	10.50	73.00	40.20	20.70	17.04			20.55	10.54	13.32	13.32
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			ULA	ULALZ	21.03	73.00	40.20	20.70	17.04	-	ł	20.55	10.54	13.32	13.32
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	<u> </u>	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	20.20	34.29	40.20	20.70	17.04	-	ł	20.33	10.54	13.32	13.32
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	UEA	OCOSL		34.29		 		-	ł				-
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	10.30	75.06	40.20	20.70	17.04	-	†	20.33	10.54	13.32	13.32
				2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	1	Battery Signaling - Zone 2			UEA	UEAR2	21.03	75.06	48.20	28.70	17.64		-	20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	<u> </u>	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	28.28	34.29	48.20	28.70	17.04	-	 	20.35	10.54	13.32	13.32
	<u> </u>			-					00.44			1		00.05	40.54	40.00	40.00
	<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		75.06	36.41			1		20.35	10.54	13.32	13.32
	4 14/10/5	Loop Tagging - Service Level 2 (SL2)		-	UEA	URETL		11.23	1.10				1	20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP		1	LIEA	LIEALA	04.70	400.70	05.53	70.05	20.10	 	 	20.05	40.51	40.00	13.32
	 	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		1	UEA UEA	UEAL4 UEAL4	24.70 32.25	122.76 122.76	85.57 85.57	76.35 76.35	39.16 39.16	 	1	20.35 20.35	10.54 10.54	13.32 13.32	13.32
	 			2	UEA	UEAL4 UEAL4	32.25 42.17		85.57 85.57			<u> </u>	1	20.35	10.54	13.32	13.32
	 	4-Wire Analog Voice Grade Loop - Zone 3		3			42.17	122.76	85.57	76.35	39.16	 	1	20.35	10.54	13.32	13.32
	!	Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL		34.29	20.11	ļ	-	 	 	00.0=	10.51	10.00	10.00
	0.1405	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		75.06	36.41	ļ	-	 	 	20.35	10.54	13.32	13.32
	2-WIRE	ISDN DIGITAL GRADE LOOP			LIDAL	LIALOV	00.00	440 = 2	00.00	70.00	00.10			00.05	40 = 1	40.00	40.00
	!	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16		_	20.35	10.54	13.32	13.32
	!	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.02	142.76	88.88	76.35	39.16	_	_	20.35	10.54	13.32	13.32
	!	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16	_	_	20.35	10.54	13.32	13.32
	!	Order Coordination For Specified Conversion Time (per LSR)		<u> </u>	UDN	OCOSL		34.29		-	-	_	_				<u> </u>
		CLEC to CLEC Conversion Charge without outside dispatch		!	UDN	UREWO		91.77	44.22	ļ		ļ	ļ	20.35	10.54	13.32	13.32
	12-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP											l			l	1

UNBUN	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			-	-		+		Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)	l .	l
h +							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				1		11130	даат	1 1130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		1		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-	WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP)												
		2 Wire Unbundled ADSL Loop including manual service inquiry		١.			40.00									40.00	
		& facility reservation - Zone 1	-	1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
-	-	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	16.05	270.01	234.03	74.54	39.14	ł	1	20.35	10.54	13.32	13.32
		& facility reservation - Zone 3	1	3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UAL	OCOSL	20.00	34.29	204.00	74.04	00.14			20.00	10.04	10.02	10.02
		2 Wire Unbundled ADSL Loop without manual service inquiry &			0.12	00002		01.20				İ					
		facility reservaton - Zone 1	- 1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2	- 1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-	WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry	-	1	UHL	UHLZX	10.83	270.01	234.63	74.54	39.14		-	20.35	10.54	13.32	13.32
		& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEX	14.10	270.01	204.00	74.04	00.14			20.00	10.04	10.02	10.02
		& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	ı	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop without manual service inquiry	١.	3	UHL		18.50	04.00	00.00	40.05				00.05	40.54	40.00	40.00
-		and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL2W OCOSL	18.50	31.99 34.29	20.02	10.65	1.41		-	20.35	10.54	13.32	13.32
	-	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02			1	1	20.35	10.54	13.32	13.32
4-	WIRF	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OTIL	OKETTO		01.00	20.02					20.00	10.04	10.02	10.02
 		4 Wire Unbundled HDSL Loop including manual service inquiry			1					1	1			1	1	1	
		and facility reservation - Zone 1	1	1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop including manual service inquiry						ĺ									
		and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
		4-Wire Unbundled HDSL Loop without manual service inquiry	١,	1	UHL	UHL4W	40.00	04.00	00.00	40.05				00.05	40.54	40.00	40.00
\vdash		and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry	+ '-	1	UNL	UHL4VV	13.93	31.99	20.02	10.65	1.41	-		20.35	10.54	13.32	13.32
		and facility reservation - Zone 2	1 .	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash		4-Wire Unbundled HDSL Loop without manual service inquiry			OI IL	CIILTVV	10.20	31.99	20.02	10.03	1.41			20.33	10.34	10.32	15.52
		and facility reservation - Zone 3	- 1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ť	UHL	OCOSL		34.29		12.30	1	†			1		12.02
		CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-	WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
		4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	USL	USLXX	98.59	313.08	219.72	96.86	40.45	<u> </u>		18.98	8.43	11.95	11.95

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59							Î	()	
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP													Î	()	
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29								<u> </u>	
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
	2-WIRE	Unbundled COPPER LOOP														<u> </u>	
		2-Wire Unbundled Copper Loop/Short including manual service														1 '	
		inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop/Short including manual service														1 '	
		inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop/Short including manual service														1 '	
		inquiry & facility reservation - Zone 3	I	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52							<u> </u>	
		2-Wire Unbundled Copper Loop/Short without manual service														1 '	
		inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop/Short without manual service														1 '	
		inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop/Short without manual service		_												l'	
		inquiry and facility reservation - Zone 3	ı	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								<u> </u>
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.	١.	١.						40.0=							
-		inquiry and facility reservation - Zone 1		1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	LICLAI	47.00	24.00	20.02	40.05	4 44			20.25	40.54	40.00	42.22
\vdash		inquiry and facility reservation - Zone 2	-		UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLZL	22.53	36.52	36.52	10.05	1.41	-		20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop/Long - without manual service		-	UCL	UCLIVIC		30.32	30.32			1				<u> </u>	1
		inquiry and facility reservation - Zone 1		1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop/Long - without manual service		- '	OCL	UCLZVV	13.19	31.99	20.02	10.03	1.41	1		20.33	10.54	13.32	13.32
		inquiry and facility reservation - Zone 2		2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-		2-Wire Unbundled Copper Loop/Long - without manual service	- '		UCL	UCLZVV	17.23	31.99	20.02	10.03	1.41			20.33	10.54	13.32	13.32
		inquiry and facility reservation - Zone 3		3	UCL	UCL2W	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC	22.00	36.52	36.52	10.03	1.41			20.55	10.54	10.02	10.02
		CLEC to CLEC Conversion Charge without outside dispatch			COL	OOLIVIO		00.02	00.02							\vdash	
		(UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE	COPPER LOOP			002	OIKEWO		01.00	20.02			1		20.00	10.04	10.02	10.02
		4-Wire Copper Loop/Short - including manual service inquiry															
		and facility reservation - Zone 1	1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop/Short - including manual service inquiry	<u> </u>	Ė	i .	1					22.70						1
		and facility reservation - Zone 2	1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16		1	20.35	10.54	13.32	13.32
		4-Wire Copper Loop/Short - including manual service inquiry															
		and facility reservation - Zone 3	- 1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16		1	20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52						ĺ		
		4-Wire Copper Loop/Short - without manual service inquiry and															
		facility reservation - Zone 1	I	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16	<u> </u>		20.35	10.54	13.32	13.32
		4-Wire Copper Loop/Short - without manual service inquiry and															
1		facility reservation - Zone 2	I	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	A Wire Connection (Chart with and record on its included		ļ		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	·	Ť	UCL	UCLMC		36.52	36.52	70.00	30.10			20.00	10.01	10.02	10.02
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	I	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.	I	2	UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	linguiry and facility reservation - Zone 3	1	3	UCL	UCL4L	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52	7.0.00							
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.	- 1	1	UCL	UCL4O	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - without manual svc.		<u> </u>						7.0.00							
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4O	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFI				002	O.K.E.ITO		01.00	20.02					20.00	10.01	10.02	10.02
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	,		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft	- 1		UCL, ULS, UEQ	ULM2G		710.71	23.77					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	I		UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		710.71	23.77					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	·		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LOOPS																
Sub-Le	pop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				-		-									
	Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	10.02	148.84	440.04	73.14	36.65			20.35	10.54	13.32	13.32
	Statewide Order Coordination for Unbundled Sub-Loops, per sub-loop pair		SW	UEANL	USBMC	10.02	34.29	112.34 34.29	73.14	36.65			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								

UNBU	NDLE	NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- !		UEF	UCS2X	5.16		37.89	94.41	13.09	ļ		20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF UEF	UCS2X UCS2X	6.74 8.81		37.89 37.89	94.41 94.41	13.09 13.09	1		20.35 20.35	10.54 10.54	13.32 13.32	13.32
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCSZX	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98	†	†	20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	8.52	117.12	44.30	99.96	16.98	i e		20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	11.14		44.30		16.98	İ		20.35		13.32	13.32
								i									
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
		dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair	- 1		UENTW	UENPP	0.4555	2.48	2.48	ļ		ļ	ļ	20.35	10.54	13.32	13.32
		k Interface Device (NID)		-	LIENTA	LINDAO		00.00	F4 50	0.0004	0.6391		-	20.35	10.54	40.00	13.32
		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		-	UENTW UENTW	UND12 UND16		89.69 129.65	54.56 94.51	0.6391 0.6522	0.6391	.		20.35		13.32 13.32	13.32
		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		-	UENTW	UNDC2		11.11	11.11	0.0322	0.0522	-		20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11			+		20.35		13.32	13.32
SUB-LC		Tretwork interface bevice cross connect. 444			OLIVIV	ONDO						i e		20.00	10.04	10.02	10.02
		op Feeder						i i				İ					
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		517.25						20.35	10.54	13.32	13.32
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
		set-up			UDN,UCL,UDL,UDC	USBFX		42.68	42.68					20.35	10.54	13.32	13.32
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		531.04	11.34					20.35	10.54	13.32	13.32
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		sw	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time, per LSR		SW	UEA	OCOSL	12.05	34.29	85.05	76.35	39.16			20.35	10.54	13.32	13.32
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			OLA	OCOSL		34.23				+					
		Grade - Statewide		sw	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34.29				İ					
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			-							İ					
		Voice Grade Loop - Statewide		sw	UEA	USBFC	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
		Grade - Zone 1		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		_	1154	LICDED	20.44	407.04	C4 02	440.04	20.42			20.25	10.54	40.00	40.00
		Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13	1	1	20.35	10.54	13.32	13.32
		Grade - Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time, Per LSR		Ť	UEA	OCOSL	55.76	34.29	01.33	110.04	00.10			20.00	10.04	10.02	10.02
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice				T	İ	5 1125					1	1		1	
		Grade - Zone 1		1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
		Grade - Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice						40=									
		Grade - Zone 3		3	UEA	USBFE	36.76		61.93	118.04	30.13	ļ	ļ	20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UEA UDN	OCOSL USBFF	16.11	34.29 142.83	67.45	104.67	18.53	1	1	19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	21.04	142.83	67.45		18.53	<u> </u>	+	19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	27.51	142.83	67.45	104.64	18.53	†	1	19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR		Ť	UDN	OCOSL	201	34.29	340		. 3.00			.0.00			. 5.50
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	16.11	142.83	67.45	104.67	18.53	Ì	Ì	19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21.04		67.45	104.67	18.53			19.99		19.99	19.99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	27.51	142.83	67.45		18.53			19.99		19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
Т		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	51.90	116.00	40.62	106.82	18.91	1		19.99	19.99	19.99	19.99

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
<u> </u>		1									Svc Order	Svc Order	Incremental			
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		34.59									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	16.26		38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18.76		48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															ĺ
	Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -						440.00		400.00							
	Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									
SUB-LOOPS																
Sub	-Loop Feeder	.		LIEO	41.501	14.11										
\vdash	Sub Loop Feeder - DS3 - Per Mile Per Month		-	UE3 UE3	1L5SL USBF1	333.26	3,406.61	407.68	165.17	501.31	-		20.35	10.54	13.32	
\vdash	Sub Loop Feeder - DS3 - Facility Termination Per Month Sub Loop Feeder - STS-1 - Per Mile Per Month		-	UDLSX	1L5SL	14.11	3,406.61	407.00	165.17	501.51	-		20.33	10.54	13.32	
\vdash	Sub Loop Feeder - STS-1 - Fer Wille Fer Worth		-	UDLSX	USBF7	359.02	3,406,61	407.68	165,17	501.31	-	-	20.35	10.54	13.32	
IINRIINDI E	D LOOP CONCENTRATION	- '-	 	ODLOA	USDF1	359.02	3,400.01	407.08	105.17	501.31	H		20.35	10.54	13.32	
JADUNDLE	Unbundled Loop Concentration - System A (TR008)	 	 	ULC	UCT8A	500.18	613.60	613.60	1	 	H	 	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System B (TR008)	 	\vdash	ULC	UCT8B	54.82	255.67	255.67	†		<u> </u>	 	20.35	10.54	13.32	13.32
 	Unbundled Loop Concentration - System A (TR303)	 	 	ULC	UCT3A	539.00		613.60	1	 	H	 	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System A (TR303)	 	\vdash	ULC	UCT3B	92.37	255.67	255.67	†		<u> </u>	 	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - DS1 Loop Interface Card	l -	<u> </u>	ULC	UCTCO	6.23		53.07	30.23	8.46			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - ISDN Loop Interface (Brite	1	t		55.00	0.20	74.00	55.57	00.20	3.40			20.00	10.04	10.02	10.02
	Card)	1		UDN	ULCC1	8.46	8.69	8.65	9.71	9.65		1	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - UDC Loop Interface (Brite	1	t			5.10	5.55	5.50	Ų i	3.50			20.50	10.54	.5.52	.5.52
	Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	l	1			2.10	2.00	2.00		2.00				13.01	: ::02	
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			Ì												
	Loop Interface (SPOTS Card)			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			Ì											ĺ	
	(Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.77		8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface	L		UDL	ULCC5	11.03	8.69	8.65	9.71	9.65	<u></u>	<u></u>	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface	<u></u>	<u>L</u>	UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
									9.71							

UNBU	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
-								Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)	L	
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE O	HER. P	ROVISIONING ONLY - NO RATE						11130	Addi	11130	Addi	COMEO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE O	HER, P	ROVISIONING ONLY - NO RATE												-	-	-	
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			, , , , , , , , , , , , , , , , , , , ,												
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			HEATIOL HOLDS	LICDED	0.00	0.00									
		rate Unbundled DS1 Loop - Superframe Format Option - no rate		.	UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00		1		1	1	-	-	-	-
		Unbundled DS1 Loop - Supername Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			OOL	00001	0.00	0.00		+		 	-				
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP															
	NOTE:	minimum billing period of three months for DS3/STS-1 Local	Loop														
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
		: Rates provided in TN for both electronic and manual Loop	Makeui	are in								nents from t	he Tenness			10.01	10.01
	/AKE-U				•		1	l i	•								
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	R		UMK	UMKLP		0.76	0.76								
		NCY SPECTRUM															
		HARING															
-	SPLITT	ERS-CENTRAL OFFICE BASED			111.0	LII CDA	400.00	450.00	0.00	0.00	0.00		-	20.25	10.51	12.22	42.22
 		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	100.00 25.00	150.00 150.00	0.00	0.00	0.00	}	-	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		 			25.00						t				
		deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00	ļ		20.35	10.54	13.32	13.32
 		SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC			LII CDC	2.51	40.00	04.00	0.00	0.00			00.65	10.51	10.00	10.00
 		Line Sharing - per Line Activation (BST owned Splitter) Line Sharing - per Subsequent Activity per Line	-	-	ULS	ULSDC	0.61	40.00	21.39	0.00	0.00	-	 	20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
		Line Sharing - per Line Activation (DLEC owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)			ULS ULS	ULSCS ULSCC	0.61	30.00 47.44	15.00 19.31	0.00	0.00			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		PLITTING	<u> </u>				0.01	77.39	10.01	5.50	0.00		1	20.00	10.04	10.02	10.02
		SER ORDERING-CENTRAL OFFICE BASED					1					İ					
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical	Ī		UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual E SITE HIGH FREQUENCY SPECTRUM		 	UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79	1	1	20.35	10.54	13.32	13.32
		ERS-REMOTE SITE		-						+		1	1	+	+	+	
		Remote Site Line Share BellSouth Owned Splitter, 24 Port		 	ULS	ULSRB	38.83	115.00	0.00	85.63	0.00	1	 	20.35	10.54	13.32	13.32
		Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation	ı		ULS	ULSTG		95.80	0.00	68.73	0.00			20.35	10.54	13.32	13.32
		SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	M AKA I	REMOT													
		Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter	I		ULS	ULSRC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.32

CATEGORY	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: B
CATEGORY		1									Svc Order	Svc Order	Incremental	Incremental	Incremental	
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY		Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		'''										,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
							[b]		T. N	B'						
\vdash						Rec	Nonrecurring		Nonrecurring		201150	SOMAN		Rates(\$) SOMAN	001441	001441
\vdash	RS Line Share Line Activation for End User served at RS, CLEC	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Splitter	1		ULS	ULSTC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.32
	Remote Site Line Share Subsequent Activity-RS BST Owned	<u> </u>		OLO	OLOTO	0.01	40.00	31.33	33.00	10.73			20.55	10.54	10.02	10.02
	Splitter	1 .		ULS	ULSRS		49.23	17.86					20.35	10.54	13.32	13.32
	Remote Site Line Share Subsequent Activity-RS CLEC Owned						10.20									
	Splitter	- 1		ULS	ULSTS		49.23	17.86					20.35	10.54	13.32	13.32
	DEDICATED TRANSPORT															
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	onths									
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LIATAN	LIATI (O	40.50	55.00	47.07	07.00	2.54			20.25	24.00	0.00	40.54
\vdash	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1	\vdash	U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51	-	-	20.35	21.09	9.80	10.54
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
 	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1	\vdash	UIIVA	ILUAA	0.0054							 	 		
	Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			OTTVX	OTTIVE	10.00	00.00	17.07	27.00	0.01			20.00	21.00	0.00	10.04
	Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.500/	0.0474										
\vdash	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-		U1TDX	1L5XX	0.0174										-
	Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	OTTDO	17.50	33.39	17.37	27.90	3.31			20.33	21.09	9.00	10.54
	month			U1TD1	1L5XX	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			01151	120701	0.0002										
	Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	ļ		U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			114TC4	11 5 7 7	0.04										
\vdash	month	-	\vdash	U1TS1	1L5XX	2.34							-	-		-
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
LOCAL	CHANNEL - DEDICATED TRANSPORT	 	\vdash	0.101	51113	045.30	393.29	170.30	109.04	105.91			30.04	30.04	19.01	19.01
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir	ng perio	d = bel	ow DS3=one month	, DS3/STS-1	=four months			1				1	1		
1	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1]		ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80			İ	İ		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80	İ	İ	ĺ	ĺ		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
\vdash	Zone 1		1	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80						<u> </u>
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat			LII D) 0/	LII DDC											
\vdash	Zone 2	 	2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80			 	 		 '
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 3		3	ULDVX	ULDR2	29.34	199.33	24.16	54.81	4.80						
\vdash	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1	1	1	ULDVX	ULDV4	29.34 18.18	201.53	24.16	55.52	5.51			 	 		
 	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	 		ULDVX	ULDV4	23.74	201.53	24.83		5.51			 	 		
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	 		ULDVX	ULDV4	31.05	201.53	24.83		5.51	<u> </u>	<u> </u>				
	Local Channel - Dedicated - DS1 - Zone 1	1		ULDD1	ULDF1	36.24	277.35	233.26	33.18	22.30			İ	İ		
	Local Channel - Dedicated - DS1 - Zone 2			ULDD1	ULDF1	47.33	277.35	233.26		22.30						
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	61.89	277.35	233.26	33.18	22.30						
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.15	<u> </u>									

UNBUNDLE	D NETWORK ELEMENTS - Tennessee		_	1							T -			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Level Oliveral De l'instal DOO Feell's Territories			LII DDo	LII DEO		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			ULDD3 ULDS1	ULDF3 1L5NC	611.30 7.15	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
	Local Channel - Dedicated - STS-1 - Fer Wile per Month Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15	1		20.35	21.09	9.80	10.54
DARK FIBER	Local Orialmer - Dedicated - 510-1 - Facility Termination			OLDOT	OLDI O	399.59	300.07	231.20	213.02	101.10			20.55	21.03	3.00	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction								† †							
	Thereof per month - Local Channel			UDF	1L5DC	58.83										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	28.74										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.501	50.00										
	Thereof per month - Local Loop NRC Dark Fiber - Local Loop	-	 	UDF UDF	1L5DL UDFL4	58.83	1,121.00	153.19	580.26	357.17	1		20.35	21.09	9.80	10.54
8XX ACCESS	TEN DIGIT SCREENING		 	וטטו	UDI L4		1,121.00	155.19	300.20	331.17	1		20.35	21.09	9.60	10.54
DAX ACCESS	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192			+ +		+					
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			01.5		0.0000.02			† †		†					
	Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.47	2.24			ļ		20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		F 22	2.00					20.35	20.25	13.28	12.20
	8XX Access Ten Digit Screening, Change Charge Per Request		1	OHD	N8FAX		5.23 5.97	3.00 0.76	—		-		20.35	20.35 20.35	13.28	13.28 13.28
	8XX Access Ten Digit Screening, Change Charge Fel Request			OLID	INOI AX		5.97	0.70	+ +		†		20.33	20.33	13.20	13.20
	Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORM	ATION DATA BASE ACCESS (LIDB)								† †		†					
	LIDB Common Transport Per Query			OQT		0.0000354										
	LIDB Validation Per Query			OQU		0.0117403										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49.03						20.35	20.35	13.28	13.28
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41					ļ					
	CCS7 Signaling Usage, Per TCAP Message			UDB UDB	TPP++	0.0000916 17.84	130.84	130.84	 		1		20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		1	UDB	IPP++	17.84	130.84	130.84	—		 		20.35	20.35	13.32	13.32
	link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373	100.04	100.04	 		1		20.00	20.00	10.02	10.02
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30					İ					
	Signaling Point Code, per Originating Point Code Establishment															
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	IE (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.0010541										
	CNAM for Non DB Owners, Per Query			OQV		0.0010541					ļ					
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					20.35	20.35	13.28	13.28
OPERATOR	ALL PROCESSING		 	UUV	СРРСП		093.00	595.00	 		1		20.35	20.35	13.28	13.28
J. EKATOK O	Oper. Call Processing - Oper. Provided, Per Min Using BST			+	+						†					
	LIDB					1.08										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.13										
	Oper. Call Processing - Fully Automated, per Call - Using BST										1					
	LIDB		-	 	+	0.1010353					ļ			-	-	
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.122818										
			1	 	+	0.122018			+ +		1	-		 	 	
INWARD OPE	RATOR SERVICES															

CATEGORY											Svc Order		In anamantal			
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
'	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.03										
	PERATOR CALL PROCESSING															
Facility	y based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		1,555.00	1,553.00	7.03	7.03			19.99	19.99	19.99	19.99
'	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		240.71	240.71					19.99	19.99		
UNEP (4 555 00	1,555.00					10.00	40.00	40.00	40.00
	Recording of Custom Branded OA Announcement		-				1,555.00	1,555.00					19.99	19.99	19.99	19.99
['	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	l					240.71	240.74					19.99	19.99		
I Inh		!	+		+		240.71	240.71			-		19.99	19.99		+
	Inding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)	 	+		+		1,200.00	1,200.00	+				19.99	19.99	 	+
	SSISTANCE SERVICES	-	1		+		1,200.00	1,200.00	 		-		19.99	19.99	-	
	TORY ASSISTANCE ACCESS SERVICE		 		+						1					
DIKEC	Directory Assistance Access Service Calls, Charge Per Call	 	1		1	0.2286787					H			 	 	
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACCI	t		+	0.2200101					-			 	 	+
DIREC	Directory Assistance Call Completion Access Service (DACC),	l	1		+											1
'	Per Call Attempt					0.0364771										
NUMBI	ER SERVICES INTERCEPT ACCESS SERVICE		1		+	0.0004771										1
	Number Services Intercept Per Query					0.017793					1					1
	TORY TRANSPORT (DT)				1	0.011100										
	DT-Local Channel DS1			ULDD1	ULDF1	40.99	277.35	233.26	33.18	22.30			20.35	10.54	13.32	1.40
	DT-DS1 Level Interoffice per mile		1	U1TD1	1L5XX	0.3562										
	DT-DS1 Level Interoffice per facility termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	10.54	13.32	1.40
	SWA Common Transport per Directory Assistance Access Service Per Call					0.000271										
	SWA Common Transport per Directory Assistance Access Service Per Call Per Mile					0.0000165										
	Access Tandem Switching Per Directory Assistance Access Service Per Call					0.0001875										
	DT- Directory Assistance Interconnection Per Directory Assistance Service Call					0.00										
	DT-Installation NRC, Per Trunk or Signaling Connection			OHD	TPP1X		204.62	4.43	136.09	4.43			20.35	10.54	13.32	1.40
DIRECTORY A	SSISTANCE SERVICES															
DIRECT	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.0485										
	Directory Assistance Data Base Service, per month				DBSOF	104.13										
	DIRECTORY ASSISTANCE															
Facility	y Based CLEC		ļ													
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.40
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		240.71	240.71					20.35	10.54		
UNEP (ļ	1		1									ļ	ļ	ļ
	Recording of DA Custom Branded Announcement	ļ	1		1		1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.40
	Loading of DA Custom Branded Announcement per Switch per OCN						240.71	240.71					20.35	10.54		
Unbran	nding via OLNS for UNEP CLEC							·								
	Loading of DA per OCN (1 OCN per Order)		1				420.00	420.00					20.35	10.54		ļ
	Loading of DA per Switch per OCN	ļ	1		1		16.00	16.00					20.35	10.54	ļ	ļ
SELECTIVE RO		ļ	1		1											
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		179.60	179.60					20.35	20.35		
VIRTUAL COLI								·								
PHYSICAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Tennessee				1						r -	I -		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR, UEPSB	DE4LC	0.0240	44.04	44.40					19.99	19.99	40.00	40.00
AIN SELECTIV	Splitting E CARRIER ROUTING		+	UEPSK, UEPSB	PE1LS	0.0318	11.94	11.46					19.99	19.99	19.99	19.99
AIN SELECTIV	Regional Service Establishment		1	SRC	SRCEC		190,638.00						20.35			1
	End Office Establishment		1	SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
	Query NRC, per query			SRC	CITOLO	0.0206047	017.00	017.00	0.10	0.10			20.00	20.00	10.20	10.20
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - ISDN Access	l		A1N	CAM1P	İ	41.75	41.75			1		20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User	İ	1													
	ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			,	07 11111110	0.0024	110.07	110.01					20.00	20.00	10.20	10.20
	AIN SMS Access Service - Session, Per Minute					0.0820123										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.27										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup		ļ	CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAPTI		31.21	31.21					20.33	20.35	13.20	13.20
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5, 5		01.21	02.					20.00	20.00	10.20	10.20
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						i									
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query				D/ 11 11	0.0211882	00.E4	00.24					20.00	20.00	10.20	10.20
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0211002										t
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			l												
\vdash	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	DADI C	0.4004440	20.00	20.00					20.25	00.05	40.00	40.00
\vdash	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	-	-	CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		 	C, 11VI	3, 11 30	17.55	55.52	55.52			1		20.00	20.00	13.20	13.20
	Service Subscription	l		CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
ENHANCED EX	KTENDED LINK (EELs)	İ	1													
NOTE:	The monthly recurring and non-recurring charges below will															
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurr	ng charges below v	will apply for	EELs provision	ned as ' Current	ly Combined'	Network Eleme	ents.						
	Minimum billing is one month for DS1 and below and three m															
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)	1											
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
\vdash	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1	<u> </u>		J ,£	10.00	100.70	00.47	72.04	10.00			20.00	21.00	3.30	10.04

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: B
			1								Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		
 					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed				1			71441		7.44	0020	00	00	00		
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAN	LIATE4	77.00	474.04	110.10	70.07	00.00			00.05	04.00	0.00	40.54
—	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	171.24 105.76	113.12 14.48	70.07 3.04	30.90 2.74			20.35	21.09	9.80	10.54
h + + -	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.14						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1	ONOVA	15170	0.51	0.70	7.72								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		1													
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_		l											
\vdash	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								[
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNCVX	IDIVG	0.91	5.70	4.42								\vdash
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		1											
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		_		l											
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Per Month			UNC1X	1L5XX	0.3562										[
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per					0.000										
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - DS1 to DS0 Channel System combination -			LINIOVO	1D1VG	0.91	5.70	4.42								[
—	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	IDIVG	0.91	5.70	4.42								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONOVA	O L/ (L-)	24.70	100.70	00.47	72.54	10.00			20.00	21.00	0.00	10.04
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination -			1110000	1041/0	0.04	5.70	4.40								ĺ
—	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.91	5.70	4.42								
	Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09	9.80	10.54
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				02.70	2 1.02	02	0.12			20.00	21.00	0.00	
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		T	. ,,	1					l	İ				l	
	Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															[
\vdash	Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
 	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	OIACDV	ODESO	55.11	100.76	35.47	12.94	10.86			20.35	21.09	9.60	10.54
	Per Month			UNC1X	1L5XX	0.3562										1
	Interoffice Transport - Dedicated - DS1 - combination Facility		İ													
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per															1
\vdash	Month	1	<u> </u>	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						└─ ─
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42				1				1 !
\Box	111011111 (2.4-04KDS)		1	OIACDV	חחוחו	0.91	5.70	4.42	L	L	<u> </u>	L			L	

UNBUN	DLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrecurring		Nonrecurring	Disconnect	1		OSS	Rates(\$)		
\vdash							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						11130	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System -				l											
		combination per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	0.00	40.54
1	WIDE	is charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INITEDO	EEICE				52.73	24.02	9.12	9.12	-		20.35	21.09	9.80	10.54
-	- VVIINL	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	I	TRANSFORT (EEE)									-			
		Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	i e	Ė	-		270			1						2.30	
		Transport Combination - Zone 2	1	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86		1	20.35	21.09	9.80	10.54
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
\vdash		Termination Per Month		-	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
\vdash		OCU-DP COCI (data) - DS1 to DS0 Channel System			ONCIX	IVIQI	80.77	103.70	14.40	3.04	2.14	1		20.33	21.09	9.00	10.54
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			ONOBA	10100	0.01	0.70	7.72								
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
$\sqcup \sqcup$		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
\vdash		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System			LINIODY	10100	0.04	5.70	4.40								
\vdash		combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	1D1DD	0.91	5.70	4.42					1			
		Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4	WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	ROFFI	CF TRA		UNCCC		32.73	24.02	5.12	9.12			20.33	21.09	9.60	10.54
⊢ 		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			()					1				1	1	1	
		Transport - Zone 1	1	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
$\sqcup \sqcup$		Transport - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
\vdash		Transport - Zone 3	!	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88		 	20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1		UNC1X	1L5XX	0.3562						1	I			
\vdash		Interoffice Transport - Dedicated - DS1 combination - Facility	1		OINOIA	ILUAA	0.3362	 		1		 		 	1	 	
		Termination Per Month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-								. 5.01	55.50			20.00	200	3.00	10.04
		Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4	-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TRA	ANSPORT (EEL)												
		First DS1Loop in DS3 Interoffice Transport Combination - Zone															
$\vdash \vdash$		1	ļ	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone	1		LINIOAY	1101.20	75	000 10	404 = 1	70.00	04.00			00.00	04.00	0.00	40 = 1
$\vdash \vdash$		Eirot DS1Loop in DS2 Intereffice Transport Combination 7	-	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88	1	-	20.35	21.09	9.80	10.54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
\vdash		Interoffice Transport - Dedicated - DS3 combination - Per Mile	 	3	OINOIA	UGLAA	90.09	220.40	101.74	19.61	24.08	 	<u> </u>	20.35	21.09	9.60	10.54
		Per Month	1		UNC3X	1L5XX	2.34						1	I			
		Interoffice Transport - Dedicated - DS3 - Facility Termination per	1											1			
		month	1		UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54

UNBUNDL	ED NETWORK ELEMENTS - Tennessee					•					T -	Т-		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 to DS1 Channel System combination per month		-	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77		1				
	DS3 Interface Unit (DS1 COCI) combination per month		-	UNC1X	UC1D1	17.58	5.70	4.42			1					
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in DS3 Interoffice Transport Combination -			. m.o.v			40			0.4.00						
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2.1///	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EDOEE	ICE TO		UNCCC		52.73	24.02	9.12	9.12	1	1	20.33	21.09	9.00	10.54
Z-VVII	2-WireVG Loop used with 2-wire VG Interoffice Transport	LICOIT	<u> </u>	CAROLOKI (EEE)	+						 		-			
	Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86		1	20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WII	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR		0.1000		02.70	202	02	0.12	1		20.00	200	0.00	
7 ***	4-WireVG Loop used with 4-wire VG Interoffice Transport	LICOLL	<u> </u>	LANOI OILI (LLL)	1						1					
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	SPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 combination -			LINIONY	LIE ODY	070 47	242.00		100 =0	4= 04						
	Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		-	UNC3X	1L5XX	2.34	 		 		<u> </u>	-	 		-	-
	Termination per per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-				UNCCC	3337	52.73	24.62	9.12	9.12			20.35	21.09	9.80	
CTC4	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF	FICE TO	ANCD	UNC3X	UNCCC		52.73	24.62	9.12	9.12	 		∠0.35	∠1.09	9.80	10.54
3131	High Capacity Unbundled Local Loop - STS1 combination - Per	ICE IN	ANOP		41 END	0.40										
	Mile per month High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	9.19										
	Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	2.34										
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Is Charge RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR		<u> </u>	UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+		Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	1L5XX	0.3562	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120701	0.0002							1			
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		 	UNUNA	OCTOR	3.24	5.70	4.42	+				20.35	21.09	9.80	10.54
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCINA	UCICA	3.24	5.70	4.42					20.33	21.09	9.00	10.54
	Is Charge	<u></u>		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN First DS1 Loop in STS1 Interoffice Transport Combination -	TEROF	FICE T	RANSPORT (EEL)	1								ļ			
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		J				220.40	101.74	73.07	24.00			20.55	21.03	9.00	10.54
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	2.34							-			
	Termination			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	156.02	49.41		6.77			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	40.54
	Additional DS1Loop in STS1 Interoffice Transport Combination -		<u> </u>	UNCIA	USLAA	57.73	220.40	161.74	79.07	24.00			20.35	21.09	9.60	10.54
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 3	-	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09 21.09	9.80	10.54 10.54
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNC1X	UC1D1	17.58	5.70	4.42	+				20.35	21.09	9.80	10.54
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS													
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						100.70	33.47	12.34	10.00			20.33	21.09	3.00	10.54
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0174										
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												

UNBU	IDLE	D NETWORK ELEMENTS - Tennessee			ı										ment: 2		ibit: B
												1		Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile			UNCDX	1L5XX	0.0174										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
ADDITIO	NAL N	ETWORK ELEMENTS															
1	Vhen i	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.				1					
		used as ordinarily combined network elements in All States, the										İ					
		urring Currently Combined Network Elements "Switch As Is"					1					İ					
		Nonrecurring Currently Combined Network Elements Switch -As-		(1											
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	0.1000		02.70	202	02	0.12	†	1	20.00	21.00	0.00	10.01
		Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
h +		Nonrecurring Currently Combined Network Elements Switch -As-			ONODX	ONCCC		02.73	24.02	5.12	3.12			20.55	21.00	3.00	10.54
		Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	UNCCC		32.73	24.02	9.12	9.12	1		20.33	21.09	9.00	10.54
		Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
├		Nonrecurring Currently Combined Network Elements Switch -As-		-	UNUSA	UNCCC		32.73	24.02	9.12	5.12			20.33	21.09	9.00	10.54
		Is Charge - STS1	1		UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	IOTE:	is Charge - ১।১। Local Channel - Dedicated Transport - minimum billing period	d Dala	DC2				52.73	24.62	9.12	9.12	-		20.35	21.09	9.80	10.54
	NOTE:		a - Beio	w บอง: 1				108.76	35.47	72.94	10.86	-		20.35	21.09	9.80	10.54
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 1		2	UNCVX	ULDV2 ULDV2	17.18 22.44	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 2	-														
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCVX	ULDV2	29.34	108.76	35.47	72.94	10.86	ļ		20.35	21.09	9.80	10.54
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 1			UNCVX	ULDV4	18.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	23.74	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 3		3	UNCVX	ULDV4	31.05	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.24	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	47.33	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
igsquare		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7.15			ļ			ļ			ļ	ļ
		Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	611.30	595.37	304.50	215.82	151.15			20.35	21.09	9.80	10.54
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	7.15										
		Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
1 T		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,						l		l			l	
		Activity - per DS1		<u></u>	UNC1X, USL	NRCCC		65.09			<u></u>			20.35	10.54		
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		50.09						20.35	10.54		
	JULTI	PLEXERS															
li li	NOTE:	minimum billing period is one month for DS1 to DS0 Channel	Systen	n and i	nterfaces								l				
		minimum billing period is three months for DS3 to DS1Chann				1	ĺ				1		1			1	
l f		DS1 to DS0 Channel System (with the higher-level connected to				1	ĺ				1		1			1	
		a collocation in the same SWC) per month		1	UXTD1	MQ1	80.77	141.67	77.11	14.51	13.46	1	1	20.35	9.80	11.49	1.18
		DS1 to DS0 Channel System (used to channelize a DS1 Local		l –		1				1	12.10	1	i		2.20		1
		Channel) per month		1	ULDD1	MQ1	80.77	141.67	77.11	14.51	13.46			20.35	9.80	11.49	1.18
		DS1 to DS0 Channel System (used to channelize a DS1		t			00.77	141.07	77.11	14.51	10.40	t	1	20.00	0.00	11.40	1.10
		Interoffice Channel) per month			U1TD1	MQ1	80.77	141.67	77.11	14.51	13.46		1	20.35	9.80	11.49	1.18
 		OCU-DP COCI (data) - DS1 to DS0 Channel System - per		H			00.77	141.07	77.11	14.51	10.40	t	 	20.00	0.00	11.45	1.10
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66	I			1	20.35	9.80	11.49	1.18
\vdash		OCU-DP COCI (data) - DS1 to DS0 Channel System - per	 	 	UDL	טטוטו	1.02	0.07	4.00	t	 	t	 	20.33	9.00	11.49	1.10
1 1		month (2.4-64kbs) used for connection to a channelized DS1		1						I	1	1	1			1	
		Local Channel in the same SWC as collocation		1	U1TUD	1D1DD	1.82	6.07	4.66	1				20.35	9.80	11.49	1.18
ш_		Local Charillet III the Same Syvo as collocation	L		מטווט	טטוטו	1.02	0.07	4.00	1	l	1	l	20.35	9.00	11.49	1.18

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66					20.35	9.80	11.49	1.18
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	0.91	6.07	4.00					20.33	9.00	11.49	1.10
		used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66					20.35	9.80	11.49	1.18
		DS3 to DS1 Channel System (with the higher level connected to						ĺ									
\square		a collocation in the same SWC) per month			UXTD3	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	9.80	11.49	1.18
7		DS3 to DS1 Channel System (used to channelize a DS3 Local				MOO	000.00	200.02	400.47		40.00			00.0=	04.00	0.00	0.00
-		Channel) per month	-	-	ULDD3	MQ3	222.98	308.03	108.47	44.47	42.62	-		20.35	21.09	9.80	9.80
		DS3 to DS1 Channel System (used to channelize a DS3 Interoffice Channel per month			U1TD3	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	21.09	9.80	9.80
		STS-1 to DS1 Channel System (with the higher level connected		†	050		222.30	555.05	100.47	77.77	72.02			20.00	21.00	5.00	5.00
		to a collocation in the same SWC) per month			UXTS1	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	21.09	9.80	9.80
		STS-1 to DS1 Channel System (used to channelize a STS-1															
		Local Channel) per month			ULDS1	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	21.09	9.80	9.80
		STS-1 to DS1 Channel System (used to channelize a STS-1			114704		200.00	000.00	100.47	44.47	40.00			00.05	04.00	0.00	0.00
		Interoffice Channel) per month DS1 COCI used with Loop per month			U1TS1 USL	MQ3 UC1D1	222.98 17.58	308.03 6.07	108.47 4.66	44.47	42.62			20.35 20.35	21.09 9.80	9.80 11.49	9.80 1.18
		DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	OCIDI	17.56	0.07	4.00					20.33	9.00	11.49	1.10
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66					20.35	9.80	11.49	1.18
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66					20.35	9.80	11.49	1.18
	Sub-Lo	pop Feeder															
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	39.74	116.00	40.62	106.82	18.91						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	51.90	116.00	40.62	106.82	18.91						
LIMBUM	DLEDI	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 OCAL EXCHANGE SWITCHING(PORTS)		3	UNC1X	USBFG	67.86	116.00	40.62	106.82	18.91						
		nge Ports				1											
		Although the Port Rate includes all available features in GA, I	KY. LA	& TN. t	ne desired features	will need to b	e ordered usi	ng retail USOCs	6								
		VOICE GRADE LINE PORT RATES (RES)	Ľ	, , , , , , , , , , , , , , , , , , ,				<u> </u>									
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<u> </u>		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		-	UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
\vdash		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled TN extended local		 	OLFOR	JLFKU	1.69	9.93	9.19	3.00	2.92	 		20.35	10.54	13.32	1.40
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus															
		with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling				l											
<u> </u>		port with Caller ID - Res (F2R)		-	UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
\vdash		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			ULFOR	UEFAL	1.89	9.93	9.19	3.00	2.92	 		20.35	10.54	13.32	1.40
		port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			-	1	30		2.70						1		
		port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
\vdash		port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
\vdash		Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan			UEFSK	UEPAP	1.89	9.93	9.19	3.66	2.92	 		20.35	10.54	13.32	1.40
		without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Port - 2-Wire VG Tennessee Residence Area Plus without Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		without Galler ID	I	<u> </u>	ULFOR	UEPKK	1.89	9.93	9.19	3.00	2.92	I	1	20.35	10.54	13.32	1.40

UNBUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID															1
\vdash	Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
FEATU	Subsequent Activity	-	-	UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FLATO	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00			1		20.35	10.54	13.32	1.40
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)			OLI OK	OLI VI	0.00	0.00	0.00					20.55	10.54	10.02	1.40
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				1											
	Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Line Port with															ĺ
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Estado Desta OMina Analysi I de Bost estado de Des			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	1 40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled TN extended local			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLI OB	OLI 70	1.00	0.00	0.10	0.00	2.02			20.00	10.04	10.02	1.40
	Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
	Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															1
	Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville			UEPOB	UEPAE	1.09	9.93	9.19	3.00	2.92	1		20.33	10.54	13.32	1.40
	& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward,															
	Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing															ĺ
	Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability Subsequent Activity			UEPSB UEPSB	UEPBE	1.89 0.00	9.93 0.00	9.19 0.00	3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
FEATU		1		OLFOB	USASC	0.00	0.00	0.00					20.33	10.54	13.32	1.40
1 = 7110	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH/	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19		2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19		2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79		9.19		2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus	 	-	UEPSP UEPSP	UEPP1 UEPLD	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	-		20.35 20.35	10.54 10.54	13.32 13.32	1.40
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus	1	<u> </u>	UEPSP	UEPLD UEPT2	1.79	9.93	9.19		2.92	-		20.35	10.54	13.32	1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus	1		UEPSP	UEPTO	1.79	9.93	9.19		2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79		9.19		2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79		9.19		2.92			20.35	10.54	13.32	1.40
İ	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
igwdow	Calling Port	<u> </u>		UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
$\vdash \vdash \vdash$	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19		2.92	1		20.35	10.54	13.32	1.40
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPSP UEPSP	UEPXB	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	 		20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
\vdash	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	<u> </u>	UEPSP	UEPXC	1.79	9.93	9.19		2.92	-		20.35	10.54	13.32	1.40
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	†		021 01	JLI ND	1.75	3.33	5.19	5.00	2.32	 		20.55	10.54	10.02	1.40
	Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				I		ı . ¬							l	l	1 .
$\vdash \vdash \vdash$	Room Calling Port	-		UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
(I	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 		ULFOF	UEFAIN	1.79	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
1 1	Discount Room Calling Port	1		UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination, first trunk,															
		Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															1
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU			-	UEPSP UEPSE	UEPVF	0.00	0.00	0.00				-	20.35	10.54	13.32	1.40
	EVCU	All Available Vertical Features NGE PORT RATES (COIN)		<u> </u>	UEPSP UEPSE	UEPVF	0.00	0.00	0.00			-	-	20.35	10.54	13.32	1.40
	EXCH	Exchange Ports - Coin Port		1			2.11	9.93	9.19	3.66	2.92	1	-	20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	lieade	will also annly to ci	rcuit switch							wire ISDN I		10.54	10.02	1.40
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	1
UNBUN		OCAL EXCHANGE SWITCHING(PORTS)	arana	<u> </u>	amough Dirighton	1			paonor oapaz	1	1	T	100000	1			
		NGE PORT RATES															
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	16.26	30.23	29.49		4.10	-	-	20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitchod	Heado									wire ISDN I		10.54	13.32	1.40
		Access to B Channel or D Channel Packet capabilities will be													Request Pro	CASS	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles	avana	T T	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	Intico will be de	l l	I	I Request	l Duomico.	I	0000.	1
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98	1	1	20.35	10.54	13.32	1.40
	UNBUN	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															1111
		IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE										1					
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
																	1
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with					1							1			
		allowed change (PIC and LPIC)			UEPVR	USACC	1	1.03	0.29			ļ		1	ļ		
	UNBU	DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Habitandlad Deserte Cell Formers's a Constant Local Cell			UEPVB	UERLC	1.00	2.22	0.40	0.00	0.00			00.6=	10.51	10.00	l
		Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus		₩	UEPVB UEPVB	UERTE	1.89 1.89	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	<u> </u>	-	20.35 20.35	10.54 10.54	13.32 13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus		-	UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92	1	-	20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and			UEFVB	UERIR	1.09	9.93	9.19	3.00	2.92	1	1	20.33	10.54	13.32	1.40
		Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	ecurring		t	15			3.50	0.10	3.00	2.02	1		20.00		.0.02	1.40
		Unbundled Remote Call Forwarding Service - Conversion -				İ	t					i e					<u> </u>
		Switch-as-is			UEPVB	USAC2	1	1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								
UNBUN		OCAL SWITCHING, PORT USAGE															
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU		<u> </u>			0.0008041					ļ		ļ			
	I ander	m Switching (Port Usage) (Local or Access Tandem)		-			0.0000770			1		ļ		 			
	Comm	Tandem Switching Function Per MOU on Transport		-			0.0009778			1	-	 	1	 			
	COILING	Common Transport - Per Mile, Per MOU		 		}	0.0000064					 		+	 		+
		Common manaport - i ei iville, i ei iville		1		1	0.000004			1	l .	1	1	1	1	1	1

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental			Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Instant									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.144
							Rec	Nonrecurring			Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Common Transport - Facilities Termination Per MOU					0.0003871										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar	l/ C4	-4- 6-		l i.d.a. Umbm	ded Leed Cod	tabina an Cuite	ala Danta						1		
		ased Rates are applied where Bellsouth is required by FCC ares shall apply to the Unbundled Port/Loop Combination - Cos								d Port coction	of this Data E	yhihit	-		-		
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ne .		
		st and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	l l	I	l composition our	l cintry comb	linea domises ti	ic nomeounm	g onarges sna	li be tilose idei			Junean	Combined S	1		
		ort/Loop Combination Rates										İ			t		
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	1	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	UNE L	pop Rates							•								
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
	1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
	1	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32					ļ			1	ļ	
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91		15.69				
-	-	2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRC UEPRO	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	1	15.69 15.69				
-		2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local			UEPKX	UEPRU	1.70	22.14	15.25	8.45	3.91		15.69		-		
		dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				
-		2-Wire voice unbundled Tennessee Area Plus with Caller ID -			ULFRA	ULFAQ	1.70	22.14	13.23	0.43	3.91	<u> </u>	13.09			1	
		res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller		1	02.100	02.74.	0		10.20	0.10	0.01	1	10.00		1		
		ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller					. =0										
		ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	00.44	15.25	8.45	3.91		15.69				
-	-	2-Wire Voice Unbundled Tennessee Residence Dialing Plan		-	UEPKX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69		-		
		without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
-	+	2-Wire voice unbundled Tennessee Area Plus Port without		1	OLI IXX	OLI WIN	1.70	22.14	10.20	0.43	5.51	†	15.05				
	1	Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69		I		
	1	2-Wire voice unbundled Low Usage Line Port without Caller ID		t						2.10	5.01		12.00		1	İ	İ
		Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
	FEATU	RES															
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	LICACO		4.00	0.00				45.00		I		
<u> </u>	+	Switch-as-is		<u> </u>	UEPRX	USAC2	1	1.03	0.29	-	-	 	15.69		 	 	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPRX	USACC		1.03	0.29				15.69		1		
	+	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	 	ULPRA	USACC	+	1.03	0.29		 	1	15.69		 	 	
	1	Subsequent Database Update			1			0.76					15.69		I		
	ADDIT	ONAL NRCs	†	†	 	1	1	0.70				1	13.09		I		
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		†											<u> </u>		
	1	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69		I		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01										

Version 1Q03: 02/28/03 Page 383 of 420

NURUNDLE	D NETWORK ELEMENTS - Tennessee			T										ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE L	oop Rates		_	HEDDY	LIEDLY	10.10										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31										
0.14/:	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	21.32					-					
2-Wire	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91	-	15.69				
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port with Callet + £464 ID - bus 2-Wire voice unbundled port outgoing only - bus		-	UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice Grade unbundled Tennessee extended local			OLFBX	OLFBO	1.70	22.14	13.23	0.45	3.91		13.09				
I	dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69			1	
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling		 	OLI DA	OLI DI	1.70	22.14	13.23	0.43	5.51		10.09				
	Port Economy Option (TACC1) 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
	Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee Inward Collierville and Memphis Local Calling Plan			LIEDDY		. =0			0.45			4= 00				
	(BUS) Tennessee 2-Way Collierville and Memphis Local Calling Plan			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
	(BUS) 2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
1.004	Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
LUCA	L NUMBER PORTABILITY Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35	1									
FEATU			-	UEPBA	LINECX	0.33	1									
FEAT	All Features Offered		-	UEPBX	UEPVF	0.00	0.00	0.00				15.69				
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFBA	OLF VI	0.00	0.00	0.00				13.09			1	
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USAC2		1.03	0.29				15.69				
	Switch with change			UEPBX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				
ADDIT	IONAL NRCs		 	 	+		0.76		 			13.09			 	
ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		 													
	Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				20,102	2.00	5.00	3.00				.0.00			i	
	ort/Loop Combination Rates				1				i i		1				İ	
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18			į į							
	2-Wire VG Loop/Port Combo - Zone 2		2	1		18.01			1						1	
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEAT	JRES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				

UNE	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
F												Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually		Manual Svc		
CAIL	JOOKI	KATE ELEMENTO	m	20116	БОО	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					+		Nonrecurring		Monroourring	Disconnect		l .	000	Rates(\$)		
	_						Rec		A . I . III		-	001150	001111			001441	001441
						_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
<u> </u>		Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															ĺ
		Subsequent Database Update						0.76					15.69				
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ĺ
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64				15.69				ĺ
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										1					
		ort/Loop Combination Rates															
	1	2-Wire VG Loop/Port Combo - Zone 1		1		1	14.18				İ	1	i	İ			
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01					1	i				
\vdash	+	2-Wire VG Loop/Port Combo - Zone 3	—	3		+	23.02					t	 				
	LINE	pop Rates				+	20.02			 	 	t	 	 			
\vdash	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPPX	UEPLX	12.48			-	 	 	 	 			
-	+			2	UEPPX	UEPLX	16.31										
-	_	2-Wire Voice Grade Loop (SL 1) - Zone 2		_													
<u> </u>	0.100	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				ĺ
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				ĺ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee										1					
		Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69				
	+	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69				
-	+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				
-	+	2-Wire Voice Unbundled PBX LD DDD Terminal Floter Forts			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69				
-	+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91	†	15.69				
-	+	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULFFX	OLFAD	1.70	22.14	13.23	0.43	3.91	†	13.09				
		Capable Port			UEPPX	UEPXE	1.70	20.44	45.05	0.45	2.04		45.00				ĺ
					UEPPX	UEPAE	1.70	22.14	15.25	8.45	3.91	ļ	15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	HEDDY	LIED.						1	4	1			1
<u> </u>		Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	l	1					1	1	1	1			1
		Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy	1	1							1	1	1	1			1
		Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
1		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									I		1	l			1
		Discount Room Calling Port		<u></u>	UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69	<u> </u>	L		<u> </u>
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
		Port	1	1	UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91	1	15.69	1			1
	1	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ		1										İ			
		Callling Port	1	1	UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91	1	15.69	1			1
		Tennessee PBX 2-Way Combo Each Additional Trunk					0	22	.0.20	5.70	5.51	1	.0.00				
		Collierville and Memphis Local Calling Plan	1	1	UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91	1	15.69	1			1
	+	Tennessee PBX 2-Way Combo First Trunk Collierville and		 	521 1 A	0L1 /10	1.70	22.14	10.20	0.43	5.51	t	10.09	 			
		Memphis Local Calling Plan	1	1	UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91	1	15.69	1			1
-	1.004		-	 	ULPFA	UEFAI	1.70	ZZ.14	15.25	8.45	3.91	1	15.09				
<u> </u>	LUCAL	NUMBER PORTABILITY		-	LIEDDY	LNDCD	0.1-	2.22	0.00			1	45.00				
<u> </u>		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			-	15.69				
<u> </u>	FEATU				LIEBBY .												
<u></u>		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00			1	15.69				 '
<u></u>	NONRI	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1						1	ļ				 '
1		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1							1	1	1	1			1
1		Conversion - Switch-As-Is	1	1	UEPPX	USAC2		1.03	0.29	1	1		15.69	1			1

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				1
ADDI	TIONAL NRCs		<u> </u>				0.70					13.09				
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															1
<u> </u>	Group		_				14.64	14.64				15.69				
UNE	Port/Loop Combination Rates 2-Wire VG Coin Port/Loop Combo – Zone 1		1		-	14.18					-	 				
 	2-Wire VG Coin Port/Loop Combo – Zone 1		2		+	18.01					 	-				
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	23.02										
UNE	Loop Rates		Ľ													
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31						1				
2 141:-	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	21.32										
Z-WIF	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				ł
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,								0.10							i
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															ł
	(TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				1
	2-Wire Coin Outward with Operator Screening and 011 Blocking		1	OLFCO	OLFCA	1.70	22.14	13.23	0.43	3.51		13.09				
	(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				i I
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)	-	-	UEPCO	UEPCK	1.88						15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.88						15.69				i
ADDI	TIONAL UNE COIN PORT/LOOP (RC)		1	OLI OO	OLI OK	1.00						10.00				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				i
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															ł
	Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1.03	0.29				15.69				ł
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			OLI OO	OOACC		1.03	0.23				13.03				
	Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				ł
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I	RES)												
UNE	Port/Loop Combination Rates		ļ.,													
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		-	18.45 23.52					-	 				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	30.17										
UNE	Loop Rates		Ť		1	00.17										i
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28						1				
2-Wir	e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	-	-	UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56	1	15.69				
 	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56	1	15.69				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res		ļ	UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				ļ
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -			LIEDED	LIEDALL	4.00	04.00	F7 00	20.22	00.50		45.00				, !
	res (AC7)		<u> </u>	UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56	l	15.69	L	L		

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: B
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrecurring		Nonrecurring	Dissennest				Rates(\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Tennessee Area Calling port with Caller						11130	Addi	11130	Addi	JOINEO	JOHAN	JONAN	JONIAN	JONIAN	JOWAN
		ID - res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
12.15		2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID FFICE TRANSPORT			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
IINI		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
		or Fraction Mile			UEPFR	1L5XX	0.0174										<u> </u>
FE	ATUF																
10		All Features Offered NUMBER PORTABILITY			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
LO		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02	Litti OX	0.00										
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				-
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				ł
2-V		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I FIINF F	PORT (I		USACC		16.94	3.12				13.09				
		rt/Loop Combination Rates	<u> </u>	1													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										i
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UN		op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 	2	UEPFB UEPFB	UECF2 UECF2	21.63 28.28	 		1		1	-		-		
2-1/		/oice Grade Line Port (Bus)	-	3	ULFFD	UEUrZ	28.28	 		1	 	 					
L-V		2-Wire voice unbundled port without Caller ID - bus		†	UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56	 	15.69				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39		20.56		15.69				
		2-Wire voice Grade unbundled Tennessee extended local															i
\vdash		dialing parity port with Caller ID - bus	ļ		UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				-
\vdash		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				——
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
	T	(BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
		(BUS) (BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LO	CAL	NUMBER PORTABILITY						000	000	02.00	23.00		.0.00				i
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INT	ERO	FFICE TRANSPORT															

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
0.4750.001/	DATE EL EMENTO	Interi	-	200				DATEO (A)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		_		Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		l
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Termination			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0174										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port											4= 00				
	Combination - Conversion - Switch-as-is		-	UEPFB	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69				
2-1//15	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-	1	UEPFB	USACC		10.94	3.72			1	15.69				
	Port/Loop Combination Rates		1		+											
0.12	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	t	1		1	18.45					 	 				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	t	2		1	23.52			1				İ	İ	İ	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17							1	ĺ	1	
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.28										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
						. =0	400.40		40.00			4= 00				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		-	UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	-	1	UEPFP UEPFP	UEPPO UEPP1	1.79 1.79	106.40 106.40	63.08 63.08	42.67 42.67	18.54 18.54		15.69 15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports	-	1	UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee		1	OLFIF	OLFLD	1.79	100.40	05.00	42.07	10.54		15.05				
	Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				
1 1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		LIEDED	LIEDYE	4 70	400.40	20.00	40.6=	10.51		45.00				
	Capable Port	-	1	UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54	1	15.69	-	 	-	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	+	OLITE	OLFAL	1.79	100.40	03.06	42.07	10.54		13.09	-	 	-	
	Room Calling Port	1		UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy		1		22.74		.55.40	33.00	.2.07	10.04		.0.00		İ		
	Administrative Calling Port TN Calling Port	1	1	UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69	<u> </u>		<u> </u>	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			l	[
\vdash	Port Port Port Port Port Port Port Port	-	1	UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54	-	15.69	 	ļ	 	
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	1	1	UEPFP	UEPXV	1.79	106 40	63.08	42.67	18.54		15.69				
1.004	Callling Port	╂	1	UEFFF	UEPAV	1.79	106.40	63.08	42.67	18.54		15.69				
LUCF	Local Number Portability (1 per port)	 	1	UEPFP	LNPCP	3.15	0.00	0.00	 		—	15.69	l	 	l	
INTE	ROFFICE TRANSPORT	 	 	OLI II	LIVI OI	5.15	0.00	0.00				13.09				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1											1		
	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	i –	1											1		
	or Fraction Mile		<u> </u>	UEPFP	1L5XX	0.0174									<u></u>	
FEAT	URES							•		•						
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	<u> </u>		I				I			l .		ļ		

UNBUNDL	LED NETWORK ELEMENTS - Tennessee													Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ				Nananaain		I Name a commission a	. Dianamant			000	D-4(f)		
\vdash		1	1				Rec	Nonrecurring First	Add'l	Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port							FIRST	Addi	FIRST	Add'l	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
1 1	Combination - Conversion - Switch-as-is			UEPFP		USAC2		16.94	3.72				15.69				ı l
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	OLITI		00/102		10.54	5.12			-	13.03				
1 1	Combination - Conversion - Switch with change			UEPFP		USACC		16.94	3.72				15.69				ı l
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES																
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
	Port/Loop Combination Rates		1														
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				18.38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				19.87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				24.78										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	ļ	1	UEPPX		UECD1	9.60										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	!	2	UEPPX		UECD1	11.09										
H	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<u> </u>	3	UEPPX		UECD1	16.00					-		 	ļ		
UNE	Port Rate	 	 	LIEDDY		LIEDD4	0.70	45.44	29.94	0.45	0.01	-		30.89	7.00		
NON	Exchange Ports - 2-Wire DID Port IRECURRING CHARGES - CURRENTLY COMBINED	1		UEPPX		UEPD1	8.78	45.44	29.94	8.45	3.91	-		30.89	7.03		
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1	-	1								1					$\overline{}$
1 1	Switch-as-is	1		UEPPX		USAC1		8.76	5.75					30.89	7.03		ı l
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLITA		OOACT		0.70	5.75					30.03	7.00		
1 1	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		i l
Telei	phone Number/Trunk Group Establisment Charges	1		OL: 1X		00,110		0.70	0.70					00.00	7.00		$\overline{}$
1 2.3	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PORT	<u> </u>													
UNE	Port/Loop Combination Rates	ļ		ļ						-							
1 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.27										ı l
\vdash	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<u> </u>	-	UEPPB	UEPPK		32.21					-					
1 1	UNE Zone 2		2	UEPPB	UEPPR		34.78										ı l
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1		OLITE	OLITIK		34.70										
	UNE Zone 3		3	UEPPB	UEPPR		44.32										ı l
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	i	1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	ļ	2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										\Box
UNE	Port Rate	ļ	<u> </u>			LIEBE -											
—	Exchange Port - 2-Wire ISDN Line Side Port	!	<u> </u>	UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NON	IRECURRING CHARGES - CURRENTLY COMBINED	!	<u> </u>	ļ		1							 	 	 		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.00					19.99	19.99		, l
ADD	ICOMBINATION - Conversion	1	 	UEPPB	UEPPK	USACB	0.00	117.23	117.23			 	 	19.99	19.99		$\overline{}$
ADD	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	 	1	1		1				 				-	 		
	Non Feature/Add Trunk	1		UEPPB	UEPPR	USASB		212.88					1	19.99	19.99		ı l
LOC	CAL NUMBER PORTABILITY	1	t	52.10	J 1 10	30.00		212.00						10.00	10.00		
1 200	Local Number Portability (1 per port)	t	t —	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	1				İ	İ		
B-CH	HANNEL USER PROFILE ACCESS:		i –	Ì											1		
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)	ļ	<u> </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)	<u> </u>	l	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00				<u> </u>	l			

UNBUN	DLED NETWORK ELEMENTS - Tennessee													Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATEGO	RY RATE ELEMENTS	Interi	Zone		cs	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
OATE CO.	NATE ELEMENTO	m	20110	_		0000			τιλίτ ΕΘ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—		-						Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
		1	1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
U	SER TERMINAL PROFILE						2.22	2.00									
V	User Terminal Profile (EWSD only)	-		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
	Interoffice Channel mileage each, including first mile and																
	facilities termination	<u> </u>	ļ	UEPPB	UEPPR	M1GNC	17.91	53.99	17.37					19.99	19.99		
4-	Interoffice Channel mileage each, additional mile WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT		UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
	NE Port/Loop Combination Rates	I															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE							1		İ							
	Zone 1	<u> </u>	1	UEPPP			132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		OLITI			100.20										
	Zone 3		3	UEPPP			173.44										
U	NE Loop Rates	<u> </u>		LIEDDD		1101.45	57.70										
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	1	1 2	UEPPP		USL4P USL4P	57.73 75.40	-									
	4-Wire DS1 Digital Loop - UNE Zone 3	1		UEPPP		USL4P	98.59										
UI	NE Port Rate																
L	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
N	DNRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	+															
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	328.53	328.53					19.99	19.99		
Al	DDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			UEPPP		PR7TF		0.04						40.00	40.00		
	Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		UEPPP		PR/IF		0.94						19.99	19.99		
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers OCAL NUMBER PORTABILITY	-	ļ	UEPPP		PR7ZT		44.71	44.70					19.99	19.99		
	Local Number Portability (1 per port)	1	<u> </u>	UEPPP		LNPCN	1.75										
IN	TERFACE (Provsioning Only)	1		02		Litti Oit	0										
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data Inward Data	-	ļ	UEPPP		PR71D	0.00	0.00	0.00								
N	ew or Additional "B" Channel	1	.	UEPPP		PR71E	0.00	0.00	0.00								
	New or Additional - Voice/Data B Channel	1		UEPPP		PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.11						19.99	19.99		
<u></u>	New or Additional Inward Data B Channel	1	<u> </u>	UEPPP		PR7BD	0.00	29.39				-	-	19.99	19.99		
C	ALL TYPES Inward	1	 	UEPPP		PR7C1	0.00	0.00	0.00				 				
	Outward	†	t	UEPPP		PR7CO	0.00	0.00	0.00				t				
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
In	teroffice Channel Mileage	1	ļ	HEDDE		AL NIA A	70 4005	445.00	400.05	40.55				40.00	40.00		
\vdash	Fixed Each Including First Mile Each Airline-Fractional Additional Mile	-	 	UEPPP		1LN1A 1LN1B	76.1825 0.3525	145.98	109.85	19.55			-	19.99	19.99		
4-	WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	†	t				5.5525	+					t				
	NE Port/Loop Combination Rates																
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	1	UEPDC		ļ	93.28 110.95							19.99 19.99	19.99 19.99		
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	+	2	UEPDC		-	110.95 134.14	-					-	19.99	19.99		
U	NE Loop Rates	†	Ť	52. 50		<u> </u>	104.14	+					t	10.00	10.00		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC		USLDC	57.53										
-	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC		USLDC	75.40					-	-				
III	4-Wire DS1 Digital Loop - UNE Zone 3 NE Port Rate	1	3	UEPDC		OSEDC	98.59						 				
			1	<u> </u>		1	l			l l		L	1	L	1		

UNBUN	IDL F	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: B
323.		THE TOTAL PROPERTY OF THE PROP										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	l .	Charge -	Charge -	Charge -
			l									Elec	Manually				Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lon	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48,49			19.99			
-	IONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is			UEPDC	USAC4		312.91	312.91					19.99	19.99		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes			UEPDC	USAWA		312.91	312.91					19.99	19.99		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk			UEPDC	USAWB		312.91	312.91					19.99	19.99		
-	DDITIO	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
L_		Subsequent Channel Activation/Chan - 2-Way Trunk	<u> </u>	<u></u>	UEPDC	UDTTA		108.67	108.67		<u> </u>	<u> </u>	<u> </u>	19.99	19.99	<u> </u>	<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk	L	L	UEPDC	UDTTB		108.67	108.67		<u> </u>			19.99	19.99		<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
E	BIPOLA	AR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00					19.99	19.99		
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00					19.99	19.99		
- /		te Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
1	elepho	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
 		Reserve DID Numbers	L	<u> </u>	UEPDC	NDV	0.00	0.00	0.00								
	edicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digita	Loop	with 4-Wire DDITS T	runk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1			1											1
		Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
		Lateration Observation Advisor to the control of th	l		LIEDDO	41.00											1
$\vdash \!$		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	ļ	.	UEPDC	1LNOA	0.3525	0.00	0.00	ļ				ļ	ļ	.	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1	LIEDDO	41,1100	0.00	0.00	0.00			1	1				1
\vdash	-	Termination)	-	-	UEPDC	1LNO2	0.00	0.00	0.00	1		-	-	1	1	-	
		Interoffice Channel Mileage - Additional rate per mile - 9-25	1	1	LIEDDO	41 NOS	0.0505	0.00	0.00			1	1				1
$\vdash \!$		miles	ļ	.	UEPDC	1LNOB	0.3525	0.00	0.00	ļ				ļ	ļ	.	
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	l		LIEDDO	41 NO2	0.00	0.00	0.00								1
\vdash		Termination)	-	-	UEPDC	1LNO3	0.00	0.00	0.00	-				-	-		
		Intereffice Channel Milegge Additional arts and all Committee	1	1	LIEDDC	11 NOC	0.0505	0.00	0.00			1	1				1
\vdash		Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated	 	-	UEPDC UEPDC	1LNOC LNPCP	0.3525 3.15	0.00	0.00	1	-	-	-	1	1	 	
		Central Office Termininating Point	 	-	UEPDC	CTG	0.00	0.00	0.00	1				-	-		
 		DS1 LOOP WITH CHANNELIZATION WITH PORT	-	-	OLPDO	UIG	0.00			1				1	1	-	
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			1				1		-	-	1	1		\vdash
		ystem can have up to 24 combinations of rates depending on			her of ports used	+				1		-	-	1	1	1	
		ystem can have up to 24 combinations of rates depending on 61 Loop	type ar	ia num	iver or hours ased	+						-	-			 	1
	HE DO	4-Wire DS1 Loop - UNE Zone 1	-	1	UEPMG	USLDC	57.73	0.00	0.00	1		-	-	1	1		—
\vdash		4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2	 		UEPMG	USLDC	75.40	0.00	0.00			-	-			 	
\vdash		4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	 		UEPMG	USLDC	98.59	0.00	0.00	1	 			1	1	 	
 	INF DO	60 Channelization Capacities (D4 Channel Bank Configuration	ns)	3	OLI IVIG	USLDC	30.39	0.00	0.00					1		 	\vdash
 '		24 DSO Channel Capacities (D4 Channel Bank Configuration	,	1	UEPMG	VUM24	131.87	0.00	0.00	1		-	-	19.99	19.99	1	\vdash
		27 DOO Chailliol Capacity - 1 pel DO1		<u> </u>	OLI IVIO	V OIVIZ4	131.07	0.00	0.00	1	L	L	L	15.33	13.33	ı	

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				-				
I	TATE ELEMENTO	m	20.10	500	0000			ΙΟΑΤΕΟ (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$					-		Nonrecurring		Nonrecurring	- Di			000	Rates(\$)		
\vdash					ļ	Rec										
\vdash							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
igsquare	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00			1		19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00			1		19.99	19.99		
\vdash		-	-	UEPMG	VUM57		0.00				ļ			19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s					3,164.88		0.00					19.99			
ullet	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00			ļ		19.99	19.99		
	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						rstem									
A M	finimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports w	vith Feature A	ctivations.										
Mu	Itiples of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without				T -											
1	BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Svs	stem Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat													
	w (Not Currently Combined) in all states, except in Density Zone 1				T Carre		î l									
1464	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	Гогтор	U WIOA								1					
í l				UEPMG	VUMD4	0.00	704.00	444.40	400.00	40.44			40.00			
\vdash	and Assoc Fea Activation			UEPING	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bip/	olar 8 Zero Substitution															
1	Clear Channel Capability Format, superframe - Subsequent															
í l	Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
	Clear Channel Capability Format - Extended Superframe -															
i l	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
Alte	ernate Mark Inversion (AMI)															
7	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			1					
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Eve	change Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Dort	OLI WO	IVICOI C	0.00	0.00	0.00			1					
		on with	FOIL						-							
EXC	change Ports										ļ					
i l																
igsquare	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
lder	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
í l																
i l	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
1	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
1	Service)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Combination	—	 	JEI I A	JL: 01	1.70	0.00	0.00	0.00	0.00	1	 	30.09	7.03		
i I			1			1			I			I	1	1		
i I	(AL, KY, LA, MS, & TN) (Conversion from Network Access		1	HEDDY	LIEDOT						1	l				
$\vdash \vdash$	Service)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00	.		30.89	7.03		
i I	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –		1	l	1				1							
1	Tennessee Only – Calling Plan - Regionserv			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
						l										
\Box	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -						0.00	0.00	0.00	0.00		I	30.89	7.03	l	
				UEPPX	UEPXV	1.70										
Fea	Tennessee Only - Calling Plan - Regionserv			UEPPX	UEPXV	1.70	0.00									
Fea				UEPPX	UEPXV	1.70	0.00									
Fea	Tennessee Only – Calling Plan - Regionserv tture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4								3.82	3.80						
Fea	Tennessee Only – Calling Plan - Regionserv ture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		
Fea	Tennessee Only – Calling Plan - Regionserv ture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	1PQWM	2.02	23.94	12.64					30.89	7.03		
	Tennessee Only – Calling Plan - Regionserv ture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)								3.82 54.09	3.80 10.57						
	Tennessee Only – Calling Plan - Regionserv tture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) ephone Number/ Group Establishment Charges for DID Service			UEPPX UEPPX	1PQWM 1PQWU	2.02	23.94	12.64 17.37					30.89	7.03		
	Tennessee Only – Calling Plan - Regionserv titure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Pub Bank (includes Q.1.4, P50.1, P.50.498) Pophone Number/ Group Establishment Charges for DID Service [DID Trunk Termination (1 per Port)			UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT	2.02 2.02 0.00	23.94 73.67	12.64 17.37 0.00					30.89	7.03		
	Tennessee Only – Calling Plan - Regionserv ture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) ephone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States			UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT ND4	2.02 2.02 0.00 0.00	23.94 73.67 0.00 0.00	12.64 17.37 0.00 0.00					30.89	7.03		
	Tennessee Only – Calling Plan - Regionserv tture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) ephone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT ND4 ND5	2.02 2.02 0.00 0.00 0.00	23.94 73.67 0.00 0.00 0.00	12.64 17.37 0.00 0.00 0.00					30.89	7.03		
	Tennessee Only – Calling Plan - Regionserv ture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) ephone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States			UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT ND4	2.02 2.02 0.00 0.00	23.94 73.67 0.00 0.00	12.64 17.37 0.00 0.00					30.89	7.03		
	Tennessee Only – Calling Plan - Regionserv tture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) ephone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT ND4 ND5	2.02 2.02 0.00 0.00 0.00	23.94 73.67 0.00 0.00 0.00	12.64 17.37 0.00 0.00 0.00					30.89	7.03		
Tele	Tennessee Only – Calling Plan - Regionserv ture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) ephone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT ND4 ND5 ND6	2.02 2.02 0.00 0.00 0.00 0.00	23.94 73.67 0.00 0.00 0.00 0.00	12.64 17.37 0.00 0.00 0.00 0.00					30.89	7.03		
Tele	Tennessee Only – Calling Plan - Regionserv tture Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498) ephone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT ND4 ND5 ND6	2.02 2.02 0.00 0.00 0.00 0.00	23.94 73.67 0.00 0.00 0.00 0.00	12.64 17.37 0.00 0.00 0.00 0.00					30.89	7.03		

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental		Incrementa
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Sv
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrecurring		Namaaaaa	g Disconnect			220	Rates(\$)		
	+			<u> </u>			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local S	I Switching Features Offered with Line Side Ports Only		<u> </u>				FIISL	Add I	FIISL	Add I	SOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
	Local	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00			1					
UNBL	INDLED F	PORT LOOP COMBINATIONS - MARKET RATES							0.00								
	Market	Rates shall apply where BellSouth is not required to provide	unbund	led lo	al switching or swit	ch ports per	FCC and/or St	ate Commission	on rules.								
		cludes:															
		dled port/loop combinations that are Currently Combined or N															
	The To	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, Mia	mi); G/	(Atlanta); LA (New	Orleans); NO	(Greensboro-	Winston Salem	n-Highpoint/Ch	arlotte-Gastor	nia-Rock Hill);	TN (Nashvill	e).	In the Parker		<u> </u>	1. 10 March - 4
		uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preced								ig cnarges for	not currently	combined in	FL and NC	. In the Interi	m where Bell	South cannot	bili Market
		Bensouth shall bill the rates in the Cost-Based section precedures that the cost-Based section precedures includes all available features in			the Market Rates and	reserves tr	ie rignt to true-	up the billing o	airrerence.		T	1	ı		ı	ı	
		fice and Tandem Switching Usage and Common Transport Us			o Port section of thi	e rata avhib	it chall annly to	all combination	one of loon/no	rt notwork olo	monte oveent	for LINE Coi	n Port/Loor	Combination	ne which have	a flat rate us	ago chargo
		: URECU).	age rat	es III ti	ie Fort Section of thi	S rate exilib	it Silali apply to	an combinati	ons or loop/po	it lietwork ele	ments except	IOI OINE COI	ii Foit/Loop	Combination	is willcii liave	a nat rate us	age charge
-		t Currently Combined scenarios the Nonrecurring charges are	listed i	in the F	irst and Additional	NRC column	s for each Port	USOC. For Ci	urrently Combi	ned scenarios	s. the Nonrecur	ring charge	s are listed	in the NRC - 0	Currently Con	bined section	n.
		onal NRCs may apply also and are categorized accordingly.			not and /taantonari		0.0. 000				,	9 090	o a. oo.oa		· · · · · · · · · · · · · · · · · · ·		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
		2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
		2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
	UNE Lo	pop Rates		-	UEPRX	LIEDLY	40.40										
	+	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX UEPLX	12.48 16.31				 						
	+	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPRX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port (Res)		Ŭ	OLI TOC	OLI LX	21.02				1						
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice Grade unbundled Tennessee extended local															
		dialing parity port with Caller ID - res			UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller			LIEDDY	LIEDAK	44.00	00.00	00.00					20.00	7.00		
	+	ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller		<u> </u>	UEPRX	UEPAK	14.00	90.00	90.00		1	-		30.89	7.03		
		ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
	+	2-Wire voice unbundled Tennessee Area Calling port with Caller		1	OLITOX	OLI AL	14.00	30.00	30.00		1			30.03	7.00		
		ID - res (TACSR)			UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (1MF2X)			UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller				l											
		ID - res (2MR)			UEPRX	UEPAO	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00					30.89	7.03		
	+	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRA	UEPAP	14.00	90.00	90.00			1		30.69	7.03		
		Capability			UEPRX	UEPRT	14.00	90.00	90.00					30.89	7.03		
		2-Wire Voice Unbundled Tennessee Residence Dialing Plan										i e					
L		without Caller ID		L	UEPRX	UEPWN	14.00	90.00	90.00			<u> </u>	<u> </u>	30.89	7.03		<u> </u>
		2-Wire voice unbundled Tennessee Area Plus Port without															
		Caller ID Capability			UEPRX	UEPRR	14.00	90.00	90.00			ļ		30.89	7.03		
L	LOCAL	NUMBER PORTABILITY		<u> </u>	LIEDDY	LNDOY	0.0-					ļ					
<u> </u>	FF * T.	Local Number Portability (1 per port)		-	UEPRX	LNPCX	0.35				1	<u> </u>	 		.	 	
<u> </u>	FEATU	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00		+	 		30.89	7.03	-	
 	NONDE	ECURRING CHARGES - CURRENTLY COMBINED		-	ULPRA	UEFVF	0.00	0.00	0.00		1	1		30.89	7.03	 	
	HONKE	CONTRACTO - CONTRACTO COMIDINED									 	1					-
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		
	1	2-Wire Voice Grade Loop / Line Port Combination - Switch with					İ				1					1	
		change			UEPRX	USACC		41.50	41.50					30.89	7.03		
	ADDITI	ONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
1	1	Subsequent		1	UEPRX	USAS2	0.00	0.00	0.00		1	1	I	30.89	7.03	I	l

Version 1Q03: 02/28/03 Page 393 of 420

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	_	Charge -	Charge -	Charge -
0.475.0001/	DATE EL EMENTO	Interi	-	200				DATEO (A)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrecurring		Nonrecurring Disc	connect			oss	Rates(\$)		
		1				Rec	First	Add'l	First /	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
-	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	-	1 2		+	26.48 30.31										
\vdash	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		-	35.32										
UNE	Loop Rates				+	33.32										
1	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										
2-Wir	e Voice Grade Line Port (Bus)			LIEDDY	LIEDDI	1100	00.00	20.00					00.00	7.00		
\vdash	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	1	-	UEPBX UEPBX	UEPBL UEPBC	14.00 14.00	90.00 90.00	90.00					30.89 30.89	7.03 7.03		
 	2-Wire voice unburidled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	 	 	UEPBX	UEPBO	14.00	90.00	90.00	 				30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local	t	t			00	22.00	22.00					55.00			
	dialing parity port with Caller ID - bus	<u> </u>	L	UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		<u>. </u>
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPBX	UEPAC	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			LIEDDY	LIEDAD	44.00	00.00	00.00					00.00	7.00		
\vdash	Port Standard Option (TACC2) 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and	1	1	UEPBX	UEPAD	14.00	90.00	90.00					30.89	7.03		
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI DX	OLI AL	14.00	50.00	50.00					00.00	7.00		
	Capability			UEPBX	UEPBE	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled Tennessee Business Dialing Plan															
	without Caller ID			UEPBX	UEPWO	14.00	90.00	90.00					30.89	7.03		
LOCA	AL NUMBER PORTABILITY			LIEDDY	LNDCV	0.25										
FEAT	Local Number Portability (1 per port)	1	<u> </u>	UEPBX	LNPCX	0.35										
I LAI	All Features Offered	1		UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONE	RECURRING CHARGES - CURRENTLY COMBINED				1											
		1														
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with						44.50							= 00		
ADDI	change TIONAL NRCs	1	1	UEPBX	USACC		41.50	41.50					30.89	7.03		
ADDI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -				+											
	Subsequent			UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03		
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1														
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
\vdash	2-Wire VG Loop/Port Combo - Zone 2	1	3		+	30.31 35.32			 							
UNE	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	1	3		+	35.32			1							
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1	t	1	UEPRG	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRG	UEPLX	16.31			†							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)				1											
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1	LIEDBC	LIEDES	44.00	00.00	00.00					20.00	7.00		,
100	Res AL NUMBER PORTABILITY	 	 	UEPRG	UEPRD	14.00	90.00	90.00	 				30.89	7.03		
LUCA	Local Number Portability (1 per port)	 	 	UEPRG	LNPCP	3.15	0.00	0.00	 							
FEAT	TURES		1			3.10	2.00	2.00						İ		
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONE	RECURRING CHARGES - CURRENTLY COMBINED				1											,
	0.000			LIEDDO	110465											,
\vdash	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1	1	UEPRG	USAC2		41.50	41.50	 				30.89	7.03		
1 1	Change		1	UEPRG	USACC		41.50	41.50					30.89	7.03		, [
ADDI	TIONAL NRCs	1	t		3000		41.50	71.00					00.00	7.00		
	**	•														

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<u> </u>				Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Loop/Line Side Port Combination - Non feature -	1	1				11130	Addi	7 11 00	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
	Subsequent Activity- Nonrecurring						0.00	0.00					30.89	7.03		,
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						14.64	14.64					30.89	7.03		
2-WIRI	Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1					14.04	14.04	1				30.69	7.03		
	ort/Loop Combination Rates	1	1													
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
UNE L	oop Rates	ļ	<u> </u>													
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16.31			 							
2-14/:=0	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)	 	3	UEPPX	UEPLX	21.32			 		1			-		
2-44116	Voice Grade Lille Fort Nates (BOS - FBA)	 	1		+				 							
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPPX	UEPPO	14.00	90.00	90.00	1				30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
	Calling Port	ļ		UEPPX	UEPT2	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			LIEDDY	LIEDTO	44.00	00.00	00.00					00.00	7.00		1
	Calling Port 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	ļ		UEPPX UEPPX	UEPTO UEPXA	14.00 14.00	90.00	90.00	 				30.89 30.89	7.03 7.03		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00	-		-		30.89	7.03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPPX	UEPXC	14.00	90.00	90.00	+		1		30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPPX	UEPXD	14.00	90.00	90.00	+		†		30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		02.17	02.7.2	11.00	00.00	00.00	1				00.00	7.00		
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		ı
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy															1
	Administrative Calling Port TN	ļ		UEPPX	UEPXN	14.00	90.00	90.00	 				30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					30.89	7.03		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00	+				30.89	7.03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling	1	1	OLITA	OLI AO	14.00	30.00	30.00	 		†		00.00	7.00		
	Port			UEPPX	UEPXU	14.00	90.00	90.00					30.89	7.03		1
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ						ĺ									ī
	Callling Port			UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
	Tennessee PBX 2-Way Combo Each Additional Trunk															1
	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	14.00	90.00	90.00					30.89	7.03		
	Tennessee PBX 2-Way Combo First Trunk Collierville and			LIEDDY	LIEDAZ	44.00	00.00	00.00					20.00	7.00		ı
LOCAL	Memphis Local Calling Plan L NUMBER PORTABILITY	 	 	UEPPX	UEPA7	14.00	90.00	90.00	+			 	30.89	7.03		
LOCAI	Local Number Portability (1 per port)	-	 	UEPPX	LNPCP	3.15	0.00	0.00	+			 				
FEATU		l	1	02.17	2141 01	0.10	3.00	0.00	 							
	All Features Offered	i –	t	UEPPX	UEPVF	0.00	0.00	0.00	1				30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED	i –	i –													
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	ļ		UEPPX	USAC2		41.50	41.50					30.89	7.03		l
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1	1													ı
1000	Change	.	<u> </u>	UEPPX	USACC		41.50	41.50	 			 	30.89	7.03		
ADDIT	IONAL NRCs	1	 		+				+		-	-		1		
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1	1	UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		,
			1	1	00.02	0.00	0.00	0.00				·	00.00	1.00		

CATEGORY	RATE ELEMENTS															
	RATE ELEMENTS		1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	RATE ELEMENTS	1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	RATE ELEMENTS										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
		Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Loop/Line Side Port Combination - Non feature -															í
	Subsequent Activity- Nonrecurring						0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															í
	Group						14.64	14.64					30.89	7.03		
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	ort/Loop Combination Rates					00.10										
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			26.48										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			30.31										
	2-Wire VG Coin Port/Loop Combo – Zone 3	-	3			35.32										
	op Rates		4	UEPCO	UEPLX	12.48	-				-					
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	21.32	+ + + + + + + + + + + + + + + + + + +									
	Voice Grade Line Port Rates (Coin)	 	3	OLFOO	OLFLA	21.32	 				-	 		 		
	2-Wire Coin 2-Way without Operator Screening and without				+		 							1		
	Blocking (TN)			UEPCO	UEPTB	14.00	90.00	90.00				1	30.89	7.03		ł .
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	 		02, 00	OLI ID	17.00	30.00	30.00				 	30.03	7.03		(
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14.00	90.00	90.00					30.89	7.03		í
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			021 00	OLI IVI	14.00	30.00	00.00					00.00	7.00		
	(TN)			UEPCO	UEPTA	14.00	90.00	90.00					30.89	7.03		í
	2-Wire Coin 2-Way with Operator Screening and Blocking:			02. 00	02	1 1100	00.00	00.00					00.00	7.00		
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00					30.89	7.03		ł
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(TN)			UEPCO	UEPTC	14.00	90.00	90.00					30.89	7.03		í
	2-Wire Coin Outward with Operator Screening and Blocking:															·
1	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03		í
LOCAL	NUMBER PORTABILITY															i
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										i
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
1																í
\longrightarrow	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															ł
	Change			UEPCO	USACC		41.50	41.50					30.89	7.03		
ADDITIO	ONAL NRCs															
	O.W. W. Veller O. and a Larry (Live Book Or additional to the Company)			LIEDOO	110400	0.00	0.00	0.00					00.00	7.00		í
2 WIDE	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		ODT (UEPCO	USAS2	0.00	0.00	0.00			-		30.89	7.03		
	ort/Loop Combination Rates	LINE	JOKI (I	KES)	+											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		+	30.56	+ + + + + + + + + + + + + + + + + + +									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	35.63										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	42.28										
	op Rates	†	Ŭ		1	72.20										(
	2-Wire Voice Grade Loop (SL2) - Zone 1	t	1	UEPFR	UECF2	16.56	1							i		í
	2-Wire Voice Grade Loop (SL2) - Zone 2	t	2	UEPFR	UECF2	21.63	1							i		í
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFR	UECF2	28.28					1			İ		í
	Voice Grade Line Port Rates (Res)	l												1		1
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	115.00	75.00	40.00	30.00		15.69				í .
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice Grade unbundled Tennessee extended local									-						·
	dialing parity port with Caller ID - res			UEPFR	UEPAQ	14.00	115.00	75.00	40.00	30.00		15.69		ļ		
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -				1							1				ł
	res (AC7)	ļ	ļ	UEPFR	UEPAH	14.00	115.00	75.00	40.00	30.00		15.69		ļ		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															ł
	ID - res (F2R)	!		UEPFR	UEPAK	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPFR	UEPAL	14.00	115.00	75.00	40.00	30.00		15.69				ł
	2-Wire voice unbundled Tennessee Area Calling port with Caller	 	 	ULPFR	UEFAL	14.00	115.00	75.00	40.00	30.00	-	15.09		 		
	ID - res (TACSR)			UEPFR	UEPAM	14.00	115.00	75.00	40.00	30.00		15.69				1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee			•							1			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Tennessee Area Calling port with Caller							== 00	40.00			4= 00				
	ID - res (1MF2X)	-	-	UEPFR	UEPAN	14.00	115.00	75.00	40.00	30.00	1	15.69				-
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPFR	UEPAO	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPFR	UEPWN	14.00	115.00	75.00	40.00	30.00		15.69				
INTE	ROFFICE TRANSPORT			02	02	1 1.00	110.00		10.00	00.00	1	10.00				<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										†					†
	Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0174										
FEA	TURES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
LOC	AL NUMBER PORTABILITY			UEDED	LNDOV	0.05					ļ					-
NON	Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	UEPFR	LNPCX	0.35					.					+
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	-								 					
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02	00/102		10.01	0.12	†			10.00				†
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE F	PORT (I	BUS)												
UNE	Port/Loop Combination Rates															1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.56										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			35.63 42.28										
LINE	Loop Rates		3		1	42.20					1					+
ONL	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	16.56										+
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63					†					†
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	28.28										
2-Wi	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	115.00	75.00	40.00	30.00		15.69				1
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	115.00	75.00	40.00	30.00	ļ	15.69				
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPFB	UEPAV	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus	1		UEPFB	UEPB1	14.00	115.00	75.00	40.00	30.00		15.69				+
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	†				50		. 5.50		55.50		.0.00	1			
	Port Economy Option (TACC1)			UEPFB	UEPAC	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPFB	UEPAD	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPFB	UEPAE	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan	1					112.00		15.00	22.00			İ			†
	without Caller ID Tennessee Inward Collierville and Memphis Local Calling Plan			UEPFB	UEPWO	14.00	115.00	75.00	40.00	30.00		15.69				
	(BUS)			UEPFB	UEPB2	14.00	115.00	75.00	40.00	30.00		15.69				ļ
	Tennessee 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	14.00	115.00	75.00	40.00	30.00		15.69				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT	ļ														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDER	U1TV2	18.58	55.00	47.07	07.00	0.54						
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB			55.39	17.37	27.96	3.51						
FEA	or Fraction Mile	-		UEPFB	1L5XX	0.0174					+					1
	All Features Offered	t		UEPFB	UEPVF	0.00	0.00	0.00	1		1	15.69				1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							Name a a comina a l		Nonrecurring	. Diaaaaaa			000	Rates(\$)		
-			-			Rec	Nonrecurring First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED						FIISL	Auu i	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
IVOIN	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port											1				
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										İ					
	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.56										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			35.63										
<u> </u>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			42.28										
UNE	Loop Rates		1	UEPFP	UECF2	40.50			 		-	-		-		
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFP	UECF2	16.56 21.63										
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFP	UECF2	28.28			_		}		 	 		
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)			0=111	020, 2	20.20					1	-				
2-441	S TOLOGO S. MAG EITHO T OTT TRAIGO (DOO - 1 DA)	†			+						1	<u> </u>	1	1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
\vdash	Calling Port			UEPFP	UEPT2	14.00	106.40	63.08	42.67	18.54		15.69		ļ		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			LIEDED	LIEDTO											
\vdash	Calling Port			UEPFP	UEPTO	14.00	106.40	63.08	42.67	18.54		15.69				
\vdash	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPFP UEPFP	UEPXA UEPXB	14.00 14.00	106.40 106.40	63.08 63.08	42.67 42.67	18.54 18.54	1	15.69 15.69	-			
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	-	-	UEPFP	UEPXB	14.00	106.40	63.08	42.67	18.54		15.69				
 	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXC	14.00	106.40	63.08	42.67	18.54	+	15.69	 	 		
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			0=111	OLI AD	14.00	100.40	00.00	72.07	10.54	1	13.03				
	Capable Port			UEPFP	UEPXE	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1			T	50		22.30			Ì		1			
	Administrative Calling Port	<u> </u>		UEPFP	UEPXL	14.00	106.40	63.08	42.67	18.54	<u> </u>	15.69	<u> </u>			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
\vdash	Administrative Calling Port TN Calling Port			UEPFP	UEPXN	14.00	106.40	63.08	42.67	18.54	ļ	15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDED	LIEDYO	1100	400.40	00.00	40.6=	10.51		45.00				
\vdash	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP UEPFP	UEPXO UEPXS	14.00 14.00	106.40 106.40	63.08 63.08	42.67 42.67	18.54 18.54	-	15.69 15.69		-		
\vdash	2-Wire Voice Unbundled PBX Collierville and Memphis Calling	 	<u> </u>	OLFIF	ULFAO	14.00	100.40	03.08	42.07	10.04	}	15.09	 	 		
	Port			UEPFP	UEPXU	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	†		0=111	OLI AU	14.00	100.40	05.00	42.07	10.54	1	13.03	1	1		
	Callling Port			UEPFP	UEPXV	14.00	106.40	63.08	42.67	18.54		15.69				
LOC	AL NUMBER PORTABILITY	1			1						Ì		1	ĺ		
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTE	ROFFICE TRANSPORT					·										
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility												l			
\vdash	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.5007											
H	or Fraction Mile	-	-	UEPFP	1L5XX	0.0174					 		 	 		
FEA	FURES All Features Offered		-	UEPFP	UEPVF	0.00	0.00	0.00			-	15.69				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		ULFFF	UEFVF	0.00	0.00	0.00	 		1	15.69	 	 		
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			+				 		+	 	 	 		
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l			00.02		10.04	0.72				10.00		1		
	Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
	PORT/LOOP COMBINATIONS - MARKET BASED RATES															
2-WI	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														

UNBUNDLE	D NETWORK ELEMENTS - Tennessee													Attach	ment: 2	Exhi	bit: B
							1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
		Interi										Elec	1	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															- (A)		
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
1005 5	I Describe and Complete and Com							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates	-	1				40.00					1					\vdash
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				49.60 51.09					 					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				56.00					 					
UNEL	pop Rates		3				36.00					 	-				—
ONLE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	9.60					<u> </u>				1	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		2	UEPPX		UECD1	11.09					†					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	16.00					1	1				
	Exchange Ports - 2-Wire DID Port		Ť	UEPPX		UEPD1	40.00	600.00	45.00	8.45	3.91	İ		30.89	7.03		
NONRE	CURRING CHARGES - CURRENTLY COMBINED											İ					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					1						İ				1	ſ
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		100.00	42.50					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion								-								1
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100.00	42.50]		30.89	7.03		
Teleph	one Number/Trunk Group Establisment Charges																<u> </u>
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
LOCAL	Reserve DID Numbers NUMBER PORTABILITY		-	UEPPX		NDV	0.00	0.00	0.00	-							
LOCAL			-	UEPPX		LNPCP	3.15	0.00	0.00				-		-		——
2.WIDE	Local Number Portability (1 per port) EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	DODT			LINECE	3.13	0.00	0.00			1	1		-		—
	ort/Loop Combination Rates	INC SIDE	LFORI									ł	1		1		<u> </u>
O.K.E.T.	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -												1				——
	UNE Zone 1		1	UEPPB	UEPPR		32.27										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			02.15	02		02.27					İ					
	UNE Zone 2		2	UEPPB	UEPPR		34.78										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1											
	UNE Zone 3		3	UEPPB	UEPPR		44.32										i .
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										1
																	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		
NONRE	ECURRING CHARGES - CURRENTLY COMBINED	-	-	 		 	 					 		 	 	 	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			LIEDDD	UEPPR	USACB	0.00	225.00	225.00					30.89	7.03		1
ADDIT	ONAL NRCs	-	-	UEPPB	UEFFR	USACD	0.00	225.00	223.00					30.89	1.03		
ADDITI	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy					 				 		 			 	 	
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						30.89	7.03		1
LOCAL	NUMBER PORTABILITY			J 1 D	02/11/0	3000		212.00						55.55	7.55	1	
-53712	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1		l	1	İ	ſ
B-CHA	NNEL USER PROFILE ACCESS:	1				l .						1		l	1	İ	ſ
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			İ				1	ſ
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		•						
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00						ļ		
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			ļ			ļ		
	CSD		-	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			-			 		
USER	TERMINAL PROFILE			HEDDD	UEPPR	11411844	0.00	0.00	0.00	 		-	-		 	-	
VEDTI	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 		-	-		 	-	
VERTIC	CAL FEATURES All Vertical Features One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	<u> </u>		1	1	-	 		
	All Vertical Features - One per Channel B User Profile Interoffice Channel mileage each, including first mile and	-	-	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00			 	-		 		
	facilities termination			UEPPB	UEPPR	M1GNC	17.91	53.99	17.37						I		1
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00						-		
4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	-	22113	JEITIN		0.173	0.00	0.00						+		
4-441KE	- 20. 2.3.TAL LOOF WITH A WINE IDDIT DOT DIGITAL TRUMP		<u> </u>	L		1	1				l	<u> </u>			1	·	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		1	<u> </u>				Nonrecurring		Nonrecurring	Disconnect		l	088	Rates(\$)		l .
		<u> </u>	1		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE D	ort/Loop Combination Rates				+		FIISL	Auu i	FIISL	Auu i	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
O.V.E.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				+						1	1				
	Zone 1		1	UEPPP		982.73										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE										İ					
	Zone 2		2	UEPPP		1,000.40										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		1,023.59										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED		-								1					
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only	1		UEPPP	USACP	0.00	925.00	005.00					30.89	7.03		
ADDIT	CONDINATION - Conversion -Switch-As-IS Top 8 MSAS Only	1	-	UEFFF	USACP	0.00	925.00	925.00			-		30.89	7.03	-	
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1	 		1				_		}		 	 		
	Inward/two way Telephone Numbers (except NC)	1		UEPPP	PR7TF		0.94									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		OLITI	1 10/11		0.34					†				
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -										İ					
	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		44.71	44.70								
LOCAI	NUMBER PORTABILITY	i														
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel			LIEDDD	DD3D1	0.00	00.00									
	New or Additional - Voice/Data B Channel		-	UEPPP UEPPP	PR7BV PR7BF	0.00	28.39				1					
 	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	1	<u> </u>	UEPPP	PR7BD	0.00	29.11 29.39					-				
CALL	TYPES	1		UEPPP	PRIDU	0.00	29.39				1	1				
CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward	1		UEPPP	PR7CO	0.00	0.00	0.00			†					
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00				1				
Interof	fice Channel Mileage															
	Fixed Each Including First Mile	i		UEPPP	1LN1A	76.1825	145.98	109.85	19.55							
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525	<u> </u>									
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT							•		•						
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	ļ	1	UEPDC	ļ	93.28					ļ			ļ		
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>	2	UEPDC	1	110.95						-	 	ļ		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	.	3	UEPDC	1	134.14					ļ		 	!		
UNE L	oop Rates	 	4	UEPDC	USLDC	57.53			 		 	1	-	 		-
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	 	2	UEPDC	USLDC	75.40										
 	4-Wire DS1 Digital Loop - UNE Zone 3	†	3	UEPDC	USLDC	98.59			 		 			 		
UNF P	ort Rate	1	,	021 00	30250	30.39					1	<u> </u>	1	1		1
	4-Wire DDITS Digital Trunk Port	1		UEPDC	UDD1T	750.00	982.57	450.10	196.09	19.23			30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED	i –		-	1				122.30		1			1.30		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1						İ			1		
	- Switch-As-Is Top 8 MSAs only	<u> </u>		UEPDC	USAC4		312.91	312.91					30.89	7.03		
								-								l
1 1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312.91	312.91					30.89	7.03		
		1														
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICAVAGE		040.01	040.01					00.00	7.00		
ADDIT	- Conversion with Change - Trunk Top 8 MSAs only	!	-	UEPDC	USAWB	 	312.91	312.91			 		30.89	7.03		
ADDIT	IONAL NRCs	1	<u> </u>	l .	1	L	<u> </u>				l	1	l	L		L

UNBI	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svo
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								The	1	T No	B'	ļ			D - ((A)		
	ļ		-				Rec	Nonrecurring	A -1 -111	Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-	-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-	<u> </u>		+		First	Add'l	FIrst	Add'l	SOMEC	SOMAN	SOWAN	SOMAN	SOMAN	SOMAN
		Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLFDC	U3A34		34.00	34.00			†					
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					30.89	7.03		
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent										†					
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					30.89	7.03		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					30.89	7.03		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					30.89	7.03		
1	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1														
<u> </u>	DIDO:	Activation / Chan - 2-Way DID w User Trans	!	-	UEPDC	UDTTE		108.67	108.67					30.89	7.03		
<u> </u>	RIPOL	AR 8 ZERO SUBSTITUTION B8ZS -Superframe Format	₩	-	UEPDC	CCOSF		0.00	590.00	1		ļ	-	 	 	 	
	 	B8ZS - Superframe Format B8ZS - Extended Superframe Format	 	-	UEPDC	CCOSF		0.00	590.00				-				
\vdash	Alterna	ate Mark Inversion	 	 	OLFDO	COUEF		0.00	590.00	1		1		 	 	 	
\vdash	AILEITIE	AMI -Superframe Format	 	†	UEPDC	MCOSF		0.00	0.00				<u> </u>				
	1	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			†					
	Teleph	one Number/Trunk Group Establisment Charges										†					
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	ļ	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00					ļ					
	ļ	DID Numbers, Non- consecutive DID Numbers , Per Number	-		UEPDC	ND5	0.00		0.00			1					
	1	Reserve Non-Consecutive DID Nos. Reserve DID Numbers	-	1	UEPDC UEPDC	ND6 NDV	0.00		0.00			 					
	Dedica	Ited DS1 (Interoffice Channel Mileage) -			OLFDC	INDV	0.00	0.00	0.00			1					
		O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				+		1				1					
	1 70. 0	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities										†					
		Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	ļ	Termination)			UEPDC	1LNO2	0.00	0.00	0.00						ļ		
		Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41 NG5											
<u> </u>	 	miles	 	-	UEPDC	1LNOB	0.3525	0.00	0.00	1		ļ		!	.	!	
1		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00								
\vdash	 	reimmauott)	 	!	OLFDO	ILINUS	0.00	0.00	0.00	1		1		 	 	 	
1		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3525	0.00	0.00								
	t	Local Number Portability, per DS0 Activated	t		UEPDC	LNPCP	3.15		0.00					İ	İ	İ	İ
	1	Central Office Termininating Point			UEPDC	CTG	0.00						İ				
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
		em can have various rate combinations based on type and nu	mber of	ports	used	\perp									ļ		
<u> </u>	UNE D	S1 Loop	.	L .	LIEDMO	LIOLDO	F7	0.00	0.00			ļ					
<u> </u>	-	4-Wire DS1 Loop - UNE Zone 1	!	1	UEPMG UEPMG	USLDC	57.73	0.00	0.00						-		
⊢—	 	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	1	3	UEPMG UEPMG	USLDC	75.40 98.59		0.00	 		1	-		-		
\vdash	LINE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	3	ULFIVIG	USLDC	90.59	0.00	0.00			<u> </u>		 	 	 	
-	ONE D	24 DSO Channel Capacity - 1 per DS1		t	UEPMG	VUM24	131.87	0.00	0.00	+		†		30.89	7.03		
\vdash	1	48 DSO Channel Capacity - 1 per 2 DS1s	t		UEPMG	VUM48	263.74		0.00			1	†	30.89	7.03	1	
	t	96 DSO Channel Capacity -1per 4 DS1s	l		UEPMG	VUM96	527.48		0.00					30.89	7.03	İ	
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76		0.00					30.89	7.03		
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					30.89	7.03		
		288 DS0 Channel Capacity - 1 per 12 DS1s	1	1	UEPMG	VUM28	1,582.44	0.00	0.00					30.89	7.03		

			I		1											
ļ		Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Sve
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)	ı	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					30.89	7.03		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					30.89	7.03		
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG UEPMG	VUM57 VUM67	3,164.88 3,692.36	0.00	0.00	<u> </u>				30.89 30.89	7.03 7.03		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	oliztio			-,		0.00					30.69	7.03		
	mum System configuration is One (1) DS1, One (1) D4 Channe						/Stelli									
	es of this configuration functioning as one are considered Ac															
	NRC - Conversion (Currently Combined) with or without				I											
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	303.61	15.74					30.89	7.03		
System	Additions Where Currently Combined and New (Not Currentl	y Comb	ined)													
In Dens	sity Zone 1 Top 8 MSAs															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc				l	_								_		
	Fea Activation -			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			30.89	7.03		
	r 8 Zero Substitution				+										 	
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	590.00]							
-+-+	Clear Channel Capability Format - Extended Superframe -			UEPING	CCOSF	0.00	0.00	590.00								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
	te Mark Inversion (AMI)			OLI MO	CCCLI	0.00	0.00	000.00								
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00		0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
Exchan	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Live Cite to see LO at a Observation LDDV Teach Day of the CDD			HEDDY	LIEDAY	44.00	0.00	0.00	0.00	0.00			00.00	7.00		
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX UEPPX	UEP1X UEPDM	14.00 40.00	0.00	0.00	0.00	0.00			30.89 30.89	7.03 7.03		
-+-+	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPA	UEPDIVI	40.00	0.00	0.00	0.00	0.00			30.69	7.03		
	(AL, KY, LA, MS, & TN)			UEPPX	UEPCY	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Combination			OLITA	OLI OI	14.00	0.00	0.00	0.00	0.00			30.03	7.03		
	(AL, KY, LA, MS, & TN			UEPPX	UEPCT	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –								0.00							
	Tennessee Only - Calling Plan - Regionserv			UEPPX	UEPCZ	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
	Tennessee Only - Calling Plan - Regionserv			UEPPX	UEPXV	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Feature	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4			HEDDY	4000444	0.00	40.00	00.00	0.00	5.00						
	Bank (includes Q.1.4, P.50.1, & P.50.498) Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	1PQWM	2.02	40.00	20.00	6.00	5.00						
	D4 Bank (includes Q.1.4, P.50.1, & P.50.498)			UEPPX	1PQWU	2.02	110.00	30.00	75.00	15.00						
	one Number/ Group Establishment Charges for DID Service			ULFFA	IFQWU	2.02	110.00	30.00	75.00	13.00						
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	lumber Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	ļ							
	RES - Vertical and Optional														ļ	
	Switching Features Offered with Line Side Ports Only			HEDDY	LIED) (E	0.00	0.00	2.00							-	
MBUNDLED (All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	,	—	UEPPX	UEPVF	0.00	0.00	0.00							 	
			State C	'ammission sul- 4-	nrovido II	Indied Lees! C	iwitching or C:	itah Darta	 						-	
	Based Rates are applied where BellSouth is required by FCC								dlad Daw assti	n of this Date	Evhibit					
	ures shall apply to the Unbundled Bort/Loop Combination C	net Ban	Dd Date													
2. Featu	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport											oin Port/I o	on Combinat	ions		——

Version 1Q03: 02/28/03 Page 402 of 420

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	ce.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	/)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	1														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOA		4440										
	Non-Design	1	1	UEP91	+	14.18						-				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		18.01										
	Non-Design	1		UEP91	+	18.01						-				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		23.02										
LINE	Port/Loop Combination Rates (Design)	 	3	OLFSI	1	23.02	1		1		-	-	 	 	+	
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	! 			1	 	1		1	 			l	t	t	
	Design		1	UEP91		18.26					1			I	I	
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	0=101	+	10.20			 					t	 	
	Design		2	UEP91		23.33					1			I	I	
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		02101	1	20.00	 		1		-		1	t	t	
	Design		3	UEP91		29.98								1	1	
UNE	Loop Rate		Ť	02. 0.		20.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP91	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
UNE	Ports															
All S	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOA	LIEDVILL	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Area	1		UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	-	UEF91	UEPTIVI	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
	Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF91	OLFIZ	1.70	22.14	13.23	0.43	3.91		30.09	7.03			1
	- Basic Local Area	1		UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -			02. 0.	020	0		10.20	0.10	0.01		00.00	7.00			
	Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	I	I	
AL. F	Y, LA, MS, & TN Only	1			İ		1		1		İ		1	1	1	
'	2-Wire Voice Grade Port (Centrex)	1		UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire							-								
	Center)2			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
$oxed{oxed}$	Term		L	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	O Miller Victor Core In Bond Corests and the State of the	.1		LIEBO4	LIEDGO						1			I	I	
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	-	UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 	 	
	2-Wire Voice Grade Port Terminated on 800 Service Term	+	-	UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 	 	
Loca	Switching	+	-	LIEDO1	LIBECC	0.0001			 	-			-	 	 	
1000	Centrex Intercom Funtionality, per port Number Portability	1	+	UEP91	URECS	0.6381	 		1		-	-	-	 		
Loca	Local Number Portability (1 per port)	1	+	UEP91	LNPCC	0.35	 		1		-	-	-	 		
Featu		 		021 31	LIVI 00	0.35	1		1	 			l	t	t	
Fedil	All Standard Features Offered, per port	 		UEP91	UEPVF	0.00			 			30.89	7.03	t	 	
\vdash	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03	<u> </u>	<u> </u>	
							.000		+					+		
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrecurring		Nonrecurring					Rates(\$)		
ļ		1					First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	Unbundled Network Access Register - Combination	ļ		UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
Misse	Unbundled Network Access Register - Outdial ellaneous Terminations	1		UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
	re Trunk Side	1			+						-					
2-4411	Trunk Side Terminations, each	 		UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03	1		
Interd	office Channel Mileage - 2-Wire	1		OLI 31	CLIVAO	0.70	22.14	10.20	0.40	5.51	-	30.03	7.03			
Intere	Interoffice Channel Facilities Termination - Voice Grade	1		UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP91	M1GBM	0.0174	22.17	10.20	0.40	0.01	-	00.00	7.00			
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		02. 0.		0.0171					1					
	hannel Bank Feature Activations	Ĩ														
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.66							1	1		
I	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66									I	1
i l	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	<u> </u>	<u> </u>	UEP91	1PQW7	0.66	<u> </u>			<u></u>			<u> </u>	<u> </u>	<u></u>	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot	ļ		UEP91	1PQWQ	0.66										
ļ., .	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ		UEP91	1PQWA	0.66										
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex				_											
	Conversion - Currently Combined Switch-As-Is with allowed			UEP91	USAC2		4.00	0.00				30.89	7.03			
	changes, per port New Centrex Standard Common Block	1		UEP91	M1ACS	0.00	1.03 658.60	0.29			-	30.89	7.03			
	New Centrex Standard Common Block New Centrex Customized Common Block	1		UEP91	M1ACC	0.00	658.60				1	30.89	7.03		1	
	Secondary Block, per Block	1		UEP91	M2CC1	0.00	73.55				1	30.89	7.03		1	
	NAR Establishment Charge, Per Occasion	1		UEP91	URECA	0.00	68.57				-	30.89	7.03			
UNE-	P CENTREX - 5ESS (Valid in All States)			02. 0.	0.12071		00.07					00.00	7.00			
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP95		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												ĺ	ĺ		
	Non-Design		2	UEP95		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		23.02										
UNE	Port/Loop Combination Rates (Design)						$oxed{\Box}$									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEBAE											I	1
———	Design	1	1	UEP95	+	18.26			ļ	-	-		ļ	ļ	-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOE		20.00									I	1
\vdash	Design	1	2	UEP95	+	23.33			ļ	-	-		ļ	ļ	-	
I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	3	UEP95		20.00									I	1
LIME	Design	1	3	UEP95	+	29.98	 		1		-	-				-
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	 	-1	UEP95	UECS1	12.48	 					-	 	 	+	
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP95	UECS1	16.31	 					-	 	 	+	
+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP95	UECS1	21.32	 		1	 	H		 	 	t	
+	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	1	UEP95	UECS2	16.56	 		1		-		 	 	 	
 	2-Wire Voice Grade Loop (SL 2) - Zone 1	t	2	UEP95	UECS2	21.63			1		 	-			I	
	2-Wire Voice Grade Loop (SL 2) - Zone 3	t	3	UEP95	UECS2	28.28	1		1		 	-			I	
UNE	Port Rate	1	_			20.20							1	1	<u> </u>	
All St					1		1			İ			İ	İ	1	
	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ	1	
i t	2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP95	UEPYB	1.70		15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	

אמאמאיר	ED NETWORK ELEMENTS - Tennessee			1							la a :			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			ļ			Rec	Nonrecurring		Nonrecurring		201150	001441		Rates(\$)	001111	001111
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Center)2 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	(Y, LA, MS, SC, & TN Only			LIEDAE		. =-	2011	4= 0=	0.45							ļ
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-wire Voice Grade Port (Centrex from dir Serving wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
FL &	GA Only			1												†
	l Switching															
	Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.6381										
Loca	Number Portability														ĺ	
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		1	UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00				30.89 30.89	7.03 7.03			
Miss	ellaneous Terminations			UEP95	UARUX	0.00	0.00	0.00				30.89	7.03			
	e Trunk Side		-		+											1
2 ****	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			†
4-Wir	re Digital (1.544 Megabits)			021 00	OLINDO	0.10	47.70	47.01	5.21	0.47		00.00	7.00			1
1	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			İ
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е	<u> </u>	ļ	\rightarrow										ļ	
D4 CI	hannel Bank Feature Activations		<u> </u>	LIEDOE	4001110											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		 	UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										<u> </u>
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		\rightarrow											
	INIPL: Conversion Currently Combined Switch As Is with allowed		1	1			1 1		1		1	1		l	1	1
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			

IONRONDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						D	Nonrecurring		Nonrecurring	Disconnect		l .	oss	Rates(\$)	l	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion	ļ		UEP95	URECA	0.00	68.57					30.89	7.03			
	CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-			+											
	ort/Loop Combination Rates (Non-Design)						İ									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		40.04										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	2	UEP9D	+	18.01										
	Non-Design		3	UEP9D		23.02										
	ort/Loop Combination Rates (Design)		Ĺ													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		UEF9D		23.33										
	Design		3	UEP9D		29.98										
UNE Lo	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	3	UEP9D UEP9D	UECS1 UECS2	21.32 16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
UNE Po	ort Rate															
ALL ST					<u> </u>											
	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local						Ì									
	Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	†	†	<u></u>	OE: 11	1.70	22.17	10.20	0.40	5.91	1	30.03	1.00			
	Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
CITE	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTS TOMICOODS										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK		Electronic-	Electronic-	Electronic-
														Electronic-	Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add 1
							_	Nonrecurring		Nonrecurring	Disconnect	İ		oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
		Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
		Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
		Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															í T
		Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
		Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
		Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															í T
		Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
		Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															·
		Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	AL, KY	, LA, MS, SC, & TN Only															i T
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í T
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
		2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í T
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			i
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															ı
		Indication)3			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)													l		ı ——
		2			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			_
	1]											I		- I
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1	1												1				1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
																	ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
1					l	I				_	_			_			1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
1					l	1				_	_			_			1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	1				LIEBAB												ł.
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1					LIEBAR					_							f
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBAR					_							1
		Term			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	l		L

NRONDLE	D NETWORK ELEMENTS - Tennessee			1							_		Attach			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalifix of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		1	
Local	Switching			OLI 3D	OLI QZ	1.70	22.14	13.23	0.40	3.31		30.03	7.03			
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381									t	
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
NACO	All Centrex Control Features Offered, per port	-	 	UEP9D	UEPVC	0.00					1	30.89	7.03		1	1
NARS	Unbundled Network Access Register - Combination	-	 	UEP9D	UARCX	0.00	0.00	0.00			-	30.89	7.03		 	-
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	 	 	UEP9D	UARCX UAR1X	0.00	0.00	0.00			 	30.89	7.03		 	
_	Unbundled Network Access Register - Outdial		†	UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03		 	
Misce	laneous Terminations		t	02. 00	3,4(3),	3.00	0.00	0.00				00.00	7.00		<u> </u>	
	Trunk Side	1	i i	İ	1				i i						1	
	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			L
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire			LIEDOD	144000	10.50	00.44	45.05	0.45	0.04		00.00	7.00			
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9D UEP9D	M1GBC M1GBM	18.58 0.0174	22.14	15.25	8.45	3.91		30.89	7.03		1	
Eostu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	IVITGBIVI	0.0174					-				-	-
	annel Bank Feature Activations	l													-	
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66					1					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.66										
	Endow Addition to B 4 Observat Book British Live Law Observation			LIEDOD	1PQWV	0.00										
_	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.66	-				-				-	-
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	t	 	UEP9D	1PQWA	0.66					<u> </u>				†	t
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		t	1		2.00									1	
	NRC Conversion Currently Combined Switch-As-Is with allowed		i –													
	changes, per port			UEP9D	USAC2	<u> </u>	1.03	0.29				30.89	7.03	<u></u>		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion		<u> </u>	UEP9D	URECA		68.57					30.89	7.03		ļ	
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	-	 	 							-				1	-
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	-	 	-	+										 	
OINE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		†	 	+										 	
	Non-Design		1	UEP9E		14.18									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		†	1											1	
	Non-Design		2	UEP9E		18.01									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								į į							
	Non-Design		3	UEP9E		23.02									<u> </u>	
UNE F	ort/Loop Combination Rates (Design)		lacksquare													$oxed{oxed}$
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	l .		1										I	
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		18.26										

JNBUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		29.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
ĺ	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32	1				ĺ					
ĺ	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56	1				ĺ					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28						t				i e
UNF F	Port Rate											i e				i e
	L, KY, LA, MS, & TN only			 	+ +		1					1	†	 	 	1
AL, 11	2-Wire Voice Grade Port (Centrex) Basic Local Area		t —	UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91	t	30.89	7.03		 	†
_	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		 	OLI OL	OLI IA	1.70	22.14	10.20	0.40	3.81	 	30.09	7.03	 	 	+
	Area		L	UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
-	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
ĺ	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
A1 10			-	UEF9E	UEF12	1.70	22.14	15.25	0.43	3.91		30.69	7.03			-
AL, K	Y, LA, MS, & TN Only			LIEBAE		. =0	00.44	4= 0=	0.45							
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70		15.25		3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port Terminated in 6th Meganini of equivalent		 	UEP9E	UEPQ2	1.70		15.25		3.91	1	30.89	7.03			
Local	Switching			OLF9L	ULFQZ	1.70	22.14	13.23	0.43	3.91		30.09	7.03			1
Local	Centrex Intercom Funtionality, per port		 	UEP9E	URECS	0.6381	+ +				 	†	 			+
Local	Number Portability		1	OLF 3L	UNLUS	0.0381	+ +		+		+	†	 	 	 	
Local	Local Number Portability (1 per port)		+	UEP9E	LNPCC	0.35	+		-		1	1	 		-	+
Foot			 	OLF 9L	LINFOU	0.35	+		1		 	1		-	-	+
Featu			-	LIEDOE	UEPVF	0.00	+ +				 	20.00	7.00			1
_	All Standard Features Offered, per port		1	UEP9E		0.00			-		 	30.89	7.03	-	-	1
	All Select Features Offered, per port		-	UEP9E	UEPVS	0.00			<u> </u>		 	30.89	7.03			-
NATO	All Centrex Control Features Offered, per port		 	UEP9E	UEPVC	0.00	+					30.89	7.03			1
NARS				LIEBAE	1										ļ	1
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00		0.00				30.89	7.03			ļ
	Unbundled Network Access Register - Indial		-	UEP9E	UAR1X	0.00		0.00			<u> </u>	30.89	7.03			1
	Unbundled Network Access Register - Outdial		!	UEP9E	UAROX	0.00	0.00	0.00				30.89	7.03			ļ
	Ilaneous Terminations		1	ļ							ļ	ļ	ļ			ļ
2-Wire	Trunk Side		<u> </u>								ļ	ļ	1			ļ
	Trunk Side Terminations, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91	ļ	30.89	7.03			ļ
4-Wire	Digital (1.544 Megabits)						<u> </u>				ļ					ļ
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55		38.15				30.89	7.03			
	DS0 Channel Activated Per Channel		\Box	UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58		15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile		Ì	UEP9E	M1GBM	0.0174					İ					
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е	i i				1				İ	İ				İ
			+	1	_		1		1		1	t	1	t	-	i —
	annel Bank Feature Activations				1		1				1	l .				

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1	_	Charge -	Charge -	Charge -
CATECOD	RATE ELEMENTS	Interi	7	DOC	USOC			DATES (A)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	ļ		UEP9E	1PQW6	0.66										
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1	OLI OL	11 00117	0.00										
	Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEBOE	4001410	0.00										
\vdash	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	 	 	UEP9E UEP9E	1PQWQ 1PQWA	0.66 0.66			 		}	—				
Noi	n-Recurring Charges (NRC) Associated with UNE-P Centrex	t	<u>† </u>	02102	11 3,417	0.00					1					
	NRC Conversion Currently Combined Switch-As-Is with allowed	İ	1													
	changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
\vdash	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
\vdash	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	-	 	UEP9E UEP9E	M1ACC URECA	0.00	658.60 68.57				ļ	30.89 30.89	7.03 7.03			
UN	E-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1		UEP9E	URECA	0.00	08.57					30.89	7.03			
	Fire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1													
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP93		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		18.01										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		UEF93		10.01										
	Non-Design		3	UEP93		23.02										
UN	E Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design	ļ	1	UEP93		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		ULF 93	+	23.33										
	Design		3	UEP93		29.98										
UN	E Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP93	UECS1	16.31										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	3	UEP93 UEP93	UECS1 UECS2	21.32 16.56					-	 				
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	t	2	UEP93	UECS2	21.63			 		 	-				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
	Port Rate															
AL,	KY, LA, MS, & TN only	ļ	<u> </u>	LIEDOO	LIED.				2	2.5		60.0-				
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	-	<u> </u>	UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
	Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		<u> </u>	OL1 33	JEI 1D	1.70	22.14	10.20	0.43	3.91		50.09	7.03			
	Area		<u>L</u>	UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
\vdash	Center)2 Basic Local Area	-	<u> </u>	UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	OL1 33	JLI 12	1.70	22.14	10.20	0.43	3.91		50.09	7.03			
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
\vdash	Basic Local Area	 	<u> </u>	UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	 	UEP93 UEP93	UEPQA UEPQB	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	-	30.89 30.89	7.03 7.03			
 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	 	UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91	†	30.89	7.03			
	1= voice ended to the control with outlook in [1]		1		102. 0011	1.70	22.17	10.20	0.40	0.01	-	30.00	7.00	·	·	

ONRONDLED NE	TWORK ELEMENTS - Tennessee													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wii	ire Voice Grade Port (Centrex from diff Serving Wire															
Cent	ter)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wii	ire Voice Grade Port, Diff Serving Wire Center - 800 Service															
Term	n			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	ire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
	ire Voice Grade Port Terminated on 800 Service Term		-	UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		1	
Local Switch	ning trex Intercom Funtionality, per port		-	UEP93	URECS	0.6381	-				1				1	
	per Portability		-	UEF93	UKECS	0.0361					-	-			-	
	al Number Portability (1 per port)			UEP93	LNPCC	0.35					†				-	
Features	arrantibor rottability (1 per pert)			OL: 50	LIVI OO	0.00					1	1			1	
	Standard Features Offered, per port			UEP93	UEPVF	0.00	† †							İ	1	
	Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	1		1					İ	1	
NARS	2271.5.1.5.5					. ,,,								İ	1	1
Unbu	undled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			
	undled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			
	undled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			
	ous Terminations															
2-Wire Truni																
	nk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	al (1.544 Megabits)															
	Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03			
	Channel Mileage - 2-Wire			LIEDOO	144000	40.50	00.44	45.05	0.45	0.04	ļ	00.00	7.00			
	roffice Channel Facilities Termination roffice Channel mileage, per mile or fraction of mile			UEP93 UEP93	M1GBC M1GBM	18.58 0.0174	22.14	15.25	8.45	3.91	-	30.89	7.03	-		-
	ivations (DS0) Centrex Loops on Channelized DS1 Service			UEF93	IVITGBIVI	0.0174					1	1			-	
	Bank Feature Activations	-					1				1	1			1	
	ture Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66					†					
1 000	are notification on B. Fortamor Bank Control 2005 Clot			02.00		0.00					İ					
Feat	ture Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										
	ture Activation on D-4 Channel Bank FX Trunk Side Loop															
Slot	· ·			UEP93	1PQW7	0.66										
Feati	ture Activation on D-4 Channel Bank Centrex Loop Slot -															
Diffe	erent Wire Center			UEP93	1PQWP	0.66										
	ture Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	ture Activation on D-4 Channel Bank Tie Line/Trunk Loop															
Slot				UEP93	1PQWQ	0.66										
	ture Activation on D-4 Channel Bank WATS Loop Slot		-	UEP93	1PQWA	0.66					1					
	ing Charges (NRC) Associated with UNE-P Centrex				+		-				-			-		-
	C Conversion Currently Combined Switch-As-Is with allowed inges, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60	0.29			1	30.89	7.03		1	
	Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60				†	30.89	7.03			
	Establishment Charge, Per Occasion			UEP93	URECA	0.00	68.57				i e	30.89	7.03			
	quired Port for Centrex Control in 1AESS, 5ESS & EWSD				-						İ					
	qures Interoffice Channel Mileage										İ					
Note 3 - Req	quires Specific Customer Premises Equipment															
NBUNDLED CENTI	REX PORT/LOOP COMBINATIONS - MARKET RATES															
	ates are applied where BellSouth is not required by FCC					ndled Local S	witching or Swi	tch Ports.		•						
	Charges for all Standard Centrex and Centrex Conrol Fe															
	e and Tandem Switching Usage and Common Transport															
	and additional Port nonrecurring charges apply to Not Cu	ırrently	Comb	ined Combos. For	r Currently Co	mbined Combe	os, the nonrecu	ırring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	I	
Additional N	NRCs may apply also and are categorized accordingly.															
	TREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)												ļ	L	<u> </u>
	.oop/2-Wire Voice Grade Port (Centrex) Combo				1		ļ				ļ				ļ	<u> </u>
IUNE Port/Lo	oop Combination Rates (Non-Design)			l							1	1			1	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		
			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						11100	Addi	11130	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
1 1	Non-Design		1	UEP91		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1 1	Non-Design		2	UEP91		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design (2.14)		1	UEP91		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		35.63										
-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91	+	35.63										
	Design		3	UEP91		42.28						1				
UNFI	oop Rate	-	-	0=101	+	72.20			 			-				
15.42	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31			1					İ		İ
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
UNE P																
All Sta	ates (Except North Carolina and Sout Carolina)															
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
1 1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOA	LIEDVD	44.00	00.00	45.00	00.00	40.00		00.00	7.00			
	Area		<u> </u>	UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
1 1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 31	OLI III	14.00	30.00	45.00	20.00	10.00		30.03	7.00			
1 1	Center)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
1 1	Term - Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, K	Y, LA, MS, & TN Only			LIEBA.	LUEBO A	44.00	22.22	4= 00		10.00			=			
-	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91 UEP91	UEPQB UEPQH	14.00 14.00	90.00 90.00	45.00 45.00	20.00 20.00	10.00 10.00	-	30.89 30.89	7.03 7.03	-		
 	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	OLF31	ULFUN	14.00	90.00	45.00	20.00	10.00	1	30.09	7.03	 		
	Center)2			UEP91	UEPQM	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			021 01	JEI GIVI	14.00	30.00	45.00	20.00	10.00	†	30.03	7.03	1		
	Term			UEP91	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
											İ			1		l
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	L		UEP91	UEPQ9	14.00	90.00	45.00	20.00	10.00	<u> </u>	30.89	7.03	<u> </u>		<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Switching				1				\Box							
<u> </u>	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Local	Number Portability		ļ	LIEBOA	LNDOO	0.0=					ļ			 		
Featur	Local Number Portability (1 per port)		├	UEP91	LNPCC	0.35			 							
reatur	All Standard Features Offered, per port	-	-	UEP91	UEPVF	0.00			_		-	30.89	7.03	 		
 	All Select Features Offered, per port	-	 	UEP91	UEPVS	0.00	433.78		 			30.89	7.03			
 	All Centrex Control Features Offered, per port	-		UEP91	UEPVC	0.00	-+00.70		 			30.89	7.03			
NARS					1	3.30						30.00				
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00			İ	30.89	7.03	l		ĺ
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
Miscel	llaneous Terminations															

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES (\$) Sv. Order Submitted Submitted Submitted Charge - Manual Sv. Manual Sv. Order vs. Electronic-	UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
RATE GLENDITS RATE G													Svc Order	Svc Order				Incremental
CATEGORY SATE ELEMENTS Mark Social Soc													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Section Sect	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Non-countries Non-countries Non-countries Non-countries Non-countries Non-countries NOSE Sealed SOMAN SOMAN SOMAN Non-countries Non-															Electronic-	Electronic-	Electronic-	Electronic-
Note Control Section Con															1st	Add'l	Disc 1st	Disc Add'l
Note Control Section Con	-				<u> </u>		-		Monrocurring		Monrocurring	Disconnect			088	Patoc(\$)		l .
April Trues State		-			1		+	Rec		٨٨٨١			SOMEC	SOMAN			SOMAN	ROMAN
Truch Sold: Trummonton, each SEPS1 CFM6 5.75 9.00 40.00 20.00 7.00	-	2-Wire	Trunk Side						FIISL	Add I	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
Interesting Channel Missage 2-Wire		Z-VVIIC				UFP91	CENA6	8 78	90.00	45.00	20.00	10.00		30.89	7.03			
Interesting Charlest Facilities Terrelangers - Joseph Services Joseph Services		Interoff				OLI 01	0214710	0.70	50.00	40.00	20.00	10.00		00.00	7.00			
Featur Activation (DBG) Centres Loops on Chammelised DSI Services						UEP91	M1GBC	18.58	90.00	45.00	20.00	10.00	İ	30.89	7.03			
Featur Activation (DBG) Centres Loops on Chammelised DSI Services			Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
Feature Activation on D-4 Charred Bank Funds (Long Bid Lip Pol) 190W 0.66		Feature		е														
Feature Activation on D-4 Channel Bank PK Ino Side Loop Side UEP91 1PCW/F 0.66		D4 Cha																
Feature Activation on D-4 Channel Bank FR Trunk Gide Loop Service Activation on D-4 Channel Bank From Line Loop Stor UPP1 1POWP 0.66			Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
Feature Activation on D-4 Channel Bank FR Trunk Gide Loop Service Activation on D-4 Channel Bank From Line Loop Stor UPP1 1POWP 0.66																		
Size		1			<u> </u>	UEP91	1PQW6	0.66			ļ		ļ					
Feature Activation on Det Charmel Bank Reade Line Loco Side UEP91 190WV 0.66	1	1				LIEDO4	400147	0.00			I							
Defend Wine Cellate	\vdash	+		-	-	UEP91	1PQW/	0.66			 		 		-	 	-	-
Feature Activation on D 4 Channel Bank Princip Line Loop Side UEP91 IPOWW 0.66						I IED01	1P()\//D	0.66			1							
Feature Activation on D-4 Channel Blank WATS Loop Side UEP91 IPOWO 0.66	-	+	Dinordit Afile Center	-	-	OLF 31	IFWVF	0.00			 		}	-	 	 	 	
Feature Activation on D-4 Channel Blank WATS Loop Side UEP91 IPOWO 0.66			Feature Activation on D-4 Channel Bank Private Line Loop Slot			UFP91	1POWV	0.66			1							
Stort Feature Activation on D-4 Channel Bank WATS Loop Stort UEP91 TPQWO 0.66		1				OLI 31	II QWV	0.00										
Penture Activation on D 4 Channel Bank WATS Loop Side UEP91 IPOWA 0.06						UEP91	1PQWQ	0.66										
Non-Recurring Charges (NRC) Associated with UKE-P Centrex Convention - Currently (Combined Switch - Assist with allowed charges, per port) UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 USACC UEP91 UEP91 USACC UEP91		1											İ					
Changes, per port		Non-Re																
New Centres Standard Common Block			Conversion - Currently Combined Switch-As-Is with allowed															
New Centrox Customized Common Block										0.29								
Secondary Block, per Block UEP91 M2CCI 0.00 73.55 3.88 7.03 NAR Establishment Charge, Per Occasion UEP91 URECA 68.57 3.88 7.03 NAR Establishment Charge, Per Occasion UEP91 URECA 68.57 3.88 7.03 NAR Establishment Charge Per Occasion UEP91 URECA 68.57 3.88 7.03 NAR Establishment Charge Per Occasion UEP91 URECA 68.57 3.88 7.03 NAR Establishment Charge Per Occasion UEP91 URECA 68.57 3.88 7.03 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA 0.85 NAR Establishment Charge Per Occasion URECA UREC																		
NAR Establishment Charge, Per Occasion UEP31 URECA 68.57 30.88 7.03																		
UNE-PCENTREX - SESS (Valid in All States)								0.00										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP95 26.48	-	LINE D				UEP91	URECA		68.57					30.89	7.03			
NIR Port/Loop Combination Rates (Non-Design 1 UEP95 26.48	-				<u> </u>		-				-							
2-Wife VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP95 26.48	-				1		+				-							
Non-Design 1 UEP95 26.48		ONLI																
2-Wire Vis Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire Vis Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 3-UEP95 30.31 3-UEP95 30.32 3-UEP95					1	UEP95		26 48										
Non-Design 2 UEP95 30.31		1				02. 00		20.10			t		İ					
Non-Design 3 UEP95 35.32					2	UEP95		30.31										
UNE Port/Loop Combination Rates (Design)		1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP95 30.56					3	UEP95		35.32										
Design		UNE Po																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2 UEP95 35.63																		
Design 2 UEP95 35.63		1			1	UEP95	1	30.56			1		ļ			ļ		
2-Wire Voice Grade Port (Centrex)Port Combo - 3 UEP95 UECS1 12.48	1				_	LIEDOE		05.00			1							
Design	-	+			2	UEP95	+	35.63			-		-					
UNE Loop Rate					3	LIEP95		42.28			1							
2-Wire Voice Grade Loop (SL 1) - Zone 1	—	UNEI		†	-	021 00	+	72.20			I		1	-				
2-Wire Voice Grade Loop (SL 1) - Zone 2				l	1	UEP95	UECS1	12.48			1					1		
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP95 UECS1 21.32		1		1	2						1		1	İ	l	İ	l	
2-Wire Voice Grade Loop (SL 2) - Zone 1			2-Wire Voice Grade Loop (SL 1) - Zone 3		3													
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 28.28																		
UNE Port Rate All States		1			_													
All States		1			3	UEP95	UECS2	28.28					ļ					
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP95 UEPYA 14.00 90.00 45.00 20.00 10.00 30.89 7.03	<u> </u>				<u> </u>						-							
2-Wire Voice Grade Port (Centrex 800 termination)	—	All Stat		-	-	LIEDOE	LIEDYA	44.00	00.00	45.00	20.00	40.00	ļ	20.00	7.00	 	-	-
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP95	-	+		-	+								 				-	-
Area	-	+		-	-	ULF90	UEFIB	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	-	-	
2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP95 UEPYM						UEP95	UEPYH	14 00	90.00	45 00	20.00	10.00		30.80	7.03			
Center]2 Basic Local Area UEP95 UEPYM 14.00 90.00 45.00 20.00 10.00 30.89 7.03 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1		t		021 00	OE: 111	14.00	30.00	45.00	20.00	10.00	1	30.09	7.03	1	1	
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		1																
	L			<u></u>	L	UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00	<u></u>	30.89	7.03	<u> </u>	<u></u>	<u> </u>

NARONDF	ED NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Sv
TEGORT	RATE ELEMENTS	m	Zone	всъ	USUC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -							4= 00								
A1 1/	Basic Local Area		-	UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03	-		
_	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQA	14.00	90.00	45.00	20.00	10.00	-	30.89	7.03			-
_	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPQH	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03		1	
-	2-Wire Voice Grade Port (Centrex with Carlet 15)1		1	OLF 93	OLFQII	14.00	90.00	45.00	20.00	10.00	1	30.09	7.03		1	
	Center)2			UEP95	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
_	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	OLI 95	OLI QIVI	14.00	30.00	43.00	20.00	10.00		30.03	7.00			-
	Term			UEP95	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
				1	1	50	55.50	.5.50	20.00	.0.50		30.00	7.30	İ	1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03		1	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
FL &	GA Only															
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	ires															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS	3															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Interd	office Channel Mileage - 2-Wire		-	LIEDOE	144000	10.50	00.00	45.00	00.00	40.00		00.00	7.00			
	Interoffice Channel Facilities Termination		-	UEP95	M1GBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
Faatu	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0174						-		-		
	re Activations (DS0) Centrex Loops on Channelized DS1 Service nannel Bank Feature Activations	e			+							-		-		
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66						-		-		
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	IPQW5	0.00					-					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-		OE1 30	11 6440	0.00					-			 	t	
	Slot		1	UEP95	1PQW7	0.66									I	
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		\vdash	OL: 30	11 6441	0.00	 		 					 	 	
	Different Wire Center			UEP95	1PQWP	0.66									1	
	S. S. S. S. S. S. S. S. S. S. S. S. S. S			02. 00		0.00									<u> </u>	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66									1	
_	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop				1	2.00								i	1	
	Slot		1	UEP95	1PQWQ	0.66						1			I	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66	1		i i					ĺ		
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex								l i							
	NRC Conversion Currently Combined Switch-As-Is with allowed								i							
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03		1	
	New Centrex Standard Common Block		L	UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	P CENTREX - DMS100 (Valid in All States)					_										
0.100	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo								i i							

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											I .	1	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates (Non-Design)	ļ														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOD		00.40										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP9D		26.48					.	-				
	Non-Design		2	UEP9D		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02.02		00.01										
	Non-Design		3	UEP9D		35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design		1	UEP9D		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		25.62										
 	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		UEP9D	+	35.63					}	—				
	Design		3	UEP9D		42.28										
UNE L	poop Rate	l –	Ť		1	.2.20						1		1		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31		•								
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP9D	UECS2	28.28			-							
ALL S			<u> </u>		1											
ALLO	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1											
	Area			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local							4= 00								
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		1	UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI OD	OLI IL	14.00	50.00	40.00	20.00	10.00	i e	00.00	7.00			
	Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
\vdash	Area	-	<u> </u>	UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
 	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1	 	OFLAD	UEF1U	14.00	90.00	45.00	20.00	10.00	}	30.89	7.03			
	Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		t		1	100	22.00	.5700				22.00	1.00		İ	
	Area	<u> </u>	<u>L</u>	UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00		30.89	7.03		<u> </u>	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local							<u> </u>								
	Area	ļ	<u> </u>	UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDVA	44.00	00.00	45.00	20.00	40.00		20.00	7.00			
 	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	 	 	UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00	-	30.89	7.03			
	Basic Local Area	1		UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	†	t	02.00	021 10	14.00	55.00	-10.00	20.00	10.00		55.55	7.00	1		
	2 Basic Local Area	1		UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area		ļ	UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
 	Basic Local Area	-	├	UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area	1		UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Duoio Loodi / II od	1	1	021 30	OLI IQ	17.00	30.00	+5.00	20.00	10.00	1	30.09	7.03	1	l	

UNBUN	NDLE	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: B
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
		Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			LIEDOD	LIEDVO	44.00	00.00	45.00	00.00	40.00		30.89	7.00			
		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		<u> </u>	UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00	.	30.89	7.03			-
		Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI OD	OLI 14	14.00	30.00	40.00	20.00	10.00	1	00.00	7.00			1
		Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
		Basic Local Area			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
		Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00		30.89	7.03		L	<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
$-\!\!\!\!-\!$		Term		<u> </u>	UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	44.00	00.00	45.00	20.00	40.00		20.00	7.00			
+		Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic		-	UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00	-	30.89	7.03			
		2-vvire voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		LA, MS, SC, & TN Only			OLF 9D	OLF 12	14.00	90.00	45.00	20.00	10.00	1	30.09	7.03			
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			-
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	14.00	90.00	45.00	20.00	10.00	†	30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			Ī
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	14.00 14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03 7.03			
	-	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D UEP9D	UEPQ3 UEPQH	14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00	 	30.89 30.89	7.03			
-		2-Wire Voice Grade Port (Centrex With Caller ID/Msq Wtq Lamp			UEF9D	UEPQH	14.00	90.00	45.00	20.00	10.00	1	30.09	7.03			
		Indication)3			UEP9D	UEPQW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						-				†					<u> </u>
		2			UEP9D	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
																	1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		ļ	UEP9D	UEPQQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		0.14/2-1/			LIEDOD	LIEDOD	44.00	00.00	45.00	00.00	40.00		00.00	7.00			
_		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
-		2-Wile Voice Grade Fort (Certifex differ SWC /EBS-Wi3312)2, 3			OLF 9D	ULFQS	14.00	90.00	45.00	20.00	10.00	1	30.09	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2 THIS TOLOGO CIAGO FOR (COMMONAMIC) CITY (EDC MOCCO)2, C			02.03	02. 4.	1 1100	00.00	10.00	20.00	10.00	†	00.00	7.00			<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
																	ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			ļ
	Ţ				l	1		1 7		Ι Π						1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		_	UEP9D	UEPQ7	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	UEDO3	1100	20.00	45.00	00.00	10.00		00.00	7.00			
-+		Term		-	UEP9D	UEPQZ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03		-	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
-+	-	2-Wire Voice Grade Port Terminated in 601 Megalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		t	UEP9D	UEPQ9	14.00	90.00	45.00		10.00	 	30.89	7.03			
1		witching			02. 00	CLI WZ	14.00	33.00	-10.00	20.00	10.00		55.05	7.00			
		Centrex Intercom Funtionality, per port		t —	UEP9D	URECS	0.6381	 				1		1	 	l	†

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									l .	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash		ļ				Rec	Nonrecurring		Nonrecurring					Rates(\$)		
					-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local	Number Portability	-		LIEDOD	LNIDOO	0.05										
F	Local Number Portability (1 per port)	-		UEP9D	LNPCC	0.35										
Featur	All Standard Features Offered, per port	-		UEP9D	UEPVF	0.00						30.89	7.03			
—		1		UEP9D	UEPVF	0.00	400.70					30.89	7.03			
	All Select Features Offered, per port All Centrex Control Features Offered, per port	1		UEP9D	UEPVS	0.00	433.78					30.89	7.03			
NARS		+		UEP9D	UEFVC	0.00					-	30.69	7.03			
NARS	Unbundled Network Access Register - Combination	+		UEP9D	UARCX	0.00	0.00	0.00			-	30.89	7.03			
\vdash	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	 	-	UEP9D	UARCX UAR1X	0.00	0.00	0.00				30.89	7.03	-	-	-
\vdash	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	 	—	UEP9D	UAROX	0.00	0.00	0.00	1		-	30.89	7.03	-	-	-
Missal	laneous Terminations	 	+	OLF3D	UANUA	0.00	0.00	0.00	1		-	30.09	1.03	1	 	
	Trunk Side	 	—		1	1			1				l	 	l	l
2-44116	Trunk Side Trunk Side Terminations, each	 	1	UEP9D	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03	 	 	
A-Wiro	Digital (1.544 Megabits)	 	+	OL1 3D	OLIVDO	0.70	90.00	45.00	20.00	10.00	-	30.09	7.03	1	 	l
VVIII C	DS1 Circuit Terminations, each	1		UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03	 		
 	DS0 Channels Activiated per Channel	1		UEP9D	M1HD0	0.00	108.67	30.13				30.89	7.03	 		
Interes	fice Channel Mileage - 2-Wire	 	1	OLI 3D	IVITIDO	0.00	100.07		1			30.09	1.03	 	 	
micro	Interoffice Channel Facilities Termination	t	1	UEP9D	M1GBC	18.58	90.00	45.00	20.00	10.00	-	30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP9D	M1GBM	0.0174	30.00	40.00	20.00	10.00		00.00	7.00			
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	re		OLI OD	INTODIN	0.0174										
	annel Bank Feature Activations	Ī			+											
D-7 0111	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	1 Gatare / Calvation on B 4 Ghammer Bank Gentrex 2009 Glot			OLI OD	11 0000	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1														
	Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	i i	UEP9D	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	i i													
	changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
UNE P	ort/Loop Combination Rates (Non-Design)	L	<u> </u>			ļ			ļ					ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1								1	1				
	Non-Design	1	1	UEP9E		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1														
	Non-Design	1	2	UEP9E		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEBOE												
H	Non-Design	1	3	UEP9E	-	35.32			ļ		ļ		 	ļ	 	
UNE P	ort/Loop Combination Rates (Design)	1	—		1	!					-		 	 	 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	LIEDOE		20.50					1	1				
\vdash	Design 2 Wire VC Leap/2 Wire Voice Crade Port (Centrey) Port Comba	1	1	UEP9E	+	30.56			-							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	LIEDOE		25.00										
 	Design	 		UEP9E	-	35.63					-	-	-	 	-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOE		40.00					1	1				1
line.	Design Con Pote	+	3	UEP9E	+	42.28							-	 	-	-
UNE L	oop Rate	1	1	LIEDOE	LIECC4	40.40										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	2	UEP9E UEP9E	UECS1	12.48							-	-	-	-
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP9E	UECS1 UECS1	16.31 21.32							-	-	-	-
\Box	2-vviile voice Grade Loop (SL 1) - Zorie 3		J	OLFSE	UEUSI	21.32					1	1	l	I	l	l

IRONDL	ED NETWORK ELEMENTS - Tennessee				,									ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
	Port Rate				+											
AL, I	FL, KY, LA, MS, & TN only		-	LIEDOE	LIEDVA	44.00	00.00	45.00	20.00	10.00	1	20.00	7.00			
-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-	UEP9E	UEPYA	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
	Area			UEP9E	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, I	(Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	14.00		45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14.00		45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E UEP9E	UEPQ9 UEPQ2	14.00 14.00	90.00	45.00 45.00	20.00 20.00	10.00		30.89 30.89	7.03 7.03			
Loca	Switching		-	OLI OL	OLI QZ	14.00	30.00	40.00	20.00	10.00	1	00.00	7.00			
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381					i e					
Loca	l Number Portability										1					
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feat	ures															
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78				ļ	30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			
NAR				LIEDOE	LIABOV	0.00	0.00	0.00			<u> </u>	20.00	7.00	 	-	-
-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		<u> </u>	UEP9E UEP9E	UARCX UAR1X	0.00	0.00	0.00	-		 	30.89 30.89	7.03 7.03	-		1
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		-	UEP9E UEP9E	UAROX	0.00		0.00	+		1	30.89	7.03			
Misc	ellaneous Terminations		 	OLI OL	JANUA	0.00	0.00	0.00	1		1	30.09	7.03			
	re Trunk Side				1		1		†				1			
- F	Trunk Side Terminations, each			UEP9E	CEND6	8.78	90.00	45.00	20.00	10.00	1	30.89	7.03	İ	İ	
4-Wi	re Digital (1.544 Megabits)				1											
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67	•		•		30.89	7.03			
Inter	office Channel Mileage - 2-Wire				1											
_	Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	90.00	45.00	20.00	10.00	ļ	30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile	_		UEP9E	M1GBM	0.0174										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic	е	<u> </u>		+		 		 		 	1		-		1
D4 C	hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.66	+ -		+		1	-	-	1	-	-
	i eature Activation on D-4 Chairner Bank Centrex Loop Slot		-	OLFSE	IFUVVS	0.06	+ -		+		1	-	-	1	-	-
\perp	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
\perp	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										

UNBUND	DLED NETWORK ELEMENTS - Tennesse												Attach	ment: 2	Exhi	oit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually		Manual Svc	Manual Svc	Manual Svc Order vs.
CATEGOR	CATEGORY RATE ELEMENTS		m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect	1		OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		71441	0020					
	Feature Activation on D-4 Channel Bank Priva	ate Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie																
	Slot				UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WAT				UEP9E	1PQWA	0.66										
No	on-Recurring Charges (NRC) Associated with UN											ļ					
	NRC Conversion Currently Combined Switch- changes, per port	-As-is with allowed			UEP9E	USAC2		1.03	0.29				30.89	7.03			
\vdash	New Centrex Standard Common Block				UEP9E	M1ACS	0.00	658.60	0.29			-	30.89	7.03			
\vdash	New Centrex Customized Common Block				UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion				UEP9E	URECA	0.00	68.57					30.89	7.03	İ		
IUN	NE-P CENTREX - DCO - Valid in AL, KY, LA, MS	S, & TN)															
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UN	NE Port/Loop Combination Rates (Non-Design)	•			-				· · · · ·								
	2-Wire VG Loop/2-Wire Voice Grade Port (Ce	entrex) Port Combo -															
\vdash	Non-Design	utuu \Duut C		1	UEP93		26.48			ļ							
	2-Wire VG Loop/2-Wire Voice Grade Port (Ce	entrex)Port Combo -		2	UEP93		20.24										
\vdash	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Ce	antrox\Port Combo			UEP93	+	30.31	-				+					
	Non-Design	milex)Fort Combo -		3	UEP93		35.32										
4U	NE Port/Loop Combination Rates (Design)			Ŭ	OLI 00		00.02					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Ce	entrex) Port Combo -										İ					
	Design	,		1	UEP93		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Ce	entrex)Port Combo -															
\perp	Design			2	UEP93		35.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Ce	entrex)Port Combo -															
	Design NE Loop Rate			3	UEP93		42.28										
UN	2-Wire Voice Grade Loop (SL 1) - Zone 1			1	UEP93	UECS1	12.48	-				-					
	2-Wire Voice Grade Loop (SL 1) - Zone 1			2	UEP93	UECS1	16.31					+					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			3	UEP93	UECS1	21.32					†					
	2-Wire Voice Grade Loop (SL 2) - Zone 1			1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			3	UEP93	UECS2	28.28										
	NE Port Rate																
AL	L, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Loc	! ^			UEP93	UEPYA	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
\vdash	2-Wire Voice Grade Port (Centrex) Basic Loc 2-Wire Voice Grade Port (Centrex 800 termina				UEP93	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Area	ation/basic Local			UEP93	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller	ID)1Basic Local				12-11-11		22.00			. 5.00		22.00	1.00	İ		
	Area				UEP93	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			l
	2-Wire Voice Grade Port (Centrex from diff Se	erving Wire															
$\vdash \vdash$	Center)2 Basic Local Area				UEP93	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Co	enter - 800 Service			LIEDOO	LIED: C		22.25		20.5-							
\vdash	Term - Basic Local Area	goliok or geninglent			UEP93	UEPYZ	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03	 		<u> </u>
	2-Wire Voice Grade Port terminated in on Mer- Basic Local Area	gannik or equivalent			UEP93	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
+	2-Wire Voice Grade Port Terminated on 800 S	Service Term -			OLI 33	OLF 19	14.00	50.00	45.00	20.00	10.00		30.09	1.03			
	Basic Local Area				UEP93	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)				UEP93	UEPQA	14.00	90.00	45.00		10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termina				UEP93	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
\Box	2-Wire Voice Grade Port (Centrex with Caller				UEP93	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Se	erving Wire			LIEDOO	LIEDO				20.5-							
\vdash	Center)2	ontor 200 Conice			UEP93	UEPQM	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03	 		
	2-Wire Voice Grade Port, Diff Serving Wire Co Term	enter - 800 Service			UEP93	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
\vdash	Tolli				OL1 30	OLI QZ	14.00	90.00	45.00	20.00	10.00	1	30.09	1.03			-
	2-Wire Voice Grade Port terminated in on Me	galink or equivalent			UEP93	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 S				UEP93	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			

RUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: B
regory	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order v Electron Disc Ac
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381								Î		
Local N	lumber Portability													Î		
1	Local Number Portability (1 per port)			UEP93	LNPCC	0.35					ĺ					
Feature	es															
	All Standard Features Offered, per port			UEP93	UEPVF	0.00					İ					
	All Centrex Control Features Offered, per port		i -	UEP93	UEPVC	0.00	1				İ			İ	İ	
NARS			1			2.00	1				İ			1	1	
1	Unbundled Network Access Register - Combination		1	UEP93	UARCX	0.00	0.00	0.00	+		1	30.89	7.03	l	1	1
+	Unbundled Network Access Register - Indial		t	UEP93	UAR1X	0.00	0.00	0.00	+		1	30.89	7.03	 		
+	Unbundled Network Access Register - Outdial		1	UEP93	UAROX	0.00	0.00	0.00			1	30.89	7.03			
Miscall	aneous Terminations		1	OL1 00	O/ II CO/C	0.00	0.00	0.00			1	00.00	7.00		1	
	Trunk Side		1								1				1	
	Trunk Side Terminations, each		1	UEP93	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03		1	
	Digital (1.544 Megabits)		1	OLI 33	CLINDO	0.70	30.00	45.00	20.00	10.00		30.03	7.00		1	
	DS1 Circuit Terminations, each		-	UEP93	M1HD1	35.55	75.93	38.15	-		ł	30.89	7.03			-
+	DS0 Channels Activated, Per Channel		-	UEP93	M1HD0	0.00	108.67	30.13	-		ł	30.89	7.03			-
Interest	ice Channel Mileage - 2-Wire		-	UEF93	MILLIPO	0.00	100.07		-		ł	30.69	7.03			
IIILEIOII	Interoffice Channel Facilities Termination		-	UEP93	M1GBC	18.58	90.00	45.00	20.00	10.00	ł	30.89	7.03			-
_	Interoffice Channel mileage, per mile or fraction of mile		-	UEP93	M1GBM	0.0174	90.00	45.00	20.00	10.00	-	30.69	7.03			1
Factions	e Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEP93	WIGBN	0.0174					-					-
	nnel Bank Feature Activations	е	-								-					1
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP93	1PQWS	0.66					-					-
	reature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP93	IPQWS	0.00	-				-			-		
	Fortuna Authorita de B. A. Olas de I. Bard. EVII de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado de Cidado Cidado de Cidado Cidado Cidado de Cidado de Cidado Cidado de Cidado de Cidado de Cidado			LIEBOO	400040	0.00										
+	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										-
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEBOO	400147	0.00										
-	Slot			UEP93	1PQW7	0.66										-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBOO	4D014/D	0.00										
	Different Wire Center			UEP93	1PQWP	0.66										
	Forton Antintin on B.4 Olever I Brief Brief Live Leve Olev			LIEDOO	4001401	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										-
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			LIEDOO	400140	0.00					I]		l		1
	Slot		1	UEP93	1PQWQ	0.66					 				ļ	
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP93	1PQWA	0.66					 				ļ	
	ecurring Charges (NRC) Associated with UNE-P Centrex		1								 				ļ	
	NRC Conversion Currently Combined Switch-As-Is with allowed										1					
-	changes, per port		1	UEP93	USAC2		1.03	0.29			 	30.89	7.03		ļ	
	New Centrex Standard Common Block		ļ	UEP93	M1ACS	0.00	658.60		L			30.89	7.03			L
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60				ļ	30.89	7.03		ļ	Ь—
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57				ļ	30.89	7.03		ļ	<u> </u>
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			ļ							ļ				ļ	<u> </u>
	- Requires Interoffice Channel Mileage - Requires Specific Customer Premises Equipment			ļ							ļ				ļ	<u> </u>

Attachment 3

Network Interconnection

TABLE OF CONTENTS

1.	GENERAL	3
	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	
	NETWORK INTERCONNECTION	
	INTERCONNECTION TRUNK GROUP ARCHITECTURES	
	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNE	
	LOCAL DIALING PARITY	
	INTERCONNECTION COMPENSATION	
	FRAME RELAY SERVICE INTERCONNECTION	
	ORDERING CHARGES	
Ra	tes	Exhibit A
Bas	sic Architecture	Exhibit B
On	e Way Architecture	Exhibit C
Tw	o Way Architecture	Exhibit D
Sui	pergroup Architecture	Exhibit E

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Big River.

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Big River
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Big River's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Big River's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Big River owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way

Version 1Q03: 02/28/03

interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Big River elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Big River and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Big River's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Big River Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Big River, BellSouth shall allow Big River access to the fusion splice point for the Fiber Meet point for maintenance purposes on Big River's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Big River shall be billed for a mixed use of the Local Channel using the actual traffic Big River elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and Big River shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 Big River shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Big River's

originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Big River desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Big River has established interconnection trunk groups, Big River shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

- 4.2.1 Notwithstanding the forgoing, Big River shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Big River has homed (i.e. assigned) its NPA/NXXs. Big River shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Big River shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Big River's NXX access tandem homing arrangement as specified by Big River in the LERG.
- Any Big River interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Big River from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Big River to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Big River are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Big River shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- In cases where Big River is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- 4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation

(FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Big River's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Big River shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 **Basic Architecture**

In the basic architecture, Big River's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Big River and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Big River and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Big River desires to exchange traffic. This trunk group also carries Big River originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to

Big River. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 **One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Big Riveroriginated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouthoriginated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Big River End-Users. A two-way trunk group provides Intratandem Access for Big River's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Big River and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Big River desires to exchange traffic. This trunk group also carries Big River originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Big River. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Big River and BellSouth. In addition, a separate two-way transit trunk group must be established for Big River's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Big River and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Big River desires to exchange traffic. This trunk group also carries Big River originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Big River. However, where Big River is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory

assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Big River's Transit Traffic are exchanged on a single two-way trunk group between Big River and BellSouth to provide Intratandem Access to Big River. This trunk group carries Transit Traffic between Big River and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Big River desires to exchange traffic. This trunk group also carries Big River originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Big River. However, where Big River is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 **Multiple Tandem Access Interconnection**

Where Big River does not choose access tandem interconnection at every 4.10.1.5.1 BellSouth access tandem within a LATA, Big River may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Big River must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Big River's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Big River must also establish an interconnection trunk group(s) at all BellSouth access tandems where Big River NXXs are homed as described in Section 4.2.1 above. If Big River does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Big River can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Big River's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to End-Users served through those BellSouth access tandems where Big River does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.2 Big River may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Big River will be delivered to and from IXCs based on Big River's NXX access tandem homing arrangement as specified by Big River in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Big River does not purchase MTA in a LATA served by multiple access tandems, Big River must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Big River routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Big River shall pay BellSouth the associated MTA charges.

4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows Big River to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Big River-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- When a specified local calling area is served by more than one BellSouth local tandem, Big River must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Big River may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Big River may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Big River does not choose to establish an interconnection trunk group(s). It is Big River's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Big River's codes. Likewise, Big River shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Big River must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Big River has NPA/NXXs

homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).

- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Big River has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 **Direct End Office-to-End Office Interconnection**
- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Big River and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Big River's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Big River to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Big River chooses BellSouth to perform the Service Switching Point (SSP)
 Function (i.e., handle Toll Free database queries) from BellSouth's switches, all
 Big River originating Toll Free traffic will be routed over the Transit Traffic Trunk
 Group and shall be delivered using GR-394 format. Carrier Code "0110" and
 Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Big River may choose to perform its own Toll Free database queries from its switch. In such cases, Big River will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Big River will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Big River will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Big River shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Big River will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Big River's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Big River performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Big River chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the Big River switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of

each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Big River will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Big River will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Big River shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Big River's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Big River-to-BellSouth one-way trunks (Big River Trunks), BellSouth-to-Big River one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection

trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.

- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Big River location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Big River shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Big River shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 Trunk Utilization

5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and Big River shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Big River shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- BellSouth's CISC will notify Big River of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Big River interface. Big River will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Big River expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Big River to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Big River. The due date of these orders will be four weeks after Big River was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- For the two-way trunk groups, BellSouth and Big River shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and Big River shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.3.1 BellSouth's LISC will notify Big River of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Big River interface. Big River will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Big River expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Big River to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Big River will issue disconnect orders to BellSouth. The due date of these orders

will be four weeks after Big River was first notified in writing of the underutilization of the trunk groups.

5.8.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

BellSouth and Big River shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and Big River agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Big River that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Big River further agree to the rebuttable presumption that all combined circuit switched Local and ISP-

bound Traffic delivered to BellSouth or Big River that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.

- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.8 If Big River assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Big River End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Big River customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Big River agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Big River at BellSouth's switched access tariff rates.
- 7.2 If Big River does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Big River NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Big River can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Big River. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.
- 7.3.4 Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such

factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.

7.3.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Big River shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

- 7.4.1 <u>Compensation for 8XX Traffic</u>. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Big River will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing (TFD) to Big River requires interconnection from Big River to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Big River shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Big River desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 Mutual Provision of Switched Access Service

7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and

their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.

- 7.5.2 If the BellSouth End User chooses Big River as their presubscribed interexchange carrier, or if the BellSouth End User uses Big River as an interexchange carrier on a 101XXXX basis, BellSouth will charge Big River the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Big River's end office switch provides an access service connection to or from an interexchange carrier (IXC) by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Big River as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When Big River's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Big River, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.

- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Big River agrees not to deliver switched access traffic to BellSouth for termination except over Big River ordered switched access trunks and facilities.

7.6 **Transit Traffic**

- 7.6.1 BellSouth shall provide tandem switching and transport services for Big River's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Big River and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Big River and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Big River is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Big River. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Big River shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other

telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Big River's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Big River is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Big River and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Big River have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).

- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Big River may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Big River that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Big River will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Big River will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Big River's PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Big River will pay, the total nonrecurring and recurring charges for the NNI port. Big River will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by Big River's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Big River and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Big River orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Big River Frame Relay switch, BellSouth will invoice, and Big River will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and Big River Frame Relay switches. If the VC is a Local VC, Big River will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Big River for the PVC segment.


- 8.9.2 If BellSouth orders a Local VC connection between a Big River subscriber's PVC segment and a PVC segment from the Big River Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Big River will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Big River Frame Relay switches. If the VC is a Local VC, Big River will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Big River for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Big River requests a change, BellSouth will invoice and Big River will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Big River will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Big River will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


Basic Architecture

Exhibit B




One-Way Architecture

Exhibit C




Two-Way Architecture

Exhibit D



Supergroup Architecture

Exhibit E



LOCAL INT	TERCONNECTION - Alabama													ment: 3		ibit: A
							· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zon	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and ke	eep fo	r that element pursu	ant to the te	ms and conditi	ons in Attachn	nent 3.								
TAND	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.000498bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.000498										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in add	dition to	appli	cable switching and	l/or intercon	nection charges										
TRUN	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.56	8.12								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00		-								
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	1								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000023bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003224bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month	<u></u>		OH3, OH3MS	1L5NM	4.09			<u> </u>		<u> </u>			<u></u>		
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46						
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.93	193.53	33.60	37.11	3.67						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35.76	177.47	153.72	22.19	15.26						
										<u> </u>						
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58						
	AL INTERCONNECTION MID-SPAN MEET															
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch													
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00	-		-						
MULT	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
				OH1, OH1MS	SATCO	12.70	6.58	4.72	I		ı ——			l		1
	DS3 Interface Unit (DS1 COCI) per month s: If no rate is identified in the contract, the rates, terms, and co															

LOCAL INT	TERCONNECTION - Florida													ment: 3		ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LON	Electronic-	Electronic-	Electronic-	
İ													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)														1	
NOTE	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
TANE	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006019bk									1	
	Multiple Tandem Switching, per MOU (applies to intial tandem														1	
	only)			OHD		0.0006019									1	
	Tandem Intermediary Charge, per MOU*			OHD		0.0015									1	
	s charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	l/or intercon	nection charges										
TRUN	IK CHARGE															
$ldsymbol{ldsymbol{ldsymbol{eta}}}$	Installation Trunk Side Service - per DS0			OHD	TPP++		21.73	8.19								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00							-			
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	ching, per MOL	J rate elements	3								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -														1	
	Per Mile per month			OHL, OHM	1L5NF	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -														1	
$oxed{oxed}$	Facility Termination per month			OHL, OHM	1L5NF	25.32	47.35	31.78	18.31	7.03				<u> </u>		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile														1	
$oxed{oxed}$	per month			OHL, OHM	1L5NK	0.0091								<u> </u>		
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility														1	
	Termination per month			OHL, OHM	1L5NK	18.44	47.35	31.78	18.31	7.03				<u> </u>		
1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile														1	
	per month			OHL, OHM	1L5NK	0.0091								<u> </u>		
1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility														1	
	Termination per month			OHL, OHM	1L5NK	18.44	47.35	31.78	18.31	7.03				<u> </u>		
1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per														1	
\vdash	month			OH1, OH1MS	1L5NL	0.1856										
1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1	0114 011440	41.5511		405 = 1	00 :=	04 :-	40.05						
$\vdash \vdash \vdash$	Termination per month	<u> </u>	ļ	OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05				↓	 '	├
1 1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH3 OH3MC	41 ENIA	0.07										
\vdash	month	 	<u> </u>	OH3, OH3MS	1L5NM	3.87					}			 	ļ	
1	Interoffice Channel - Dedicated Transport - DS3 - Facility			0110 0110140	1L5NM	4 074 00	005.40	040.00	70.00	70.50					1	
1.00	Termination per month AL CHANNEL - DEDICATED TRANSPORT			OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56					<u> </u>	+
LUCA	Local Channel - Dedicated - 2-Wire Voice Grade per month	-	-	OHL, OHM	TEFV2	19.66	265.84	46.97	37.63	4.00					<u> </u>	
\vdash															<u> </u>	+
$\vdash \vdash \vdash$	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	-	1	OHL, OHM OH1	TEFV4 TEFHG	20.45 36.49	266.54 216.65	47.67 183.54	44.22 24.30	5.33 16.95	1			 	 	
$\vdash \vdash \vdash$	Local Grannel - Dedicated - D51 per month	-	1	Unii	IEFHG	36.49	216.65	183.54	24.30	16.95	1			 	 	
1	Local Channel Dedicated DC2 Equility Termination and the	1	1	ОНЗ	TEFHJ	531.91	556.37	343.01	139.13	96.84						
100	Local Channel - Dedicated - DS3 Facility Termination per month AL INTERCONNECTION MID-SPAN MEET	-	1	UITO	IEFMJ	531.91	330.37	343.01	139.13	90.84	1			 	 	
	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice I a	cal Cr	annel rate is applied	ahle.	 								 	 	+
INOTE	Local Channel - Dedicated - DS1 per month	AICE FO	cai UN	OH1MS	TEFHG	0.00	0.00		-		-			 	 	+
\vdash	Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month	-	 	OH1MS OH3MS	TEFHG	0.00	0.00				-			 	 	+
MIII-	TIPLEXERS	-	 	CIVICTIO	IEFMJ	0.00	0.00				-			 	 	+
INIUL	Channelization - DS1 to DS0 Channel System	-	1	OH1. OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49	1			 	 	
		 	 						40.34	39.07	1			 	 	+
	DS2 to DS1 Channal System per month															
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATNS	211.19 13.76	199.28 10.07	118.64 7.08	40.34	39.07					 	+

LOCAL INT	ERCONNECTION - Georgia												Attach	ment: 3	Exhi	bit: A
							-				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep fo	r that element pursu	ant to the te	rms and conditi	ons in Attachr	nent 3.								
	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0011009bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0011009										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	/or interconi	nection charges	S.									
	IK CHARGE		1			1										
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.53	8.11	1						İ	İ
	Dedicated End Office Trunk Port Service-per DS0**	1		OHD	TDE0P	0.00	30	2.11	1	İ				İ	İ	İ
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00						İ				İ
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This	s rate element is recovered on a per MOU basis and is included	in the	End O				J rate elements	5								
	MON TRANSPORT (Shared)			The current of the cu	1	lenning, per met										
	Common Transport - Per Mile, Per MOU			OHD	+	0.0000080bk					1					
	Common Transport - Facilities Termination Per MOU			OHD	+	0.0004152bk					1					
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)			0.1.5	+	0.000110251					1					
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL. OHM	1L5NF	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			0.12, 0.1		0.0222					1					
	Facility Termination per month			OHL. OHM	1L5NF	17.07	79.61	36.08								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIE, OTIM	120141	17.01	70.01	00.00								
	per month			OHL, OHM	1L5NK	0.0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0.12, 0.1		0.0222					1					
	Termination per month			OHL, OHM	1L5NK	16.45	79.61	36.08								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0.12, 0.1		10.10	70.01	00.00			1					
	per month			OHL, OHM	1L5NK	0.0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIE, OTIM	ILOIVIC	0.0222										
	Termination per month			OHL, OHM	1L5NK	16.45	79.61	36.08								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0.12, 0.1		10.10	70.01	00.00			1					
	month			OH1, OH1MS	1L5NL	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINO	TEOTILE	0.4020					1					
	Termination per month			OH1, OH1MS	1L5NL	78.47	147.07	111.75								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0111, 0111110	120112	7 0. 11					1					
	month			OH3, OH3MS	1L5NM	2.72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10, 0.10110		22					1					
	Termination per month			OH3, OH3MS	1L5NM	788.00	511.10	330.77								
LOCA	AL CHANNEL - DEDICATED TRANSPORT			OT 10, OT 10IVIO	ILOIVI	700.00	011.10	000.77								
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL. OHM	TEFV2	13.91	382.95	62.40			1					
-+-	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.99	368.44	64.05								
-+-	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	38.36	356.15	312.89								
-+-	200a: Onarmor Douloulou DOT per month	1	 	0.11	120	30.30	330.13	312.09							 	
. 1	Local Channel - Dedicated - DS3 Facility Termination per month	1		ОНЗ	TEFHJ	515.91	639.50	426.31							I	l
1		 	I	00		010.01	555.50	720.01	 			 				
LOCA	AL INTERCONNECTION MID-SPAN MEET		٠	annel rate is annlic	able	1			<u> </u>			1		1	1	1
	AL INTERCONNECTION MID-SPAN MEET If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice I a	יראו ויי		401C.	1	0.00		1		 	 		 	 	1
	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch		TEEUC	0.00										
	E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month	rvice Lo	cal Ch	OH1MS	TEFHG	0.00										
NOTE	E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month	rvice Lo	ocal Ch		TEFHG TEFHJ	0.00	0.00									
NOTE	E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month TIPLEXERS	rvice Lo	ocal Ch	OH1MS OH3MS	TEFHJ	0.00	0.00	122 50								
NOTE	E: If Access service ride Mid-Span Meet, one-half the tariffed set Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month IPPLEXERS Channelization - DS1 to DS0 Channel System	rvice Lo	ocal Ch	OH1MS OH3MS OH1, OH1MS	TEFHJ SATN1	0.00	0.00	123.59								
NOTE	E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month TIPLEXERS	rvice Lo	ocal Ch	OH1MS OH3MS	TEFHJ	0.00	0.00	123.59 195.33 8.66								

LOCAL INT	ERCONNECTION - Kentucky													ment: 3		bit: A
							-		-		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
i											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i		Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
i																
i													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep fo	r that element pursu	ant to the te	rms and conditi	ons in Attachr	nent 3.								
	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006772bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0006772										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	/or interconi	nection charges	S.									
	IK CHARGE		1													
	Installation Trunk Side Service - per DS0	1		OHD	TPP++		21.58	8.13	i l					İ		İ
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**	1		0H1 OH1MS	TDE1P	0.00					İ					İ
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	s rate element is recovered on a per MOU basis and is included	in the	End O				J rate elements									
	MON TRANSPORT (Shared)	1		The state of the s	1	lonning, por mo										
	Common Transport - Per Mile, Per MOU			OHD	+	0.0000030bk					1					
	Common Transport - Facilities Termination Per MOU			OHD	+	0.0007466bk					1					
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)															
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL. OHM	1L5NF	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			0112, 01111		0.01					1					
	Facility Termination per month			OHL. OHM	1L5NF	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIE, OTIM	120141	20.11	47.04	01.70	22.11	0.70	1					
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0112, 01111		0.01.0					1					
	Termination per month			OHL, OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0112, 01111		20.01		00		00	1					
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIE, OTIM	TEOTHY	0.0110					1					
	Termination per month			OHL, OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0112, 01111		20.01		00		00	1					
	month			OH1, OH1MS	1L5NL	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINO	TEOTILE	0.20					1					
	Termination per month			OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0111, 0111110	120112	00.01	100.02	00.10	20.00	20.10	1					
	month			OH3, OH3MS	1L5NM	4.97										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			,												
	Termination per month			OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75						
LOCA	AL CHANNEL - DEDICATED TRANSPORT			0110, 0110110	. 20: 111	1,170.10	000.10	2.0.2.	00.07	00						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.57	265.78	46.96	46.79	4.98	1					
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.86	266.48	47.65	47.54	5.73						
	1=000. Chamier Dedicated + Wile Voice Crade per illuliti		 	OH1	TEFHG	40.46	209.60	176.51	30.21	21.07					1	
	Local Channel - Dedicated - DS1 per month				12110	70.70	203.00	170.31	50.21	21.07	 	l		l	<u> </u>	
	Local Channel - Dedicated - DS1 per month										i	ī				1
				OH3	TEFHJ	576.05	551 38	338 08	173 00	120 42						
LOCA	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42						
	Local Channel - Dedicated - DS3 Facility Termination per month		ncal Ch			576.05	551.38	338.08	173.00	120.42						
	Local Channel - Dedicated - DS3 Facility Termination per month LINTERCONNECTION MID-SPAN MEET E: If Access service ride Mid-Span Meet, one-half the tariffed ser		ocal Ch	annel rate is applica	able.			338.08	173.00	120.42						
	Local Channel - Dedicated - DS3 Facility Termination per month AL INTERCONNECTION MID-SPAN MEET E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month		ocal Ch	annel rate is application	able. TEFHG	0.00	0.00	338.08	173.00	120.42						
NOTE	Local Channel - Dedicated - DS3 Facility Termination per month AL INTERCONNECTION MID-SPAN MEET EIf Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month		ocal Ch	annel rate is applica	able.			338.08	173.00	120.42						
NOTE	Local Channel - Dedicated - DS3 Facility Termination per month LINTERCONNECTION MID-SPAN MEET E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month		ocal Ch	annel rate is applica OH1MS OH3MS	able. TEFHG TEFHJ	0.00	0.00									
NOTE	Local Channel - Dedicated - DS3 Facility Termination per month LL INTERCONNECTION MID-SPAN MEET E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month ITPLEXERS Channelization - DS1 to DS0 Channel System		ocal Ch	annel rate is application OH1MS OH3MS OH1, OH1MS	TEFHG TEFHJ SATN1	0.00 0.00 113.33	0.00 0.00 101.40	71.60	13.79	13.04						
NOTE	Local Channel - Dedicated - DS3 Facility Termination per month LINTERCONNECTION MID-SPAN MEET E: If Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month		ocal Ch	annel rate is applica OH1MS OH3MS	able. TEFHG TEFHJ	0.00	0.00									

LUCAL INT	ERCONNECTION - Louisiana												Attach	ment: 3	Exhi	bit: A
									_		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		14									Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the te	ms and conditi	ons in Attachn	nent 3.								
	EM SWITCHING															
-	Tandem Switching Function Per MOU			OHD		0.0005507bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005507										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	icable switching and	/or intercon	nection charges										
	K CHARGE		1	1												
1	Installation Trunk Side Service - per DS0			OHD	TPP++		21.64	8.15	İ						İ	İ
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00		20	1	İ				İ	İ	İ
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00			1	İ	İ	İ				İ
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00			1	İ	İ	İ				İ
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This	s rate element is recovered on a per MOU basis and is included	in the	End O				J rate elements									
	ION TRANSPORT (Shared)				1	, por me	7.410 0.0									
	Common Transport - Per Mile, Per MOU			OHD	+	0.0000032bk					1					
	Common Transport - Facilities Termination Per MOU			OHD	+	0.0003748bk					1					
LOCAL INTER	CONNECTION (DEDICATED TRANSPORT)			0.15	+	0.00001 10DK					1					
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL. OHM	1L5NF	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			0.12, 0.1	120111	0.010					1					
	Facility Termination per month			OHL. OHM	1L5NF	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIL, OTIVI	TEOIN	22.00	00.00	20.02			1					
	per month			OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0.12, 0.1	1201111	0.010					1					
	Termination per month			OHL, OHM	1L5NK	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0.12, 0.1	1201111	10.01	00.07	20.02			1					
	per month			OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIL, OTIVI	TEOTHY	0.010					1					
	Termination per month			OHL, OHM	1L5NK	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0.12, 0.1	1201111	10.01	00.07	20.02			1					
	month			OH1, OH1MS	1L5NL	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINO	TEOTAL	0.2002					1					
	Termination per month			OH1, OH1MS	1L5NL	70.47	86.69	79.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0, 0	120112		00.00	70.11			1					
	month			OH3, OH3MS	1L5NM	6.04										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	850.45	270.69	158.05								
LOCA	L CHANNEL - DEDICATED TRANSPORT			OT 10, OT 10IVIO	I LOI VIVI	000.40	210.00	100.00			1					
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.32	187.51	32.21			1					
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.41	187.94	32.63								
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149.27								
+	2000 Sharmor Douloutou DOT por month		 		120	33.10	172.04	170.27	 		 				 	
1	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	469.44	438.46	256.30	I						I	l
LOCA	L INTERCONNECTION MID-SPAN MEET		1	0110	121110	700.44	730.40	250.50	t	1	1	1			1	
	: If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	ral Ch	annel rate is applica	able	1			t	1	1	1		1	1	1
INOTE:	Local Channel - Dedicated - DS1 per month	VICE LO	Jan Oll	OH1MS	TEFHG	0.00	0.00		 	1	1	1		1	 	1
NOTE:			1	OH3MS	TEFHJ	0.00	0.00		1		1	1			1	1
NOTE					LIEFFIJ	0.00	0.00		1		1			i	1	
	Local Channel - Dedicated - DS3 per month			OTIONIO												
	Local Channel - Dedicated - DS3 per month IPLEXERS					105.00	00 14	60.70								
	Local Channel - Dedicated - DS3 per month IPLEXERS Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76								
	Local Channel - Dedicated - DS3 per month IPLEXERS					105.09 201.48 11.78	88.41 172.99 6.39	60.76 91.25 4.58								

LOCAL INT	ERCONNECTION - Mississippi													ment: 3		bit: A
							. <u></u>			<u> </u>	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0005379bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005379										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or intercon	ection charges										
	IK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.58	8.13								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	s rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	china, per MOL	J rate elements	3								
	MON TRANSPORT (Shared)					J, 1										
	Common Transport - Per Mile, Per MOU			OHD		0.0000026bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004541bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	14.91	194.22	33.36	37.79	3.30						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	15.99	194.66	33.80	38.27	3.78						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19						
	AL INTERCONNECTION MID-SPAN MEET					İ										
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	able.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MULT	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10						
				OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82	Ì			ĺ		
	DS3 to DS1 Channel System per month															
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.96	6.62	4.74								

LOCAL INT	FERCONNECTION - North Carolina													ment: 3		ibit: A
							. <u></u>				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachr	nent 3.								
	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0012000bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0012										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	l/or intercon	ection charges										
	NK CHARGE					Ū										
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.55	8.12			1					
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00					1					
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00			İ	İ				İ		
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	china, per MOl	J rate elements	3								
	MON TRANSPORT (Shared)					J, 1										
	Common Transport - Per Mile, Per MOU			OHD		0.0000100bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003400bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL. OHM	1L5NF	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	18.00	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			,												
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			- / -												
	Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			,												
	Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			,	1											
	Termination per month			OH1, OH1MS	1L5NL	71.29	217.17	163.75								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			, , , , , , , , , , , , , , , , , , , ,												
	month			OH3, OH3MS	1L5NM	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	720.38	794.94	579.55								
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	11.24	553.80	89.69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	12.03	562.23	92.67								
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	27.05	534.48	462.69	İ	İ				İ		
	Local Channel - Dedicated - DS3 Facility Termination per month	1		OH3	TEFHJ	298.92	438.46	256.30								
LOCA	AL INTERCONNECTION MID-SPAN MEET			1	1	1			İ	İ				İ		
	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	able.	1			İ	İ				İ		
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00			†						
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00		İ	İ				İ		
MUL	TIPLEXERS			-												
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06		†						
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	233.10	403.97	234.40	İ	İ				İ		
1										·						1
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38								

LOCAL INT	ERCONNECTION - South Carolina													ment: 3		bit: A
]				· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the ter	ms and conditi	ons in Attachr	nent 3.								
TAND	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0007360bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.000736										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or intercon	nection charges										
TRUN	IK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.65	8.16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00			İ							
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00			ĺ							
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	s rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	ching, per MOL	J rate elements	5								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk			1							
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)								1							
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								1							
	Per Mile per month			OHL, OHM	1L5NF	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			,												
	per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			,												
	Termination per month			OHL, OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			,												
	month	1	1	OH1, OH1MS	1L5NL	0.3415										l
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	l		1	T -				†					İ		İ
	Termination per month		1	OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						l
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l			1	†			1					İ		İ
	month			OH3, OH3MS	1L5NM	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility				1											
	Termination per month		1	OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						l
LOCA	AL CHANNEL - DEDICATED TRANSPORT			1							İ					
	Local Channel - Dedicated - 2-Wire Voice Grade per month	l		OHL, OHM	TEFV2	15.33	193.53	33.24	36.72	3.21				İ		İ
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	16.54	193.97	33.68	37.19	3.68	İ					
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30	1					
					1	<u> </u>										
	Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						l
	AL INTERCONNECTION MID-SPAN MEET								ĺ							
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	able.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00		1							
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00		1							
MULT	TIPLEXERS								ĺ							
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73	ĺ							

LOCAL IN	TERCONNECTION - Tennessee												Attach	ment: 3	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									F	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
						iteo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep fo	r that element pursu	ant to the ter	rms and conditi	ons in Attachn	nent 3.								
TAN	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0009778bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0009778										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or interconi	nection charges	i.									
TRU	NK CHARGE															
	Installation Trunk Side Service - per DS0	ļ	<u> </u>	OHD	TPP++		21.59	8.09	ļ		ļ				.	
	Dedicated End Office Trunk Port Service-per DS0**	<u> </u>		OHD	TDE0P	0.00									1	1
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	iis rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MO	J rate elements	1								
COM	IMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000064bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk										
	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	18.58	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91						
LOC	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	19.43	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20.56	201.53	24.83	55.52	5.51						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.99	277.35	233.26	33.18	22.30						
															1	
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15						
	AL INTERCONNECTION MID-SPAN MEET															
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch							· ·						
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00			· ·						
	Local Channel - Dedicated - DS3 per month	<u> </u>		OH3MS	TEFHJ	0.00	0.00								ļ	1
MUL	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23						
	DS3 Interface Unit (DS1 COCI) per month	1	i –	OH1, OH1MS	SATCO	17.58	6.07	4.66	1		1		<u> </u>	1	1	
	es: If no rate is identified in the contract, the rates, terms, and co															

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Big River is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to Big River collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Big River to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by Big River and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Big River may contemplate a request for space sufficient to accommodate Big River's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Big River may contemplate a request for space sufficient to accommodate Big River's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Big River's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Big River's cost or materially delay Big River's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Big River wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e)

properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. Big River will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Big River shall use the Collocation Space for the purposes of installing, maintaining and operating Big River's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Big River may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Big River agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Big River and at the Big River's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by Big River.
- 2.1.1 The request from Big River for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises.

CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Big River and inform Big River of the timeframe under which it can respond.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless.</u> BellSouth shall allow Big River to collocate Big River's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Big River to have direct access to Big River's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Big River's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Big River must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Big River's expense, Big River will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Big River and Big River's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Big River's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Big River and provide, at Big River's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Big River's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Big River's BellSouth Certified Supplier shall bill Big River directly for all work performed for Big River pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Big River's BellSouth Certified Supplier. Big River must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth

will not access Big River's locked enclosure prior to notifying Big River at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Big River.

- 3.2.1 BellSouth may elect to review Big River's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Big River of its desire to execute this review in BellSouth's response to the Initial Application, if Big River has indicated its desire to construct its own enclosure. If Big River's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after BellSouth shall complete its review within fifteen (15) calendar the Firm Order date. days after the receipt of Big River's plans and specifications. Regardless of whether or not BellSouth elects to review Big River's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Big River's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Big River. BellSouth shall require Big River to remove or correct within seven (7) calendar days, at Big River's expense, any structure that does not meet Big River's plans and specifications or BellSouth's Specifications, if applicable.
- Shared Caged Collocation. Big River may allow other telecommunications carriers to share Big River's caged collocation arrangement, pursuant to the terms and conditions agreed to by Big River (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Big River. BellSouth shall be notified in writing by Big River upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Big River that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Big River.
- 3.3.1 Big River, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Big River with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, Big River shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for

the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Big River shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Big River's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by Big River and must be in conformance with BellSouth's design and construction Specifications. Further, Big River shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If Big River requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Big River must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Big River and Big River's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Big River's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Big River's BellSouth Certified Supplier shall bill Big River directly for all work performed for Big River pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Big River's BellSouth Certified Supplier. Big River must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Big River's locked enclosure prior to notifying Big River at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.2 Big River must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Big River's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure Big River's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Big River for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Big River's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Big River. BellSouth shall require Big River to remove or correct within seven (7) calendar days at Big River's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, if applicable.
- 3.4.3 Big River shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Big River's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing. Big River's BellSouth Certified Supplier shall be responsible, at Big River's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Big River to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Big River's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. Big River is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Big River must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Big River. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Big River's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged

Collocation Spaces, Big River may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. Big River shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Big River shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Big River is responsible for ensuring the integrity of the signal.

- 3.5.2 Big River shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting Big River-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Big River may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, Big River must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Big River.

4. Occupancy

4.1 Occupancy. BellSouth will notify Big River in writing when the Collocation Space is ready for occupancy (Space Ready Date). Big River will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Big River's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Big River completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Big River's acceptance of the Collocation Space (Space Acceptance Date). In the event that Big River fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Big River on the Space Ready Date and billing will commence from that date. If Big River decides to occupy the space prior to the Space Ready Date, the date Big River occupies the space becomes the new Space Acceptance Date and billing will begin from that date. Big River must notify BellSouth in writing that collocation

equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, Big River's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Big River may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Big River and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Big River signs off on the Space Relinquishment Form and sends this form to BellSouth, if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth does reveal discrepancies, billing will cease on the date that BellSouth and Big River jointly conduct an inspection, which confirms that Big River has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy. BellSouth may terminate Big River's right to occupy the Collocation Space in the event that Big River fails to comply with any provision of this Agreement, including the payment of the applicable fees.
- 4.2.1 Upon termination of occupancy, Big River, at its sole expense, shall remove its equipment and any other property from the Collocation Space. Big River shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Big River's Guest(s), unless Big River's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Big River removal date. Big River shall continue the payment of all monthly fees to BellSouth until the date that Big River, and if applicable Big River's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should Big River or Big River's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Big River or Big River's Guest(s), in any manner that BellSouth deems fit, at Big River's expense and with no liability whatsoever for Big River's property or Big River's Guest(s)'s property. Upon termination of Big River's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Big River shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Big River, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Big River's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications

including, but not limited to, Central Office Record Drawings and ERMA Records. Big River shall be responsible for the cost of removing any Big River constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Big River's failure to comply with this Section.
- 5.1.3 Big River shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Big River submits an application for terminations that will exceed the total capacity of the collocated equipment, Big River will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

- Big River shall notify BellSouth whenever Big River submits a Method of Procedure (MOP) adding equipment to Big River's Collocation Space and shall provide to BellSouth a list of all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Big River's Collocation Space. Big River shall submit a list of any lien holders or other entities that have a financial interest in the equipment that is collocated by Big River to its RCM Representative.
- 5.3 Big River shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- Big River shall place a plaque or affix other identification (e.g., stenciling) to Big River's equipment, in order for BellSouth to identify Big River's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Big River may elect to place Big River-owned or Big River-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Big River will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Big River will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Big River's equipment in the Collocation Space. In the event Big River utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Big River must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Big River is responsible for maintenance of the entrance facilities. At Big River's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- Dual Entrance Facilities. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Big River for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Big River with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Big River's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Big River in the Application Response.

- 5.5.2 Shared Use. Big River may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Big River's collocation arrangement within the same Premises. BellSouth shall allow the splice, as long as the fiber is non-working fiber. Big River must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the Big River provided riser cable to the spare capacity on the entrance facility. If Big River desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Big River for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Big River's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Big River's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Big River shall be responsible for providing, and Big River's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. Big River or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Big River's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Big River-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Big River shall be responsible for providing, and Big River's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Big River's Collocation Space and the demarcation point. Big River or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, in the event that Big River desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

- Big River's Equipment and Facilities. Big River, or if required by this Attachment, Big River's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Big River which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. Big River and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to the Collocation Space. BellSouth retains the right to access Big River's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Big River at least forty-eight (48) hours before access to the Collocation Space is required. Big River may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Big River will not bear any of the expense associated with this type of work.
- 5.9 Access. Pursuant to Section 12, Big River shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Big River agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Big River or Big River's Guests that will be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. Key acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys must be signed by Big River and returned to BellSouth Access Management within fifteen (15) calendar days of Big River's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Big River agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Big River's employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with Big River ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Big River's designated collocation arrangement location, after receipt of the BFFO without charge to Big River. Big River must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30) calendar days prior to the date Big River desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Big River may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the

BFFO. In the event Big River desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Big River to access the Collocation Space accompanied by a security escort, at Big River's expense. Big River must request escorted access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired.

- Lost or Stolen Access Keys. Big River shall notify BellSouth in writing <u>immediately</u> in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to rekey buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Big River shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Big River shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Big River violates the provisions of this paragraph, BellSouth shall provide written notice to Big River, which shall direct Big River to cure the violation within forty-eight (48) hours of Big River's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Big River fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation, including, without limitation, the interruption of electrical power to Big River's equipment. BellSouth will endeavor, but is not required, to provide notice to Big River prior to the taking of such action and BellSouth shall have no liability to Big River for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of

other advanced services or traditional voice band services and Big River fails to take curative action within forty-eight (48) hours, then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Big River or, if subsequently necessary, the Commission must be supported by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Big River is significantly degrading the performance of other advanced services or traditional voice band services, Big River shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology

- Personalty and its Removal. Facilities and equipment placed by Big River in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Big River at any time. Any damage caused to the Collocation Space by Big River's employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by Big River at its sole expense. If Big River decides to remove equipment from its Collocation Space and the removal requires no physical change, BellSouth will bill Big River a Supplemental Application Fee (Administrative Only Application Fee) as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. Under no condition shall Big River or any person acting on behalf of Big River make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Augments", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Augment shall be paid by Big River. Any such Augment shall require an application and will result in the assessment of an application fee, which will be billed by BellSouth on the date that BellSouth provides Big River with an Application Response.
- 5.14 <u>Janitorial Service</u>. Big River shall be responsible for the general upkeep of its Collocation Space. Big River shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Big River and BellSouth that are different from the procedures or intervals set forth in

this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.

- Initial Application. For Big River or Big River's Guest(s) initial equipment placement, Big River shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Big River, which will be billed by BellSouth on the date that BellSouth provides Big River with an Application Response.
- Subsequent Application. In the event Big River or Big River's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Big River shall complete an application that contains all of the detailed information associated with an Augment to the Collocation Space, as defined in Section 5.13 of this Attachment (Subsequent Application). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the Augment. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Big River in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Big River for its request for an Augment shall be dependent upon the level of assessment needed for the Augment requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by BellSouth, a Subsequent Application Fee (Administrative Only Application Fee) will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Augment requested has limited effect (e.g., requires limited assessment but no capital expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides Big River with an Application Response.
- 6.4 <u>Space Preferences</u>. If Big River has previously requested and received a Space Availability Report for the Premises, Big River may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event

BellSouth cannot accommodate the Big River's preference(s), Big River may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Big River with an Application Response.

- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Big River of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Big River or space that is configured differently, no application fee will apply. If Big River decides to accept the available space, Big River must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Big River resubmits its application, BellSouth will bill Big River the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Big River an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Big River or space that is configured differently, if Big River decides to accept the available space, Big River must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days in regard to space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Big River of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Big River or space that is configured differently, no application fee will apply. If Big River decides to accept the available space, Big River must resubmit its application to reflect the actual space available,

including the configuration of the space, prior to submitting a BFFO. When Big River resubmits its application, BellSouth will bill Big River the appropriate application fee. Denial of Application. If BellSouth notifies Big River that no space is available (Denial of Application), BellSouth will not assess an application fee to Big River. After notifying Big River that BellSouth has no available space in the requested Premises, BellSouth will allow Big River, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, the request for the tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Big River to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Big River must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If Big River has originally requested caged Collocation Space and cageless Collocation Space becomes available, Big River may refuse such space and notify BellSouth in

writing within the thirty (30) day timeframe that Big River wants to maintain its place on the waiting list, without accepting the available cageless Collocation Space. Big River may accept an amount of space less than its originally requested space by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Big River does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove Big River from the waiting list. Upon request, BellSouth will advise Big River as to its position on the waiting list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space has become available in a Premises previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Big River to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Big River submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a

minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 <u>Application Modifications</u>.

6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of Big River, or necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Big River the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Big River to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides Big River with an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 Big River shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Big River's Bona Fide Application or Big River's application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of Big River's BFFO. BellSouth will acknowledge the receipt of Big River's BFFO within seven (7) calendar days of receipt, so that Big River will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to the Collocation Space after

initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant timeframe and BellSouth and Big River cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 When Big River adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth that would delay Big River's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Big River, when Big River requests an Augment after the Space Ready Date for existing physical collocation space. In such instances, Big River must provide an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for Big River's point of termination.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB

- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
 - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space.
- 7.1.4.6 If Big River submits an augment application request that includes two augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the augment interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Big River submits an augment application request that includes three augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar

days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval;).

- 7.1.4.8 If Big River submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by Big River and BellSouth. If Big River and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 would apply based on whether the augment request is for Big River's physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Big River at the time BellSouth provides Big River with the Application Response. Big River will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and Big River will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion interval will be provided to Big River during the joint planning meeting.
- 7.3 Permits. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. Big River will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to Big River that the Collocation Space is ready for occupancy. In the event Big River fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Big River on the Space Ready Date. BellSouth will correct any deviations to Big River's original or jointly amended design and/or specification requirements within seven (7)

calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe.

- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Big River prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which Big River has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Big River prior to the Provisioning Interval for those Premises in which Big River has a physical collocation arrangement with a POT bay provided by Big River or a virtual collocation arrangement, until Big River provides BellSouth with the following information:
- 7.5.1 For a physical collocation arrangement with a Big River-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For a virtual collocation arrangement a complete layout of Big River's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Big River's BellSouth Certified Supplier.
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Big River. If the EIU form is provided ten (10) calendar days prior to the ending date of the Provisioning Interval, then CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Big River a nonrecurring charge, as set forth in Exhibit B, each time Big River requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Big River.
- 7.6 Use of BellSouth Certified Supplier. Big River shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Big River and Big River's BellSouth Certified Supplier must follow and comply with all of BellSouth's requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Big River must select separate BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Big River with a list of BellSouth Certified Suppliers, upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Big River's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Big River upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Big River directly for all work performed for Big River pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Big River's BellSouth Certified

Supplier. BellSouth shall make available its supplier certification program to Big River or any supplier proposed by Big River and will not unreasonably withhold certification. All work performed by or for Big River shall conform to generally accepted industry standards.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Big River shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Big River's Collocation Space. Upon request, BellSouth will provide Big River with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Big River. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Big River may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth Tariffs. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by Big River, such information will be provided to Big River in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to Big River within one hundred eighty (180) calendar days of BellSouth's written denial of Big River's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Big River was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Big River may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Big River must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Big River an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to Big River.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Big River cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) for any and all work processes for which work has begun or been completed. In Georgia, if Big River cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Big River for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Big River, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Big River.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Big River. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Big River.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Big River's BFFO.
- 8.3 Recurring Charges. If Big River has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Big River fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s),

billing for recurring charges will commence on the Space Ready Date. If Big River occupies the space prior to the Space Ready Date, the date Big River occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Big River shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Big River opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Big River as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Big River shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Big River shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle)depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Big River's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Big River shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Big River's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Big River's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Big River's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Big River certifying the completion of the power reduction, including the removal of the power cabling by Big River's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Big River's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be

engineered (sized), and installed by Big River's BellSouth Certified Supplier. Big River is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Big River's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Big River must provide BellSouth with a copy of the engineering power specifications prior to the day on which Big River's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Big River's arrangement area. Big River shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Big River's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Big River shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Big River elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Big River's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Big River's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Big River's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Big River's option, Big River may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Big River's equipment or space enclosure. Big River shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Big River's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Big River's arrangement area.
- 8.6.4 In Alabama and Louisiana, Big River has the option to purchase power directly from an electric utility company. Under such an option, Big River is responsible for contracting with the electric utility company for its own power feed and meter, and is

financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Big River. Big River's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Big River previously had power supplied by BellSouth, Big River may request to change its arrangement to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Big River in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, Big River has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested Premises. Under such an option, Big River is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Big River. Big River's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Big River must submit an application to BellSouth for the appropriate amount of Collocation Space that Big River requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Big River's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Big River shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Big River would still have the option to order its power needs directly from BellSouth.
- 8.6.6 If Big River requests a reduction in the amount of power that BellSouth is currently providing, Big River must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If

- modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.
- 8.6.7 In Alabama and Louisiana, if Big River is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Big River must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Big River or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Big River shall pay for such half-hour charges in the event Big River fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Big River's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Big River shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Big River shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Big River's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Big River may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Big River to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Big River shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all Big River's property has been removed from BellSouth's Premises, whichever period is longer. If Big River fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Big River.
- 9.5 Big River shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Big River shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Big River's insurance company. Big River shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Big River must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Big River's net worth exceeds five hundred million dollars (\$500,000,000), Big River may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Big River shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Big River in the event that self-insurance status is not granted to Big River. If BellSouth approves Big River for self-insurance, Big River shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Big River's corporate officers.

The ability to self-insure shall continue so long as the Big River meets all of the requirements of this Section. If Big River subsequently no longer satisfies this Section, Big River is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Big River to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Big River), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of Big River's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Big River's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Big River adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Big River with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

Unless otherwise specified, Big River will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Big River employee hired in the past five years being considered for work on the Premises, for the

states/counties where the Big River employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Big River shall not be required to perform this investigation if an affiliated company of Big River has performed an investigation of the Big River employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Big River has performed a pre-employment statewide investigation of criminal history records of the Big River employee for the states/counties where the Big River employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Big River will be required to administer to its personnel assigned to the Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Big River shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Big River's name. BellSouth reserves the right to remove from its Premises any employee of Big River not possessing identification issued by Big River or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Big River shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Big River shall be solely responsible for ensuring that any Guest(s) of Big River is in compliance with all subsections of this Section.
- Big River shall not assign to the Premises any personnel with records of felony criminal convictions. Big River shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Big River personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Big River chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Big River may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Big River shall not knowingly assign to the Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- Big River shall not knowingly assign to the Premises any individual who was a former supplier of BellSouth and whose access to a Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each Big River employee or agent hired by Big River within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, Big River shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Big River will disclose the nature of the convictions to BellSouth at that time. In the alternative, Big River may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Big River employees requiring access to a Premises pursuant to this Attachment, Big River shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Big River shall promptly remove from Premises any employee of Big River BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Big River is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Big River's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Big River's Security representative of such interview. Big River and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Big River's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Big River for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Big River's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Big River for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Big River's employees, agents, or suppliers and where Big River agrees, in good faith, with the results of such investigation. Big River shall notify BellSouth in writing immediately in the event that Big River discovers one of its employees already working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Big River shall hold BellSouth harmless for any damages resulting from such removal of its personnel from Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises.
 Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, 13.1 tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Big River's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Big River's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Big River, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Big River may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Big River's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Big River. Where allowed and where practical, Big River may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Big River shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Big River's permitted use, until such Collocation Space is fully repaired and restored and Big River's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Big River has placed an Adjacent Arrangement pursuant to Section 3.4, Big River shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Big River shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

Big River understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Big River agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Big River shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Big River should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 <u>Practices/Procedures</u>. BellSouth may make available additional environmental control procedures for Big River to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Big River will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Big River when operating in the Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Big River space with proper notification. BellSouth reserves the right to stop any Big River work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by Big River are owned by Big River. Big River will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Big River or different hazardous materials used by Big River at Premises. Big River must demonstrate adequate emergency response capabilities for its materials used or remaining at the Premises.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately

be reported by Big River to BellSouth.

- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Big River will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Big River will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Big River must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Big River shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Big River agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Big River further agrees to cooperate with BellSouth to ensure that Big River's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Big River, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Big River's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous	Compliance with all applicable	Std T&C 450
material or other regulated	local, state, & federal laws and	Fact Sheet Series 17000
material	regulations	
(e.g., batteries, fluorescent		

tubes, solvents & cleaning materials)	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.)
	Insurance	Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and	

	Asbestos notification and protection of employees and equipment	Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Big River is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Big River Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Big River to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Big River and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Big River may contemplate a request for space sufficient to accommodate Big River's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Big River may contemplate a request for space sufficient to accommodate Big River's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Big River that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Big River's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Big River. Big River agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Big River. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Big River as above, Big River shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Big River in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Big River will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Big River shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Big River's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Big River agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 <u>Space Availability Report.</u> Upon request from Big River, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last

report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Big River for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If Big River is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Big River may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Big River should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Big River should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Big River and inform Big River of the time frame under which it can respond.
- Remote Terminal information. Upon request, BellSouth will provide Big River with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Big River request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Big River, up to a maximum of thirty (30) wire centers per Big River request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Big River agrees to pay the costs incurred by BellSouth in providing the information.

3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow Big River to collocate Big River's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth

shall allow Big River to have direct access to Big River's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Big River's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Big River must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.

- 3.2 Caged. At Big River's expense, Big River may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Big River's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Big River and provide, at Big River's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Big River's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Big River's BellSouth Certified Supplier shall bill Big River directly for all work performed for Big River pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Big River's BellSouth Certified Supplier. Big River must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Big River's locked enclosure prior to notifying Big River at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Big River.
- 3.2.1 BellSouth may elect to review Big River's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications.

 Notification to Big River indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Big River has indicated their desire to construct their own enclosure. If Big River's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Big River's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Big River to remove or correct within seven (7) calendar days at Big River's expense any structure

that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. Big River may allow other telecommunications carriers to share Big River's Remote Collocation Space pursuant to terms and conditions agreed to by Big River ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Big River shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Big River that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Big River.
- 3.3.1 Big River, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Big River with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Big River shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Big River shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Big River's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Big River and in conformance with BellSouth's design and construction Specifications. Further, Big River shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Big River elect Adjacent Collocation, Big River must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Big River and Big River's BellSouth Certified Supplier must comply with local building code requirements. Big River's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Big River's BellSouth Certified Supplier shall bill Big River directly for all work performed for Big River pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Big River's BellSouth Certified Supplier. Big River must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Big River's locked enclosure prior to notifying Big River at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Big River must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Big River's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Big River to remove or correct within seven (7) calendar days at Big River's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 Big River shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Big River's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable

to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Big River's BellSouth Certified Supplier shall be responsible, at Big River's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Big River to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Big River's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Big River use the Remote Collocated telecommunications carriers.
- 3.5.1 Big River must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Big River. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Big River's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Big River will have the option of using Big River's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Big River shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Big River shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Crossconnect) or LGX (Light Guide Cross-connect). Big River is responsible for ensuring the integrity of the signal.
- 3.5.2 Big River shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Big River-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Big River will have the option of using Big River's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Big River must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If

modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

- 4.1 Occupancy. BellSouth will notify Big River in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Big River will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Big River that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to Big River's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Big River has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Big River's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Big River fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Big River on the Space Ready Date and billing will commence from that date. If Big River decides to occupy the space prior to the Space Ready Date, the date Big River occupies the space becomes the new Space Acceptance Date and billing begins from that date. Big River must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Big River's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, Big River may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date <customer short name> and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that <customer short name> signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and <customer short name> jointly conduct an inspection which confirms that <customer short name> has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Big River's right to occupy the Remote

Collocation Space in the event Big River fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, Big River at its expense shall remove its equipment and other property from the Remote Collocation Space. Big River shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Big River's Guest(s), unless Big River's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Big River shall continue payment of monthly fees to BellSouth until such date as Big River, and if applicable Big River's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Big River or Big River's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Big River or Big River's Guest(s), in any manner that BellSouth deems fit, at Big River's expense and with no liability whatsoever for Big River's or Big River's Guest(s)'s property. Upon termination of Big River's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Big River shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Big River except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Big River's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Big River shall be responsible for the cost of removing any Big River constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized

databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Big River's failure to comply with this Section.
- 5.1.2.1 All Big River equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Big River shall identify to BellSouth whenever Big River submits a Method of Procedure ("MOP") adding equipment to Big River's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Big River's Remote Collocation Space. Big River shall submit a copy of the list of any lien holders or other entities that have a financial interest to Big River's ATCC Representative.
- 5.2 Big River shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- Big River shall place a plaque or other identification affixed to Big River's equipment to identify Big River's equipment, including a list of emergency contacts with telephone numbers.
- 5.4 Entrance Facilities. Big River may elect to place Big River-owned or Big River-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Big River will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Big River must contact BellSouth for instructions prior to

placing the entrance facility cable. Big River is responsible for maintenance of the entrance facilities.

- 5.4.1 Shared Use. Big River may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Big River's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Big River must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Big River provided riser cable to the spare capacity on the entrance facility. If Big River desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Big River for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Big River's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Big River's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Big River or its agent must perform all required maintenance to Big River equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- Big River's Equipment and Facilities. Big River, or if required by this Attachment, Big River's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Big River which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Big River and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Big River at least forty-eight (48) hours before access to the Remote Collocation Space is required. Big River may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Big River will not bear any of the expense associated with this work.
- 5.8 <u>Access.</u> Pursuant to Section 12, Big River shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Big River

agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Big River or Big River's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Big River and returned to BellSouth Access Management within fifteen (15) calendar days of Big River's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Big River agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Big River's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Big River or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.

- BellSouth will permit one accompanied site visit to Big River's designated collocation arrangement location after receipt of the BFFO without charge to Big River. Big River must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Big River desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Big River may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Big River desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Big River to access the Remote Collocation Space accompanied by a security escort at Big River's expense. Big River must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. Big River shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Big River shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, Big River shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or

facilities of Big River violates the provisions of this paragraph, BellSouth shall give written notice to Big River, which notice shall direct Big River to cure the violation within forty-eight (48) hours of Big River's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Big River fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Big River's equipment. BellSouth will endeavor, but is not required, to provide notice to Big River prior to taking such action and shall have no liability to Big River for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Big River fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Big River or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Big River shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- Personalty and its Removal. Facilities and equipment placed by Big River in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Big River at any time. Any damage caused to the Remote Collocation Space by Big River's employees, agents or representatives shall be promptly repaired by Big River at its expense.

- 5.11.1 If Big River decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Big River an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Big River or any person acting on behalf of Big River make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Big River. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Big River shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Big River shall be responsible for removing any Big River debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Big River and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Remote Site Application. When Big River or Big River's Guest(s) desires to install a bay/rack in a Remote Site Location, Big River shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- Availability of Space. Upon submission of an application, BellSouth will permit Big River to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space

available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Big River of the amount that is available.

- 6.4 <u>Space Availability Notification</u>.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Big River of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Big River or differently configured no application fee shall apply. If Big River decides to accept the available space, Big River must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Big River or differently configured, if Big River decides to accept the available space, Big River must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Big River of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Big River or differently configured no application fee shall apply. If Big River decides to accept the available space, Big River must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.

- 6.5 <u>Denial of Application</u>. If BellSouth notifies Big River that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Big River that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Big River, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Big River to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Big River must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Big River has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Big River may refuse such space and notify BellSouth in writing within that time that Big River wants to maintain its place on the waiting list without accepting such space. Big River may accept an amount of

space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Big River does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Big River from the waiting list. Upon request, BellSouth will advise Big River as to its position on the list.

6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.

6.9 <u>Application Response.</u>

- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Big River to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Big River submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 <u>Application Modifications</u>.

- 6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Big River or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Big River a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 6.10.2 Bona Fide Firm Order.
- 6.10.3 Big River shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Big River's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Big River's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Big River cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions

shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Big River with the estimated completion date in its Response.
- Joint Planning. Joint planning between BellSouth and Big River will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Big River during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Big River will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Big River that the Remote Collocation Space is ready for occupancy. In the event that Big River fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Big River on the Space Ready Date. BellSouth will correct any deviations to Big River's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. Big River shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Big River and Big River's BellSouth Certified Supplier must follow and comply with all BellSouth

requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Big River must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Big River with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Big River's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Big River upon successful completion of installation. The BellSouth Certified Supplier shall bill Big River directly for all work performed for Big River pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Big River or any supplier proposed by Big River and will not unreasonably withhold certification. All work performed by or for Big River shall conform to generally accepted industry standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Big River shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Big River's Remote Collocation Space. Upon request, BellSouth will provide Big River with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Big River. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Big River may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Big River, such information will be provided to Big River in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Big River within one hundred eighty (180) calendar days of BellSouth's written denial of Big River's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Big River was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Big River may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Big River must arrange with a BellSouth Certified

Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Big River an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Big River cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Big River cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Big River for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. Big River, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

8.1 <u>Recurring Charges</u>. If Big River has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin

upon the Space Acceptance Date. In the event that Big River fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Big River occupies the space prior to the Space Ready Date, the date Big River occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Big River. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Big River's equipment. Big River shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Big River's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Big River's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Big River's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Big River's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Big River certifying the completion of the power reduction, including the removal of the power cabling by Big River's BellSouth Certified Supplier.
- 8.4.1 Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Big River's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Big River's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to

the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Big River's option, Big River may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.5 <u>Security Escort</u>. A security escort will be required whenever Big River or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Big River shall pay for such half-hour charges in the event Big River fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 Big River shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Big River shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Big River's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Big River may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Big

River to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

- 9.4 All policies purchased by Big River shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Big River's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Big River fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Big River.
- 9.5 Big River shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Big River shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Big River's insurance company. Big River shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Big River must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Big River's net worth exceeds five hundred million dollars (\$500,000,000), Big River may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Big River shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Big River in the event that self-insurance status is not granted to Big River. If BellSouth approves Big River for self-insurance, Big River shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Big River's corporate officers. The ability to self-insure shall continue so long as Big River meets all of the requirements of this Section. If Big River subsequently no longer satisfies this Section, Big River is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Big River to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. <u>Mechanics Liens</u>

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Big River), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of Big River's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Big River's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Big River adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Big River with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

Unless otherwise specified, Big River will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Big River employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Big River employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Big River shall not be required to perform this investigation if an affiliated company of Big River has performed an investigation of the Big River employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Big River has performed a pre-employment statewide investigation of criminal history

- records of the Big River employee for the states/counties where the Big River employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Big River will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Big River shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Big River's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Big River not possessing identification issued by Big River or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Big River shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Big River shall be solely responsible for ensuring that any Guest(s) of Big River is in compliance with all subsections of this Section.
- Big River shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Big River shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Big River personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Big River chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Big River may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- Big River shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Big River shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each Big River employee or agent hired by Big River within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Big River shall furnish

BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Big River will disclose the nature of the convictions to BellSouth at that time. In the alternative, Big River may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

- 12.5.1 For all other Big River employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Big River shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Big River shall promptly remove from BellSouth's Remote Site Location any employee of Big River BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Big River is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Big River's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Big River's Security representative of such interview. Big River and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Big River's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Big River for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Big River's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Big River for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Big River's employees, agents, or suppliers and where Big River agrees, in good faith, with the results of such investigation. Big River shall notify BellSouth in writing immediately in the event that the Big River discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Big River shall hold BellSouth harmless for

- any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Big River's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Big River's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Big River, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Big River may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Big River's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Big River. Where allowed and where practical, Big River may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Big River shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Big River's permitted use, until such Remote Collocation Space is fully

repaired and restored and Big River's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Big River has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Big River shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Big River shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

Big River understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Big River agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Big River shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Big River should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Big River to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Big River will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Big River when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Big River space with proper notification. BellSouth reserves the right to stop any Big River work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Big River are owned by Big River. Big River will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Big River or different hazardous materials used by Big River at the BellSouth Remote Site Location. Big River must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Big River to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Big River will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Big River will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Big River must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Big River shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Big River agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Big River further agrees to cooperate with BellSouth to ensure that Big River's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Big River, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Big River's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	 Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC

	EVET approval of supplier	Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	 Std T&C 450 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance	 Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	-Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	 Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)

Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste</u>. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

<u>Std T&C</u> - Standard Terms & Conditions

COLLOCAT	ION - Alabama							•		•			Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFSE	PEIRZ	0.03	12.30	11.00	6.03	5.44		13.00				
	Wire Analog - Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-					0.00			0.00	****						
	Wire ISDN	<u> </u>	<u> </u>	UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66		<u> </u>		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-									-						
\vdash	Wire ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	l	İ	LIEDEY	DE4D4	0.0-	10.00	11.0=	2.22			45.00				
PHYSICAL CO	Wire ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73		15.66				
PHISICAL CC	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,879.48	1,879.48								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,566.60	1,566.60								
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		1,205.26	1,205.26								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15	·								
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		600.71	600.71								
	Physical Collocation - Space Preparation - C.O. Modification per			0.0	D= 4014											
	square ft. Physical Collocation - Space Preparation - Common Systems			CLO	PE1SK	1.96										
	Modification per square ft Cageless			CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems			OLO	I L IOL	2.02										
	Modification per Cage			CLO	PE1SM	88.86										
	Physical Collocation - Cable Installation			CLO	PE1BD		859.71	859.71	22.49	22.49						
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.22										
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable			CLO	PE1PM	17.11										
	Physical Collocation - Cageless - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp			CLO CLO	PE1CJ PE1PL	14.97 7.83										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PETPL	7.83										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4.91										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	9.84										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	14.74										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	34.06										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PETFG	34.06										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects	ļ		UNLDX, UNCNX	PE1P2	0.03	12.30	11.80	6.03	5.44				ļ		
			l	CLO, UAL, UDL,												
		l	İ	UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects	l	İ	UCL	PE1P4	0.05	12.39	11.87	6.39	5.73						
	Trystoar Concoditor - 4-Ville Cross-Confidence	 		CLO,UEANL,UEQ,W		0.03	12.35	11.07	0.39	5.75						
				DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1.												
1 1	Physical Collocation - DS1 Cross-Connects	1	1	UDL	PE1P1	1.11	22.03	15.93	6.40	5.79	1	1		l		

COLLOG	ATION - Alabama												Attach	ment: 4	Exhi	hit: B
COLLO	ATION - Alabama	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	NATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
ļ						l	Nonrec		Managarania	g Disconnect			000	Rates (\$)		
_			 			Rec	First				001450	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+-+		1	010	UE3,U1TD3,			FIIST	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
				3, UXTS1,												
				X, UNCSX,												
			ULDD:													
				1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			3, UDL	PE1P3	14.16	20.89	15.20	7.38	5.92						
				ULDO3,												
				2, ULD48,												
				3, U1T12,												
			U1T48	3, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			2, UDF	PE1F2	2.81	20.89	15.20	7.38	5.92						
				ULDO3,												
		1		2, ULD48,]										
		1	U1TO:	3, U1T12,	1]					I					
			U1T48	3, UDLO3,												
	Physical Collocation - Cageless - 2 Fiber Cross Connect		UDL12	2, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92						
	· ·			ULDO3,												
				2, ULD48,												
				3, U1T12,												
				3, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			2. UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
-	1 Hydiodi Collocation 4 Fiber Gross Confiden			ULDO3,	1 = 11 +	4.00	20.00	10.00	0.71	0.20		1				
				2, ULD48,												
				3, U1T12,												
				3, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			2, UDF	PE1CL	5.69	25.55	19.86	9.71	8.25						
-	Physical Collocation - Cageless - 4-1 iber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		CLO	2, 001	PE1BW	156.33	25.55	19.00	5.71	0.23						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		CLO		PE1CW	15.34						-				
	Physical Collocation - Security Access System - Security System		CLO		FLICW	13.34						-				
	per Central Office		CLO		PE1AX	45.70										
		1	CLO		PETAX	45.70										
	Physical Collocation - Security Access System - New Access		0.0													
	Card Activation, per Card		CLO		PE1A1	0.05	27.79	27.79								
	District College Constitution Constitution	1	1 1		1]					I					
	Physical Collocation-Security Access System-Administrative															
\vdash	Change, existing Access Card, per Request, per State, per Card		CLO		PE1AA		7.79	7.79	ļ	ļ	ļ	ļ				
	Physical Collocation - Security Access System - Replace Lost or															
\vdash	Stolen Card, per Card	ļ	CLO		PE1AR		22.78	22.78						ļ		
\vdash	Physical Collocation - Security Access - Initial Key, per Key	ļ	CLO		PE1AK		13.10	13.10						ļ		
	Physical Collocation - Security Access - Key, Replace Lost or	1			[]										
\vdash	Stolen Key, per Key	<u> </u>	CLO		PE1AL		13.10	13.10			ļ	ļ				
\vdash	Physical Collocation - Space Availability Report per premises		CLO		PE1SR		1,075.17	1,075.17								
		1		L,UEA,UDN,U	1]					I					
		1		AL,UHL,UCL,U	1]					I					
		1		LO,UDL,	1]					I					
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			'X, UNCDX,												
	per cross-connect		UNCN		PE1PE	0.08										
				L,UEA,UDN,U	l											
		1		AL,UHL,UCL,U]										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,	1		LO, USL,	1]					I					
	per cross-connect	<u></u>		X, UNCDX	PE1PF	0.17					<u>l</u>	<u></u>	<u> </u>	<u> </u>		
				L,UEA,UDN,U												
		1		AL,UHL,UCL,U	1]					I					
		1		LO,WDS1L,W	1]					I					
		1		, USL, U1TD1,]										
				1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,	1		1, USLEL,	1]					I					
	per cross-connect		UNLD		PE1PG	1.20										
	IF 5. 5.500 00001	<u> </u>	OTTED	•	0	1.20			1	1		1	·	1		

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhi	bit: B
													Incremental	Incremental	Incremental	Incremental
											Submitted Elec	Submitted Manually		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
		m									poi zoit	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)	l	
				UEANL.UEA.UDN.U		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X, UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,												
	per cross-connect			UDLSX UEANL,UEA,UDN,U	PE1PH	10.67										
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1TO3, U1T12, U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B2	36.40										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,	55.5.											
-	per cross-connect Physical Collocation - Request Resend of CFA Information, per			UDL12, UDF	PE1B4	49.09										
	CLLI			CLO	PE1C9		77.56									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		759.29	488.11	133.00	133.00						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		326.92	326.92	189.12	189.12						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	LIOD		320.32	320.92	103.12	100.12						
	each 100 pair			CLO	PE1CO		4.81	4.81	5.90	5.90						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C1 PE1C3		2.25 7.88	2.25 7.88	2.76 9.66	2.76 9.66						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			CLO	FLIGS		7.00	7.00	9.00	9.00						
	fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86								
	, , , , , , , , , , , , , , , , , , , ,															
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT PE1BV		27.17 33.00	16.98								
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO CLO	PE1BV PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									İ
	V to P Conversion, Per Customer Request per DS3 Circuit						33.00									
	Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									İ
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			0.0			332.00									
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0011										1
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0016										1
	Physical Collocation - Co-Carrier Cross Connects Only -			OLO, UES, USL	LEIDO	0.0016										
	Application Fee, per application	<u> </u>		CLO	PE1DT	<u> </u>	584.22									

COLLO	CATI	ON - Alabama												Attach	ment: 4	Evhi	bit: B
COLL	OAII	ON - Alabalila	I	1			1					Svo Ordor	Svo Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
		DATE ELEMENTO	Interi	 -	B00				DATEO (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	JKY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Application to Augment Exsisting Space -															
		Simple		(CLO	PE1KS		594.41		1.21							
		Physical Collocation - Application to Augment Exsisting Space -															
		Minor		(CLO	PE1KM		833.47		1.21							
		Physical Collocation - Application to Augment Exsisting Space -															
		Intermediate		(CLO	PE1K1		1,058.00		1.21							
ADJACE	NT CO	LLOCATION															
		Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.		(CLOAC	PE1JC	5.41										
		Adjacent Collocation - 2-Wire Cross-Connects		(CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44						
					UEA,UHL,UDL,UCL,												
		Adjacent Collocation - 4-Wire Cross-Connects	1		CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73	1	1		I	I	1
		Adjacent Collocation - DS1 Cross-Connects		Į.	USL,CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79						
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92						
		Adjacent Collocation - 2-Fiber Cross-Connect		(CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25						
		Adjacent Collocation - Application Fee		(CLOAC	PE1JB		1,576.69									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate															
		per AC Breaker Amp		1 6	CLOAC	PE1FB	4.91										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate															
		per AC Breaker Amp		1 1	CLOAC	PE1FD	9.84										
h + 1		Adjacent Collocation - 120V, Three Phase Standby Power Rate		t	020710		0.01										
		per AC Breaker Amp		1 6	CLOAC	PE1FE	14.74										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate			020710												
		per AC Breaker Amp		1 6	CLOAC	PE1FG	34.06										
		Adjacent Collocation - DC power provisioning (Alabama Only		i i	OLONO	12110	04.00										
		Mandate)		l 1	CLOAC			ICB									
-		Note: ICB means Individual Case Basis	 	 	OLO/10			IOD									
PHYSIC		LOCATION IN THE REMOTE SITE		1													
1111010		Physical Collocation in the Remote Site - Application Fee		- /	CLORS	PE1RA		307.70	307.70	168.22	168.22						
-		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42	307.70	307.70	100.22	100.22						
-		Cabinet Space in the Remote Site per Bay/ Rack		<u> </u>	CLORG	FLIND	201.42										
		Physical Collocation in the Remote Site - Security Access - Key		l ,	CLORS	PE1RD		13.10	13.10								
		Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability	1	 	ULUKO	PEIKD		13.10	13.10								
				l l	CI ODC	DE4CD		445.07	445.07								
\vdash		Report per Premises Requested	 		CLORS	PE1SR	 	115.87	115.87						 	 	
		Physical Collocation in the Remote Site - Remote Site CLLI	1	l.	CLORE	DE4BE	I	07.50	07.50				1		I	I	I
\vdash		Code Request, per CLLI Code Requested	-		CLORS CLORS	PE1RE PE1RR	1	37.56 233.38	37.56	1			ļ		1	1	-
\vdash		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	 			PEIKK	ICB	233.38		1			ļ		 	 	
DUVOIC	AL 00:	Power, DC Power Provisioning (Alabama Only)	 		CLORS	1	ICB			1			ļ		 	 	
PHYSIC	AL COL	LOCATION IN THE REMOTE SITE - ADJACENT					1								1	1	1
		Parada Ota Alfanad Odlarafa 10.5	١.		01.000	DE453							1		I	I	I
		Remote Site-Adjacent Collocation - AC Power, per breaker amp		(CLORS	PE1RS	6.27										
			1 .		0.000								1		I	I	I
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134			ļ					.	.	.
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or remo	te site collocation,	the Parties	will negotiate a	ppropriate rate	S.	ļ					.	.	.
VIRTUA	L COLL	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,205.26	1,205.26	0.51	0.51		15.66				
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		859.71	859.71	22.49	22.49		15.66				
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22										
		Virtual Collocation - Power, per fused amp		1	AMTFS	ESPAX	7.83										
		Virtual Collocation - Cable Support Structure, per entrance												-			
		cable	<u>L_</u>		AMTFS	ESPSX	14.97	<u> </u>		<u> </u>		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
					UEANL,UEA,UDN,U												
			1		DC,UAL,UHL,UCL,U		I			Ì		1	1		I	I	1
					EQ, AMTFS, UDL,		1					İ			1	1	
			1		UNCVX, UNCDX,		I			Ì		1	1		I	I	1
1		Virtual Collocation - 2-wire Cross Connects (loop)	1		UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44	1	15.66		1	1	

COLLOC	ATION - Alabama												Attach	ment: 4	Exhi	oit: B
-											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-		1				-	Nonrec	rrina	Nonrecurring	Dissennest			000	Rates (\$)		
—		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-							FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	JOWAN	JOWAN	SOWAN
				UEA.UHL.UCL.UDL.												
				AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.05	12.39	11.87	6.39	5.73		15.66				
				AMTFS,UDL12,												
				UDLO3, U1T48,												
				U1T12, U1T03,												
				ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92		15.66				
				AMTFS,UDL12,												
				UDLO3, U1T48,												
				U1T12, U1T03,												
				ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25		15.66				
		1		USL,ULC,AMTFS,					I				1	1		
				ULR, UXTD1,												
	Not all all and a Constal Assess O LINE			UNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL, UNLD1	CNC1X	4.44	22.02	15.93	0.40	F 70		45.00				
 	DS1				CNCTX	1.11	22.03	15.93	6.40	5.79		15.66				
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,												
	DS3			UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92		15.66				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			0020/1, 011200	CHECK	0	20.00	10.20	7.00	0.02		10.00				
	Support Structure, per linear foot			AMTFS	VE1CB	0.0026										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft		ļ.,	AMTFS	VE1CD	0.0038										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		535.37					15.66				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTES	VE1CE		535.37	4 540 57	265.99	205.00		15.66				
-	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable	<u> </u>	 	AMTFS	VE1BA		1,518.57	1,518.57	205.99	265.99	-	15.66				
	record	1		AMTFS	VE1BB		653.83	653.83	378.24	378.24		15.66	1	1		
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each	1	t t	/ WYI I I O	¥ = 100	-	000.00	000.00	370.24	370.24		15.00				
	100 pair	1		AMTFS	VE1BC		9.62	9.62	11.79	11.79		15.66	1	1		
	Virtual Collocation Cable Records - DS1, per T1TIE	1		AMTFS	VE1BD		4.50	4.50	5.52	5.52		15.66				
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.75	15.75	19.32	19.32		15.66	İ	İ		
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records	ļ		AMTFS	VE1BF		168.97	168.97	154.25	154.25		15.66				
	Virtual collocation - Security Escort - Basic, per half hour	<u> </u>		AMTFS	SPTBX		16.93	10.73	ļ			15.66				
\vdash	Virtual collocation - Security Escort - Overtime, per half hour	ļ		AMTFS	SPTOX		22.05	13.86	ļ			15.66	ļ	ļ		
\vdash	Virtual collocation - Security Escort - Premium, per half hour	ļ		AMTES	SPTPX		27.17	16.98	-			15.66				
\vdash	Virtual collocation - Maintenance in CO - Basic, per half hour	1	 	AMTFS	CTRLX		27.93	10.73	 		1	15.66	 	 		
	Virtual collocation - Maintenance in CO - Overtime, per half hour	1		AMTFS	SPTOM		36.47	13.86	I			15.66	1	1		
 	virtual conocation - ivialitienance in CO - Overtime, per half hour	1	1	ruvi I I O	OF TOW		30.47	13.66	 		1	13.00	1	1		
	Virtual collocation - Maintenance in CO - Premium per half hour	1		AMTFS	SPTPM		45.02	16.98	I			15.66	1	1		
VIRTUAL C	DLLOCATION	<u> </u>			C. 11 IVI		70.02	10.30	1			10.00				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	1														
	Wire Analog - Res	1		UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-						-									
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire							· · · · · · · · · · · · · · · · · · ·					1	1		
	Voice Grade PBX Trunk - Res	ļ		UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1		LIEDOD	VEADO											
\Box	Analog Bus	<u> </u>		UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44	L	15.66	l	l		

COLL	OCATIO	ON - Alabama												Attach	ment: 4	Exhil	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
													Submitted		Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	I.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				\ (E + D o		40.00					4= 00				
		ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44		15.66				
	Note: F	Rates displaying an "R" in Interim column are interim and sub	ject to i	ate tru	e-up as set forth in (General Term	ns and Condition	ons.									

COLLOCAT	ΓΙΟΝ - Florida												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	OLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						_	· · · · · · · · · · · · · · · · · · ·								1
	Wire ISDN	1		UEPSX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-						_	· · · · · · · · · · · · · · · · · · ·								1
	Wire ISDN DS1	<u> </u>		UEPEX	PE1R4	0.0552	8.42	7.36				11.90			ļ	ļ
PHYSICAL CO	OLLOCATION															
	Physical Collocation - Application Fee - Initial		1	CLO	PE1BA		2,597.00									
-	Physical Collocation - Application Fee - Subsequent	.		CLO	PE1CA		2,236.00									
 	Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order	1 1	1	CLO	PE1BL		742.00								 	
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	92.55										
	Physical Collocation - Cable Installation per Cable			CLO	PE1BD		1,750.00		45.16							
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.86										
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable			CLO	PE1PM	18.96										
	Physical Collocation - Power, per Fused Amp	 		CLO	PE1PL	7.80										
-	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.38										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.77										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.15										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0276	8.22	7.22	5.74	4.58						
 	Friysical Collocation - 2-wife Cross-Connects	+	1	CLO, UAL, UDL,	re IFZ	0.0276	8.22	1.22	5.74	4.58				1	1	1
				UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects		<u> </u>	UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66	<u> </u>					
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												

COLLOCAT	ION - Florida												Attach	ment: 4	Fyhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
				CLO, UE3,U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	16.81	25.48	14.05	7.77	5.01						
				U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	189.45	31.30	33.01	10.23	10.04						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.58										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0105										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.65									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL PE1SR		26.30									
	Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	I		CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.00	2,159.00									
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect	ı		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	I		UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	PE1PG	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect	ı		UNLD3, UDL, UDLSX	PE1PH	0.00										

COLLOC	CATION - Florida												Attach	ment: 4	Exhi	bit: B
CATEGOR		Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonred		Nonrecurring					Rates (\$)		
	DOT Day Assessment activity Of 100 of 5% of 000 of			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect	1		U1T48, UDLO3, UDL12, UDF	PE1B2	0.00										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect	Ī		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	0.00										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI Nonrecurring Collocation Cable Records - per request		1	CLO CLO	PE1C9 PE1CR	 	77.54 1,525.00	980.22	267.08							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	cable record Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CD		656.50	656.50	379.78							
	each 100 pair			CLO	PE1CO		9.66	9.66	11.84	11.84						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C1 PE1C3	+	4.52 15.82	4.52 15.82	5.54 19.40	5.54 19.40						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89									
	Physical Collocation - Security Escort - Overtime, Per Quarter Hour			CLO	PE10Q		13.64									
	Physical Collocation - Security Escort - Premium, Per Quarter Hour			CLO	PE1PQ		16.40									
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.99	21.54								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.27	27.82								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.55	34.10								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV PE1BO		33.00 33.00									
	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1	H	1	CLO CLO	PE1BO PE1B1	+	52.00									
	V to P Conversion, Per Customer request-DS3	i		CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured	1		CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured	ı		CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	ı		CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	ı		CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof) I		CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coar Cable Support Structure, per cable, per lin. ft.	(CLO, UE3, USL	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		584.11									
ADJACEN	IT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft.		<u> </u>	CLOAC	PE1JA	0.1635										-
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	+	!	CLOAC	PE1JC	5.11			+							

COLL	OCATI	ON - Florida												Attach	ment: 4	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually			Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0213	24.69	23.69	11.77	10.62						
					UEA,UHL,UDL,UCL,												
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80						
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91						
		Adjacent Collocation - DS3 Cross-Connects	<u> </u>		CLOAC	PE1P3	16.56	41.94	30.52	13.91	11.15						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.81	41.94	30.52	13.91	11.16						
		Adjacent Collocation - 4-Fiber Cross-Connect	<u> </u>		CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54						
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate			0.010	55.55											
-		per AC Breaker Amp	 	-	CLOAC	PE1FB	5.38			1				 	 	-	
		Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	DE1ED	40.77							1			
		per AC Breaker Amp	 	-	CLOAC	PE1FD	10.77			1				 	 	-	
		Adjacent Collocation - 120V, Three Phase Standby Power Rate	1	1	CLOAC	PE1FE	40.45							I			
		per AC Breaker Amp	-		CLUAC	PETFE	16.15										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FG	07.00							1			
\vdash		per AC Breaker Amp	-	-	CLUAC	PETFG	37.30			-				 	 		
		Adjacent Collocation - Cable Support Structure per Entrance			CLOAC	PE1PM	40.00										
DUVEIO	AL CO	Cable LLOCATION IN THE REMOTE SITE	_ '		CLUAC	PETPIVI	18.96										
PHISIC	AL CUI	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328.81							
		Cabinet Space in the Remote Site - Application Fee			CLORS	PE1RA PE1RB	219.49	617.91		328.81							
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PEIRD	219.49							-			
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
		Physical Collocation in the Remote Site - Space Availability			CLORG	FLIND		20.30									
		Report per Premises Requested			CLORS	PE1SR		232.69									
		Physical Collocation in the Remote Site - Remote Site CLLI			CLORG	FLISK		232.09									
		Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51									
PHYSIC	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			CLOING	LIKK		200.01									
	AL 00.																
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Tremote offe-Adjacent conocation - Ac 1 ower, per breaker amp			OLONO	LIKO	0.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.101	755.62	755.62								
	NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem			will negotiate a										
		LOCATION	Cooury .		ote site conceation,	line i di ties i	Will Hegotiate a	ppropriate rate	·								
		Virtual Collocation - Application Fee/Planning Fee Initial				1								t	1		
		Request			AMTFS	EAF		4,122.00					11.90	I			
		Virtual Collocation - Application Fee/Planning Fee Additional			-			,						1	1		
		Entrance Cable Request		1	AMTFS	EAF		1,249.00					11.90	I			
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	12.45	965.00					11.90		1		
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.25								1		
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95							1	İ	İ	
		Virtual Collocation - Cable Support Structure, per entrance															
		cable		1	AMTFS	ESPSX	13.35							I			
					UEANL,UEA,UDN,U												
				1	DC,UAL,UHL,UCL,U	l								I			
				1	EQ, AMTFS, UDL,	l								I			
					UNCVX, UNCDX,									1			
		Virtual Collocation - 2-wire Cross Connects (loop)	<u></u>	<u></u>	UNCNX	UEAC2	0.0502	11.57	11.57				11.90	<u></u>	<u> </u>	<u></u>	
								-									
				1	UEA,UHL,UCL,UDL,	l								I			
					AMTFS, UAL, UDN,									1			
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0502	11.57	11.57				11.90				
					AMTFS,UDL12,												
					UDLO3, U1T48,									1			
				1	U1T12, U1T03,	l								I			
				1	ULDO3, ULD12,	l								I			
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	6.71	2,431.00					11.90	l .	1		

COLLOCAT	ION - Florida													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
					1	_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	l.	l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00					11.90				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00				11.90				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			44.TEO OLO	VE40D	0.0000										
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS, CLO	VE1CB VE1CD	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	0.0041	535.54					11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMEEO	VE40E		505.54					44.00				
-	Cable Support Structure, per cable Virtual Collocation Cable Records - per request			AMTFS AMTFS	VE1CE VE1BA		535.54 1.525.00	1,525.00	267.08	267.08		11.90				-
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.50	656.50	379.78	379.78						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.66	9.66	11.84	11.84						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS AMTFS	VE1BE VE1BF		15.82 169.67	15.82 169.67	19.40 154.89	19.40 154.89						
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10.89	109.07	134.09	134.05		11.90				
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64					11.90				
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40					11.90				
-	Virtual Collocation - 2-wire Cross Connects (loop), per ckts Virtual Collocation - 4-wire Cross Connects (loop), per ckts			AMTFS AMTFS	VE1R2 VE1R4	0.05 0.05	11.57 11.57					11.90 11.90				
 	Virtual Collocation - 4-wire Cross Connects (100p), per CKIS Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS			AMTFS	VE1R4 VE11S	8.09	69.64		 			11.90				
	Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS			AMTFS	VE11X	0.41	69.64					11.90				
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	59.67	528.00					11.90				
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00					11.90				
	Virtual collocation - Maintenance in CO - Basic, per quarter hour Virtual collocation - Maintenance in CO - Overtime, per quarter			AMTES	SPTRE		10.89					11.90				
	hour Virtual collocation - Maintenance in CO - Premium per quarter			AMTFS AMTFS	SPTOE SPTPE		13.64 16.40					11.90				
VIRTUAL COL	hour LOCATION			DIVITEO	OF IFE	 	10.40		 		-	11.90				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0502	11.57	11.57				11.90				

Version 1Q03: 02/28/03 Page 11 of 48

COLL	COLLOCATION - Florida												Attachment: 4		Exhibit: B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY				_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
		RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.0502	11.57	11.57				11.90				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.0502	11.57	11.57				11.90				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
		ISDN DS1				VE1R4	0.0502	11.57	11.57				11.90				
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																

COLLOCATION - Georgia													Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Elec Manually per LSR per LSR		Incremental Charge - Manual Svc Order vs. Electronic-1st Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Rec	Nonred First	urring Add'l		g Disconnect	001150	001111	OSS SOMAN	Rates (\$)	001141	0011411
							First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-													İ		
	Wire Analog - Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		ļ
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OL	I L IIVZ	0.30	12.00	12.00					10.54	0.42		
	Wire Analog - Bus			UEPSB	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		<u> </u>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPIX	PEIRZ	0.30	12.60	12.60					10.94	0.42		
	Wire ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
PHYSICAL CO						5.55										1
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								<u> </u>
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									.
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,187.00									
+	Physical Collocation - Space Preparation - C.O. Modification per	'		CLO	FLIOU		1,167.00				1			1		
	square ft.	- 1		CLO	PE1SK	2.02										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	- 1		CLO	PE1SL	2.80										<u> </u>
	Physical Collocation - Space Preparation - Common Systems			01.0	DE4014	05.00										
	Modification per Cage Physical Collocation - Cable Installation	- 1		CLO CLO	PE1SM PE1BD	95.23	2.750.00	2,750.00								
+	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50	2,730.00	2,730.00			1			1		
	Physical Collocation - Floor Space - Zone B per Sq. Ft.		1	CLO	PE1PK	6.75										
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable			CLO	PE1PM	13.35										
	Physical Collocation - Power -48V DC Power, per Fused Amp	- 1		CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		398.80									<u> </u>
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5.52										
	, and the second of the second	<u> </u>	t			0.02			1	1	†					
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.05										
_	Phosphal Cally and a 4001/ The City City Cally Cally	l		0.0	DE4EE											
	Physical Collocation - 120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.58										
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	38.27										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,				40.00								
 	Physical Collocation - 2-Wire Cross-Connects		<u> </u>	UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.30	12.60	12.60	-	ļ	1			1	-	
	Physical Collocation - 4-Wire Cross-Connects			UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.50	12.60	12.60								
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	8.00	155.00	27.00								

COLLOCA	FION - Georgia												Attach	ment: 4	Exhil	nit. D
COLLOCA	TION - Georgia	1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
	B			U1TS1,ULDS1,	DE 100											
-	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL CLO, ULDO3,	PE1P3	72.00	155.00	27.00			1					
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12. UDF	PE1F2	2.86	52.14	38.72								
	i nysicai conocation - 2-i ibei cioss-connect	1	 	CLO, ULDO3,	LIFE	2.00	JZ. 14	30.72		 			 	 		
				ULD12, ULD48,		1										
		1		U1TO3, U1T12,		1							1	1		
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.08	64.74	51.31								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	161.27	•									
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1		CLO	PE1CW	15.82										
	Physical Collocation - Security System Per Central Office Per															
	Assignable Sq. Ft.			CLO	PE1AY	0.0172										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20								
	Physical Collocation - Security Access System - New Access															
	Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative			0.0			4 40									
-	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.40	15.40								
	Physical Collocation - Security Access System- Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
	Physical Collocation - Security Access - Initial Key, per Key	1	1	CLO	PE1AK	1	26.16	26.16			1					
	Physical Collocation - Security Access - Key, Replace Lost or			OLO	LIAK		20.10	20.10								
	Stolen Key, per Key			CLO	PE1AL		26.16	26.16								
	Physical Collocation - Space Availability Report per premises	<u> </u>		CLO	PE1SR		2,148.00	2.148.00								
	Trysteal Collection Copace / trainability (Copace per promises	<u> </u>		UEANL,UEA,UDN,U	. 2.0.0		2,110.00	2,110.00								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.40			<u> </u>					<u> </u>		
		1		UEANL,UEA,UDN,U]]		
				DC,UAL,UHL,UCL,U		1										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect		ļ	UNCVX, UNCDX	PE1PF	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.20										
	1	1		UEANL,UEA,UDN,U	0	20				1			1	1		
		1		DC,UAL,UHL,UCL,U		1							1	1		
		1		EQ,CLO,UE3,		1							1	1		
				U1TD3, UXTD3,		1										
		1		UXTS1, UNC3X,		1							1	1		
		1		UNCSX, ULDD3,		1							1	1		
		1		U1TS1, ULDS1,		1							1	1		
1 1	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	1		UNLD3, UDL,	DE 40::								1	1		
	per cross-connect	l		UDLSX	PE1PH	8.00			<u> </u>		<u> </u>		Ì	Ì		

COLLOC	ATION - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGOR		Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonred		Nonrecurring					Rates (\$)		
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UDL12, UDF UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	38.79 52.31										
	Physical Collocation - Request Resend of CFA Information, per															
\vdash	CLLI Nonrecurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CR		77.42 1,706.00									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		922.38									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO CLO	PE1CO PE1C1		18.00 8.43	18.00 8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation - Security Escort - Basic, per Half Hour Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS CLO,CLORS	PE1BT PE1OT		41.00	25.00 30.00								
				0.00.000	DE 4 DE											
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1PT PE1BV		55.00 33.00	35.00								
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR		23.00									
	Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP		23.00									
	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS		33.00									
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1BE PE1B7		37.00 592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001	332.00									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		583.18									
	Simple Physical Collocation - Application to Augment Exsisting Space - Simple Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KS		594.05		1.21							
	Minor Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KM		832.95		1.21							
ADJACENT	Intermediate COLLOCATION			CLO	PE1K1		1,057.00		1.21		1					
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										

COLLOCAL	ION - Georgia													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring		201150	001111		Rates (\$)	001441	001111
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.598	First 24.95	Add'l 23.97	First 11.80	Add'l 10.67	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent conocation - 2-vviie cross-connects			UEA.UHL.UDL.UCL.	1 11 2	0.530	24.93	25.51	11.00	10.07						
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81					1	
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	13.71	11.05						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	17.96	15.29						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp		<u> </u>	CLOAC	PE1FD	10.79									.	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			01.040	DEAEE	40.40										
 	per AC Breaker Amp		1	CLOAC	PE1FE	16.18								1	 	1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate			CLUAC	PETFG	38.27									-	
	per AC Breaker Amp			CLOAC	PE1JD	37.37										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			OLOAO	I LIJD	37.37										
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82	000.10	000.11	020.00	020.00						
	cability opace in the Normate Cite per Bay, Nacit			020110		22 1.02									1	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6.27										
	Barreta Cita Adianant Calleantina Barl Enteta and account fact			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.134	755.62	755.62								
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	occary f	for rom			vill pogotiato ar									-	
VIRTUAL COL		essaiy i	l len	lote site conocation,	lile Faitles v	will flegotiate a	opropriate rate	s								
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Virtual Collocation - Application Fee			AMTFS	EAF		2.848.30	2.848.30					19.99	19.99	1	
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	1	2,750.00	2,750.00					19.99	19.99	1	
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	13.35										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, AMTFS, UDL,												
				UNCVX, UNCDX,												40.00
	Virtual Collocation - 2-wire Cross Connects (loop)		 	UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
			1	UEA,UHL,UCL,UDL,												
			1	AMTFS, UAL, UDN,											I	
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
 	Tritadi Soliocation - 4-wire Gross Collifects (100p)			AMTFS,UDL12,	JLAU4	0.0300	24.13	23.10	9.03	0.10			15.55	19.99	19.99	15.55
				UDLO3, U1T48,											1	
				U1T12, U1T03,											1	
			1	ULDO3, ULD12,											I	
	Virtual Collocation - 2-Fiber Cross Connects	1	1	ULD48, UDF	CNC2F	2.88	41.72	30.36	10.43	8.36	1		2.20	2.20	I	

	ION - Georgia													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				AMTFS,UDL12,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00					19.99	19.99		
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83					19.99	19.99		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		553.43						19.99			
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		553.43						19.99			
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,706.00	1,706.00								
<u> </u>	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		922.38	922.38								
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		18.00	18.00								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.43	8.43								
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.49	29.49								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records Virtual collocation - Security Escort - Basic, per half hour			AMTFS AMTFS	VE1BF SPTBX		278.61 41.00	278.61 25.00					19.99	19.99		
	Virtual collocation - Security Escort - Basic, per half hour Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX		48.00	30.00					19.99	19.99		
	Virtual collocation - Security Escort - Overtime, per half hour		1	AMTFS	SPTPX		55.00	35.00					19.99	19.99		
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	CTRLX		30.64	30.64					19.99	19.99		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					19.99	19.99		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90					19.99	19.99		
VIRTUAL COL				AWITTO	OF IF IVI		40.90	40.50					15.55	19.99		
VIKTOAL GGL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60					18.94	8.42		

COLLOCAT	ION - Kentucky												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	B03	0300			KATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
			1				Nonrec	curring	Nonrecurring	Disconnect			220	Rates (\$)		l
 			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-			1				11130	Auu i	THOU	Auu i	JONIEC	JOINAN	JONAN	JONAN	JOHIAN	JOHAN
PHYSICAL CO	I L OCATION		1													
I III OOAL OO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1													
	Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1													
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	l			DE 4 D -											
	Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-				55.5.											
BUDYOLO AL OC	Wire ISDN DS1		-	UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
PHYSICAL CO			-	01.0	DE4DA		2 772 54	0.770.54								
\vdash	Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent		1	CLO	PE1BA PE1CA		3,773.54 3,145.35	3,773.54 3.145.35								
-	Physical Collocation - Application Fee - Subsequent Physical Collocation Administrative Only - Application Fee		-	CLO	PE1BL		742.12	3,145.35								
h +	Physical Collocation - Space Preparation - Firm Order		1	CLO	PEIBL		742.12									
	Processing			CLO	PE1SJ		1,206.07	1,206.07								
- + -	Physical Collocation - Space Preparation - C.O. Modification per		1	CLO	1 1 100	1	1,200.07	1,200.07								
	square ft.			CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation - Common Systems		1	CLO	LIOK	2.02										
	Modification per square ft Cageless			CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage			CLO	PE1SM	110.57										
	Physical Collocation - Cable Installation		1	CLO	PE1BD		1,729.11		45.16							
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.99										
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable			CLO	PE1PM	19.86										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399.50									
	L															
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
	Physical Collocation - 240V, Single Phase Standby Power Rate	l		CLO	PE1FD	10.88										
 	r nysical collocation - 240V, Single Friase Standby Power Rate	-	1	CLO	L C ILD	10.88										-
	Physical Collocation - 120V, Three Phase Standby Power Rate	l	1	CLO	PE1FE	16.32								1		
	1 Hysical Collocation - 120V, Three I hase Standby I ower reale		1	CLO	ILIIL	10.52										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
	Thysical conceanor 2777, Three France change, Ferror Hale			020		01.00										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
				CLO, UAL, UDL,												
		l	1	UDN, UEA, UHL,										1		
		l		UNCVX, UNCDX,												
$oxed{oxed}$	Physical Collocation - 4-Wire Cross-Connects	ļ		UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46				ļ		
			1	CLO,UEANL,UEQ,W												
		l		DS1L,WDS1S, USL,												
		l	1	U1TD1, UXTD1, UNC1X, ULDD1,										1		
		l	1	USLEL, UNLD1,										1		
	Physical Collocation - DS1 Cross-Connects	l		UDL	PE1P1	1.48	44.23	31.98	12.81	11.57						
	Physical Collocation - DST Cross-Connects	l	<u> </u>	UDL	FEIFT	1.48	44.23	31.98	12.81	11.5/	i			l	I	<u> </u>

COLLOCAT	ION - Kentucky												Attach	ment: 4	Fyhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				CLO, UE3,U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	18.89	41.93	30.51	14.75	11.83						
				U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84						Ĭ
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	6.65	51,29	39.87	19.41	16.49						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.97	31.23	39.07	13.41	10.43						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.14										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	76.10										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.64	15.64								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.29	26.29								
	Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0.113	2,158.67	2,158.67								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	PE1PG	1.60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UNLD3, UDL, UDLSX	PE1PH	14.23										

COLLOCA	TION - Kentucky													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)	l	l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48.57										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	65.50										
1 1	Physical Collocation - Request Resend of CFA Information, per															
	CLLI Nonrecurring Collocation Cable Records - per request		-	CLO CLO	PE1C9 PE1CR		77.55 1,524.45	980.01	267.02						-	-
 	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per		 	CLU	FEICK		1,524.45	980.01	267.02		-				-	
	cable record		<u> </u>	CLO	PE1CD	<u> </u>	656.37	656.37	379.70							<u> </u>
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			01.0	DE400		~ ~ -	2.5-								
	each 100 pair Nonrecurring Collocation Cable Records - DS1, per T1TIE		ļ	CLO CLO	PE1CO PE1C1		9.65 4.52	9.65 4.52	11.84 5.54	11.84 5.54	 				-	-
\vdash	Nonrecurring Collocation Cable Records - DS1, per 1111E Nonrecurring Collocation Cable Records - DS3, per T3TIE		-	CLO	PE1C1 PE1C3		4.52 15.81	15.81	19.39	19.39	 				-	-
	Nonrecurring Collocation Cable Records - Bos, per 13112 Nonrecurring Collocation Cable Records - Fiber Cable, per 99			OLO	1 1 103		13.01	13.01	19.55	19.53						
	fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09								
 	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33.00	54.00	1					1	1	t
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	<u> </u>	52.00				İ.,			<u> </u>		
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00	-								
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS		33.00								 	├──
	Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		 	520,001		0.0012										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0018										1
	Application Fee, per application			CLO	PE1DT		584.20									
	Physical Collocation - Application to Augment Exsisting Space - Simple			CLO	PE1KS	<u> </u>	594.98		1.21							
	Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		834.26		1.21							
	Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1K1		1,059.00		1.21							
ADJACENT (COLLOCATION			0.0	1 - 1111		1,009.00		1.21		1				†	†
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173									1	1
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										

COLI	OCATI	ON - Kentucky												Attach	ment: 4	Exhi	bit: B
3322	JUN 11											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95		00				
		rajacom conceanon i i vine crese comicate		1	UEA,UHL,UDL,UCL,		0.0200	200	20.00	.2	10.00						
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46						
		Adjacent Collocation - DS1 Cross-Connects		1	USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57						
		Adjacent Collocation - DS1 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83						
		Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84						
		Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4		51.29									
							6.02		39.87	19.41	16.49						
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate															
		per AC Breaker Amp	<u> </u>	ļ	CLOAC	PE1FB	5.44			ļ					1		
		Adjacent Collocation - 240V, Single Phase Standby Power Rate										l					
		per AC Breaker Amp			CLOAC	PE1FD	10.88										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate			·												
1		per AC Breaker Amp	1) J	CLOAC	PE1FE	16.32]			l	Ì		l	
		Adjacent Collocation - 277V, Three Phase Standby Power Rate					İ			İ							
1		per AC Breaker Amp	1	1 ,	CLOAC	PE1FG	37.68]			l	Ì		l	
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE			*												
	1	Physical Collocation in the Remote Site - Application Fee		1 1	CLORS	PE1RA		617.78		338.89							
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67	011110		000.00							
-		Cabinet opade in the Remote Cité per Bay, Rack		H	OLONO	TETA	210.07										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
		Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability		H	CLORS	PEIKD	-	20.29		-					-		
					CLODC	DE4CD		000.04									
-		Report per Premises Requested			CLORS	PE1SR		232.64									
		Physical Collocation in the Remote Site - Remote Site CLLI															
		Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or remo	ote site collocation,	the Parties	will negotiate a	opropriate rate	s.								
		LOCATION			,		ı i										
		Virtual Collocation - Application Fee			AMTFS	EAF		2.419.86	2,419.86	1.01	1.01		7.86				
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16		7.86				
		Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.	1		AMTFS	ESPVX	7.99	.,,,20.11	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	70.10	40.10		7.50	†	t	 	
-		Virtual Collocation - Power, per fused amp	 		AMTFS	ESPAX	8.06			 			1	1	1	1	
-		Virtual Collocation - Cable Support Structure, per entrance	 		, 11 0	201700	0.00			 			1	1	1	1	
1		cable	1	1	AMTFS	ESPSX	17.38]		1	l	Ì		l	
-		Capic	1	 	UEANL,UEA,UDN,U	LUFUA	11.38			 			 	 	 	 	
			1									1	l	Ì		l	
			1		DC,UAL,UHL,UCL,U							1	l	Ì		l	
			1		EQ, AMTFS, UDL,							1	l	Ì		l	
1		L	1		UNCVX, UNCDX,	l						1	l	Ì		l	
		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		7.86				
1			1									1	l	Ì		l	
1			1		UEA,UHL,UCL,UDL,							1	l	Ì		l	
1			1		AMTFS, UAL, UDN,							1	l	Ì		l	
L	<u></u>	Virtual Collocation - 4-wire Cross Connects (loop)	<u> </u>		UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46		7.86	L		L	
					AMTFS,UDL12,												
			1		UDLO3, U1T48,								İ	Ì		İ	
1			1		U1T12, U1T03,								İ	Ì		İ	
1			1		ULDO3, ULD12,								İ	Ì		İ	
		Virtual Collocation - 2-Fiber Cross Connects	1		ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84		7.86	Ì		İ	
			1		AMTFS,UDL12,		3.50		00.01	1			7.50	†	t	 	
			1		UDLO3, U1T48,								İ	Ì		İ	
1			1		U1T12, U1T03,								İ	Ì		İ	
			1		ULDO3, ULD12,								1				
1		Virtual Collocation - 4-Fiber Cross Connects	1		ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49		7.86	Ì		l	
	L	VIITUAL CONOCATION - 4-1 IDEL CIUSS CONNECTS	ı	<u> </u>	0LD40, 0DF	OINO4F	7.59	51.29	39.67	19.41	10.49	l	7.00	l	1	l	

Version 1Q03: 02/28/03 Page 21 of 48

COLLOCAT	TION - Kentucky					,					Ι -	_		ment: 4		ibit: B
												Svc Order				Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ.,									2.00 .01	2.007.44
						Rec	Nonrec		Nonrecurring		001150	0011411		Rates (\$)	001111	0011411
				USL,ULC,AMTFS,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				ULR, UXTD1,												
				UNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,												
	DS1			UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57						
	DST			USL,ULC,AMTFS,U	CNCTX	1.48	44.23	31.98	12.81	11.57						
				E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
	L			UNCSX, ULDD3,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,												
	DS3			UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot			AMTFS	VE1CB	0.003										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		535.55									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		535.55									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02	267.02						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		656.37	656.37	379.70	379.70						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		9.65	9.65	11.84	11.84						
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81	15.81	19.39	19.39						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		169.63	169.63	154.85	154.85						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.98	21.53								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		44.26	27.81								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		54.54	34.09								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX	1	56.07	21.53								
					İ	† †								İ	İ	İ
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81							1	
				-		† †								İ	İ	1
	Virtual collocation - Maintenance in CO - Premium per half hour	1	1	AMTFS	SPTPM		90.39	34.09						l	I	
VIRTUAL COL				-							İ					
1	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-				İ									1	t	Ì
	Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86			1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-				T	5.5555	2	20.00						 	t	
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86			1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	SE. 51		0.0009	24.00	20.00	12.17	10.33	1	7.50		 	—	
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86			1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		-	51. 5L		0.0009	24.00	20.00	12.17	10.33	 	7.50		-	 	
	Analog Bus	1	1	UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86		l	I	
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		1	0L1 0D	v L 11\Z	0.0309	24.00	23.00	12.14	10.95	1	1.00		1	t	1
	ISDN	l	1	UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86		Ì	I	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		!	ULFOX	VEIRZ	0.0309	24.08	23.08	12.14	10.95	 	7.00			-	-
	ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86			1	
			-	ULFIA	VEIRZ	0.0309	∠4.08	23.08	12.14	10.95	1	7.80		-	 	1
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	l	1	HEDEV	VE4D4	,,,	44.00	24.22	40.04	44.53		7.00		Ì	I	
	ISDN DS1		I	UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86		l	1	1

COLLOCAT	ION - Louisiana												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect				Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				55.50											
	Wire Analog - Res			UEPSR	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.0318	11.94	11.46				45.00				
	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.0318	11.94	11.46				15.20				
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0318	11.94	11.46				15.20				
 	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OL	I L IIVZ	0.0510	11.54	11.40			1	13.20				+
	Wire Analog - Bus			UEPSB	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OB	I L IIV.	0.0010	11.54	11.40				10.20				
	Wire ISDN	l		UEPSX	PE1R2	0.0318	11.94	11.46				15.20			1	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-								İ	İ		1			1	
	Wire ISDN	1		UEPTX	PE1R2	0.0318	11.94	11.46				15.20		1	I	
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53				15.20				
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24									J
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97									ļ
	Physical Collocation - Space Preparation - Firm Order			01.0	DE401		500.00									
	Processing			CLO	PE1SJ		583.33									<u> </u>
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.31										
-	Physical Collocation - Space Preparation - Common Systems			CLO	PEISK	2.31					1				-	
	Modification per square ft Cageless			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems			020	I L IOL	2.70					1					
	Modification per Cage			CLO	PE1SM	91.60										
	Physical Collocation - Cable Installation			CLO	PE1BD		841.54	841.54								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.30										
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable			CLO	PE1PM	18.31										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.32										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										ļ
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
-	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PEIFE	10.37					1				-	
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
	1 Trysical Conocation - 277 V, Three I hase Standby I ower Rate			OLO	TEHO	37.00										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0318	11.94	11.46								
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects	ļ		UCL	PE1P4	0.0636	12.04	11.53		ļ					-	
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,	DE4D:			· - ·-								
	Physical Collocation - DS1 Cross-Connects	l	<u> </u>	UDL	PE1P1	1.04	21.39	15.47			<u> </u>					

COLLOCAT	ION - Louisiana												Attach	ment: 4	Fyhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurrin	g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	13.21	20.28	14.76								
				U1TO3, U1T12, U1T48, UDLO3,												
1 1	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.62	20.28	14.76								
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4.65	24.81	19.29								
	Physical Collocation - 4-1 iber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.50	24.01	19.29								
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.10										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0224										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74	7.74								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.64	22.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01	13.01								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.01	13.01								
	Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0.079	1,044.07	1,044.07								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,	PE1PG	1.12										
	per cross-connect			UDLSX	PE1PH	9.95										

COLLO	CATIO	ON - Louisiana												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonred			g Disconnect				Rates (\$)		
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			U1T48, UDLO3, UDL12, UDF	PE1B2	33.96										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	45.80										
		Physical Collocation - Request Resend of CFA Information, per															
		CLLI Recurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CU	40.07	77.43									
		Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable			CLO	PETCU	10.97										
		record			CLO	PE1CE	5.29										
		Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CT	0.08										
		Recurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C2	0.04										
		Recurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C4	0.13										
		Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CG	1.37										
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1CG PE1BT	1.37	16.44	10.42								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49								
		V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33.00									
		V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
		V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
		V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1B3		52.00									
		Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR		23.00									
		Reconfigured			CLO	PE1BP		23.00									
		V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									
		V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
		V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
		Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		583.30									
		Physical Collocation - Application to Augment Exsisting Space - Simple			CLO	PE1KS		596.35		1.22							
		Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		836.18		1.22							
		Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1K1		1,061.00		1.22							
ADJACEN		LLOCATION			0.010												
$\vdash \vdash$		Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<u> </u>	CLOAC CLOAC	PE1JA PE1JC	0.0552 5.61					ļ					ļ

COLI	OCAT	ION - Louisiana												Attach	ment: 4	Exhil	oit: B
JULE	JUN 11											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0245	11.94	11.46		7.00.	0020				00	
		Trajacent Conduction 2 Wile Gloss Connects			UEA,UHL,UDL,UCL,	1 2 11 2	0.02-10	11.04	11.40				1				
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0491	12.04	11.53								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	0.9605	21.39	15.47			1	1				
		Adjacent Collocation - DS3 Cross-Connects		-	CLOAC	PE1P3	13.01	20.28	14.76			1					
		Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76		-		-				
		Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4	4.21		19.29								
							4.21	24.81	19.29								
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,543.20									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate				L	_				1	1					
		per AC Breaker Amp			CLOAC	PE1FB	5.45										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate									1	1					
	<u></u>	per AC Breaker Amp	<u></u>		CLOAC	PE1FD	10.92					<u> </u>	<u> </u>	<u></u>	L		
		Adjacent Collocation - 120V, Three Phase Standby Power Rate			·												
1		per AC Breaker Amp	1		CLOAC	PE1FE	16.37				1	I			l		
		Adjacent Collocation - 277V, Three Phase Standby Power Rate															
1		per AC Breaker Amp	1		CLOAC	PE1FG	37.80				1	I			l		
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE	1			1	550				1			İ	İ		
	1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80								
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39	200.00	200.00								
-		Cabinet opace in the Remote cité per Bay, Rack			OLONO	LIND	220.00					<u> </u>					
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13.01								
		Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability			CLORS	PEIKD		13.01	13.01		-		-				
					CLODC	DE4CD		440.50	440.50								
		Report per Premises Requested			CLORS	PE1SR		112.52	112.52				ļ				
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000	55.55											
		Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47	36.47								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	propriate rate	s.								
VIRTU	AL COL	LOCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,770,40					15.20				
		Virtual Collocation - Cable Installation Cost, per cable	1		AMTFS	ESPCX	İ	841.54			İ	İ	15.20	İ	İ		
		Virtual Collocation - Floor Space, per sq. ft.	†		AMTFS	ESPVX	3.20	311.04			1	1	.0.20		1		
—		Virtual Collocation - Power, per fused amp	 		AMTFS	ESPAX	8.32			1	t	 	1		 		
-		Virtual Collocation - Cable Support Structure, per entrance	†		0	251700	0.02				t	 	1		 		
1		cable	1		AMTFS	ESPSX	16.02				1	I			l		
		Capic	1		UEANL,UEA,UDN,U	LOFOA	10.02			1	+	1	1		1		
											1	1					
					DC,UAL,UHL,UCL,U						1	1					
					EQ, AMTFS, UDL,						1	1					
1					UNCVX, UNCDX,	l					1	1					
		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0296	11.94	11.46				15.20				
1			1								1	I			l		
1			1		UEA,UHL,UCL,UDL,						1	I			l		
					AMTFS, UAL, UDN,						1	1					
L		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53			<u> </u>	15.20				
					AMTFS,UDL12,												
			1		UDLO3, U1T48,						1	I			l		
1			1		U1T12, U1T03,						1	I			l		
					ULDO3, ULD12,						1	1					
		Virtual Collocation - 2-Fiber Cross Connects	1		ULD48, UDF	CNC2F	2.65	20.29	14.76		1		15.20				
			†		AMTFS,UDL12,		0		0		1	1			1		
			1		UDLO3, U1T48,						1	I			l		
1			1		U1T12, U1T03,						1	I			l		
1			1		ULDO3, ULD12,						1	I			l		
1		Virtual Collocation - 4-Fiber Cross Connects	1		ULD48, UDF	CNC4F	5.31	24.81	19.29		1	I	15.20		l		
<u> </u>	l	VIII.GGI CONOCATION - T-1 IDEI C1033 CUITIECIS	1		0LD70, 0DI	OI NO HI	ا د.د ا	24.01	13.29	1	1		13.20	·	1		

COLLOCAT	ION - Louisiana			ı							1 -			ment: 4	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		
				LIOL LILO ANTEO			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.04	21.39	15.47				15.20				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0024										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0036										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.79					15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79					15.20				
+	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	10.97	334.73					13.20				+
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AWITTO	VEIDA	10.57										+
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB	5.29										
	100 pair			AMTFS	VE1BC	0.08										
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD	0.04										
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	0.13										
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37										
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.44	10.42				15.20				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21.41	13.45				15.20				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		26.38	16.49				15.20				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.12	10.42				15.20				1
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45				15.20				
VIRTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49				15.20				<u> </u>
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				

COLLOCAT	ON - Mississippi													ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First		Nonrecurring		COMEC	COMAN	SOMAN	Rates (\$)	COMAN	SOMAN
-			1		-		FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SUMAN	SOMAN	SOMAN	SUMAN
PHYSICAL CO	L LOCATION															
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
ļ	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
-	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPOB	PE IRZ	0.0200	12.37	11.07	6.04	5.45		15.75				
	Wire ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-														1	Ì
	Wire ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-						_	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						1
	Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				
PHYSICAL CO				01.0	DEADA		4 000 00									
-	Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent			CLO	PE1BA PE1CA		1,890.38 1,575.69									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
	Physical Collocation - Space Preparation - Firm Order		1	CLO	FLIDE		740.70									
	Processing	1		CLO	PE1SJ		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	- 1		CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	- 1		CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems			0.0	55.01											
	Modification per Cage Physical Collocation - Cable Installation	- 1		CLO CLO	PE1SM PE1BD	85.67	926.27	926.27	22.62							
	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft.		1	CLO	PE1PJ	5.74	920.27	920.27	22.02		-				1	
	Physical Collocation - Cable Support Structure, Per Entrance			CLO	FLIFJ	3.74										
	Cable			CLO	PE1PM	17.42										
	Physical Collocation - Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	7.33										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		398.76									
	Physical Collocation - 120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.29										
	Discould College (Control of Cont	١.		01.0	DEAED	40.50										
\vdash	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.58									 	
	Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	15.87										
	Thysical conceation 1200, Three France Standby Fower Rate	· ·		OLO		10.07										
	Physical Collocation - 277V, Three Phase Standby Power Rate	- 1		CLO	PE1FG	36.65										
	Physical Collocation - 2-Wire Cross-Connects	-		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.14	22.16	16.02	6.60	5.97						

COLLOCAT	ION - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)	l	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3,	PE1P3	14.49	21.01	15.29	7.61	6.10						
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.10	25.70	19.97	10.01	8.50						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	183.20	20.70	10.07	10.01	0.00						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.97										
	Physical Collocation - Security Access System - Security System per Central Office	ı		CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Access Card Activation, per Card	ı		CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	I		CLO	PE1AA		7.84	7.84								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.91	22.91								Ĭ
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation - Security Access - Key, Replace Lost or			020			10.17	10.11								
	Stolen Key, per Key			CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		1,081.40	1,081.40								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.0867										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,	PE1PG	1.22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.91										

COLLOC	CATION - Mississippi												Attach	ment: 4	Exhi	ibit: B
CATEGOR		Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec		curring		Disconnect				Rates (\$)		
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UDL12, UDF UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37.26 50.24										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI Nonrecurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CR		77.41 763.69	490.94	133.77							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		328.81	430.34	190.22							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO CLO	PE1CO PE1C1		4.84 2.27	4.84 2.27	5.93 2.78	5.93 2.78						
	Nonrecurring Collocation Cable Records - DS1, per 1111E Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.92	7.92	9.72	9.72						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99								***=							
	fiber records			CLO	PE1CB		84.98	84.98	77.58	77.58						
	Physical Collocation - Security Escort - Basic, per Half Hour Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS CLO,CLORS	PE1BT PE1OT		17.02 22.17	10.79								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO CLO	PE1BV PE1BO		33.00 33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS		33.00									
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE		37.00									
	prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B7		592.00									
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.001										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0015										
	Application Fee, per application Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		583.13									
	Simple Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KS		597.34		1.22							
	Minor Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1KM PE1K1		1,063.00	1	1.22	1						
ADJACEN	T COLLOCATION			OLO	LINI		1,003.00		1.22							-
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										

COLLOCAT	TION - Mississippi													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0223	First 12.37	Add'I 11.87	First 6.04	Add'l 5.45	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-wire Cross-Connects			UEA,UHL,UDL,UCL,	PE IP2	0.0223	12.37	11.87	6.04	5.45	-				-	
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91						
	Adjacent Collocation - 4-Wife Cross-Connects			USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97						
 	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10						
 	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,585.83		10.01	0.00						•
	Adjacent Collocation - 120V, Single Phase Standby Power Rate						1,000.00									
	per AC Breaker Amp			CLOAC	PE1FB	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp		1	CLOAC	PE1FD	10.58									I	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
I	per AC Breaker Amp	<u></u>	L	CLOAC	PE1FE	15.87					<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	: If Security Escort and/or Add'I Engineering Fees become nec	essary f	for rem	ote site collocation,	the Parties	will negotiate a	ppropriate rate	s.								
VIRTUAL COL																
	Virtual Collocation - Application Fee			AMTFS	EAF		1,212.25		0.51			15.75				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		926.27		22.62			15.75				
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.33										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	15.24										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45		15.75			I	
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,											1	
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75			I	
-	Virtual Collocation - 4-wire Cross Connects (100p)				UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03,												
1 1	Virtual Collegation 2 Fiber Cross Connects		1	ULDO3, ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15 75			I	
\vdash	Virtual Collocation - 2-Fiber Cross Connects	-	 		UNU2F	2.91	∠1.01	15.29	10.1	0.10		15.75		-		
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75			I	
	VIII GGII GGII GGII - T-I IDGI GIGSS GUIII GGIS	l	1	OLDTO, ODI	O110+1	3.02	25.10	15.51	10.01	0.30	I	13.73	·	·	1	ь

Version 1Q03: 02/28/03 Page 31 of 48

COLLOCAL	ION - Mississippi			•							•			ment: 4	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.01	6.10		15.75				+
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0025										
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0037										
	Support Structure,per cable			AMTFS	VE1CC		534.65					15.75				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.65					15.75				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763.69	490.94	133.77	133.77		13.73				+
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			744111 0	VETDI		700.00	400.04	100.77	100.77						1
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		328.81	328.81	190.22	190.22						
	100 pair			AMTFS	VE1BC		4.84	4.84	5.93	5.93						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27	2.27	2.78	2.78						1
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92	7.92	9.72	9.72						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98	84.98	77.58	77.58						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79				15.75				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94				15.75				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08				15.75				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79				15.75				1
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94				15.75				ļ
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08				15.75				
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	_			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				

COLLOCAT	ION - North Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonred			g Disconnect	001150	001111		Rates (\$)	001141	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															+
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				55.50											
-	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.32	41.78	39.23			-		26.94	12.76		+
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 02		0.02		00.20					20.01	12.70		1
	Wire Analog - Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN		1	UEPSX	PE1R2	0.32	41.78	39.23		ļ			26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-		-	OLI IX	I LINZ	0.32	41.70	35.23		 	 		20.94	12.70		
	Wire ISDN DS1			UEPEX	PE1R4	0.64	41.91	39.25					26.94	12.76		
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial	ı		CLO	PE1BA		2,322.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,311.00									
	Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order			CLO	PE1BL		741.44				-					
	Processing			CLO	PE1SJ		1,196.00									
	Physical Collocation - Space Preparation - C.O. Modification per			020	. 2.00		1,100.00									1
	square ft.	- 1		CLO	PE1SK	2.42										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	ı		CLO	PE1SL	2.88										<u> </u>
	Physical Collocation - Space Preparation - Common Systems Modification per Cage	١.,		CLO	PE1SM	97.98										
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	 		CLO	PE1FH	5.76										+
	Physical Collocation - Cable Installation	l i		CLO	PE1BD	00	1,701.00	1,701.00								†
	Physical Collocation - Floor Space per Sq. Ft.	i		CLO	PE1PJ	4.77	.,	.,								
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable	ı		CLO	PE1PM	20.57										
	Physical Collocation - Power -48V DC Power, per Fused Amp	!		CLO	PE1PL	7.65	202.12									
	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		399.13									-
	Physical Collocation - 120V, Single Phase Standby Power Rate	l ,		CLO	PE1FB	5.50										
	i nyolodi concodion i 1201, cingle i naco cidinaty i cinci naco	i i		020		0.00										1
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.01										
	Physical Collocation - 120V, Three Phase Standby Power Rate		-	CLO	PE1FE	16.51					1					
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.12										
		'		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects	- 1		UNLDX, UNCNX	PE1P2	0.0309	33.53	31.65			1					↓
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.0618	33.67	31.70								
	Physical Collocation - DS1 Cross-Connects	ı		CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.38	52.87	39.86								

COLI	OCAT	ION - North Carolina												Attach	ment: 4	Exhi	hit: D
COLI	LUCAI	- North Carolina					1					Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					CLO, UE3,U1TD3,												
					UXTD3, UXTS1,												
					UNC3X, UNCSX,												
					ULDD3,												
			١.		U1TS1,ULDS1,	DE 4 D 0	4= 00										
		Physical Collocation - DS3 Cross-Connects	ı		UNLD3, UDL CLO, ULDO3,	PE1P3	17.62	51.97	38.59		-	1					
					ULD12, ULD48,												
					U1TO3, U1T12,												
					U1T48, UDLO3,												
		Physical Collocation - 2-Fiber Cross-Connect			UDL12. UDF	PE1F2	3.50	51.97	38.59								
		Friysical Collocation - 2-1 iber Cross-Connect		1	CLO, ULDO3,	FLIIZ	3.30	31.97	30.33			1					
				1	ULD12, ULD48,										1		
				1	U1TO3, U1T12,										1		
					U1T48, UDLO3,												
		Physical Collocation - 4-Fiber Cross-Connect	1		UDL12, UDF	PE1F4	6.20	64.53	51.15								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	i		CLO	PE1BW	0.20	559.81	01110								
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	i		CLO	PE1CW		25.37									
		Physical Collocation - Security System Per Central Office Per															
		Assignable Sq. Ft.			CLO	PE1AY	0.0135										
		Physical Collocation - Security Access System - Security System															
		per Central Office	I		CLO	PE1AX	41.03										
		Physical Collocation - Security Access System - New Access															
		Card Activation, per Card	I		CLO	PE1A1	0.062	15.00									
		Physical Collocation-Security Access System-Administrative															
		Change, existing Access Card, per Request, per State, per Card	ı		CLO	PE1AA		15.51									
		Physical Collocation - Security Access System - Replace Lost or															
		Stolen Card, per Card			CLO	PE1AR		15.00									
		Physical Collocation - Security Access - Initial Key, per Key		<u> </u>	CLO	PE1AK		15.00									
		Physical Collocation - Security Access - Key, Replace Lost or			01.0	DEAN		45.00									
-		Stolen Key, per Key Physical Collocation - Space Availability Report per premises			CLO CLO	PE1AL PE1SR		15.00	2,140.00								
		Physical Collocation - Space Availability Report per premises	ı		UEANL,UEA,UDN,U	PETSK	1	2,140.00	2,140.00								
					DC,UAL,UHL,UCL,U												
					EQ,CLO,UDL,												
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	1	per cross-connect			UNCNX	PE1PE	0.1054								I		
 	1	F			UEANL,UEA,UDN,U		0.1004				1	1	<u> </u>		I		
	1				DC,UAL,UHL,UCL,U										I		
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
		per cross-connect			UNCVX, UNCDX	PE1PF	0.2108										
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
					EQ,CLO,WDS1L,W												
					DS1S, USL, U1TD1,												
					UXTD1, UNC1X,												
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	1	per cross-connect			UNLD1	PE1PG	1.49				1	ļ					
					UEANL,UEA,UDN,U										1		
				1	DC,UAL,UHL,UCL,U										1		
	1				EQ,CLO,UE3,										I		
				1	U1TD3, UXTD3, UXTS1, UNC3X,										1		
1	1				UNCSX, ULDD3,										I		
	1				UNCSX, ULDD3, U1TS1, ULDS1,										I		
	1	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,										I		
		per cross-connect			UDLSX	PE1PH	13.27								1		
	1	IF -: -: 00:00t		1	10/1		10.27				·		1	l	1		

COLLOCA	ATION - North Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec		curring	Nonrecurring					Rates (\$)		
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,			First	Add'l	First	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UDL12, UDF UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	45.30										
	Physical Collocation - Request Resend of CFA Information, per			ODE12, ODI	I LID4	01.03										
	CLLI			CLO	PE1C9		77.48									
	Nonrecurring Collocation Cable Records - per request		-	CLO	PE1CR		1,707.00									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CD		923.08									
	each 100 pair			CLO	PE1CO		18.02	18.02								
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			CLO	PE1CB		070.00	278.82								
	fiber records Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1CB PE1BT		278.82 33.68	21.34								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.06	33.80								
	V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS	PE1BV		33.00	33.60								
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR		23.00									
	Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP		23.00									
	Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS		33.00									
	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE		37.00									
	prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B7		592.00									
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.0028										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0041										
	Application Fee, per application Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		583.66									-
	Simple Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KS		575.93		1.16							-
	Minor Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KM		806.66		1.16							
ADJACENT	Intermediate COLLOCATION			CLO	PE1K1		1,023.00		1.16							
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1555										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.78										

COLI	OCATI	ION - North Carolina												Attach	ment: 4	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0239	33.53	31.65		7.00.					00	•••••
		Adjacent Conocation - 2-Wife Cross-Connects	 		UEA,UHL,UDL,UCL,	1 - 11 - 2	0.0233	33.33	31.03			1					
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0477	33.67	31.70								
		Adjacent Collocation - 4-Wire Closs-Connects Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.28	52.87	39.86			1					
												1					
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	17.35	51.97	38.59			1					
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59				ļ				
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,139.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	<u> </u>	per AC Breaker Amp			CLOAC	PE1FB	5.50						1				
1	1	Adjacent Collocation - 240V, Single Phase Standby Power Rate				1								<u> </u>			
L	<u> </u>	per AC Breaker Amp	<u> </u>	Щ.	CLOAC	PE1FD	11.01			<u> </u>	L	<u> </u>	<u> </u>	<u></u>	<u> </u>		
		Adjacent Collocation - 120V, Three Phase Standby Power Rate															
1	1	per AC Breaker Amp	1		CLOAC	PE1FE	16.51				1			Ì	İ		
		Adjacent Collocation - 277V, Three Phase Standby Power Rate				Ì						1					
1	1	per AC Breaker Amp	1		CLOAC	PE1FG	38.12				1			Ì	İ		
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE					332				1	Ì	1	1	1		
	T 55	Physical Collocation in the Remote Site - Application Fee	 		CLORS	PE1RA		865.34	865.34	1	t	†	1	 	 		
		Cabinet Space in the Remote Site per Bay/ Rack	<u> </u>		CLORS	PE1RB	254.02	000.04	000.04			1					
		Cabinet Opace in the Remote Site per Bay/ Rack			OLORO	LIKE	254.02										
		Dhysical Collegation in the Remote Cite. Cogurity Access. Key			CLORG	PE1RD		26.06	26.06								
		Physical Collocation in the Remote Site - Security Access - Key	<u> </u>		CLORS	PETRU		26.06	26.06								
		Physical Collocation in the Remote Site - Space Availability			0.000	55465											
		Report per Premises Requested			CLORS	PE1SR		230.60	230.60								
		Physical Collocation in the Remote Site - Remote Site CLLI															
		Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem		the Parties v	vill negotiate a										
VIRTU		LOCATION			 			- р									
******	1	Virtual Collocation - Application Fee			AMTFS	EAF		2.848.30	2,848.30					26.94	12.76		
-		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00					26.94	12.76		
-	 	Virtual Collocation - Floor Space, per sq. ft.	 		AMTFS	ESPVX	3.20	۷,730.00	2,730.00	1	t	1	1	20.94	12.70		
—	 	Virtual Collocation - Ploor Space, per sq. it. Virtual Collocation - Power, per fused amp	 	1	AMTFS	ESPAX	3.48			-	 	-	 				
—	1		 	1	AWITO	LOPAX	3.48			1	 	1	1	 	 		
1	1	Virtual Collocation - Cable Support Structure, per entrance			AMTEC	FORCY	10.0-				I			Ì	Ì		
-	!	cable	-		AMTFS	ESPSX	13.35			1	1	1	1		1		
1	1		1		UEANL,UEA,UDN,U	1					1			Ì	l		
1	1		1		DC,UAL,UHL,UCL,U	1					1			Ì	l		
1	1		1		EQ, AMTFS, UDL,	1					1			Ì	l		
					UNCVX, UNCDX,						1	1					
		Virtual Collocation - 2-wire Cross Connects (loop)	<u></u>		UNCNX	UEAC2	0.09	41.78	39.23	4.75	4.75	<u> </u>		26.94	12.76		
1	1		1		UEA,UHL,UCL,UDL,	1					1			Ì	l		
1	1		1		AMTFS, UAL, UDN,	1					1			Ì	l		
1	1	Virtual Collocation - 4-wire Cross Connects (loop)	1		UNCVX, UNCDX	UEAC4	0.18	41.91	39.25	4.73	4.73			26.94	12.76		
	1				AMTFS,UDL12,	İ				_	1	İ	1	1	i		
					UDLO3, U1T48,						1	1					
1	1		1		U1T12, U1T03,	1					1			Ì	l		
1	1		1		ULDO3, ULD12,	1					1			Ì	l		
1	1	Virtual Collocation - 2-Fiber Cross Connects	1		ULD48, UDF	CNC2F	15.99	67.34	48.55		1			26.94	12.76		
—	1	VIII. UAI CONOCANON - Z-FIDER CIOSS CONNECTS	 	1		CINCZF	15.99	67.34	48.55	1	 	1	1	∠0.94	12.76		
1	1		1		AMTFS,UDL12,	1					1			Ì	l		
					UDLO3, U1T48,						1	1					
1	1		1		U1T12, U1T03,	1					1			Ì	l		
1	1		1		ULDO3, ULD12,	l					1			Ì	l		
	<u> </u>	Virtual Collocation - 4-Fiber Cross Connects	<u> </u>		ULD48, UDF	CNC4F	28.74	82.35	63.56			<u> </u>		26.94	12.76		

COLLOCAL	ION - North Carolina				1	T					12			ment: 4		bit: B
						1								Incremental		Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	BCS	USOC			DATES (6)			Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	l.	l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				USL,ULC,AMTFS,												
				ULR, UXTD1,												
				UNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,												
	DS1			UNLD1	CNC1X	0.97	71.02	51.08					26.94	12.76		
				USL,ULC,AMTFS,U												
				E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,	ON IDAY		454.00									
	DS3		 	UDLSX, UNLD3	CND3X	56.25	151.90	11.83	-	1			26.94	12.76	!	
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTEC	VE100	0.0000									1	
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		-	AMTFS	VE1CB	0.0028				1	1			-	1	1
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0041									1	
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AWITES	VETCD	0.0041										
	Support Structure, per cable			AMTFS	VE1CC		532.72						26.94	12.76		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AIVIIFO	VETCC		552.72						20.94	12.70		
	Cable Support Structure, per cable			AMTFS	VE1CE		532.72						26.94	12.76		
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1.707.00						20.54	12.70		
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AWITTO	VETDA		1,707.00									
	record			AMTFS	VE1BB		923.08									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each				12.55		020.00									
	100 pair			AMTFS	VE1BC		18.02	18.02								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.43	8.43								
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.51	29.51								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		278.82	278.82								
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00					26.94	12.76		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					26.94	12.76		
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00					26.94	12.76		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64					26.94	12.76		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					26.94	12.76		
															1	
<u> </u>	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM	ļ	40.90	40.90		ļ			26.94	12.76		
VIRTUAL COL			ļļ		ļ	ļ				ļ						
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-			LIEDOD	VE4D0	0.00	44 ==	00.00					00.01	40 =0	I	
	Wire Analog - Res		ļ	UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76	-	-
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	VE1R2	0.00	44 70	20.22					20.24	40.70	1	
	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76	 	-
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76	1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			ULFSE	VEIRZ	0.09	41.78	38.23		 			20.94	12.76	-	-
	Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76	1	
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		l	OLI OD	V L IIVZ	0.09	41.70	35.23		1			20.94	12.76	 	1
	ISDN			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76	I	
+	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		 	OL: 0/	v L 11\Z	0.09	41.70	35.23		1	1		20.94	12.70	t	-
	ISDN			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76	1	
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			OL. 77		0.00	41.70	00.20					20.04	12.70	-	-
	ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76	1	
	Rates displaying an "R" in Interim column are interim and sub							33.23	 	+	 		20.34	12.70	 	

CATEGORY RATE ELEMENTS Interi m Zone m Zone BCS USOC RATES (\$) RATES (\$) RATE S(\$) Electronic- 1st Manual Svc Order vs. Electronic- 1st Manual Svc Order vs. Electronic- Add'I Disconnect Per Nonrecurring Disconnect OSS Rates (\$)	LOCATIO	N - South Carolina													ment: 4	Exhi	bit: B
PRYSIDAL COLLOCATION Prysical Collocation 2-Wire Cross Connect, Exchange Port 2 UPPSR PE1R2 0.0541 17.33 11.83 6.04 5.65 15.60	EGORY	RATE ELEMENTS		Zone	BCS	USOC			.,			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Prystack Colcoration Prystack Colcoration Prystack Colcoration Prystack Colcoration Prystack Colcoration Prystack Colcoration Prystack							Rec					001150	001111			001441	001141
Physical Collection 2-Wise Cross Connect, Exchange Prof 2-				1				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Physical Collection 2-Wise Cross Connect, Exchange Prof 2-	ICAL COLL	OCATION													-	-	-
Wire Analog - Res																	
Physical Collections 2-Wine Cross Connect, Exchange Port 2-					LIEPSR	PF1R2	0.0341	12 32	11.83	6.04	5 45		15 69				
Wire Line Sible PSX Trank - Bus					02. 0.1		0.0011	12.02		0.0 .	0.10		10.00				
Physical Colicoton 2-Wine Cross Connect, Exchange Pon 2-					UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
Wire Voop Grade PBX Trunk - Ros Physical Collocation - Vivor Costs Cornect, Exchange Port 2- UEPSK PEIR2 0.0341 12.32 11.83 6.04 5.46 15.60							0.00										
Wilsin Analog - Susa					UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
Physical Collocation - 2Wite Cross Connect, Exchange Port 2- UEPSX PEIR2 0.0341 12.32 11.83 6.04 5.46 15.66	P	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
Wire ISDN					UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
Physical Collocation - 2-Wire Cross Connect, Exchange Port 2- UEPTX																	
Wite ISDN UPTX PETRZ 0.0341 12.32 11.83 6.04 5.45 15.69					UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45	ļ	15.69		L	1	L
Physical Collocation - Alphiculton Fee - Initial Physical Collocation - Application Fee - Initial Collocation - Physical Collocation - Physical Collocation Fee - Initial Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Common Systems Collocation - Physical Collocation - Physical Collocation - Common Systems Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Common Systems Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Physical Collocation - Common Physical Collocation - Physical Collocation - Common Physical Collocation - Physical Colloca					l												
Wire ISDN DS1					UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
PHYSICAL COLLOCATION					LIEDEV	DE4D4	4.40	00.00	45.00	0.40	5.00		45.00				
Physical Collocation - Application Fee - Initial				<u> </u>	UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
Physical Collocation - Application Fee - Subsequent CLO PETCA 1.570.10 1.570.10 1.570.10					CLO	DE1DA		1 002 67	1 002 67								
Physical Collocation - Space Preparation - Firm Order CLO PETBL 743.66 Physical Collocation - Space Proparation - Firm Order CLO PETBL 602.05 602.05 PETBL 743.66 Physical Collocation - Space Preparation - C.O. Modification per square ft. Clo PETBL 2.75 Physical Collocation - Space Preparation - Common Systems CLO PETBL 3.24 Physical Collocation - Space Preparation - Common Systems CLO PETBL 3.24 Physical Collocation - Space Preparation - Common Systems CLO PETBL 3.24 Physical Collocation - Space Preparation - Common Systems CLO PETBL 3.24 Physical Collocation - Space Preparation - Common Systems CLO PETBL 3.24 Physical Collocation - Space Preparation - Common Systems CLO PETBL 3.24 Physical Collocation - Physical Physical Collocation - Physical Collocation - P				1								1					
Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Preparation - Co. Modification per square ft. Square ft.									1,570.10								
Privisital Collocation - Space Preparation - C.O. Modification per square ft. C.I.O. PETSIX C.I.O. PETSIX C.I.O. PETSIX Privisital Collocation - Space Preparation - C.O. Modification per square ft C Cageless C.I.O. PETSIX S 2.75 C.I.O. PETSI					020	LIDE		1 40.00									
Physical Collocation - Space Preparation - CO. Modification per square ft.					CLO	PE1SJ		602.05	602.05								
Square ft.																1	
Modification per square fit Cageless					CLO	PE1SK	2.75										
Physical Collocation - Common Systems CLO PE15M 110.16 Modification per Cage CLO PE15M 110.16 Physical Collocation - Cable Installation CLO PE15D 794.22 794.22 22.54 22	Р	Physical Collocation - Space Preparation - Common Systems															
Modification per Cage					CLO	PE1SL	3.24										
Physical Collocation - Cable Installation																	
Physical Collocation - Floor Space per Sq. Ft.							110.16										
Physical Collocation - Cable Support Structure, Per Entrance CLO PE1PM 21.33								794.22	794.22	22.54	22.54						
Cable					CLO	PE1PJ	3.95										
Physical Collocation - Power -48V DC Power, per Fused Amp					0.0												
Physical Collocation - Power Reduction, Application Fee																	
Physical Collocation - 120V, Single Phase Standby Power Rate			.	1			9.19	400.33		-		1				-	
Physical Collocation - 240V, Single Phase Standby Power Rate	P	Physical Collocation - Power Reduction, Application Fee	<u> </u>	<u> </u>	CLO	PEIPR		400.33									
Physical Collocation - 240V, Single Phase Standby Power Rate	Ь	Physical Collocation - 1201/ Single Phase Standby Power Rate			CLO	DE1ER	5.67										
Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 17.03	+ +	Trysical Collocation - 120V, Single I flase Startaby I owel reate			OLO	ILIID	3.07										
Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 17.03	Р	Physical Collocation - 240V, Single Phase Standby Power Rate		1	CLO	PE1FD	11.36]					I		I
Physical Collocation - 277V, Three Phase Standby Power Rate	1 1													İ		1	
UEANL, UEA, UDN, UDC, UAL, UDN, UDC, UAL, UDN, UEQ, UDL, UNCVX, UNLDX, UNCX PE1P2	P	Physical Collocation - 120V, Three Phase Standby Power Rate	<u> </u>		CLO	PE1FE	17.03			<u> </u>					<u> </u>		<u> </u>
UEANL, UEA, UDN, UDC, UAL, UDN, UDC, UAL, UDN, UEQ, UDL, UNCVX, UNLDX, UNCX PE1P2																	
DC, UAL, UHL, UCL, U EQ, UDL, UNCVX, UNLDX, UNCNX PE1P2 0.0341 12.32 11.83 6.04 5.45	P	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
UDN, UEA, UHL, UNCVX, UNCDX, UNCDX, UCL PE1P4 0.0682 12.42 11.90 6.40 5.74 CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1,	P	Physical Collocation - 2-Wire Cross-Connects			DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1,		Obveigal Collocation - A-Wire Cross Connects			UDN, UEA, UHL, UNCVX, UNCDX,	DE1D4	0 0600	12.42	11.00	6.40	E 74						
USLEL, UNLD1,					CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												

COLLOCAT	ION - South Carolina												Attach	ment: 4	Fxhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
				CLO, UE3,U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	14.21	20.94	15.23	7.39	5.93						
				U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	<u></u>		UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93		<u> </u>		<u> </u>		<u> </u>
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.01	25.61	19.90	9.73	8.26						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	219.19	20.01	10.00	0.70	0.20						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.50										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	74.72										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81	7.81								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.83	22.83								Ĭ
+ + -	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.13	13.13								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,077.57	1,077.57								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.085										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UNLD3, UDL, UDLSX	PE1PH	10.71										

COLLOCATI	ON - South Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre			g Disconnect				Rates (\$)		
\vdash				LIEANII LIEA LIBATT			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect				PE1B2	36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.29										
	Physical Collocation - Request Resend of CFA Information, per			0.0	DE 100											
\vdash	CLLI Nonrecurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CR		77.71 760.98	489.20	133.29	133.29	-					
	Nonrecurring Collocation Cable Records - Per request			CLO	FLICK		700.98	409.20	133.29	133.29						
	cable record			CLO	PE1CD		327.65	327.65	189.54	189.54						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO CLO	PE1CO PE1C1		4.82 2.26	4.82 2.26	5.91 2.77	5.91 2.77					-	
+	Nonrecurring Collocation Cable Records - DS1, per TTTE Nonrecurring Collocation Cable Records - DS3, per T3TIE				PE1C3		7.90	7.90		9.68						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			020	. 2.00		7.00	7.00	0.00	0.00						
	fiber records				PE1CB		84.68	84.68	77.30	77.30						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.23	17.02								
	V to P Conversion, Per Customer Request-Voice Grade				PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0				PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit						20.00									
	Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit			CI O	DEADO		00.60									
 	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS		33.00		+						 	1
	Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
1 1	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO,UDF	PE1ES	0.004										
 	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLU,UDF	PETES	0.001			1						-	
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0015										
	Application Fee, per application Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		584.42								1	-
	Simple			CLO	PE1KS		594.27		1.21							
	Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		833.26		1.21							
	Physical Collocation - Application to Augment Exsisting Space - Intermediate				PE1K1		1,058.00		1.21							
ADJACENT CO							.,000.00		1.2.1	1						
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										

COLL	OCATI	ON - South Carolina												Attach	ment: 4	Evhi	bit: B
COLL	OCAII	ON - South Carolina					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OA! LO	O	TATE ELEMENTO	m	20.10	500	0000			IVATEO (V)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45						00
		Augustin Schoolini 2 This Stock Schillette			UEA,UHL,UDL,UCL,		0.020	12.02	11.00	0.01	0.10						
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74						1
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80		1				
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26						
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate						.,									
		per AC Breaker Amp			CLOAC	PE1FB	5.67								Ì		i
		Adjacent Collocation - 240V, Single Phase Standby Power Rate				<u> </u>	0.07			†		1		1	1		
		per AC Breaker Amp			CLOAC	PE1FD	11.36										1
		Adjacent Collocation - 120V, Three Phase Standby Power Rate					50			t		1	i		 		
		per AC Breaker Amp			CLOAC	PE1FE	17.03								Ì		i '
		Adjacent Collocation - 277V, Three Phase Standby Power Rate		1			17.00			 		1					
		per AC Breaker Amp			CLOAC	PE1FG	39.33										i '
DHASIC	AL CO	LLOCATION IN THE REMOTE SITE			OLOAG	ILIIO	33.33										\vdash
1111010	AL CO	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44	000.00	000.00	100.00	100.00						
		Cabinet Opace in the Remote Oile per Bay/ Rack			OLONO	LIND	240.44										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								1
		Physical Collocation in the Remote Site - Space Availability			OLONO	LIKD		10.10	10.10								\vdash
		Report per Premises Requested			CLORS	PE1SR		116.13	116.13								1
		Physical Collocation in the Remote Site - Remote Site CLLI			CLOIKO	LIOK		110.13	110.13								
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								1
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50	37.04								\vdash
DHASIC	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			CLORG	FLIKK	+	234.30				1					
FITTSIC	AL CO	LEGGATION IN THE REMOTE SITE - ADJACENT					+						-				
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										1
		Remote ofte-Adjacent Conocation - ACT ower, per breaker amp			CLOIKO	LIKO	0.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										1
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.134	755.62	755.62								
	NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	occary i	for rom			vill pogotiato ar										
		LOCATION	essai y	loi reili	ote site conocation,	lile Failles v	ili negotiate ap	propriate rate	3.				-				
VIKTOP	L COL	Virtual Collocation - Application Fee			AMTFS	EAF	+	1.207.95	1.207.95	0.51	0.51		15.69				
					AMTFS		+	794.22	794.22	22.54	22.54		15.69				
—		Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		1	AMTES	ESPCX ESPVX	3.95	194.22	194.22	22.54	22.54	-	15.09	-	 		
-		Virtual Collocation - Floor Space, per sq. π. Virtual Collocation - Power, per fused amp		1	AMTFS	ESPAX						1					
-				1	AIVITO	LOPAX	9.19					1					
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	18.66								Ì		i
-		Cable		-		EOPOX	18.66			 				-	-		
					UEANL,UEA,UDN,U												i '
					DC,UAL,UHL,UCL,U EQ, AMTFS, UDL,										Ì		i '
																	1
		Virtual Callegation - Quita Cass Quita (1997)			UNCVX, UNCDX,	LIEAGO	0.004-	10.00	44.00				45.00		Ì		i
-		Virtual Collocation - 2-wire Cross Connects (loop)		1	UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45	1	15.69	-	 		
					LIEA LILII LICI ZIDI												1
					UEA,UHL,UCL,UDL,												i '
		Virtual Collocation A wire Cross Connected (Icon)			AMTFS, UAL, UDN,	LIEAC4	0.0004	40.40	44.00	0.40	F 74		45.00		Ì		i '
—		Virtual Collocation - 4-wire Cross Connects (loop)		<u> </u>	UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74	1	15.69				
					AMTFS,UDL12,										Ì		i '
					UDLO3, U1T48,	1]								l		i '
					U1T12, U1T03,												i
		Not al Calle and a Control Control			ULDO3, ULD12,	01100=									Ì		i
		Virtual Collocation - 2-Fiber Cross Connects		.	ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93	1	15.69				
					AMTFS,UDL12,	1]								l		i
					UDLO3, U1T48,												i '
					U1T12, U1T03,												i '
		No. 10 H. H. 45 P. 0 5			ULDO3, ULD12,	aa											i '
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				

Version 1Q03: 02/28/03 Page 41 of 48

COLLOCAT	ION - South Carolina					1								ment: 4		bit: B
																Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect		l l	OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				USL,ULC,AMTFS,												
				ULR, UXTD1,												
				UNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE,cross-connect per			U1TD1, USLEL,												
	DS1			UNLD1	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
				USL,ULC,AMTFS,U												
				E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,	ou nov							4= 00				
	DS3			UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ALITEO	\/E40D	0.0000										
	Support Structure, per linear foot			AMTFS	VE1CB	0.0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0033										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		536.56									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			ALITEO	VE40E		500 50									
	Cable Support Structure, per cable			AMTES	VE1CE		536.56	100.00	400.00	100.00						
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		760.98	489.20	133.29	133.29						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		327.65	327.65	189.54	189.54						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AIVITS	VEIBB		327.00	327.00	189.54	189.54						
	100 pair			AMTFS	VE1BC		4.82	4.82	5.91	5.91						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26	2.26	2.77	2.77						
	Virtual Collocation Cable Records - DS1, per TTTLE Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90	7.90	9.68	9.68					-	-
	Virtual Collocation Cable Records - D33, per 1311E Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AIVITS	VEIDE		7.90	7.90	9.00	9.00						
	records			AMTFS	VE1BF		84.68	84.68	77.30	77.30						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.96	10.75	77.50	77.50		15.69				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.10	13.89				15.69				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTPX		27.23	17.02				15.69				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75				15.69				
	Virtual conceditori Maintenance in Co Basic, per han nour			740111 0	OTTLEX		27.00	10.70				10.00				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89				15.69			1	
				-		1	22.30							1	1	1
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02				15.69			1	1
VIRTUAL COL				-	· · · · · ·	i i									1	
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-				1		j		†					İ	İ	1
	Wire Analog - Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69			1	1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-					i										
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69			1	1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire						Ì		İ							
	Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN		L I	UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69			<u> </u>	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69			<u> </u>	<u> </u>
Note:	Rates displaying an "R" in Interim column are interim and sub	iect to r	ate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									

COLLOCAL	ION - Tennessee												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l		SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							1	7144		71441	0020			00	00	
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OIX	I L IIVZ	0.30	13.20	13.20					20.55	10.54	10.02	1.40
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLFOB	FLIKZ	0.30	19.20	19.20					20.33	10.54	13.32	1.40
	Wire ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN		<u> </u>	UEPTX	PE1R2	0.30	19.20	19.20			ļ		20.35	10.54	13.32	1.40
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
PHYSICAL CO				UEPEX	PE1R4	0.50	19.20	19.20	 		-		20.35	10.54	13.32	1.40
FITTSICAL CO	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2,633.00	2,633.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25	2,000.00								
	Physical Collocation - Space Preparation - Firm Order	i		CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per						.,	.,								
	square ft.	- 1		CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation - Common Systems			2. 2												
	Modification per square ft Cageless	-		CLO	PE1SL	2.95										
	Physical Collocation - Space Preparation - Common Systems			CLO	PE1SM	100.14										
-	Modification per Cage Physical Collocation - Cageless - Cable Installation Cost, per	-		CLO	PETSIVI	100.14	1				1					
	cable			CLO	PE1ZA		1,749.00									
	Physical Collocation - Cageless - Floor Space, per sq. ft.			CLO	PE1ZB	3.91	.,									
	Physical Collocation - Floor Space per Sq. Ft.	- 1		CLO	PE1PJ	5.94										
	Physical Collocation - Cageless - Cable Support Structure			CLO	PE1CJ	17.87										
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable	- 1		CLO	PE1PM	19.80										
	Physical Collocation - Cageless - Floor Space Power, per Fused															
	Amp			CLO	PE1ZC	6.79										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.87										
ļ	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		400.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.60										
	Physical Collocation - 120V, Single Phase Standby Power Rate	-		CLO	PEIFB	5.60										
	Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.22										
	Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	16.82										
				0.0	55.50											
	Physical Collocation - 277V, Three Phase Standby Power Rate	ı		CLO	PE1FG	38.84										
	Physical Collocation - 2-Wire Cross-Connects	ı		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.033	33.82	31.92								
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
1 1	Physical Collocation - 4-Wire Cross-Connects	Li		UCL	PE1P4	0.066	33.94	31.95			1	l		1		

COLLOCAT	ION - Tennessee													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II.	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,			FIISL	Add 1	FIISL	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS1 Cross-Connects	- 1		UDL	PE1P1	1.51	53.27	40.16								
	Physical Collocation - DS3 Cross-Connects	ı		CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	19.26	52.37	38.89								
	Physical Collocation - 2-Fiber Cross-Connect	ı		CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF CLO, ULDO3,	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Physical Collocation - Cageless - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF CLO, ULDO3,	PE1CK	3.03	41.56	29.82	12.96	10.34						
	Physical Collocation - 4-Fiber Cross-Connect	I		ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL	6.06	50.53	38.78	16.97	14.35						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	I		CLO	PE1BW	218.53										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	ı		CLO	PE1CW	21.44										
	Physical Collocation - Security Access System - Security System per Central Office Physical Collocation - Security Access System - New Access	ı		CLO	PE1AX	55.99										
	Card Activation, per Card	- 1		CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.61	15.61								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.64	45.64								
	Physical Collocation - Security Access - Initial Key, per Key		1	CLO	PE1AK		26.24	26.24								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.24	26.24								
	Physical Collocation - Space Availability Report per premises POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	ı		CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0.40	2,027.00	2,154.00								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect	ı		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL,	PE1PF	1.20										

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	ı		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	•		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,												
	per cross-connect			UDLSX UEANL,UEA,UDN,U	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, Per Cross-Connect			DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI			CLO	PE1C9		77.67									
 	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	- 1		CLO	PE1CR		1,711.00		 							
	cable record			CLO	PE1CD		925.06									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CO		18.05	18.05								
	each 100 pair Nonrecurring Collocation Cable Records - DS1, per T1TIE	-		CLO	PE1C0		8.45	8.45	1		-					<u> </u>
	Nonrecurring Collocation Cable Records - DS3, per T3TIE	i i		CLO	PE1C3		29.57	29.57	†		+				†	
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		279.42	279.42								
	Physcial Collocation - Cageless - Security Escort - Basic, per									1	1				<u> </u>	
\vdash	Half Hour Physical Collocation - Cageless - Security Escort - Overtime, per			CLO	PE1ZM		33.15	20.44								
	Half Hour			CLO	PE1ZN		41.50	25.61								
	Physical Collocation - Cageless - Security Escort - Premium, per Half Hour			CLO	PE1ZO		49.86	30.79								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.91	21.49	İ	1						
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.42	34.02							1	
	V to P Conversion, Per Customer Request-Voice Grade	ı		CLO	PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0	Ī		CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00			ļ					ļ	
	V to P Conversion, Per Customer request-DS3	ı		CLO	PE1B3		52.00			1						
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									

COLLOCAT	ION - Tennessee			ı		1								ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
	144 B.O					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit	-		OLO	I LIBO		33.00									
	Reconfigured	ı		CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			0.0	55.55		======									
	prs or fraction thereof Physical Caged Collocation-App Cost(initial & sub)-Planning,	-		CLO	PE1B7		592.00			-						
	per request			CLO	PE1AC	16.16	2,903.66	2,903.66								
								•								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4.32										
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SN		142.40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100			020	LION		142.40									
	amp Feed			CLO	PE1SO		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 200			CI O	PE1SP		242.05									
	amp Feed Physical Caged Collocation-Space Enclosure-Cage Preparation,			CLO	PETSP		242.05									1
	per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage															
	Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49										<u> </u>
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber,			020	. 2.10.	0.0100										
	per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per			CI O	DE4E0	5.94										
	sq. ft. Physical Caged Collocation-Cable Support Structure-Cable			CLO	PE1FS	5.94										-
	Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp															
	DC plant Physical Caged Collocation-Power-Power Consumption,per amp			CLO	PE1PN	3.55										-
	AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade															1
	ckts, per ckt.			CLO	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			CLO	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to			OLO	1 1140	0.0473	7.00									
	DCS, per ckt.			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to			CI O	DE44V	0.00	44.05									
	DSX, per ckt. Physical Caged Collocation-DS3 Cross Connects-Connection to			CLO	PE11X	0.38	41.65									
	DCS, per ckt.			CLO	PE13S	53.96	298.03									
	Physical Caged Collocation-DS3 Cross Connects-Connection to															
	DSX, per ckt. Physical Caged Collocation-Security Access-Access Cards, per		-	CLO	PE13X	9.32	298.03				+	ļ				
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable						. 50				1				1	1
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013										
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft.			CLO	PE1ZH	0.0031										
	Physical Collocation - Cageless - Co-Carrier Cross Connects-		1	OLO	FLIZE	0.0031					+				 	†
	Fiber Cable Support Structure, per cable			CLO	PE1ZK		555.03									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			01.0	DE450	0.00/-										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Cageless - Co-Carrier Cross Connects -			CLO	PE1DS	0.0019					+	 			 	-
	Copper/Coax Cable Support Structure, per linear ft.			CLO	PE1ZJ	0.0045										
	Physical Collocation - Cageless - Co-Carrier Cross Connects -															
	Copper/Coax Cable Support Structure, per cable			CLO	PE1ZL		555.03								I	<u> </u>

COLLOCAT	TION - Tennessee													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connects Only -															
	Application Fee, per application			CLO	PE1DT		585.09									
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<u> </u>	CLOAC	PE1JC	5.53			11.00							
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.34	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-vvire Cross-Connects Adjacent Collocation - DS1 Cross-Connects		1	USL,CLOAC	PE1P4 PE1P1	1.70	28.39	16.88	11.65	10.44			1.77	1.77		1.12
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.34			1.77	1.77		1.12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.49		15.51	13.41	10.78			1.77	1.77		1.12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee	1		CLOAC	PE1JB	5.50	2,973.00	2	50						2	2
	Adjacent Collocation - 120V, Single Phase Standby Power Rate						,									
	per AC Breaker Amp	l		CLOAC	PE1FB	5.81								1	1	1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	40.30										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			0207.0		10.00										
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site - Space Availability			01.000	DE 40D		040.40									
	Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PE1SR	-	218.49								-	
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT			OLONO	LIKK		254.15									
I	ADDAOLNI															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot	l	1	CLORS	PE1RT	0.134						1	1	I	I	
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	004	755.62	755.62					İ	1	1	
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary	or rem			will negotiate a									1	
VIRTUAL COL																
	Virtual Collocation - Application Fee			AMTFS	EAF		2,633.00	2,633.00					2.07	2.81	0.67	1.41
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	ļ	1,749.00	1,749.00					2.07	2.81	0.67	1.41
	Virtual Collocation - Floor Space, per sq. ft.	ļ		AMTFS	ESPVX	3.91							ļ	ļ	ļ	ļ
 	Virtual Collocation - Power, per fused amp	ļ	ļ	AMTFS	ESPAX	6.79								-	-	-
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	17.87										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66	<u> </u>		2.07	2.81	0.67	1.41
				UEA,UHL,UCL,UDL, AMTFS. UAL. UDN.												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56

COLLOCAL	ION - Tennessee													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	0.00.10	555.03						2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		555.03						2.07	2.81	0.67	1.41
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1.711.00						2.01	2.01	0.07	1.4
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		925.06									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		18.05	18.05								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.45	8.45								
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.57	29.57								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTEO	VE4DE		070.40	070.40								
	records Virtual collocation - Security Escort - Basic, per half hour		1	AMTFS AMTFS	VE1BF SPTBX		279.42 33.15	279.42 20.44					2.07	2.81	0.67	1.4
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTOX		41.50	25.61					2.07	2.81	0.67	1.4
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67	1.4
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64					2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90					2.07	2.81	0.67	1.41
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40

Attachment 5

Access to Numbers and Number Portability

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT	
SC	OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Big River is utilizing its own switch, Big River shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Big River will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Big River, BellSouth will provide Big River with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Big River acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Big River acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Big River return unused intermediate numbers to BellSouth. Big River shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Big River to designate up to 100 intermediate telephone numbers per rate center for Big River's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Big River acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where Big River subscribes to BellSouth's local switching, BellSouth shall bill and Big River shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1.

This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- 2.3 To limit service outage, BellSouth and Big River will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Big River.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.7 BellSouth and Big River will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to Big River that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- BellSouth shall provision services during its regular working hours. To the extent Big River requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Big River, BellSouth will not assess Big River additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Big River access to operations support systems (OSS) functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Big River to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Big River's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.
- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Big River shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number

where applicable. Big River shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Big River shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Big River will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Big River's access to customer record information. If a BellSouth audit of Big River's access to customer record information reveals that Big River is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Big River may take corrective action, including but not limited to suspending or terminating Big River's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Service Ordering. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Big River may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- Maintenance and Repair. Big River may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth offers Big River non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth offers an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth provides non-discriminatory trouble reporting via the ECTA Gateway. BellSouth provides Big River an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Big River agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.

- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Big River, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Big River will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Big River shall be required to submit a new service request. Incorrect or invalid requests returned to Big River for correction or clarification will be held for thirty (30) days. If Big River does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. Big River will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Big River to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Big River and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Big River to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Big River that such a request has been processed but will not be required to notify Big River in advance of such processing.
- 3.2.1 Neither BellSouth nor Big River shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.

- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request (LSR) rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 Big River shall return a FOC to BellSouth within thirty-six (36) hours after Big River's receipt from BellSouth of a valid LSR.
- 3.2.4 Big River shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Big River elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Big River by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Big River that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 Cancellation Charges. If Big River cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Big River places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Big River places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Big River may cancel its request for those network elements or services without incurring cancellation charges as described in

this Section. In such instance, should Big River elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Big River, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	6
3.	RAO HOSTING	7
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	13
6.	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	15
Ra	tes	Exhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to Big River under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Big River, Big River shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of Big River's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill Big River in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 Charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Big River, and Big River will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Big River as a result of the execution of this Agreement.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, BellSouth will make an adjustment to such recurring rates billed in advance at the previously effective rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, Big River will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Numbers (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Big River may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from Big River.
- 1.2.1 OCN. If Big River needs to change its OCN(s) under which it operates when Big River has already been conducting business utilizing those OCN(s), Big River shall bear all costs incurred by BellSouth to convert Big River to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Big River's End User customer records and will be handled by the BFR/NBR process.
- 1.2.2 <u>Payment Responsibility</u>. Payment of all charges will be the responsibility of Big River. Big River shall make payment to BellSouth for all services billed. Payments made by Big River to BellSouth as payment on account will be credited to Big River's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Big River and Big River's customer.
- 1.3 <u>Payment Due.</u> Payment for services provided is due on or before the next bill date in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 <u>Due Dates</u>. If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Big River will not include those taxes or fees from which Big River is exempt. Big River will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the End User of Big River.

- Late Payment. If any portion of the payment is not received by BellSouth on or before the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, Big River may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to Big River</u>. The procedures for discontinuing service to Big River are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Big River of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Big River that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Big River to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Big River if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 Discontinuance of service on Big River's account will effect a discontinuance of service to Big River's End Users. BellSouth will reestablish service for Big River upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Big River is solely responsible for notifying the End User of the discontinuance of the service. If within fifteen (15) days after Big River's service has been discontinued and no arrangements to reestablish service have been made consistent with this subsection, Big River's service will be disconnected.

- 1.8 Deposit Policy. Big River shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Big River. Any such security deposit shall in no way release Big River from its obligation to make complete and timely payments of its bill. Big River shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Big River's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Big River fails to remit to BellSouth any deposit requested pursuant to this Section, service to Big River may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Big River's account(s). In the event Big River defaults on its account, service to Big River will be terminated in accordance with the terms of Section 1.7 above, and any security deposits will be applied to Big River's account.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Big River, shall be forwarded to the individual and/or address provided by Big River in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Big River as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from Big River to BellSouth's billing organization, the notice of discontinuance of services purchased by Big River under this Agreement provided for in Section 1.7.2 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.
- 1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Big River shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. A billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 2.3 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Big River by BellSouth will be in accordance with the methods and practices regularly applied

- by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Big River shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Big River on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- Big River must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Big River must request that BellSouth establish a unique hosted RAO code for Big River. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Big River that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Big River shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Big River.
- 3.7 All data received from Big River that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Big River that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Big River and will forward them to Big River on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Big River will be via CONNECT:Direct or Secure File Transfer Protocol (FTP).
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Big River for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Big River will be responsible for ordering the circuit and coordinating the installation with BellSouth. Big River is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be

negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Big River. Additionally, all message toll charges associated with the use of the dial circuit by Big River will be the responsibility of Big River. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Big River end for the purpose of data transmission will be the responsibility of Big River.

- 3.10.2 If Big River utilizes Secure File Transfer Protocol for data file transmission, purchase of the Secure File Transfer Protocol software will be the responsibility of Big River.
- 3.11 All messages and related data exchanged between BellSouth and Big River will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Big River will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Big River to send data to BellSouth more than sixty (60) days past the message date(s), Big River will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Big River, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the End Users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Big River, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Big River of the error. Big River will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Big River will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

- 3.16 In association with message distribution service, BellSouth will provide Big River with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Big River as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Big River and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Big River and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Big River, is covered by CATS. Also covered is traffic that either is originated by or billed by Big River, involves a company other than Big River, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once Big River is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Big River. BellSouth will distribute copies of these reports to Big River on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Big River. BellSouth will distribute copies of these reports to Big River on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Big River from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Big River. BellSouth will remit the revenue billed by Big River to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Big River. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Big River via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

- 3.18.7 BellSouth will collect the revenue earned by Big River within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Big River. BellSouth will remit the revenue billed by Big River within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Big River via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Big River agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Big River, BellSouth will provide the Optional Daily Usage File (ODUF) service to Big River pursuant to the terms and conditions set forth in this section.
- 4.2 Big River shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Big River customer.
- 4.4 Charges for the ODUF will appear on Big Rivers' monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Big River will be billed at the ODUF rates that are in effect at the end of the previous month.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of Big River will be the responsibility of Big River. If, however, Big River should encounter significant volumes of errored messages that prevent processing by Big River within its systems, BellSouth will work with Big River to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the ODUF feed.
- 4.7.1 ODUF Messages to be Transmitted
- 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Big River:

4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Big River. 4.7.1.4 In the event that Big River detects a duplicate on ODUF they receive from BellSouth, Big River will drop the duplicate message and will not return the duplicate to BellSouth. 4.7.2 **ODUF Physical File Characteristics** 4.7.2.1 ODUF will be distributed to Big River via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

4.7.2.2

Data circuits (private line or dial-up) will be required between BellSouth and Big River for the purpose of data transmission as set forth in Section 3.10.1 above.

- 4.7.2.3 If Big River utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Big River.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Big River which BellSouth RAO that is sending the message. BellSouth and Big River will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Big River and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Big River will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Big River will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Big River by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 Big River will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Big River's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Big River for reasons stated in the above section.
- 4.7.6 ODUF Testing
- 4.7.6.1 Upon request from Big River, BellSouth shall send ODUF test files to Big River. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Big River set up a production (live) file. The live test may consist of Big River's employees making test calls for the types of services Big River requests on ODUF. These test calls are logged by Big River, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- Upon written request from Big River, BellSouth will provide the Access Daily Usage File (ADUF) service to Big River pursuant to the terms and conditions set forth in this section.
- 5.2 Big River shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Big River has purchased from BellSouth
- Charges for ADUF will appear on Big River's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Big River will be billed at the ADUF rates that are in effect at the end of the previous month.
- Messages that error in the billing system of Big River will be the responsibility of Big River. If, however, Big River should encounter significant volumes of errored messages that prevent processing by Big River within its systems, BellSouth will work with Big River to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Big River:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Big River.
- 5.6.3 In the event that Big River detects a duplicate on ADUF they receive from BellSouth, Big River will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to Big River via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

- Data circuits (private line or dial-up) will be required between BellSouth and Big River for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.4.3 If Big River utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Big River.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Big River which BellSouth RAO is sending the message. BellSouth and Big River will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Big River and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 Big River will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Big River will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Big River by BellSouth.
- 5.6.7 ADUF Control Data
- Big River will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Big River's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Big River for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from Big River, BellSouth shall send a test file of generic data to Big River via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.
- 6. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)

6.1 Upon written request from Big River, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Big River pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option. 6.2 Big River shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File. 6.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines. 6.4 Charges for delivery of the Enhanced Optional Daily Usage File will appear on Big River's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Big River will be billed at the EODUF rates that are in effect at the end of the previous month. 6.5 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 6.6 Messages that error in the billing system of Big River will be the responsibility of Big River. If, however, Big River should encounter significant volumes of errored messages that prevent processing by Big River within its systems, BellSouth will work with Big River to determine the source of the errors and the appropriate resolution. 6.7 The following specifications shall apply to the EODUF feed. 6.7.1 Usage To Be Transmitted 6.7.1.1 The following messages recorded by BellSouth will be transmitted to Big River: 6.7.1.1.1 Customer usage data for flat rated local call originating from Big River's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include: 6.7.1.1.2 Date of Call 6.7.1.1.3 From Number 6.7.1.1.4 To Number 6.7.1.1.5 Connect Time 6.7.1.1.6 **Conversation Time** 6.7.1.1.7 Method of Recording

From RAO

6.7.1.1.8

- 6.7.1.1.9 Rate Class
- 6.7.1.1.10 Message Type
- 6.7.1.1.11 Billing Indicators
- 6.7.1.1.12 Bill to Number
- 6.7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Big River.
- 6.7.1.3 In the event that Big River detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Big River will drop the duplicate message (Big River will not return the duplicate to BellSouth).
- 6.7.2 Physical File Characteristics
- 6.7.2.1 The EODUF feed will be distributed to Big River over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Big River's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- Data circuits (private line or dial-up) may be required between BellSouth and Big River for the purpose of data transmission. Where a dedicated line is required, Big River will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Big River will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Big River. Additionally, all message toll charges associated with the use of the dial circuit by Big River will be the responsibility of Big River. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Big River's end for the purpose of data transmission will be the responsibility of Big River.
- 6.7.3 Packing Specifications
- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

- 6.7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Big River which BellSouth RAO is sending the message. BellSouth and Big River will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Big River and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

ODUF/ADUF	/EODUF/CMDS - Alabama												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O																
	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.000011										
	ODUF: Message Processing, per message				N/A	0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	ICED OPTIONAL DAILY USAGE FILE (EODUF)				N/A	0.22			 							<u> </u>
	EODUF: Message Processing, per message		<u> </u>						la Dantiaaa		than Danti.					
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	tortn in appi	icable BellSout	n tariii or as n	egotiated by t	ne Parties upoi	request by e	tner Party.					

ODUF/ADUF	F/EODUF/CMDS - Florida												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+	1	Nonre	currina	Nonrecurrin	a Disconnect			oss	Rates (\$)	l.	ــــــــــــــــــــــــــــــــــــــ
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	EDIE/CMDS		1													
	SS DAILY USAGE FILE (ADUF)		1		+					+						
7.002	ADUF: Message Processing, per message				N/A	0.001656										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.91		1		1						<u> </u>
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010375										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
ENHA	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	EODUF: Message Processing, per message				N/A	0.080698			İ		Ì					1
	If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	forth in appl	icable BellSoutl	h tariff or as	negotiated by t	he Parties upo	n request by e	ther Party.					1

ODUF/ADUF/EODUF/CMDS - Georgia												Attach	ment: 7	Exhi	ibit: A
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Dee	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/OEDUF/CMDS															
ACCESS DAILY USAGE FILE (ADUF)															
ADUF: Message Processing, per message				N/A	0.0136327										
ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message				N/A	0.0001275										
ODUF: Message Processing, per message				N/A	0.0082548										
ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message		ļ		N/A	0.004										
CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	-	1		NI/A	0.0024555			+	1						
EODUF: Message Processing, per message	1	L .		N/A	0.0034555			l Bodie	l	<u> </u>					ļ
Notes: If no rate is identified in the contract, the rate for the specific	c servic	e or tur	iction will be as set	tortn in appi	icable BellSout	n tariii or as n	egotiated by t	ne Parties upo	n request by e	tner Party.					<u> </u>

ODUF/ADUF/	EODUF/CMDS - Kentucky												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/OR																
	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
	IAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	CED OPTIONAL DAILY USAGE FILE (EODUF)		1		N/A	0.225000			 							<u> </u>
	EODUF: Message Processing, per message		<u> </u>	ation will be as ac-		0.235889			la Dantiaa		than Danti					
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	tortn in appi	cadie BellSout	n tariii or as n	egotiated by t	ne Parties upoi	request by e	tner Party.					<u> </u>

ODUF/ADUF	F/EODUF/CMDS - Louisiana												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs.
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u> </u>
ODUF/ADUF/O																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
ENHAN	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	EODUF: Message Processing, per message				N/A	0.250015					İ					1
	If no rate is identified in the contract, the rate for the specific	servic	e or fur	ction will be as set			h tariff or as	negotiated by	he Parties upo	n request by e	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Mississippi												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	EDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.250424										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

CATEGORY RATE ELEMENTS Intering Manual Svc M	ODUF/ADUF	/EODUF/CMDS - North Carolina												Attach	ment: 7	Exhi	ibit: A
CENTRALIZED MESSAGE Processing, per message	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc
First Add* First Add* SOMEC SOMAN SOMA							B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
ACCESS DAILY USAGE FILE (ADUF) ADUF: Message Processing, per message N/A ADUF: Data Transmission (CONNECT:DIRECT), per message N/A O.001277 OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message N/A O.0003 ODUF: Message Processing, per message N/A O.0032 ODUF: Message Processing, per message N/A O.0032 ODUF: Message Processing, per Magnetic Tape provisioned N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ACCESS DAILY USAGE FILE (ADUF) ADUF: Message Processing, per message N/A ADUF: Data Transmission (CONNECT:DIRECT), per message N/A O.001277 OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message N/A O.0003 ODUF: Message Processing, per message N/A O.0032 ODUF: Message Processing, per message N/A O.0032 ODUF: Message Processing, per Magnetic Tape provisioned N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT), per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message N/A OUTION OF THE CONNECT:DIRECT, per message																	
ADUF: Message Processing, per message N/A 0.01435 ADUF: Data Transmission (CONNECT:DIRECT), per message N/A 0.0001277 OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message N/A 0.0003 ODUF: Message Processing, per message N/A 0.0032 ODUF: Message Processing, per Magnetic Tape provisioned N/A 54.61 ODUF: Data Transmission (CONNECT:DIRECT), per message N/A 0.0004 CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) CMDS: Message Processing, per message N/A 0.0004 CMDS: Data Transmission (CONNECT:DIRECT), per message N/A 0.0004 CMDS: Data Transmission (CONNECT:DIRECT), per message N/A 0.0004 CMDS: Data Transmission (CONNECT:DIRECT), per message N/A 0.0004	ODUF/ADUF/O	EDUF/CMDS															
ADUF: Data Transmission (CONNECT:DIRECT), per message OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message N/A O.0003 ODUF: Message Processing, per message N/A O.0032 ODUF: Message Processing, per Magnetic Tape provisioned N/A ODUF: Data Transmission (CONNECT:DIRECT), per message N/A ODUF: Data Transmission (CONNECT:DIRECT), per message N/A ODUF: Message Processing, per message N/A ODUF: Data Transmission (CONNECT:DIRECT), per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message N/A ODUF: Message Processing, per message	ACCES	S DAILY USAGE FILE (ADUF)															
OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message N/A 0.0003 ODUF: Message Processing, per message N/A 0.0032 ODUF: Message Processing, per Magnetic Tape provisioned N/A 54.61 ODUF: Data Transmission (CONNECT:DIRECT), per message N/A 0.0004 CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) CMDS: Message Processing, per message N/A 0.001 CMDS: Data Transmission (CONNECT:DIRECT), per message N/A 0.001 ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message N/A 0.2285406		ADUF: Message Processing, per message				N/A	0.01435										
ODUF: Recording, per message						N/A	0.0001277										
ODUF: Message Processing, per message N/A ODUF: Message Processing, per Magnetic Tape provisioned N/A ODUF: Message Processing, per Magnetic Tape provisioned N/A ODUF: Data Transmission (CONNECT:DIRECT), per message N/A O.0004 CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) CMDS: Message Processing, per message N/A O.004 CMDS: Data Transmission (CONNECT:DIRECT), per message N/A O.001 ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message N/A O.2285406																	
ODUF: Message Processing, per Magnetic Tape provisioned N/A 54.61 ODUF: Data Transmission (CONNECT:DIRECT), per message CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) CMDS: Message Processing, per message N/A 0.004 CMDS: Data Transmission (CONNECT:DIRECT), per message N/A 0.001 ENHANCED OPTIONAL DAILY USAGE FILE (EDUF) EODUF: Message Processing, per message N/A 0.2285406																	
ODUF: Data Transmission (CONNECT:DIRECT), per message CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) CMDS: Message Processing, per message N/A 0.004 CMDS: Data Transmission (CONNECT:DIRECT), per message N/A 0.001 ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message N/A 0.2285406		ODUF: Message Processing, per message				N/A	0.0032										
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) CMDS: Message Processing, per message N/A CMDS: Data Transmission (CONNECT:DIRECT), per message N/A ENHANCED OPTIONAL DAILY USAGE FILE (EDDUF) EODUF: Message Processing, per message N/A 0.001		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
CMDS: Message Processing, per message						N/A	0.00004										
CMDS: Data Transmission (CONNECT:DIRECT), per message ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message N/A 0.2285406																	
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message N/A 0.2285406		CMDS: Message Processing, per message				N/A	0.004										
EODUF: Message Processing, per message N/A 0.2285406						N/A	0.001										
						N/A	0.2285406			1							+
			corvice	or fur	oction will be as set			h tariff or as n	enotiated by t	he Parties uno	request by o	ther Party					

ODUF/ADUF	/EODUF/CMDS - South Carolina												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O	EDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message			_	N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)		ļ			0.050004										
	EODUF: Message Processing, per message		<u> </u>		N/A	0.258301			l		L					
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Tennessee												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)				N1/A	0.004					ļ					ļ
N1-1	EODUF: Message Processing, per message	L	<u> </u>		N/A	0.004					<u> </u>					ļI
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	ortn in appli	icable BellSout	tn tariff or as ne	egotiated by t	ne Parties upor	request by e	tner Party.					

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Attachment 9

Performance Measurements

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

BellSouth Service Quality Measurement Plan (SQM)

Region Performance Metrics

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: https://pmap.bellsouth.com in the Documentation Downloads folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

-

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

Contents

Section 1: Operations Support Systems (OSS)	
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	
OSS-2: Interface Availability (Pre-Ordering/Ordering)	1-5
OSS-3: Interface Availability (Maintenance & Repair)	
OSS-4: Response Interval (Maintenance & Repair)	1-9
PO-1: Loop Makeup - Response Time – Manual	1-11
PO-2: Loop Make Up - Response Time - Electronic	1-13
Section 2: Ordering	2-1
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	
O-3: Percent Flow-Through Service Requests (Summary)	
O-4: Percent Flow-Through Service Requests (Detail)	
O-5: Flow-Through Error Analysis	
O-6: CLEC LSR Information	
LSR Flow Through Matrix	
O-7: Percent Rejected Service Requests	
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manus	
O-11: Firm Order Confirmation and Reject Response Completeness	
O-12: Speed of Answer in Ordering Center	
O-13: LNP-Percent Rejected Service Requests	
O-14: LNP-Reject Interval Distribution & Average Reject Interval	
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Con	
Average Interval.	
Section 3: Provisioning	
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
**	
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	
P-5: Average Completion Notice Interval	
P-6: % Completions/Attempts without Notice or < 24 hours Notice	
P-7: Coordinated Customer Conversions Interval	
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and A	_
Interval	
P-7B: Coordinated Customer Conversions – Average Recovery Time	
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a comp	-
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	
P-9: % Provisioning Troubles within 30 days of Service Order Completion	
P-10: Total Service Order Cycle Time (TSOCT)	
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	
P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Disconnect	stribution

	3-34
P-14: LNP-Total Service Order Cycle Time (TSOCT)	
Section 4: Section 4: Maintenance & Repair	4-1
M&R-1: Missed Repair Appointments	
M&R-2: Customer Trouble Report Rate	
M&R-3: Maintenance Average Duration	
M&R-4: Percent Repeat Troubles within 30 Days	
M&R-5: Out of Service (OOS) > 24 Hours	
M&R-6: Average Answer Time – Repair Centers	4-11
M&R-7: Mean Time To Notify CLEC of Network Outages	4-12
Section 5: Billing	5-1
B-1: Invoice Accuracy	5-1
B2: Mean Time to Deliver Invoices	
B3: Usage Data Delivery Accuracy	
B4: Usage Data Delivery Completeness	
B5: Usage Data Delivery Timeliness	
B6: Mean Time to Deliver Usage	
B7: Recurring Charge Completeness	
B8: Non-Recurring Charge Completeness	5-10
Section 6: Operator Services And Directory Assistance	6-1
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll	6-1
OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll	6-2
DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assista	. ,
DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Direction	•
(DA)	6-4
Section 7: Database Update Information	7-1
D-1: Average Database Update Interval	7-1
D-2: Percent Database Update Accuracy	
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date	7-5
Section 8: E911	8-1
E-1: Timeliness.	
E-2: Accuracy	
E-3: Mean Interval	8-3
Section 9: Trunk Group Performance	9-1
TGP-1: Trunk Group Performance-Aggregate	
TGP-2: Trunk Group Performance-CLEC Specific	
Section 10: Collocation	10-1
C-1: Collocation Average Response Time	
C-2: Collocation Average Arrangement Time	
C-3: Collocation Percent of Due Dates Missed	
Section 11: Change Management	11-4
CM-1: Timeliness of Change Management Notices	11-4
CM-2: Change Management Notice Average Delay Days	

765 of 925

CM-3: Timeliness of Documents Associated with Change	11-6
CM-4: Change Management Documentation Average Delay Days	
CM-5: Notification of CLEC Interface Outages	
Section 12: Bona Fide / New Business Request Process	12-1
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed W	Vithin X
(10/30/60) Business Days	12-2
Appendix A: Reporting Scope	1
A-1: Standard Service Groupings	
A-2: Standard Service Order Activities	
Appendix B: Glossary of Acronyms and Terms	1
Appendix C: RellSouth Audit Policy	1

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

None

Business Rules

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
 Legacy Contract (per reporting dimension) 	• Legacy Contract (per reporting dimension)
 Response Interval 	Response Interval
 Regional Scope 	Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• RSAG – Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG – TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

767 of 925

- CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- **P/SIMS** (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSACCTS	CSR	X	X	X	X	X
OASIS	OASISCAR	Feature/Service	X	X	X	X	X
OASIS	OASISLPC	Feature/Service	X	X	X	X	X
OASIS	OASISMTN	Feature/Service	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSOCSR	CSR	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

1-2

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
HAL	HAL/CRIS	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	X	X	X	X	X
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	X

Table 4: Legacy System Access Times For TAG

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
CRIS	CRSECSR	CSR	X	X	X	X	X

SEEM Measure

SEEM Measure				
Yes	Tier I			
	Tier II	X		

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • RSAG – Address (Regional Street Address Guide-• Percent Response Received within 6.3 seconds: > 95% Address) – stores street address information used to • Parity + 2 seconds validate customer addresses. CLECs and BellSouth query this legacy system. • **RSAG** – **TN** (Regional Street Address Guide-Telephone number) - contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. • ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system. **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. • **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system. HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- **P/SIMS** (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)

 Information on feature and rate availability. BellSouth queries this legacy system.

SEEM OSS Legacy Systems

System	BellSouth	CLEC					
Telephone Number/Address							
RSAG-ADDR	RNS, ROS	TAG, LENS					
RSAG-TN	RNS, ROS	TAG, LENS					
ATLAS	RNS,ROS	TAG. LENS					
	Appointment Schedul	ing					
DSAP	RNS, ROS	TAG, LENS					
CSR Data							
CRSACCTS	RNS						
CRSOCSR	ROS						
HAL/CRIS		LENS					
CRSECSRL		TAG					
CRSECSR		TAG					
	Service/Feature Availability						
OASISBIG	RNS, ROS						
PSIMS/ORB		LENS					

770 of 925

OSS-2: Interface Availability (Pre-Ordering/Ordering)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

Calculation

Interface Availability (Pre-Ordering/Ordering) = $(a / b) \times 100$

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract Type (per reporting dimension)	• Legacy Contract Type (per reporting dimension)
Regional Scope	Regional Scope
Hours of Downtime	 Hours of Downtime

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	X
TAG	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X

SEEM Measure

SEEM Measure				
Yes	Tier I			
Tier II X				

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

SEEM OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	X
HAL	CLEC	X
LENS	CLEC	X
LEO Mainframe	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X

772 of 925

OSS-3: Interface Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience		Relating to BellSouth Performance
Availability of CLEC TAFI	• A	vailability of BellSouth TAFI
 Availability of LMOS HOST, MARCH, SOCS, CRIS, 	• A	vailability of LMOS HOST, MARCH, SOCS, CRIS,
PREDICTOR, LNP and OSPCM	Pl	REDICTOR, LNP and OSPCM
• ECTA		

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
BST TAFI	X
CLEC TAFI	X
CLEC ECTA	X
BellSouth & CLEC	X
CRIS	X
LMOS HOST	X
LNP	X
MARCH	X
OSPCM	X
PREDICTOR	X
SOCS	X

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	X
CLEC ECTA	X

774 of 925

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = $(c / d) \times 100$

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is ≤ 4 , ≥ 4 , ≤ 10 , ≤ 10 , ≥ 10 , or ≥ 30 seconds.

Report Structure

- · Not CLEC Specific
- Not product/service specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• Parity

Legacy System Access Times for M&R

System	BellSouth & CLEC			Count		
		<= 4	> 4 <= 10	<= 10	> 10	> 30
CRIS	Х	X	X	X	X	X
DLETH	X	X	X	X	X	X
DLR	Х	X	X	X	X	X
LMOS	Х	X	X	X	X	X
LMOSupd	Х	X	X	X	X	X
LNP	X	X	X	X	X	X
MARCH	Х	X	X	X	X	X
OSPCM	Х	X	X	X	X	X
Predictor	Х	X	X	X	X	X
SOCS	Х	X	X	X	X	X
NIW	X	X	X	X	X	X

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries.

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

- 1. From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - $0 <= 1 \ day$
 - >1 <= 2 days
- >2 <= 3 days
- $0 \le 3 \text{ days}$
- >3 <= 6 days
- >6 <= 10 days
- > 10 days
- Average Interval in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Inquiries	
SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
•	• 95% <= 3 Business Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark
•	• 95% <= 3 Business Days

PO-2: Loop Make Up - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- · Canceled Requests.
- · Scheduled OSS Maintenance.

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- $\bullet \ f = Total \ Number \ of \ LMUSIs \ processed \ within the reporting period$

Report Structure

- CLEC Aggregate
- · CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:

 $0 - \le 1$ minute

>1 - <= 5 minutes

 $0 - \le 5$ minutes

 $> 5 - \le 8$ minutes

> 8 - <= 15 minutes

- > 15 minutes
- · Average Interval in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable

Legacy Contract
Response Interval
Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
-	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system.

Exclusions

· Scheduled OSS Maintenance

Business Rules

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC. Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

Reporting Structure

- · CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
 - Region
- · Electronically Submitted LSRs

 $0 - \le 10$ minutes

>10 - <= 20 minutes

>20 - <= 30 minutes

 $0 - \le 30$ minutes

>30 - <= 45 minutes

>45 -<= 60 minutes

>60 - <= 120 minutes

>120 minutes

· Average interval for electronically submitted messages/LSRs in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Not Applicable
 Record of Functional Acknowledgements 	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

Exclusions

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

Business Rules

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = (a / b) X 100

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- · CLEC Specific/Aggregator
- · Geographic Scope
 - Region

Note: The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- · Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in
- 8. Denials-restore and conversion, or disconnect and conver sion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

- 7. Expedites (requested by the CLEC)
- *See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = a / [b-(c+d+e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors By Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
 Total Number of Errors by Type, by CLEC 	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
• Total Number of Errors by Error Code	
 Total Fallout for Manual Processing 	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark ²
Residence	• Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark ³
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

³ Benchmarks do not apply to the "Percent Achieved Flow Through."

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- · Fatal Rejects
- Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in
- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- · Total manual fallout
- Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors by Type	
- TAG	- Bellsouth System Error	
- EDI		
- LENS		
 Total Number of Errors by Type, by CLEC 		
- Fatal Rejects		
- Auto Clarification		
- CLEC Errors		
Total Number of Errors by Error Code		
Total Fallout for Manual Processing		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark⁴
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	• Benchmark: 85%

-

⁴ Benchmarks do not apply to the "Percent Achieved Flow Through."

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation - Analog/Benchmark

	SEEM Disaggregation	SEEM Analog/Benchmark ⁵
• Res	sidence	• Benchmark: 95%
• Bus	siness	• Benchmark: 90%
• UN	Е	• Benchmark: 85%
• LNI	P	Benchmark: 85%

-

⁵ Benchmarks do not apply to the "Percent Achieved Flow Through."

O-5: Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type.

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- · Percent of each error type
- · Cumulative percent
- Error Description
- · CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Number of LSRs Received	• Total Number of Errors by Type (by error code)
• Total Number of Errors by Type (by error code)	- BellSouth System Error
- CLEC Caused Error	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- · LSRs submitted manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Record of LSRs Received by CC, PON and Ver 	
• Record of Timestamp, Type, Err # and Note or Error	
Description for each LSR by CC, PON and Ver	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

LSR Flow Through Matrix

Product	Product Type	Reqtype	ACT Type	F/T ³	Comple x Service	plex	Fallout For		TAG ²	LEN S ⁴
2 wire analog DID trunk port	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	C	E	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	E	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	E	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	E	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	C	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	C		N, C, T, V, W, D, P, Q	No	Yes	Yes	N/A	N	N	N
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	C	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	C	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	E	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
Directory Listings Captions	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
Directory Listings (simple)	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
ESSX	С	P	C,D,T,V,S,B,W,L ,P,Q	No	Yes	Yes	NA	N	N	N
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	U	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Y	Y
INP to LNP Conversion	U	С	С	No	UNE	Yes	Yes	Y	Y	N

Product	Product	Reqtype	ACT Type	F/T ³	Comple	Com	Planned	EDI	TAG	LEN
	Type	','	7.		x ·	plex	Fallout For		2	S^4
					Service	Order				
							Handling ¹			
LightGate	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	A	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	С	C,D,P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	U	C	D,P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	D,P,V,Q	Yes	UNE	No	No	Y	Y	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalink	C	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Megalink-T1	С	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans. Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Multiserv	С	P	N,C,D,T,V,S,B,	No	Yes	Yes	NA	N	N	N
			W,L,P,Q							
Native Mode LAN Interconnection	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
(NMLI)			, , , ,							
Off-Prem Stations	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Plus	,	_	, , , ,							
Pathlink Primary Rate ISDN	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Pay Phone Provider	В	Е	C,D,T,N,V,W	No	No	No	NA	N	N	N
PBX Standalone Port	С	F	N,C,D	No	Yes	Yes	Yes	Y	Y	N
PBX Trunks	R,B	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N
Port/Loop PBX	U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple	U	M	A,C,D,V	Yes	No	No	Yes	Y	Y	Y
Preferred Call Forward	R,B,U	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	Е	N,D,W,T,F	Yes	No	No	No	Y	Y	Y
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	E	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	Č	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	Č	Е	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	C	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Touchtone	R,B	E	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W, SL1,	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
SL2	C	11,2	0,2,1,1,1,1,1	100	0112	1,0	1,0	_	-	-
WATS	R,B	Е	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C,U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA	N	N	N
Collect Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change	R,B	E	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Freeze	R,B	E	N,T,C,V	Yes	No	No	No	Y	Y	Y
I TO LITTO I TOOLO	IX,D	ند	11,1,0,1	1 69	110	140	140	1	1	1

Note¹: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note²: The TAG column includes those LSRs submitted via Robo TAG.

Note³: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note⁴: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note⁵: EELs are manually ordered.

Note⁶: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

793 of 925

Issue Date: June 4, 2002

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- Scheduled OSS Maintenance

Business Rules

Fully Mechanized: An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Product Specific Percent Rejected
- Total Percent Rejected

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Total Number of LSRs	
Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	-
Resale - Business	
• Resale – Design (Special)	
• Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
• Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified
- · Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · Geographic Scope

- State
- Region
- · Mechanized:
 - $0 \le 4$ minutes
 - >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- $0 \le 1$ hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 hours
- Partially Mechanized:
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- >24 hours
- Non-mechanized:
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours >16 - <= 20 hours
- >20 <= 24 hours
- 0 <= 24 hours
- $0 \le 24 \text{ n}$ > 24 hours
- Trunks:
 - <= 4 days
- >4 <= 8 days
- >8 <= 12 days
- >12 <= 14 days >14 - <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	**
Total Number of LSRs	
Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale - Residence	Mechanized:
Resale - Business	- 97% <= I Hour
Resale - Design (Special)	Partially Mechanized:
Resale PBX	- 85% <= 24 hours
Resale Centrex	- 85% <= 18 Hours (05/01/01)

D 1 TODAY	0.50/ 4.0.11 (0.0.(0.1.(0.1))
• Resale ISDN	- 85% <= 10 Hours (08/01/01)
• LNP (Standalone)	• Non-Mechanized: - 85% <= 24 hours
• INP (Standalone)	
 2W Analog Loop Design 	
 2W Analog Loop Non-Design 	
 2W Analog Loop With INP Design 	
 2W Analog Loop With INP Non-Design 	
 2W Analog Loop With LNP Design 	
 2W Analog Loop With LNP Non-Design 	
• UNE Loop + Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
• UNE ISDN Loops	
• UNE Other Non-Design	
Local Interoffice Transport	
• UNE Other Design	
Local Interconnection Trunks	• Trunks: - 85% <= 4 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% <= 1 Hour
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 24 Hours

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- · Geographic Scope
 - State
- Region
- Fully Mechanized:
- $0 \le 15$ minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$ hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
 - $0 \le 4 \text{ hours}$
 - >4 <= 8 hours
 - > 8 < = 10 hours
 - $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- 0 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- $0 \le 36 \text{ hours}$
- >36 <= 48 hours
- >48 hours
- Trunks:
- $0 \le 5 \text{ days}$
- >5 <= 10 days
- 0 <= 10 days
- >10 <= 15 days
- >15 <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	
 Total Number of LSRs 	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Mechanized: - 95% <= 3 Hours
• Resale – Business	Partially Mechanized:
• Resale – Design (Special)	- 85% <= 24 Hours
Resale PBX	- 85% <= 18 Hours (05/01/01)
Resale Centrex	- 85% <= 10 Hours (08/01/01)
Resale ISDN	• Non-mechanized: - 85% <= 36 Hours
• LNP (Standalone)	
• INP(Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
UNE ISDN Loops	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: - 95% <= 10 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% <= 3 Hours
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 36 Hours
IC Trunks	• 95% <= 10 Days

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual⁶

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- Electronically Submitted Requests
- Scheduled OSS Maintenance

Business Rules

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

Calculation

FOC Timeliness Interval = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = $(e / f) \times 100$

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Intervals

 $0 - \le 3$ days

>3 - <= 5 days0 - <= 5 days

>5 - <= 7 days

>7 - <= 10 days

>10 - <= 15 days

>15 days

⁶ See O-9 for FOC Timeliness

• Average Interval measured in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Requests	
• SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• xDSL (includes UNE unbundled ADSL, HDSL and UNE	• 95% Returned <= 5 Business days
Unbundled Copper Loops)	-
Unbundled Interoffice Transport	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- · Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized – The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

Note: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Multiple or Differing FOC / Reject Responses Not Expected

Response Completeness = $[(a + b) / c] \times 100$

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- CLEC Aggregate
- · BellSouth Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
 Total Number of LSRs 	
• Total Number of Rejects	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
• 2W Analog Loop Non - Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non - Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non - Design	
 UNE Loop and Port Combinations 	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Design	
• UNE Other Non - Design	
Local Interoffice Transport	
• Local Interconnection Trunks	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% Returned

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
 - Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Mechanized tracking through LCSC Automatic Call	Mechanized tracking through BellSouth Retail center
Distributor	support system.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	• Parity with Retail
• CLEC – Local Carrier Service Center	
BellSouth	
- Business Service Center	
- Residence Service Center	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-13: LNP-Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

Exclusions

- Service Requests canceled by the CLEC
- Scheduled OSS Maintenance

Business Rules

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

LNP-Percent Rejected Service Requests = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Not Applicable	Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic
• UNE Loop With LNP	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-14: LNP-Reject Interval Distribution & Average Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC
- · Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized:
- $0 \le 4$ minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- > 24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
 - >1 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - >10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - >18 <= 24 hours
- > 24 hours • Non-Mechanized:
- $0 \le 1$ hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours 0 - <= 24 hours
- >24 hours
- · Average Interval in Days or Hours

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
• Total Number of LSRs	
• Total number of Rejects	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 97% <= I Hour
• UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 24 Hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

811 of 925

O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

• Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State and Region
- Fully Mechanized:
- 0 <= 15 minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- 0 <= 3 hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- >8 <= 10 hours
- 0 <= 10 hours
- >10 <= 18 hours
- 0 <= 18 hours
- >18 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 <= 48 hours
- > 48 hours
- Non-Mechanized:
- $0 \le 4 \text{ hours}$
- >4 <= 8 hours
- >8 <= 12 hours >12 - <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- $0 \le 36 \text{ hours}$
- >36 <= 48 hours
- >48 hours

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
• Total Number of FOCs	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 95% <= 3 Hours
UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 36 hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

814 of 925

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · Orders with appointment code of 'A' for Rural orders

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

Report Structure

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON (PON) Order Submission Date (TICKET_ID) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Hold Reason Total Line/circuit Count Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total Line/circuit Count Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Analog/Benchmark
Retail Residence
Retail Business
Retail Design
• Retail PBX
Retail Centrex
Retail ISDN
• Retail Residence and Business (POTS)
• Retail Residence and Business (POTS)
Retail Residence and Business Dispatch
• Retail Residence and Business - POTS Excluding Switch-
Based Orders
Retail Residence and Business Dispatch
• Retail Residence and Business - POTS Excluding Switch-
Based Orders
Retail Residence and Business Dispatch
• Retail Residence and Business - POTS Excluding Switch-
Based Orders
• Retail Digital Loop < DS1
• Retail Digital Loop >= DS1
Retail Residence and Business
• Retail Residence and Business (POTS)
• Retail Residence, Business and Design Dispatch
ADSL Provided to Retail
• Retail ISDN - BRI
ADSL Provided to Retail
Retail Design
Retail Residence and Business
• Retail DS1/DS3 Interoffice
Parity with Retail

SEEM Measure

	SEEM Measure			
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- · Non-Dispatch Orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice = (e / f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch Orders
- Mechanized Orders
- · Non-Mechanized Orders

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON Date and Time Jeopardy Notice Sent Committed Due Date Service Type Note: Code in parentheses is the corresponding header found 	 Report Month BellSouth Order Number Date and Time Jeopardy Notice Sent Committed Due Date Service Type

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
% Orders Given Jeopardy Notice	
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	• Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
• 2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	 Retail Residence and Business (POTS Excluding Switch- Based Orders)
•UNE Digital Loop < DS1	• Retail Digital Loop < DS1
•UNE Digital Loop >= DS1	• Retail Digital Loop > DS1 • Retail Digital Loop >= DS1
•UNE Loop + Port Combinations	• Retail Business and Residence
•UNE Switch Ports	Retail Residence and Business (POTS)
•UNE Combo Other	Retail Residence and Business (FO13) Retail Residence, Business and Design Dispatch
•UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•UNE ISDN	Retail ISDN BRI
	ADSL Provided to Retail
•UNE Line Sharing	
•UNE Other Design	Retail Design Retail Residence and Business
•UNE Other Non -Design	
•Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
•Local Interconnection Trunks	• Parity with Retail
Average Jeopardy Notice Interval	• 95% >= 48 Hours

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-3: Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- · Dispatch/No Dispatch

Report Explanation: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope Note: Code in parentheses is the corresponding header four 	 Report Month BellSouth Order Number Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope
in the raw data file.	

819 of 925

SQM Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch
D: 1	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN - BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
• UNE Other Non - Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	• Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

821 of 925

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, 0.25 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = Order Issue Date

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,>= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthCLEC Company NameOrder Number (PON)	Report MonthBellSouth Order Number

 Application Date & Time (TICKET_ID) 	Application Date & Time
• Completion Date (CMPLTN_DT)	Order Completion Date & Time
• Service Type (CLASS_SVC_DESC)	Service Type
Geographic Scope	Geographic Scope
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
 UNE Loop + Port Combinations 	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
• UNE Switch Ports	• Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE xDSL (HDSL, ADSL and UCL) without	• 7 Days
conditioning	
• UNE xDSL (HDSL, ADSL and UCL) with conditioning	• 14 Days
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
• Local Interconnection Trunks	Parity with Retail

823 of 925

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL without conditioning	• 7 Days
UNE xDSL with conditioning	• 14 Days
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

824 of 925

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 CLEC Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope 	 Report Month BellSouth Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope
Note: Code in parentheses is the corresponding header found	NOTE: Code in parentheses is the corresponding header

in the raw data file. found in the raw data file.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch (Including
5	Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
• UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
• Not Applicable	Not Applicable

P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)	Not Applicable
FOC End Timestamp	
Report Month	
CLEC Order Number and PON	
Geographic Scope	
- State / Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With LNP-Design	
• 2W Analog Loop With LNP Non-Design	
• 2W Analog Loop With INP-Design	
• 2W Analog Loop With INP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop >=DS1	
• UNE Loop + Port Combinations	
• UNE Switch ports	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
• UNE Other Non -Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and with LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested

Business Rules

When the service order includes INP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. When the service order includes LNP, the interval only includes the total time for the cut over (the port of the number is controlled by the CLEC). The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- The interval breakout is 0.5 = 0.4.99, 5.15 = 5.14.99, >=15 = 15 and greater, plus Overall Average Interval.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number	100 Belisouth Allalog Exists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• Cut over Start Time	
Cut over Completion Time	
• Portability Start and Completion Times (INP orders)	
• Total Conversions (Items)	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Unbundled Loops with INP/LNP	• 95% <= 15 minutes
Unbundled Loops without INP/LNP	

SEEM Measure

SEEM Measure			
Yes	Tier I	X	
	Tier II	X	

SEEM Disaggregation	SEEM Analog/Benchmark
Unbundled Loops	• 95% <= 15 minutes

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- All unbundled loops on multiple loop orders after the first loop

Business Rules

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 - 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

Calculation

% within Interval = $(a / b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- \bullet b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
• CLEC Order Number (so_nbr)	100 BellSouth Allalog Calsts
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Cut over Scheduled Start Time	
Cut over Actual Start Time	
Total Conversions Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product Reporting Level	• 95% Within + or – 15 minutes of Scheduled Start Time
- SL1 Time Specific	
- SL1 Non-Time Specific	
- SL2 Time Specific	
- SL2 Non-Time Specific	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• 95% Within + or – 15 minutes of Scheduled Start time

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cut overs where service outages are due to CLEC caused reasons
- · Cut overs where service outages are due to end-user caused reasons

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

Report Structure

- CLEC Specific
- · CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• None
CLEC Company Name	VIVOIRE
• CLEC Order Number (so_nbr)	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• CLEC Acceptance Conflict (CLEC_CONFLICT)	
• CLEC Conflict Resolved (CLEC_RESOLVE)	
• CLEC Conflict MFC (CLEC_CONFLICT_MFC)	
• Total Conversion Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
 Unbundled Loops with INP/LNP 	Diagnostic
Unbundled Loops without INP/LNP	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

Definition

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

Exclusions

- · Any order canceled by the CLEC
- · Troubles caused by Customer Provided Equipment

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = $(a \ / \ b) \ X \ 100$

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No PollSouth Angles Evists
• CLEC Order Number (so_nbr)	No BellSouth Analog Exists
• PON	
 Order Submission Date (TICKET_ID) 	
• Order Submission Time (TICKET_ID)	
• Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
Note: Code in parentheses is the corresponding header found in the raw data file.	1

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Loop Design	• <= 5%
UNE Loop Non-Design	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• <= 5%

P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested = (a / b) X 100

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop tested

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
• CLEC Company Name (OCN)	Tto Bengouth Finding Exists
 CLEC Order Number (so_nbr) and PON (PON) 	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• Acceptance Testing Completed (ACCEPT_TESTING)	
• Acceptance Testing Declined (ACCEPT_TESTING)	
Total xDSL Orders	
Note: Code in parentheses is the corresponding header found	
in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
• UNE xDSL	• 95% of Lines Tested
- ADSL	
- HDSL	
- UCL	
- OTHER	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL	• 95% of Lines Tested

P-9: % Provisioning Troubles within 30 days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON Order Submission Date (TICKET_ID) Order Submission Time (TICKET_ID) Status Type Status Notice Date Standard Order Activity Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Order Number Order Submission Date Order Submission Time Status Type Status Notice Date Standard Order Activity Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	• Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS - Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
INP (Standalone)	Retail Residence and Business (POTS)
• LNP (Standalone)	• Retail Residence and Business (POTS)
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
UNE Other Non-Design	Retail Residence and Business
UNE Other Design	Retail Design
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

Issue Date: June 4, 2002

P-10: Total Service Order Cycle Time (TSOCT)

Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >=30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >=30=30 and greater.

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthInterval for FOC	Report Month BellSouth Order Number

	1 1
• CLEC Company Name (OCN)	Order Submission Date & Time
• Order Number (PON)	Order Completion Date & Time
 Submission Date & Time (TICKET_ID) 	Service Type
 Completion Date (CMPLTN_DT) 	Geographic Scope
 Completion Notice Date and Time 	
• Service Type (CLASS_SVC_DESC)	
Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
UNE Switch Ports	
• UNE Loop + Port Combinations	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
• UNE Other Design	
• UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops >= DS1	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch / No Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	No BellSouth Analog Exist
 CLEC Order Number and PON 	
• Local Service Request (LSR)	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Accurate
Resale Business	
• Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

Issue Date: June 4, 2002

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-12: LNP-Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

Calculation

LNP Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

Report explanation: Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 CLEC Order Number and PON (PON) 	1 Not Applicable
• Committed Due Date (DD)	
• Completion Date (CMPLTN DD)	
• Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file.	

	SQM Level of Disaggregation	SQM Analog/Benchmark
•	• LNP	 Retail Residence and Business (POTS)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• LNP	• 95% Due Dates Met ^a

^aDue to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Disconnect Timeliness Interval Distribution (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State, Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number/Circuit Number	
Committed Due Date	
Receipt Date/Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• 95% <= 15 Minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
LNP Standalone	• 95% <= 15 Minutes

P-14: LNP-Total Service Order Cycle Time (TSOCT)

Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, $\overline{5}$ -10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, >= 30 = 30 and greater.

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Not Applicable
• Interval for FOC	Not Applicable
CLEC Company Name (OCN)	
Order Number (PON)	
Submission Date & Time (TICKET_ID)	
Completion Date (CMPLTN_DT)	
Completion Notice Date and Time	

- Service Type (CLASS_SVC_DESC)Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Diagnostic

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 4: Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Relating to CLEC Experience	Relating to BellSouth Performance
	 Report Month BellSouth Company Code Submission Date & Time Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	•
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	 Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-2: Customer Trouble Report Rate

Definition

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = $(a / b) \times 100$

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) # Service Access Lines in Service at the end of period Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Company Code Ticket Submission Date & Time Ticket Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) # Service Access Lines in Service at the end of period Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	• Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	 Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total Duration Time Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	• Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

Calculation

Percent Repeat Troubles within 30 Days = $(a / b) \times 100$

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) Service Type Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time
Note : Code in parentheses is the corresponding header found in the raw data file.	**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	• Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	• Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	 Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours $= (a / b) \times 100$

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

Report Structure

- Dispatch/Non Dispatch
- CLEC Specific
- · BellSouth Aggregate
- CLEC Aggregate

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope Note: Code in parentheses is the corresponding header foun in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission time Ticket Completion Date Ticket Completion Time Percent of Customer Troubles out of Service > 24 Hours Service type Disposition and Cause (Non-Design/Non-Special only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	• Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-6: Average Answer Time – Repair Centers

Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

None

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region. CLEC/BellSouth Service Centers and BellSouth	• For CLEC, Average Answer Times in UNE Center and
Repair Centers are regional.	BRMC are comparable to the Average Answer Times in
	the BellSouth Repair Centers.

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

Exclusions

None

Business Rules

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: www.interconnection.bellsouth.com/guides/other_guides/other_guides/html/gopue/indexf.htm.

Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

Mean Time to Notify CLEC = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

Report Structure

- · BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	 Major Network Events
Date/Time of Incident	Date/Time of Incident
Date/Time of Notification	 Date/Time of Notification

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
BellSouth Aggregate	Parity by Design
CLEC Aggregate	
CLEC Specific	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- · Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Total Billed Revenue
Total Billed Revenue	 Billing Related Adjustments
Billing Related Adjustments	, and the second

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	 CLEC Invoice Accuracy is comparable to BellSouth
- Resale	Invoice Accuracy
- UNE	
- Interconnection	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth State	

5-2

B2: Mean Time to Deliver Invoices

Definition

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Exclusions

Any invoices rejected due to formatting or content errors.

Business Rules

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Invoice Type	Invoice Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	 Invoice Transmission Count
 Invoice Transmission Count 	• Date of Scheduled Bill Close
Date of Scheduled Bill Close	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	• CRIS-based invoices will be released for delivery within
Resale	six (6) business days.
• UNE	• CABS-based invoices will be released for delivery within
• Interconnection	eight (8) calendar days.
	 CLEC Average Delivery Intervals for both CRIS and
	CABS Invoices are comparable to BellSouth Average
	delivery for both systems.

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• CLEC State	Parity with Retail
- CRIS	
- CABS	
BellSouth Region	

Issue Date: June 4, 2002

5-4

B3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy = $(a - b) / a \times 100$

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
 Record Type 	• Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	 CLEC Usage Data Delivery Accuracy is comparable to
	BellSouth Usage Data Delivery Accuracy

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth Region	

B4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a / b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• CLEC Usage Data Delivery Completeness is comparable
	to BellSouth Usage Data Delivery Completeness

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Timeliness Current month = $(a / b) \times 100$

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- · CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Timeliness is comparable to
	BellSouth Usage Data Delivery Timeliness

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Mean Time to Deliver Usage = (a X b) / c

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Report Structure

- CLEC Aggregate
- · CLEC Specific
- BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	 Mean Time to Deliver Usage to CLEC is comparable to
	Mean Time to Deliver Usage to BellSouth.

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total Recurring Charges Billed
• Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

¹Correct bill = next available bill

B8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Non-recurring Charges Billed	Total Non-recurring Charges Billed
• Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

¹Correct bill = next available bill

Section 6: Operator Services And Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Toll = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure				
No	Tier I			
Tier II				

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

877 of 925

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings. For E-911, see Section 8.

Exclusions

- Updates Canceled by the CLEC
- · Initial update when supplemented by CLEC
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Database File Submission Time	Database File Submission Time
Database File Update Completion Time	Database File Update Completion Time
 CLEC Number of Submissions 	 BellSouth Number of Submissions
• Total Number of Updates	• Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
Database Type	Parity by Design
• LIDB	
Directory Listings	
Directory Assistance	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

879 of 925

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB), Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

Exclusions

- · Updates canceled by the CLEC
- · Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- BellSouth updates associated with internal or administrative use of local services

Business Rules

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 CLEC Order Number (so_nbr) and PON (PON) 	• Not Applicable
• Local Service Request (LSR)	
Order Submission Date	
Number of Orders Reviewed	
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Assistance	
Directory Listings	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

881 of 925

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- \bullet b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
NPA/NXX	
LERG Effective Date	
Loaded Date	

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope	• 100% by LERG Effective Date
- Region	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

7-6

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- · Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point B

Point B

CLEC Affecting Categories:

Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting Categories:		

Point A

Point A

Category 9: BellSouth End Office BellSouth End Office

Calculation

Monthly Average Blocking:

• For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

• The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- · BellSouth Aggregate
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	 Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC aggregate	• Any 2 hour period in 24 hours where CLEC blockage
BellSouth aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure			
Yes	Tier I		
	Tier II	X	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth Aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1,3,4,5,10,16 for CLECs and 9 for
	BellSouth

TGP-2: Trunk Group Performance-CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

BellSouth Tandem

Point B

CLEC Affecting Categories:

Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem

Point A

BellSouth Affecting Categories:

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

BellSouth Tandem

Category 16:

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
 Number of Trunk Groups by CLEC 	 Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
 Hourly Usage Per Trunk Group 	 Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	 Any 2 hour period in 24 hours where CLEC blockage
	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage
BellSouth Trunk Group	exceeds BellSouth blockage by more than 0.5% using
_	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

Exclusions

Any application canceled by the CLEC.

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 20 Calendar Days
• Virtual-Initial	 Physical Caged - 30 Calendar Days
• Virtual-Augment	 Physical Cageless - 30 Calendar Days
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

- Any Bona Fide firm order canceled by the CLEC
- · Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	 Virtual - 50 Calendar Days (Ordinary)
Virtual-Initial	 Virtual - 75 Calendar Days (Extraordinary)
Virtual-Augment	 Physical Caged - 90 Calendar Days
Physical Caged-Initial	 Physical Cageless - 60 Calendar Days (Ordinary)
Physical Caged-Augment	 Physical Cageless - 90 Calendar Days (Extraordinary)
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

Exclusions

Any Bona Fide firm order canceled by the CLEC.

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = (a / b) X 100

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• >= 95% on time
• Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• >= 95% on time

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

S	QM Level of Disaggregation	SQM Analog/Benchmark
 Region 		• 95% >= 30 Days of Release

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 Days of Release

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

• BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 95% >= 30 days if new features coding is required
	• 95% >= 5 days for documentation defects, corrections or
	clarifications

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• $95\% >= 30$ days of the change

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

• CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Number of Interface Outages 	Not Applicable
• Number of Notifications <= 15 minutes	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• By interface type for all interfaces accessed by CLECs	• 97% in 15 Minutes

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 12: Bona Fide / New Business Request Process

BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

Definition

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network elements not currently offered.

Exclusions

• Any application cancelled by the CLEC

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 30 business days

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

Definition

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

Exclusions

· Requests that are subject to pending arbitration

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

Report Structure

- New Network Elements that are operational at the time of the request
- New Network Elements that are ordered by the FCC
- New Network Elements that are not operational at the time of the request

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 10/30/60 business days
	- Network Elements that are operational at the time of
	the request – 10 days
	- Network Elements that are Ordered by the FCC – 30
	days
	- New Network Elements – 90 days

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- Service Inquiry

Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- · Aggregate CLEC State
- Aggregate CLEC Region
- BellSouth State
- · BellSouth Region

Glossary of Acronyms and Terms Appendix B:

Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

A mathematical operator representing addition.

A mathematical operator representing division.

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<=

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

Asymmetrical Digital Subscriber Line

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fide Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

CRIS

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

CWINS Center

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center).

D

DA

Directory Assistance

Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

Disposition & Cause

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

DS-0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

DSAF

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSL

Digital Subscriber Line

DUI

Database Update Information

Ε

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F

Fatal Reject

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

GH

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line

IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEC

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LISC

Local Interconnection Service Center - The center that issues trunk orders.

LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST

LMOS host computer

LMOSupd

LMOS updates

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

Loops

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

Ν

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISCAR

OASIS software contract for feature/service

OASISLPC

OASIS software contract for feature/service

OASISMTN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

OSPCM

Outside Plant Contract Management System - Provides Scheduling Information.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

Out Of Service

Customer has no dial tone and cannot call out.

P

PMAP

Performance Measurement Analysis Platform

PMOAP

Performance Measurement Quality Assurance Plan

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

QR

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

SOG

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

T

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.

Appendix C: Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

Attachment 10

BellSouth Disaster Recovery Plan

CON	TENTS	<u>S</u>		PAGE
1.0	Purpo	se		2
2.0	Single Point of Contact			2
3.0	Identifying the Problem			2
	3.1	Site Co		3
	3.2	Enviro	nmental Concerns	4
4.0	The Emergency Control Center (ECC)			4
5.0	Recovery Procedures			5
	5.1 CLEC Outage			5
	5.2 BellSouth Outage		5	
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3 Combined Outage (CLEC and BellSouth Equipment)		7	
6.0	T1 Identification Procedures			7
7.0	Acronyms			8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the Federal Communications Commission to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Request Process

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1.0 The Parties agree that Big River is entitled to order any Unbundled Network Element, Interconnection option, service option or Resale Service required to be made available by FCC or Commission requirements pursuant to the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"). Big River also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.

2.0 BONA FIDE REQUEST

- A Bona Fide Request (BFR) is to be used when Big River makes a request of BellSouth to provide a new or modified Unbundled Network Element, Interconnection option, or other service option (Requested Services) pursuant to the Act that was not previously included in this Agreement.
- A BFR shall be submitted in writing by Big River and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include Big River's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e. a BFR). The request shall be sent to Big River's designated BellSouth Sales contact.
- If BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the BFR, BellSouth shall notify Big River within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the evaluation of the BFR. Big River shall submit such fee within thirty (30) business days of BellSouth's notice that a fee is required. Within thirty (30) business days of BellSouth's receipt of the fee, BellSouth shall respond to Big River by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for

the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the BFR, within thirty (30) business days of its receipt of the BFR, BellSouth shall respond to Big River by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the Requested Services or is otherwise not required to be provided under the Act.

- Big River may cancel a BFR at any time. If Big River cancels the request more than ten (10) business days after submitting the BFR request, Big River shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR up to the date of cancellation in addition to any fee submitted in accordance with Section 2.3 above.
- Big River will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR as set forth in Section 2.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR (Development Costs). Development costs are non-refundable. If Big River fails to respond within this 30-day period, the BFR will be deemed cancelled.
- 2.5.1 BellSouth shall propose a firm price quote and a detailed implementation plan within thirty (30) business days of receipt of Big River's acceptance of the preliminary analysis.
- 2.5.2 Big River shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- 2.6 Unless Big River agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the Commission.
- 2.7 If Big River believes that BellSouth's firm price quote is not consistent with the requirements of the Act, or if either Party believes that the other is not acting in good faith in requesting, negotiating or processing the

BFR, either Party may seek FCC or Commission arbitration, as appropriate, to resolve the dispute. Any such arbitration applicable to Unbundled Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.

2.8 Upon agreement to the rates, terms and conditions of a BFR, an amendment to this Agreement may be required.

3.0 NEW BUSINESS REQUEST

- A New Business Request (NBR) is to be used by Big River to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested Enhanced Services).
- An NBR shall be submitted in writing by Big River and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to Big River's designated BellSouth Sales contact.
- 3.3 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the NBR, BellSouth shall notify Big River that a fee will be required prior to the evaluation of the NBR. Big River shall submit such fee within ten (10) business days of BellSouth's notice that a fee is required. BellSouth shall use reasonable efforts to respond to the NBR within (30) business days following BellSouth's receipt of the fee by providing a preliminary analysis of such Requested Enhanced Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested NBR is not of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the NBR, BellSouth will use reasonable efforts to respond to Big River within thirty (30) business days of its receipt of an NBR by providing a preliminary analysis of such Requested Services that are the subject of the NBR. The preliminary analysis shall either confirm that

BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act.

- 3.4 Big River may cancel an NBR at any time. If Big River cancels the request more than ten (10) business days after submitting it, Big River shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 3.3 above.
- 3.5 Big River will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the NBR as set forth in section 3.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the NBR. If Big River fails to respond within this 30-day period, the NBR will be deemed cancelled.
- 3.6 If Big River accepts the preliminary analysis, BellSouth shall propose a firm price quote and a detailed implementation plan within sixty (60) business days of receipt of Big River's acceptance of the preliminary analysis and nonrecurring fees quoted in the preliminary analysis.
- 3.7 Big River shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- 3.8 Upon agreement to the terms of a NBR, an amendment to this Agreement, or a separate agreement, may be required.